

THE ROYAL SOCIETY FOR THE PROMOTION OF HEALTH

Founded 1876

LIBRARY REGULATIONS

(a) Books, periodicals and pamphlets may be borrowed by Fellows, Ordinary Members, Associates and Affiliates personally or by a messenger producing a written order. The person to whom such publications are delivered shall sign a receipt for them in a book provided for that purpose.

(b) Publications may be borrowed through the post upon a written order. An acknowledgement of the receipt of such publications must be made on the form provided and returned to the Society immediately. Failing this, it will be assumed that the borrower has received the books, for which he will accordingly be held responsible. The postage of publications returned to the Society shall be defrayed by the borrower.

(c) A borrower may not have more than three publications in his possession at one time.

(d) A borrower will be considered liable for the value of any publication lost or damaged while on loan to him, and, if it be a single volume or part of a set, for the value of the whole work thereby rendered imperfect. Marking or writing in the publications is not permitted, and borrowers are requested to call attention to damage of this character.

(e) **Books and pamphlets may be retained for twenty-eight days. Periodicals may be retained for fourteen days. Applications for extension of the loan period must be made in writing before its expiry.** This loan period cannot be extended without application being made to the Secretary of the Society whose decision in this matter must be accepted as final and binding.

(f) Books and pamphlets added to the Library will not be lent until after the expiry of one month from the date received. The current number of a periodical may not be borrowed.

(g) Borrowers retaining publications longer than the time specified, and neglecting to return them when demanded, forfeit the right to borrow until they be returned, and for such further time as may be ordered by the Council.

Any borrower failing to comply with a request for the return of a publication shall be considered liable for the cost of replacing it, and the Council, may, after giving due notice to him, order it to be replaced at his expense.

No publication may be reissued to the same borrower until at least seven days have elapsed after its return, neither may it be transferred by one borrower to another.

(h) **Publications may not be taken or sent out of the United Kingdom.**

(i) Publications returned through the post must be securely packed and adequately protected.

(j) Parcels should be addressed: THE LIBRARIAN,

THE ROYAL SOCIETY OF HEALTH

90 BUCKINGHAM PALACE ROAD, LONDON, S.W.1

O.B., Truro

— November, 1961



22500150243

THE ROYAL SOCIETY

FOR THE PROMOTION

OF HEALTH

90 Buckingham Palace Road, London, S.W.1

Class No. NAAA 92

Acc. No. 27057

This book is returnable on or before the last date Marked below

- 6 MAR 1964

THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE YEAR 1957

PART I

TABLES, MEDICAL

WELLCOME INSTITUTE LIBRARY	
Coll.	weIMOmec
Call	
No.	
	Vital Statistics
	Table 12
	England and Wales, Standard Regions, Wales, Commonwealths, London, Metropolitan and County Boroughs, Urban and Rural Aggregates, Urban and Rural Districts
	Deaths by Age

LONDON

HER MAJESTY'S STATIONERY OFFICE

1958

TABLE OF CONTENTS

Part I. Tables, Medical

Explanatory Notes	Page
Corrigenda	v
	x
Populations	
Table 1. Estimated Population, Total, Home and Civilian, by Sex and Age, Mid-year 1957. England and Wales	2
Table 2. Estimated Home Population by Sex and Age, Mid-year 1957. England and Wales, Standard Regions, Wales, Conurbations, Urban and Rural Aggregates outside Conurbations	3
Serial Mortality Records	
Table 3. Deaths, Death Rates, Mortality Comparisons and Infant Mortality, 1841-1957. England and Wales	4
Table 4. Death Rates in Age Groups, Infant Mortality and Mortality Ratios, 1841-1957. England and Wales	6
Table 5. Deaths Registered and Death Rates in each Quarter, 1841-1957. England and Wales	9
Table 6. Comparative Mortality Indices (All Ages) and Death Rates at Ages under 15. Principal Epidemic or General Diseases, 1851-1957. England and Wales	10
Table 7. Deaths by Cause and Sex at All Ages, 1947-1957. England and Wales	11
Table 8. Crude Death Rates from Certain Causes by Sex at All Ages, 1947-1957. England and Wales	43
Table 9. Comparative Mortality Indices (Base Year 1938) by Sex for Certain Causes, 1947-1957. England and Wales	57
Table 10. Deaths of Infants under One Year from Certain Causes, 1947-1957. England and Wales	60
Table 11. Infant Mortality from Certain Causes, 1947-1957. England and Wales	61
Vital Statistics by Local Areas	
Table 12. Home Population, Births, Deaths and Infant Mortality, 1957. England and Wales, Standard Regions, Wales, Conurbations, Counties, Boroughs, Urban and Rural Districts	62
Deaths by Age	
Table 13. Deaths by Sex at each year of Age (with Marital Condition), 1957. England and Wales	112
Table 14. Constructed Analysis of 1957 Deaths by Age and Marital Condition. England and Wales	114
Table 15. Deaths at Different Ages, 1957. England and Wales, Standard Regions, Wales, Conurbations, London A.C., City of London, Metropolitan and County Boroughs, Urban and Rural Aggregates in each Administrative County	115
Table 16. Deaths at Different Ages by Month of Occurrence, 1957. England and Wales	133

		Page
Cause Analyses		
Table 17.	Causes of Death at Different Age Periods, 1957. England and Wales	134
Table 18a.	Accidental Poisoning and other Non-Transport Accidents by Place of Occurrence, Age and Sex, 1957. England and Wales	177
Table 18b.	Deaths from Violent Causes—according to Nature of Injury, Sex and Age, 1957. England and Wales	184
Table 18c.	Deaths from Violent Causes—Nature of Injury according to External Cause, 1957. England and Wales	189
Table 19.	Causes of Death by Sex, at Different Periods of Life, 1957. (International Abbreviated List.) England and Wales, Standard Regions, Wales, Conurbations, Urban and Rural Aggregates outside Conurbations	190
Table 20.	Suspended.	
Table 21.	Causes of Death by Sex, 1957. (Abridged List.) England and Wales, Standard Regions, Wales, Conurbations, London A.C., City of London, Metropolitan and County Boroughs, Administrative Counties	236
Table 22.	Crude Death Rates from the principal Epidemic Diseases and from certain other Causes; Infant Mortality and Maternal Mortality, 1956 and 1957. England and Wales, London A.C., City of London, Metropolitan and County Boroughs, Administrative Counties	260
Table 23.	Causes of Death by Month of Occurrence, Jan.-Dec., 1957. England and Wales	266
Stillbirths and Infant Mortality		
Table 24.	Stillbirths by Sex and Legitimacy, 1957. England and Wales, Standard Regions, Wales, Conurbations, London A.C., City of London, Metropolitan and County Boroughs, Urban and Rural Aggregates in each Administrative County	275
Table 25.	Deaths at various Periods in the First Year of Life by Legitimacy. Death Rates per 1,000 related Live Births, 1957. England and Wales, Standard Regions, Wales, Conurbations, London A.C., City of London, Metropolitan and County Boroughs, Urban and Rural Aggregates in each Administrative County	278
Table 26.	Deaths at various Periods in the First Year of Life, 1957 and the Four Quarters thereof. England and Wales, Standard Regions, Wales, Conurbations, Urban and Rural Aggregates outside Conurbations	286
Table 27.	Causes of Death of Infants under One Year at Different Age Periods, 1957. England and Wales	288
Table 28.	Infant Mortality from Certain Causes, 1957. Deaths of Infants under One Year and various sub-divisions of the first year, and deaths of illegitimate infants. England and Wales, Standard Regions, Wales, Conurbations, Urban and Rural Aggregates outside Conurbations	298
Infectious Diseases		
Table 29.	Notifications of certain Infectious Diseases. Case Rates per 100,000 Population, 1947-1957. England and Wales and certain Aggregates	301

Table 30.	Seasonal Incidence of certain Infectious Diseases, 1957.	Eng- land and Wales	Page
		304
Table 31.	Cases of certain Infectious Diseases Notified, 1947-1957.	England and Wales	305
Table 32.	Cases of certain Infectious Diseases Notified, by Sex and Age, 1957.	England and Wales, Standard Regions, Wales, Conurbations	306
Table 33.	Cases of certain Infectious Diseases Notified, 1957.	England and Wales, Standard Regions, Wales, Conurbations, Boroughs, Urban and Rural Districts	324
Weather			
Table 34.	Quarterly Air Temperature, Rainfall and Sunshine, 1957.	England and Wales	366
Table 35.	Rainfall, Mean Temperature and Sunshine, 1908-1957.	England and Wales	367
Table 36.	Meteorological Observations, 1957.	Kew Observatory, Richmond	368
Appendices			
Appendix A.	Death Rates per million in England and Wales based upon the sex and age distribution of the population of Great Britain in the year of experience, with rates for Scotland for comparison, 1953-1957.	369
Appendix B.	Changes in Boundaries, Names, etc., of Counties, Boroughs, Urban and Rural Districts.		
	(i) Authorities for changes	370
	(ii) Particulars of changes	371
	(iii) Population of areas as constituted after the change	372
	(iv) 1951 Census. Sex and age distribution of population in areas transferred between County Boroughs, Urban and Rural Aggregates of Administrative Counties	373

SPECIAL NOTE

Changes to be introduced in the 1958 volume

1. Causes of Death

The classification of causes of death will be that prescribed in the *International Statistical Classification of Diseases, Injuries and Causes of Death, 1955* (Seventh Revision of the International List).

2. Standardised Mortality Comparisons

It has been decided to replace the Comparative Mortality Index, which was first introduced in the 1942 *Statistical Review*, with a Standardised Mortality Ratio which will show the numbers of deaths registered in the year of experience as a percentage of those which would have been expected in that year had the sex/age mortality of a standard period (1950–1952) operated on the sex/age population of the year of experience.

The tables to be affected by this change are 3, 4, 6 and 9. Table 6 will omit tuberculosis of the respiratory system and cancer excluding Hodgkins disease, leukaemia and aleukaemia; it will include peptic ulcer and suicide. Table 9 will include all main and sub-groups of the International List and a number of the more important causes within those groups.

3. Tables to be omitted

Table 15.—A limited age analysis of deaths in the various parts of England and Wales will still be available in Table 19 and the unpublished Table 20 (see Explanatory Note 3).

Table 22.—The rates for most of the causes of death will be obtainable from the data in Table 21 and Table 12 (see also changes to Table 21 below).

Table 29.—The England and Wales notification rates will be transferred to Table 33.
Appendix A.—This will be replaced by a new table (see new tables to be introduced below)

Appendix B.—Areas which have undergone a change of boundary during the year will still be identified in Table 12 (see Explanatory Note 9.) The information now given in Appendix B will be available in the *Part II, Civil Tables* volume of the *Statistical Review*.

4. New tables to be introduced

- A table to show, for England and Wales, age specific death rates for a list of twenty important causes in each of the last five years.
- A table to show, for England and Wales, Scotland and Northern Ireland, standardised mortality ratios and age specific death rates (standardised on the United Kingdom population) for some 50 causes.
- An extension of Table 18, (18D) to show the nature of injury by sex and age for a selected list of important external violent causes.

5. Tables to be curtailed

Table 25.—Figures for individual local authority areas will be omitted.

Table 33.—Figures for individual county districts will be omitted, but they will be available at the General Register Office. The England and Wales notification rates now shown in Table 29 will be included in this table.

6. Other Tables to be changed

In addition to the changes listed above there will be changes in detail in the following tables: Tables 3, 7, 8, 10, 11, 12, 17, 18B, 19, 21, 27, 28, 30 and 31.

Full details of these changes will be published in the Explanatory Notes to the *Statistical Review, Part I, 1958*.

EXPLANATORY NOTES

1. New or Recent Changes in Presentation

Where changes have been made this year the appropriate passage in the Explanatory Notes below has been marked with a vertical bar in the margin.

2. Populations

The estimates of population appearing in this volume and described as "Home" or "Total" populations have the following content:-

Home population—the population, of all types, actually in England and Wales, distributed by area according to residence.

Total population—the home population *plus* members of H.M. Forces belonging to England and Wales and serving overseas but *excluding* the Forces of other countries temporarily in England and Wales.

The mid-1957 estimates of population, both national and local, have been based upon final figures from the full tabulations of the 1951 Census.

3. Deaths

The deaths recorded in this volume are those registered in England and Wales. No distinction is made between deaths of civilians and deaths of non-civilians, except where stated for past years in serial tables.

Except in Tables 16 and 23 the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and the date of registration being usually only a day or two. In Tables 16 and 23 deaths are classified by calendar month of occurrence, but they exclude deaths occurring in the current year which are not registered until after 31st March in the following year.

In all tables deaths are classified according to the area of usual residence of the deceased. The definition of usual residence for this purpose was modified in 1953, the main change being that persons dying in hospitals for the chronic sick and in mental and mental deficiency hospitals were in that year regarded as having been resident in the hospital. Such a change with regard to persons dying in accommodation provided under Parts III and IV of the National Assistance Act, 1948, had already been brought into effect during 1952. The method of classification of chronic sick hospitals for this purpose was slightly modified in 1954, and rates for a certain number of smaller areas may not be comparable with those for 1953.

Areas where it is regarded as probable that the number of deaths has been appreciably affected by the *opening, closing or change of use* of certain institutions, so that the figures are not comparable with previous years, have been marked §.

The full details previously shown in Table 20 and also figures (based on the Abridged List see note 4, without age detail) for administrative areas not separately shown in Table 21, are available at the General Register Office, or can be supplied on payment.

4. Causes of Death

The classification of causes of death is that prescribed in the *International Statistical Classification of Diseases, Injuries and Causes of Death, 1948* (Sixth Revision of the International List)*, operating from the year 1950 in accordance with international agreement. Violent deaths are generally classified according to the External Cause of Injury, but the alternative method of classification by Nature of Injury (N codes) is also used in Tables, 7, 8, 18B, 18C, 19 and 27. The Abridged List used for separate areas in Table 21 is a modification of the International Abbreviated List and was adopted by the Registrar General in consultation with the Ministry of Health; it is extended by the Supplementary Abridged List in the same table. The list used in Table 19 is designed so that it can be condensed into either the International Abbreviated List or the Abridged List of Table 21 (see note at 1(f)). Table 18C employs both of the alternative classifications for violent deaths in the International Intermediate List.

The 1948 International Classification, which was expanded to cover diseases and injuries as well as causes of death, differs considerably from the previous International Lists not only in scope but also in grouping of causes. In order to provide so far as possible continuity and comparability with past experience, revised figures have been estimated so far as possible for each year 1940-1948, and have been used wherever references to these years appear in this volume.

Where more than one cause of death is mentioned on the Medical Certificate, the choice of the assigned cause is determined in the main from the statement of the certifier, and not by arbitrary rules of precedence. The practice in this respect is, in effect, the same as in years since 1940, and has now been adopted internationally.

5. Death Rates

The death rates for 1950 and on (except for Infant Mortality and Maternal Mortality) are derived from the total deaths registered in this country and are based on the home population, while those for 1940-1949 are derived from civilian deaths and populations (see note 2 above). All death rates for years prior to 1950 have been revised so far as possible to the new method of classification. Death rates for years 1951 to 1953 shown in this volume are in some cases slightly different from corresponding rates published in the Tables volumes for these years, because the estimated populations on which they are based have been revised in the light of final data from the 1951 Census.

*Manual obtainable from Her Majesty's Stationery Office, price 30s. 0d. net.

The crude death rates for local areas in Table 12 (col. 14) may not be comparable one with another. In the first place the populations on which they are based may have widely differing structures by sex and age. In order to eliminate differences between local death rates due to this cause an Area Comparability Factor is calculated (as described on page 57 of the *1954 Statistical Review, Part III, Commentary**).

In the second place the populations on which the crude death rates are based may include a disproportionate number of invalids if there are certain types of hospital in the area. Since 1953 all deaths in mental and mental deficiency hospitals and most deaths in hospitals for the chronic sick have been assigned to the area of the hospital whether or not the patients had originally been admitted from that area. This practice increases the death rates for areas containing large populations in those types of hospital and (very slightly) decreases the death rates for areas containing no such population. In order to eliminate differences between local death rates due to this cause also, the Area Comparability Factors mentioned in the previous paragraph are adjusted so that they also spread the deaths and the populations in chronic sick, mental and mental deficiency hospitals over all areas of the country in proportion to the non-institutional populations.

The product of the crude death rate and this adjusted Area Comparability Factor (col. 13 in Table 12) is a rate which is standardised for sex and age structure and, at the same time, makes allowance for the presence in or absence from the area of chronic sick, mental or mental deficiency hospitals.

Infant mortality rates are based upon the live births occurring in the year, except in the years 1931 to 1956 when they were based upon the combined live births of the associated and preceding year to which they relate. Maternal mortality rates are based upon live and still births occurring in the calendar year, except in the case of deaths from Abortion which are based on the estimated numbers of women aged 15-44.

6. Standard Mortality Comparisons

The method of calculating the Comparative Mortality Index was explained in the Appendix to Part I of the *Statistical Review for 1941*. An alternative notation of the formula will be found on page vi of Part I of the Review for 1942. This method has been used for the C.M.I.'s in Tables 3 and 4. In Tables 6 and 9 C.M.I.'s worked on this basis have been adjusted so far as possible to the new method of classification. A certain amount of estimation is involved in this process of revision, and the resultant C.M.I.'s can only be regarded as approximate. For this reason they are given to two decimal places only instead of three as in the past.

7. Births and Birth Rates

The births recorded are those occurring in the calendar year.

In Table 12 births are allocated to the area or usual residence of the mother.

The crude birth rates for local areas in Table 12 (col. 8) may not be comparable one with another. In the first place the populations on which they are based may contain different relative numbers of women of childbearing ages. In order to eliminate differences between local birth rates due to this cause also, the Area Comparability Factors mentioned in the previous paragraph are adjusted so that they also spread the numbers of women of childbearing ages in mental and mental deficiency hospitals over all areas of the country in proportion to the non-institutional populations.

The product of the crude birth rate and this adjusted Area Comparability Factor (col 9 in Table 12), is a rate which is standardised for sex and age structure—in particular for the relative numbers of women of childbearing ages—and, at the same time, makes allowance for the presence in, or absence from, the area of mental or mental deficiency hospitals with female patients of childbearing ages.

The product of the crude birth rate and this adjusted Area Comparability Factor (col 9 in Table 12), is a rate which is standardised for sex and age structure—in particular for the relative numbers of women of childbearing ages—and, at the same time, makes allowance for the presence in, or absence from, the area of mental or mental deficiency hospitals with female patients of childbearing ages.

8. Notification of Infectious Diseases

Tables 29 and 31 and Tables 32 and 33 are based on notifications corrected for subsequent amendments of diagnosis by the Notifying Medical Practitioner or by the Medical Superintendent of the Infectious Diseases Hospital. Non-civilians are included unless otherwise stated.

9. Changes in Boundaries

Areas which have undergone a change of boundary during the year are identified in Table 12 by an asterisk (*); areas created during the year are identified by the sign (†), while areas abolished are indicated by the sign (‡). Statistics shown for the year for such an area relate to the area as constituted in the respective parts of the year before and after the boundary change; in consequence the base population used in Table 12 for the calculation of birth and death rates, which must be a weighted average of the populations for these two parts of the year, will differ from that included in Part (iii) of Appendix B and Table 2 which relate to the area as constituted *after* the boundary change.

* Obtainable from Her Majesty's Stationery Office, price 8s. 0d. net.

10. Significance Indication

Rates based upon less than 20 births, deaths or notifications are distinguished by italic type as a warning to the user that the smallness of the experiences may affect their significance (*see* page 9 of the *1936 Statistical Review, Text.*) Rates given as 0 indicate that the rate is less than half the final digit shown.

A dash (—) in any column indicates that there were no events.

11. Standard Regions

The constitution of the Standard Regions of England and Wales used in this volume is as follows:—

REGION I. <i>Northern.</i> Cumberland. Durham. Northumberland. Westmorland. Yorkshire, North Riding.	REGION IV. <i>Eastern.</i> Bedfordshire. Cambridgeshire. Ely, Isle of. Essex, Part of ² Hertfordshire, Part of ³ Huntingdonshire. Norfolk. Suffolk, East. Suffolk, West.	REGION VI. <i>Southern.</i> Berkshire. Buckinghamshire. Dorset. Oxfordshire. Southampton. Wight, Isle of.	Wales II. Anglesey. Caernarvonshire. Cardiganshire. Denbighshire. Flintshire. Merionethshire. Montgomeryshire. Pembrokeshire. Radnorshire.
REGION II. <i>East and West Ridings.</i> Yorkshire, East Riding. Yorkshire, West Riding.	REGION V. <i>London and South Eastern.</i> Essex, Part of ⁴ Hertfordshire, Part of ⁵ Kent. London A. C. Middlesex. Surrey. Sussex, East. Sussex, West.	REGION VII. <i>South Western.</i> Cornwall. Devon. Gloucestershire. Somerset. Wiltshire.	REGION IX. <i>Midland.</i> Herefordshire. Shropshire. Staffordshire. Warwickshire. Worcestershire.
REGION III. <i>North Midland.</i> Derbyshire, Part of ¹ Leicestershire. Lincolnshire— Parts of Holland. Parts of Kesteven. Parts of Lindsey. Northamptonshire. Nottinghamshire. Peterborough, Soke of. Rutland.		REGION VIII. <i>Wales I.</i> Brecknockshire. Carmarthenshire. Glamorganshire. Monmouthshire	REGION X. <i>North Western.</i> Cheshire. Derbyshire, Part of ⁶ Lancashire.

1. All except Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D., and Chapel en le Frith R.D.
2. All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D., and Chigwell U.D.
3. All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D., and Elstree R.D.
4. All areas stated in 2 above.
5. All areas stated in 3 above.
6. All areas stated in 1 above.

12. Definition of Areas

London A.C.=Administrative County of London, which consists of the City of London (including the Inner and Middle Temples) and the Metropolitan Boroughs.

C.B.=County Borough; **M.B.**=Municipal Borough; **Met.B.**=Metropolitan Borough

U.D.=Urban District; **R.D.**=Rural District.

13. Conurbations

The conurbation areas used in this volume are those which were agreed in 1950, under the aegis of the Interdepartmental Committee on Social and Economic Research and the Central Statistical Office, for the presentation of official statistics generally.* They each consist of an aggregation of entire local authority areas and are constituted as follows:—

Durham	Tyneside	Northumberland
Gateshead C.B. South Shields C.B.	Felling U.D. Hebburn U.D. Jarrow M.B. Whickham U.D.	Newcastle upon Tyne C.B. Tynemouth C.B. Gosforth U.D. Longbenton U.D. Newburn U.D. Wallsend M.B. Whitley Bay M.B.

* See *Census 1951, England and Wales' Preliminary Report*, page xxii, H.M.S.O. price 5s.0d. net also *Census 1951, England and Wales, Report on Greater London and Five other Conurbations* page xv, H.M.S.O. price £5-5-0 net.

West Yorkshire

Yorkshire, West Riding

Bradford C.B.	Aireborough U.D.	Heckmondwike U.D.	Ossett M.B.
Dewsbury C.B.	Baildon U.D.	Holmfirth U.D.	Pudsey M.B.
Halifax C.B.	Batley M.B.	Horbury U.D.	Queensbury and Shelf U.D.
Huddersfield C.B.	Bingley U.D.	Horsforth U.D.	Ripponden U.D.
Leeds C.B.	Brighouse M.B.	Keighley M.B.	Rothwell U.D.
Wakefield C.B.	Colne Valley U.D.	Kirkburton U.D.	Shipley U.D.
	Denby Dale U.D.	Meltham U.D.	Sowerby Bridge U.D.
	Denholme U.D.	Mirfield U.D.	Spenborough M.B.
	Elland U.D.	Morley M.B.	Stanley U.D.

South East Lancashire

Cheshire

Stockport C.B.

Alderley Edge U.D.
Altrincham M.B.
Bowdon U.D.
Bredbury and Romiley U.D.
Cheadle and Gatley U.D.
Dukinfield M.B.
Hale U.D.
Hazel Grove and Bramhall U.D.
Hyde M.B.
Marple U.D.
Sale M.B.
Stalybridge M.B.
Wilmslow U.D.

Disley R.D.

Bolton C.B.
Bury C.B.
Manchester C.B.
Oldham C.B.
Rochdale C.B.
Salford C.B.

Ashton-under-Lyne M.B.
Audenshaw U.D.
Chadderton U.D.
Crompton U.D.
Denton U.D.

Droylsden U.D.
Eccles M.B.
Failsworth U.D.
Farnworth M.B.
Heywood M.B.

Lancashire

Horwich U.D.
Irlam U.D.
Kearsley U.D.
Lees U.D.
Littleborough U.D.

Little Lever U.D.
Middleton M.B.
Milnrow U.D.
Mossley M.B.
Prestwich M.B.

Radcliffe M.B.
Royton U.D.
Stretford M.B.
Swinton and Pendlebury M.B.
Tottington U.D.

Urmston U.D.
Wardle U.D.
Westhoughton U.D.
Whitefield U.D.
Whitworth U.D.
Worsley U.D.

Merseyside

Cheshire

Birkenhead C.B.
Wallasey C.B.

Bebington M.B.

Ellesmere Port M.B.
Hoylake U.D.
Neston U.D.
Wirral U.D.

Lancashire

Bootle C.B.
Liverpool C.B.

Crosby M.B.

Huyton-with-Roby U.D.
Litherland U.D.

West Midlands

Staffordshire

Smethwick C.B.
Walsall C.B.
West Bromwich C.B.
Wolverhampton C.B.

Aldridge U.D.
Amblescote U.D.
Bilston M.B.
Brierley Hill U.D.
Coseley U.D.

Darlaston U.D.
Rowley Regis M.B.
Sedgley U.D.
Tettenhall U.D.
Tipton M.B.

Wednesbury M.B.
Wednesfield U.D.
Willenhall U.D.

Warwickshire

Birmingham C.B.

Solihull M.B.
Sutton Coldfield M.B.

Worcestershire

Dudley C.B.

Halesowen M.B.
Oldbury M.B.
Stourbridge M.B.

Greater London

London (whole county) Middlesex (whole county) Surrey

Croydon C.B.

Banstead U.D.
Barnes M.B.
Beddington and Wallington M.B.
Carshalton U.D.

Coulsdon and Purley U.D.
Epsom and Ewell M.B.
Esher U.D.

Kingston-upon-Thames M.B.
Malden and Coombe M.B.
Merton and Morden U.D.
Mitcham M.B.

Richmond M.B.
Surbiton M.B.
Sutton and Cheam M.B.
Wimbledon M.B.

Kent

Beckenham M.B.
Bexley M.B.
Bromley M.B.
Chislehurst and Sidcup U.D.
Crayford U.D.
Erith M.B.
Orpington U.D.
Penge U.D.

Hertfordshire

Barnet U.D.
Bushey U.D.
Cheshunt U.D.
East Barnet U.D.
Elstree R.D.

Essex

East Ham C.B.
West Ham C.B.

Barking M.B.
Chigwell U.D.
Chingford M.B.
Dagenham M.B.
Ilford M.B.

Leyton M.B.
Waltham Holy Cross U.D.
Walthamstow M.B.
Wanstead and Woodford M.B.

14. Urban and rural aggregates

Urban and Rural Aggregates relate to aggregates of conurbations and of areas outside conurbations. The latter are sub-divided into (a) Urban Areas with (i) populations of 100,000 and over, (ii) populations of 50,000 and under 100,000, and (iii) populations under 50,000 (for this purpose areas are allocated according to the size of their enumerated population at the 1951 Census), and (b) Rural Districts. "Urban Areas" includes Boroughs and Urban Districts as defined under the local Government Acts, and Rural Districts are as defined under those Acts.

CORRIGENDA

Statistical Review, 1955: Part 1, Tables, Medical

Page 139. Table 17, Cause 148, age 25-, females, *insert 1*.

Statistical Review, 1956: Part 1, Tables, Medical

Page 6. Table 4, 1956, Mortality ratio, *for 0.995 read 0.991*;
Table 4, 1956, Column 0-, *for 1.75 read 5.75*.

Page 59. Table 9, Cause 587, females, *for 0.16 read 1.16*.

Page 149. Table 17, Cause 357, females, age 85 and over, *for 1 read —*.

Page 230. Table 19, Cause B8, males, age 25-, *for (1) read (1)1*.

Page 260. Table 22, Lambeth, last column, *insert —*.

PART I
TABLES, MEDICAL

TABLE 1.—Estimated Population, Total, Home and Civilian, by Sex and Age, Mid-year 1957 } England and Wales

(Figures in thousands)

Note.—The estimates of population described as “home” and “total” have the following content:—

Home population — the population, of all types, actually in England and Wales.

Total population — the home population *plus* members of H.M. Forces belonging to England and Wales and serving overseas but *excluding* the Forces of other countries temporarily in England and Wales.

Age	Total Population			Home Population			Civilian Population		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
0	696	357	339	696	357	339	696	357	339
1	670	344	326	670	344	326	670	344	326
2	647	332	315	647	332	315	647	332	315
3	660	338	322	660	338	322	660	338	322
4	655	336	319	655	336	319	655	336	319
0—4	3,328	1,707	1,621	3,328	1,707	1,621	3,328	1,707	1,621
5	643	328	315	643	328	315	643	328	315
6	659	338	321	659	338	321	659	338	321
7	680	347	333	680	347	333	680	347	333
8	712	365	347	712	365	347	712	365	347
9	766	391	375	766	391	375	766	391	375
—9	3,460	1,769	1,691	3,460	1,769	1,691	3,460	1,769	1,691
10	857	438	419	857	438	419	857	438	419
11	665	340	325	665	340	325	665	340	325
12	659	338	321	659	338	321	659	338	321
13	664	340	324	664	340	324	664	340	324
14	628	321	307	628	321	307	628	321	307
0—14	3,473	1,777	1,696	3,473	1,777	1,696	3,473	1,777	1,696
15	572	292	280	573	293	280	570	290	280
16	527	267	260	528	268	260	521	261	260
17	560	285	275	561	286	275	551	276	275
18	577	291	286	575	289	286	521	237	284
19	580	292	288	548	260	288	482	196	286
15—19	2,816	1,427	1,389	2,785	1,396	1,389	2,645	1,260	1,385
20	575	290	285	541	256	285	468	185	283
ages under 21	13,652	6,970	6,682	13,587	6,905	6,682	13,374	6,698	6,676
20—24	2,815	1,428	1,387	2,747	1,361	1,386	2,540	1,158	1,382
25—29	2,951	1,485	1,466	2,937	1,472	1,465	2,891	1,427	1,464
30—34	3,145	1,572	1,573	3,137	1,564	1,573	3,112	1,540	1,572
35—39	3,192	1,577	1,615	3,185	1,570	1,615	3,155	1,541	1,614
40—44	3,171	1,559	1,612	3,166	1,554	1,612	3,146	1,534	1,612
45—49	3,291	1,625	1,666	3,289	1,623	1,666	3,279	1,613	1,666
50—54	3,132	1,525	1,607	3,131	1,524	1,607	3,128	1,521	1,607
55—59	2,728	1,271	1,457	2,728	1,271	1,457	2,727	1,270	1,457
60—64	2,275	990	1,285	2,275	990	1,285	2,275	990	1,285
65—69	1,904	797	1,107	1,904	797	1,107	1,904	797	1,107
70—74	1,501	599	902	1,501	599	902	1,501	599	902
75—79	1,037	391	646	1,037	391	646	1,037	391	646
80—84	554	197	357	554	197	357	554	197	357
85 and over	270	86	184	270	86	184	270	86	184
All Ages	45,043	21,782	23,261	44,907	21,648	23,259	44,425	21,177	23,248

TABLE 2.—Estimated Home Population by Sex and Age, England and Wales, Standard Regions, Wales, Conurbations, Urban and Rural Aggregates outside Conurbations
(Figures in thousands)

		All Ages	0—	5—	15—	25—	35—	45—	55—	65—	75 and over
ENGLAND AND WALES											
	M	21,648	1,707	3,546	2,757	3,036	3,124	3,147	2,261	1,396	674
	F	23,259	1,621	3,387	2,775	3,038	3,227	3,273	2,742	2,009	1,187
Regions and Conurbations:											
Northern											
	M	1,567	135	261	214	225	212	218	158	98	46
	F	1,620	129	251	212	218	213	221	182	128	66
Tyneside Conurbation ...											
	M	406	36	66	51	61	56	58	42	25	11
	F	438	35	64	57	62	58	61	50	34	17
Remainder of Northern ...											
	M	1,161	99	195	163	164	156	160	116	73	35
	F	1,182	94	187	155	156	155	160	132	94	49
East and West Ridings ...											
	M	1,985	159	325	234	282	288	298	213	128	58
	F	2,138	151	314	258	278	296	307	255	182	97
West Yorkshire Conurbation ...											
	M	792	63	125	85	112	117	125	90	52	23
	F	893	60	121	101	111	123	136	115	82	44
Remainder of East and West Ridings ...											
	M	1,193	96	200	149	170	171	173	123	76	35
	F	1,245	91	193	157	167	173	171	140	100	53
North Western											
	M	3,075	252	507	368	424	446	461	334	197	86
	F	3,402	240	488	400	435	472	492	420	300	155
South East Lancashire Conurbation ...											
	M	1,140	92	185	127	162	172	175	125	72	30
	F	1,274	88	179	144	165	182	188	159	113	56
Merseyside Conurbation ...											
	M	655	64	119	87	90	91	89	63	36	16
	F	732	60	115	100	96	98	96	80	57	30
Remainder of North Western ...											
	M	1,280	96	203	154	172	183	197	146	89	40
	F	1,396	92	194	156	174	192	208	181	130	69
North Midland											
	M	1,723	138	287	214	249	247	249	175	110	54
	F	1,785	130	275	217	237	246	247	203	146	84
Midland											
	M	2,245	179	384	287	334	335	321	216	129	60
	F	2,333	170	367	293	326	327	318	252	178	102
West Midlands Conurbation ...											
	M	1,102	89	190	131	170	170	160	105	60	27
	F	1,174	85	184	149	167	166	162	126	87	48
Remainder of Midland ...											
	M	1,143	90	194	156	164	165	161	111	69	33
	F	1,159	85	183	144	159	161	156	126	91	54
Eastern											
	M	1,691	136	276	231	233	240	233	169	113	60
	F	1,755	129	260	205	227	242	235	202	154	101
London and South Eastern ...											
	M	5,159	383	821	596	730	789	782	556	338	164
	F	5,841	363	784	673	765	847	847	704	527	331
Greater London											
	M	3,878	287	603	435	571	614	602	418	238	110
	F	4,373	272	581	513	595	653	645	518	371	225
Remainder of South Eastern ...											
	M	1,281	96	218	161	159	175	180	138	100	54
	F	1,468	91	203	160	170	194	202	186	156	106
Southern											
	M	1,421	110	231	237	187	189	187	139	92	49
	F	1,455	105	217	171	182	196	194	170	133	87
South Western											
	M	1,501	114	246	214	195	202	211	160	104	55
	F	1,600	109	232	182	194	210	223	197	151	102
Wales (including Monmouthshire) ...											
	M	1,281	101	208	162	177	176	187	141	87	42
	F	1,330	95	199	164	176	178	189	157	110	62
Wales I (South East) ...											
	M	922	73	150	113	131	129	136	102	60	28
	F	948	69	144	119	130	128	135	110	73	40
Wales II (Remainder) ...											
	M	359	28	58	49	46	47	51	39	27	14
	F	382	26	55	45	46	50	54	47	37	22
Urban/Rural Aggregates:											
Conurbations											
	M	7,973	631	1,288	916	1,166	1,220	1,209	843	483	217
	F	8,884	600	1,244	1,064	1,196	1,280	1,288	1,048	744	420
Areas outside Conurbations:											
Urban areas with populations of 100,000 & over											
	M	2,803	229	463	345	402	401	407	297	177	82
	F	3,045	218	448	369	400	414	426	361	261	148
Urban areas with populations of 50,000 and under 100,000 ...											
	M	1,644	131	270	210	233	232	236	172	107	53
	F	1,802	124	259	214	233	244	250	214	163	101
Urban areas with populations under 50,000 ...											
	M	4,753	379	795	578	647	669	688	504	328	165
	F	5,145	360	754	606	655	696	714	615	463	282
Rural Districts											
	M	4,475	337	730	708	588	602	607	445	301	157
	F	4,383	319	682	522	554	593	595	504	378	236

TABLE 3—Deaths, Death Rates, Mortality Comparisons and Infant Mortality, 1841-1957 } England and Wales

- Notes:* (a) The Comparative Mortality Index expresses the mortality of each year or period as a ratio to that of 1938 adopted as the base, after adjustment for sex and age differences in the populations exposed to risk.
 (b) The ratio of male to female mortality has likewise been adjusted for age differences in the male and female populations.
 (c) See Explanatory notes on page vi.

Period	Deaths			Crude rates per 1,000 living			Comparative Mortality Indexes (Base year 1938 taken as unity)			Adjusted Ratio of Male to Female Mortality	Deaths of Infants under 1 year per 1,000 Live births†		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females		Total	Legitimate	Illegitimate
1841-1850	3,769,396	1,909,125	1,860,271	22.4	23.1	21.6	2.270	2.121	2.437	1.090	153		
1851-1860	4,210,715	2,138,536	2,072,179	22.2	23.1	21.4	2.222	2.086	2.374	1.098	154		
1861-1870	4,794,498	2,459,489	2,335,009	22.5	23.7	21.4	2.247	2.136	2.371	1.125	154		
1871-1880	5,178,311	2,679,416	2,498,895	21.4	22.7	20.1	2.173	2.087	2.269	1.155	149		
1881-1890	5,244,770	2,698,316	2,546,454	19.1	20.3	18.1	2.007	1.928	2.095	1.158	142		
1891-1900	5,575,375	2,865,226	2,710,149	18.2	19.3	17.1	1.938	1.869	2.013	1.169	153		
1901-1910	5,248,774	2,706,356	2,542,418	15.4	16.4	14.4	1.642	1.595	1.693	1.194	128		
1911-1920*	5,188,052	2,684,511	2,503,541	14.4	15.9	13.0	1.470	1.450	1.492	1.247	100	96	194
1921-1930	4,722,991	2,407,475	2,315,516	12.1	12.9	11.4	1.192	1.163	1.224	1.254	72	70	130
1931-1940*	4,992,208	2,551,612	2,440,596	12.3	13.1	11.5	1.087	1.074	1.101	1.307	59	57	95
1941-1950*	4,997,653	2,586,188	2,411,465	12.4	14.1	11.0	0.902	0.918	0.889	1.384	43	41	61
1841-1845	1,746,110	885,168	860,942	21.4	22.1	20.6	2.179	2.038	2.336	1.096	148		
1846-1850	2,023,286	1,023,957	999,329	23.3	24.1	22.6	2.360	2.204	2.534	1.088	157		
1851-1855	2,087,236	1,061,271	1,025,965	22.7	23.5	21.8	2.276	2.139	2.429	1.099	156		
1856-1860	2,123,479	1,077,265	1,046,214	21.8	22.6	21.0	2.177	2.041	2.329	1.095	152		
1861-1865	2,331,957	1,192,943	1,139,014	22.6	23.7	21.5	2.253	2.134	2.385	1.116	151		
1866-1870	2,462,541	1,266,546	1,195,995	22.4	23.7	21.2	2.242	2.138	2.358	1.132	157		
1871-1875	2,572,749	1,330,063	1,242,686	22.0	23.3	20.7	2.220	2.130	2.321	1.150	153		
1876-1880	2,605,562	1,349,353	1,256,209	20.8	22.1	19.5	2.130	2.047	2.221	1.160	145		
1881-1885	2,585,164	1,330,461	1,254,703	19.4	20.5	18.3	2.018	1.936	2.110	1.152	139		
1886-1890	2,659,606	1,367,855	1,291,751	18.9	20.0	17.8	1.997	1.921	2.081	1.164	145		
1891-1895	2,785,391	1,427,164	1,358,227	18.7	19.8	17.7	1.993	1.914	2.079	1.161	151		
1896-1900	2,789,984	1,438,062	1,351,922	17.7	18.8	16.6	1.885	1.825	1.951	1.178	156		
1901-1905	2,671,566	1,379,931	1,291,635	16.0	17.1	15.0	1.716	1.668	1.768	1.191	138		
1906-1910	2,577,208	1,326,425	1,250,783	14.7	15.6	13.8	1.572	1.525	1.622	1.198	117	113	224
1911-1915*	2,598,719	1,344,171	1,254,548	14.3	15.4	13.3	1.495	1.464	1.528	1.226	110	105	210
1916-1920*	2,589,333	1,340,340	1,248,993	14.4	16.5	12.8	1.450	1.443	1.456	1.282	90	85	179
1921-1925	2,336,270	1,189,865	1,146,405	12.1	12.9	11.4	1.220	1.186	1.255	1.240	76	73	140
1926-1930	2,386,721	1,217,610	1,169,111	12.1	12.9	11.4	1.167	1.142	1.194	1.268	68	65	119
1931-1935	2,426,435	1,232,370	1,194,065	12.0	12.7	11.4	1.104	1.080	1.129	1.276	62	60	103
1936-1940*	2,565,773	1,319,242	1,246,531	12.5	13.5	11.6	1.070	1.067	1.074	1.337	55	54	86
1941-1945*	2,497,013	1,301,357	1,195,656	12.8	15.1	11.1	0.956	0.982	0.929	1.414	50	48	71
1946-1950*	2,500,640	1,284,831	1,215,809	11.8	12.8	10.9	0.856	0.867	0.848	1.381	36	36	51
1951-1955	2,571,153	1,325,747	1,245,406	11.7	12.5	10.9	0.819	0.854	0.791	1.483	27	27	34
1905	520,031	267,601	252,430	15.3	16.3	14.4	1.637	1.586	1.692	1.189	128		
1906	531,281	274,233	257,048	15.5	16.5	14.5	1.649	1.606	1.696	1.197	132	127	261
1907	524,221	269,259	254,962	15.1	16.0	14.2	1.621	1.568	1.678	1.192	118	113	220
1908	520,456	268,714	251,742	14.8	15.8	13.9	1.580	1.539	1.625	1.204	120	116	233
1909	518,003	265,203	252,800	14.6	15.5	13.8	1.571	1.517	1.630	1.192	109	104	211
1910	483,247	249,016	234,231	13.5	14.4	12.7	1.445	1.406	1.487	1.207	105	102	195

* For the years 1915-20 and from 3rd September, 1939, to 31st December, 1949, for males, and from 1st June, 1941, to 31st December, 1949, for females, the mortality rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

† Based on related live births from 1931 to 1956.

TABLE 3—continued

Period	Deaths			Crude rates per 1,000 living			Comparative Mortality Indexes (Base year 1938 taken as unity)			Adjusted Ratio of Male to Female Mortality	Deaths of Infants under 1 year per 1,000 live births †		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females		Total	Legitimate	Illegitimate
1911	527,810	272,512	255,298	14.6	15.6	13.7	1.530	1.496	1.568	1.209	130	125	245
1912	486,939	250,232	236,707	13.4	14.2	12.6	1.428	1.388	1.472	1.211	95	91	181
1913	504,975	261,687	243,288	13.8	14.8	12.9	1.455	1.428	1.484	1.228	108	104	213
1914	516,742	267,359	249,383	14.0	14.9	13.1	1.470	1.439	1.503	1.224	105	100	207
1915*	562,253	292,381	269,872	15.7	17.7	14.0	1.595	1.578	1.613	1.260	110	105	203
1916*	508,217	265,030	243,187	14.3	16.7	12.5	1.457	1.455	1.459	1.300	91	87	183
1917*	498,922	262,215	236,707	14.2	17.1	12.1	1.432	1.456	1.405	1.348	96	90	201
1918*	611,861	314,704	297,157	17.3	20.1	15.2	1.713	1.724	1.695	1.310	97	91	186
1919*	504,203	258,089	246,114	14.0	15.7	12.6	1.421	1.401	1.442	1.267	89	84	173
1920*	466,130	240,302	225,828	12.4	13.5	11.5	1.270	1.253	1.289	1.249	80	76	156
1921	458,629	234,291	224,338	12.1	12.9	11.3	1.233	1.202	1.266	1.234	83	79	158
1922	486,780	247,221	239,559	12.7	13.5	12.0	1.293	1.254	1.336	1.228	77	74	139
1923	444,785	226,858	217,927	11.6	12.4	10.9	1.159	1.129	1.191	1.245	69	67	132
1924	473,235	240,620	232,615	12.2	13.0	11.5	1.211	1.175	1.250	1.239	75	73	133
1925	472,841	240,875	231,966	12.1	12.9	11.4	1.202	1.171	1.236	1.250	75	72	136
1926	453,804	231,549	222,255	11.6	12.4	10.9	1.136	1.110	1.164	1.259	70	68	130
1927	484,609	246,606	238,003	12.3	13.1	11.6	1.203	1.173	1.234	1.261	70	67	120
1928	460,389	235,542	224,847	11.7	12.5	10.9	1.121	1.101	1.142	1.276	65	63	115
1929	532,492	269,903	262,589	13.4	14.2	12.7	1.292	1.256	1.331	1.256	74	72	126
1930	455,427	234,010	221,417	11.4	12.3	10.7	1.084	1.070	1.099	1.291	60	58	105
1931	491,630	249,717	241,913	12.3	13.0	11.6	1.154	1.127	1.183	1.270	66	64	109
1932	484,129	245,715	238,414	12.0	12.7	11.4	1.119	1.093	1.147	1.272	64	62	112
1933	496,465	250,625	245,840	12.3	12.9	11.7	1.132	1.100	1.166	1.262	63	61	106
1934	476,810	242,855	233,955	11.8	12.5	11.1	1.068	1.049	1.089	1.283	59	58	96
1935	477,401	243,458	233,943	11.7	12.5	11.1	1.051	1.035	1.068	1.297	57	56	89
1936	495,764	253,319	242,445	12.1	12.9	11.4	1.073	1.061	1.087	1.311	59	57	88
1937	509,574	260,057	249,517	12.4	13.2	11.7	1.086	1.073	1.100	1.312	58	56	88
1938	478,996	246,898	232,098	11.6	12.5	10.8	1.000	1.000	1.000	1.343	53	52	81
1939*	499,902	255,879	244,023	12.1	13.0	11.3	1.022	1.016	1.028	1.339	51	49	90
1940*	581,537	303,089	278,448	14.4	16.1	12.9	1.171	1.187	1.156	1.382	57	55	82
1941*	535,180	281,035	254,145	13.5	15.7	11.8	1.070	1.096	1.043	1.406	60	59	82
1942*	480,137	251,333	228,804	12.3	14.4	10.7	0.942	0.967	0.916	1.416	51	49	75
1943*	501,412	259,206	242,206	13.0	15.3	11.3	0.957	0.978	0.944	1.397	49	48	71
1944*	492,176	257,705	246,071	12.7	15.3	10.8	0.918	0.952	0.894	1.433	45	44	69
1945*	488,108	252,078	236,030	12.6	15.0	10.8	0.893	0.920	0.875	1.416	46	44	65
1946*	492,090	252,380	239,710	12.0	13.4	10.9	0.881	0.889	0.875	1.378	43	42	60
1947*	517,615	267,714	249,901	12.3	13.6	11.3	0.906	0.921	0.892	1.389	41	40	58
1948*	469,898	242,899	226,999	11.0	11.9	10.1	0.801	0.815	0.789	1.409	34	33	45
1949*	510,736	260,686	250,050	11.8	12.6	11.1	0.856	0.863	0.851	1.396	32	32	45
1950	510,301	261,152	249,149	11.6	12.3	11.0	0.841	0.852	0.833	1.394	30	29	39
1951	549,380	281,724	267,656	12.5	13.4	11.8	0.901	0.922	0.884	1.434	30	29	38
1952	497,484	257,760	239,724	11.3	12.2	10.5	0.806	0.837	0.779	1.472	28	27	35
1953	503,529	259,490	244,039	11.4	12.2	10.7	0.807	0.838	0.782	1.470	27	27	33
1954	501,896	259,797	242,099	11.3	12.2	10.5	0.789	0.830	0.756	1.507	25	25	32
1955	518,864	266,976	251,888	11.7	12.5	10.9	0.805	0.845	0.773	1.506	25	25	32
1956	521,331	267,904	253,427	11.7	12.5	10.9	0.798	0.840	0.764	1.518	24	23	29
1957	514,870	266,407	248,463	11.5	12.3	10.7	0.776	0.825	0.736	1.538	23	23	30

See footnotes on first page of this Table.

TABLE 4—Death Rates per 1,000 Living in Age Groups, Infant Mortality and Mortality Ratios, 1841-1957 } England and Wales

Notes: (a) The Mortality Ratio expresses the all ages mortality of each year (or period) as a ratio to that of the preceding year (or period) after adjustment for sex and age difference in the populations exposed to risk.

(b) See Explanatory notes on page vi.

PERSONS

Period	Mortality Ratio	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850	—	66.0	9.05	5.29	7.48	9.29	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-1860	0.979	67.6	8.46	4.97	7.04	8.67	9.76	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-1870	1.011	68.6	7.99	4.49	6.42	8.21	9.83	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-1880	0.967	63.4	6.47	3.71	5.35	7.07	8.96	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-1890	0.924	56.8	5.30	3.03	4.37	5.63	7.56	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900	0.965	57.7	4.34	2.51	3.73	4.74	6.40	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-1910	0.847	46.0	3.56	2.11	2.99	3.82	5.13	8.31	14.3	28.1	58.8	127.2	260.8	128
1911-1920*	0.896	34.6	3.60	2.28	3.32	4.29	5.47	7.41	12.6	25.0	55.8	125.5	254.2	100
1921-1930	0.811	22.7	2.42	1.64	2.55	3.21	3.64	5.54	10.0	21.3	50.8	120.9	260.2	72
1931-1940*	0.912	16.9	2.02	1.31	2.17	2.85	3.04	4.58	9.26	20.2	48.8	119.5	259.8	59
1941-1950*	0.830	11.4	1.13	0.85	1.58	2.24	2.37	3.38	7.44	17.6	42.4	104.0	216.5	43
1841-1845	—	63.6	8.69	5.01	7.21	8.81	9.66	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-1850	1.083	68.7	9.39	5.56	7.74	9.77	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157
1851-1855	0.964	68.9	8.64	5.23	7.48	9.06	10.1	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-1860	0.956	66.9	8.33	4.72	6.74	8.33	9.38	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-1865	1.035	69.1	8.39	4.72	6.64	8.39	9.79	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-1870	0.995	68.1	7.62	4.28	6.21	8.03	9.86	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-1875	0.990	64.9	6.86	3.97	5.81	7.74	9.61	13.1	18.0	31.6	65.3	141.7	305.2	153
1876-1880	0.959	61.9	6.10	3.47	4.93	6.46	8.35	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-1885	0.948	56.6	5.76	3.23	4.63	5.96	8.01	11.8	17.2	31.0	63.5	136.2	277.9	139
1886-1890	0.989	56.9	4.86	2.84	4.13	5.32	7.15	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-1895	0.998	57.8	4.56	2.65	3.98	5.01	6.81	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900	0.946	57.6	4.12	2.36	3.48	4.50	6.03	10.1	16.2	30.5	62.9	133.8	267.7	156
1901-1905	0.910	50.2	3.74	2.19	3.11	4.00	5.44	8.86	14.9	28.7	59.4	127.3	258.6	138
1906-1910	0.916	41.7	3.38	2.03	2.87	3.64	4.84	7.81	13.7	27.5	58.1	126.0	262.4	117
1911-1915*	0.951	37.5	3.39	2.08	2.88	3.58	4.57	7.28	13.1	26.2	57.3	127.2	257.9	110
1916-1920*	0.970	31.4	3.81	2.48	3.77	5.16	6.55	7.54	12.1	24.0	54.5	124.8	250.7	90
1921-1925	0.841	24.4	2.48	1.71	2.61	3.30	3.79	5.71	10.1	21.6	51.1	121.8	251.4	76
1926-1930	0.957	20.8	2.37	1.57	2.49	3.11	3.49	5.37	9.94	21.0	50.6	120.2	268.2	68
1931-1935	0.946	18.1	2.18	1.41	2.33	2.96	3.20	4.82	9.94	20.1	49.0	119.3	255.7	62
1936-1940*	0.969	15.6	1.84	1.20	2.01	2.72	2.87	4.35	9.09	20.4	48.5	119.7	263.4	55
1941-1945*	0.893	14.0	1.50	1.08	1.96	3.06	3.04	3.95	8.00	18.1	43.0	104.5	213.0	50
1946-1950*	0.895	9.33	0.77	0.62	1.18	1.63	1.84	2.89	6.94	17.1	41.9	103.5	219.3	36
1951-1955	0.957	6.19	0.41	0.41	0.68	0.96	1.24	2.40	6.36	16.6	42.0	105.7	235.7	27
1927	1.058	21.3	2.34	1.54	2.48	3.15	3.58	5.65	10.2	21.5	52.2	124.8	281.2	70
1928	0.932	19.6	2.34	1.60	2.50	3.09	3.43	5.23	9.62	20.3	48.9	112.6	258.0	65
1929	1.153	23.9	2.47	1.70	2.61	3.28	3.65	5.74	10.9	22.8	56.2	136.5	312.3	74
1930	0.839	18.2	2.29	1.54	2.45	3.00	3.36	4.95	9.43	20.0	47.2	111.8	238.1	60
1931	1.064	19.9	2.14	1.47	2.50	3.10	3.36	5.45	9.80	20.6	50.8	123.9	268.2	66
1932	0.970	19.0	2.07	1.39	2.39	3.02	3.21	4.79	9.33	20.1	49.8	121.9	264.6	64
1933	1.011	17.9	2.20	1.43	2.41	3.09	3.34	5.15	9.89	20.4	49.5	123.8	266.2	63
1934	0.944	17.5	2.44	1.43	2.28	2.85	3.10	4.60	9.19	19.7	47.9	113.2	236.4	59
1935	0.983	16.1	2.04	1.32	2.07	2.72	2.99	4.49	8.99	19.6	47.5	114.6	245.4	57
1936	1.022	17.0	1.99	1.21	1.95	2.69	2.82	4.39	9.09	20.1	48.5	118.3	265.5	59
1937	1.012	16.7	1.87	1.18	1.97	2.66	2.89	4.47	9.23	20.6	49.0	120.0	271.7	58
1938	0.921	15.3	1.87	1.19	1.86	2.49	2.65	4.05	8.47	19.0	45.5	116.0	240.0	53
1939*	1.022	13.7	1.48	1.03	1.75	2.45	2.60	3.94	8.56	19.7	47.2	119.0	260.6	51
1940*	1.147	15.6	1.96	1.40	2.54	3.50	3.44	4.92	10.1	22.6	52.3	130.1	278.7	57
1941*	0.914	16.4	2.06	1.37	2.59	3.55	3.53	4.62	8.97	19.8	46.5	114.3	247.2	60
1942*	0.880	14.0	1.50	1.04	1.91	3.02	3.92	3.87	7.82	17.8	42.4	102.6	216.8	51
1943*	1.016	14.0	1.40	1.04	1.88	3.02	2.97	3.95	8.02	18.0	43.1	106.4	220.2	49
1944*	0.959	13.3	1.38	1.05	1.73	2.96	3.01	3.82	7.73	17.6	41.7	103.3	196.5	45
1945*	0.973	12.3	1.18	0.91	1.56	2.73	2.67	3.48	7.36	17.3	41.5	100.3	194.5	46
1946*	0.987	11.9	0.86	0.76	1.33	2.07	2.10	3.15	7.25	17.4	41.3	102.4	214.5	43
1947*	1.028	12.1	0.90	0.70	1.39	1.92	2.03	3.08	7.24	17.5	42.8	108.3	234.4	41
1948*	0.884	8.70	0.75	0.60	1.20	1.55	1.82	2.79	6.70	16.4	39.4	94.1	191.9	34
1949*	1.069	7.71	0.69	0.56	1.10	1.51	1.70	2.80	6.81	17.2	43.1	105.7	227.5	32
1950	0.982	6.69	0.64	0.48	0.90	1.24	1.57	2.62	6.72	17.0	42.7	106.9	227.6	30
1951	1.071	6.53	0.55	0.47	0.76	1.12	1.45	2.63	6.90	18.0	46.1	117.2	266.9	30
1952	0.895	6.25	0.49	0.43	0.71	1.03	1.26	2.42	6.35	16.5	41.0	102.3	228.4	28
1953	1.001	6.36	0.49	0.41	0.64	0.92	1.22	2.35	6.26	16.3	41.1	103.3	230.9	27
1954	0.978	5.91	0.41	0.37	0.63	0.87	1.15	2.37	6.19	16.1	40.6	101.0	222.2	25
1955	1.020	5.86	0.43	0.38	0.64	0.86	1.10	2.23	6.14	15.1	41.4	105.1	233.5	25
1956	0.991	5.75	0.40	0.34	0.57	0.80	1.04	2.19	5.95	16.1	41.0	104.1	233.3	24
1957	0.972	5.79	0.41	0.38	0.68	0.84	1.03	2.20	6.00	16.2	40.4	97.4	208.0	23

*Civilian mortality only in 1915-20 and from 3rd September, 1939, to 31st December, 1949, for males, and from 1st June, 1941 to 31st December, 1949, for females.

†Based on related live births from 1931 to 1956.

TABLE 4—continued

MALES

Period	Mortality Ratio	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850	—	71.2	9.17	5.13	7.05	9.51	9.94	12.9	18.2	31.8	67.5	148.3	312.3	167
1851-1860	0.984	72.4	8.51	4.88	6.69	8.83	9.57	12.5	18.0	30.9	65.3	146.7	308.2	168
1861-1870	1.024	73.5	8.19	4.48	6.19	8.48	9.94	13.5	19.3	33.1	67.1	147.2	315.0	168
1871-1880	0.977	68.4	6.71	3.71	5.25	7.36	9.34	13.8	20.1	34.9	69.7	150.8	327.4	163
1881-1890	0.924	61.6	5.35	2.95	4.32	5.73	7.77	12.4	19.4	34.7	70.5	146.6	305.8	155
1891-1900	0.969	62.7	4.31	2.45	3.79	5.06	6.76	11.5	18.9	34.9	70.4	146.1	286.8	168
1901-1910	0.853	50.0	3.50	2.05	3.09	4.18	5.57	9.15	16.2	31.8	64.8	137.7	279.2	140
1911-1920*	0.909	37.8	3.61	2.23	3.44	4.94	6.46	8.61	14.5	29.0	63.5	139.3	274.5	112
1921-1930	0.802	25.1	2.52	1.05	2.62	3.41	3.86	6.34	11.6	24.6	58.2	135.4	285.8	81
1931-1940*	0.923	18.8	2.13	1.36	2.30	3.08	3.20	5.17	11.1	24.3	56.8	137.5	282.9	66
1941-1950*	0.855	12.8	1.28	0.95	1.79	2.72	2.72	3.93	9.16	22.7	51.6	120.2	234.7	48
1841-1845	—	68.7	8.82	4.84	6.76	8.99	9.37	12.2	17.2	30.3	65.5	143.7	350.1	162
1846-1850	1.081	73.7	9.54	5.39	7.35	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851-1855	0.970	73.9	8.75	5.15	6.98	9.24	9.95	12.9	18.6	31.6	66.7	150.9	310.9	172
1856-1860	0.954	71.5	8.30	4.63	6.42	8.44	9.17	12.2	17.5	30.4	64.3	142.7	305.3	166
1861-1865	1.046	74.1	8.53	4.68	6.39	8.65	9.76	13.2	18.9	32.8	66.4	145.9	316.6	166
1866-1870	1.002	72.9	7.88	4.30	5.99	8.31	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871-1875	0.996	69.9	7.10	3.99	5.71	8.07	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876-1880	0.961	67.1	6.34	3.44	4.84	6.70	8.70	13.4	19.8	34.9	69.4	152.2	331.5	159
1881-1885	0.946	61.3	5.85	3.16	4.53	6.00	8.16	12.8	19.3	34.2	68.8	145.4	297.9	152
1886-1890	0.992	61.9	4.86	2.76	4.12	5.48	7.40	12.1	19.4	35.2	72.1	147.9	313.7	159
1891-1895	0.997	62.9	4.53	2.57	4.00	5.23	7.07	11.9	19.5	35.8	72.5	149.2	290.8	165
1896-1900	0.954	62.4	4.09	2.32	3.59	4.90	6.47	11.1	18.4	34.1	68.3	143.1	282.8	170
1901-1905	0.914	54.7	3.68	2.14	3.20	4.39	5.89	9.74	17.0	32.4	65.3	137.7	274.6	151
1906-1910	0.914	45.4	3.33	1.97	2.97	3.97	5.25	8.62	15.5	31.2	64.4	137.7	283.0	129
1911-1915*	0.960	40.9	3.42	2.05	3.01	3.98	5.18	8.20	14.9	30.2	64.1	139.2	281.6	121
1916-1920*	0.986	34.4	3.81	2.41	3.91	6.60	8.58	9.07	14.0	27.9	63.0	139.4	267.8	101
1921-1925	0.822	27.0	2.55	1.69	2.66	3.53	4.05	6.51	11.6	24.9	58.2	135.5	272.7	86
1926-1930	0.962	23.1	2.48	1.61	2.58	3.30	3.68	6.18	11.6	24.4	58.3	135.4	298.1	77
1931-1935	0.946	20.1	2.28	1.44	2.45	3.15	3.31	5.40	11.2	23.6	56.7	135.2	278.9	70
1936-1940*	0.988	17.5	1.96	1.27	2.15	2.99	3.09	4.95	11.0	25.0	56.8	139.5	286.3	62
1941-1945*	0.920	15.5	1.69	1.20	2.22	5.00	4.16	4.81	9.85	23.1	51.7	121.6	226.1	56
1946-1950*	0.883	10.5	0.88	0.69	1.33	1.75	1.92	3.23	8.55	22.4	51.6	119.0	241.6	41
1951-1955	0.985	6.95	0.55	0.48	0.86	1.23	1.39	2.71	7.93	22.5	54.6	126.7	265.9	30
1927	1.056	23.7	2.45	1.57	2.54	3.36	3.76	6.54	11.9	24.9	59.9	139.8	312.2	79
1928	0.938	21.9	2.43	1.68	2.62	3.23	3.62	5.95	11.2	23.6	56.5	128.0	290.9	74
1929	1.141	26.2	2.61	1.74	2.69	3.48	3.86	6.70	12.9	26.3	64.1	151.5	343.6	83
1930	0.852	20.4	2.41	1.57	2.57	3.24	3.52	5.66	11.2	23.4	55.2	126.6	263.5	68
1931	1.052	22.4	2.29	1.46	2.60	3.31	3.46	5.76	11.6	23.9	58.7	138.4	295.9	74
1932	0.970	21.0	2.20	1.45	2.54	3.24	3.33	5.33	10.8	23.4	57.9	138.0	289.7	73
1933	1.007	19.9	2.27	1.49	2.56	3.27	3.49	5.74	11.7	23.8	56.6	139.4	286.3	71
1934	0.954	19.3	2.49	1.45	2.38	3.07	3.19	5.14	10.9	23.4	55.4	129.3	256.4	66
1935	0.986	17.9	2.14	1.35	2.14	2.88	3.10	5.02	10.8	23.3	55.2	131.8	268.9	64
1936	1.025	19.1	2.12	1.29	2.06	2.87	2.94	4.91	10.8	24.2	56.3	137.3	291.8	66
1937	1.011	18.6	1.98	1.23	2.12	2.81	3.02	5.03	11.1	24.9	57.1	138.5	292.3	65
1938	0.932	17.1	1.93	1.28	2.01	2.73	2.83	4.57	10.2	23.1	53.7	130.1	263.6	60
1939*	1.016	15.2	1.65	1.08	1.87	2.64	2.74	4.42	10.3	24.3	55.4	139.1	280.8	56
1940*	1.168	17.5	2.12	1.48	2.76	4.80	4.08	5.84	12.5	28.3	61.3	151.8	303.2	64
1941*	0.923	18.2	2.25	1.50	2.94	5.57	4.64	5.64	11.0	25.1	55.2	134.6	258.8	67
1942*	0.882	15.6	1.68	1.16	2.12	4.75	3.85	4.67	9.58	22.4	51.2	120.7	232.9	57
1943*	1.011	15.6	1.61	1.10	2.12	5.04	4.04	4.76	9.95	22.8	51.4	122.6	234.1	55
1944*	0.973	14.8	1.58	1.18	1.95	4.79	4.29	4.75	9.62	22.7	50.6	116.5	212.0	50
1945*	0.966	13.7	1.35	1.03	1.79	4.75	3.84	4.20	9.10	22.3	50.3	115.7	204.7	51
1946*	0.966	13.4	0.97	0.86	1.52	2.66	2.24	3.55	8.94	22.3	49.7	117.4	232.3	48
1947*	1.036	13.5	1.04	0.78	1.62	2.05	2.12	3.44	8.98	22.2	52.5	125.9	266.5	46
1948*	0.885	9.72	0.88	0.64	1.30	1.54	1.87	3.15	8.24	21.6	49.0	108.6	210.2	38
1949*	1.059	8.66	0.80	0.63	1.27	1.59	1.75	3.12	8.39	22.2	53.2	120.7	249.0	36
1950	0.987	7.48	0.75	0.56	1.01	1.39	1.69	2.92	8.26	22.5	53.3	122.5	250.4	34
1951	1.082	7.35	0.65	0.57	0.89	1.36	1.61	2.96	8.62	24.3	58.8	136.9	307.8	34
1952	0.908	7.02	0.57	0.50	0.90	1.33	1.43	2.75	7.91	22.2	53.1	122.1	265.1	31
1953	1.001	7.06	0.56	0.46	0.82	1.18	1.37	2.61	7.81	22.2	53.7	123.4	258.1	30
1954	0.990	6.69	0.48	0.43	0.81	1.12	1.29	2.66	7.69	21.9	53.3	123.0	249.6	29
1955	1.018	6.57	0.49	0.45	0.88	1.18	1.25	2.53	7.66	22.0	54.2	128.5	256.2	28
1956	0.994	6.49	0.46	0.41	0.79	1.07	1.21	2.49	7.45	22.1	54.2	127.5	256.2	27
1957	0.982	6.44	0.48	0.44	0.91	1.15	1.19	2.50	7.51	22.3	54.0	119.9	252.8	26

* Civilian mortality only in 1915-20 and from 3rd September, 1939, to 31st December, 1949.

† Based on related live births from 1931 to 1956.

TABLE 4—continued

FEMALES

Period	Mortality Ratio	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850	—	61.1	8.90	5.44	7.89	9.09	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851-1860	0.974	62.7	8.42	5.06	7.39	8.53	9.93	12.1	15.2	27.0	58.7	134.5	288.9	139
1861-1870	0.999	63.7	7.80	4.51	6.65	7.97	9.72	12.1	15.6	27.9	59.1	134.9	285.1	139
1871-1880	0.957	58.3	6.23	3.72	5.45	6.81	8.61	11.6	15.6	28.7	61.0	135.4	296.4	134
1881-1890	0.923	51.9	5.26	3.11	4.42	5.54	7.38	10.6	15.1	28.5	60.4	130.6	270.8	128
1891-1900	0.961	52.8	4.37	2.57	3.67	4.46	6.08	9.59	14.7	28.4	60.7	130.6	261.4	138
1901-1910	0.841	41.9	3.61	2.17	2.89	3.50	4.74	7.53	12.5	24.8	53.9	119.8	250.3	114
1911-1920	0.881	31.4	3.59	2.34	3.21	3.87	4.78	6.42	10.9	21.5	49.6	116.3	243.6	89
1921-1930	0.820	20.2	2.33	1.63	2.48	3.02	3.45	4.85	8.61	18.3	44.9	111.6	248.2	63
1931-1940	0.900	14.9	1.90	1.26	2.04	2.63	2.88	4.07	7.71	16.7	42.3	107.9	249.1	51
1941-1950*	0.807	10.0	0.97	0.76	1.40	1.97	2.11	2.91	5.96	13.4	35.2	93.3	207.9	37
1841-1845	—	58.6	8.56	5.17	7.65	8.64	9.92	12.1	15.1	27.2	59.1	131.8	288.6	133
1846-1850	1.085	63.6	9.23	5.72	8.12	9.57	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142
1851-1855	0.958	63.8	8.54	5.32	7.75	8.90	10.3	12.6	15.8	27.8	59.7	137.8	292.1	141
1856-1860	0.959	62.3	8.35	4.82	7.06	8.24	9.57	11.8	14.8	26.5	58.1	131.9	285.8	137
1861-1865	1.024	64.2	8.26	4.76	6.89	8.17	9.82	12.1	15.5	27.9	59.1	133.8	287.9	136
1866-1870	0.989	63.3	7.37	4.27	6.42	7.78	9.63	12.1	15.8	27.9	59.1	136.1	282.3	142
1871-1875	0.984	60.0	6.61	3.95	5.92	7.43	9.23	12.0	15.9	28.7	61.3	135.3	293.9	138
1876-1880	0.957	56.8	5.87	3.50	5.02	6.23	8.03	11.3	15.3	28.6	60.8	135.5	299.0	130
1881-1885	0.950	51.9	5.68	3.30	4.72	5.93	7.86	10.9	15.2	28.1	59.1	129.0	265.5	125
1886-1890	0.986	52.0	4.85	2.93	4.15	5.17	6.92	10.3	15.0	28.8	61.7	132.3	276.1	131
1891-1895	0.999	52.8	4.59	2.73	3.97	4.81	6.57	10.1	15.2	29.5	63.0	134.3	264.0	135
1896-1900	0.938	52.7	4.15	2.40	3.37	4.14	5.63	9.10	14.3	27.4	58.5	127.0	258.7	141
1901-1905	0.906	45.8	3.79	2.24	3.02	3.66	5.04	8.05	13.1	25.4	54.8	119.9	249.4	124
1906-1910	0.917	38.0	3.44	2.09	2.76	3.34	4.46	7.05	12.0	24.3	53.1	119.6	250.9	105
1911-1915	0.942	34.0	3.37	2.11	2.75	3.25	4.08	6.46	11.4	22.7	51.7	117.5	245.4	97
1916-1920	0.953	28.4	3.81	2.56	3.66	4.47	5.48	6.39	10.4	20.4	47.7	115.1	241.9	79
1921-1925	0.862	21.8	2.41	1.72	2.56	3.11	3.58	5.03	8.79	18.7	45.5	112.9	241.2	66
1926-1930	0.951	18.5	2.25	1.53	2.41	2.94	3.33	4.69	8.44	18.0	44.4	110.4	254.4	59
1931-1935	0.946	16.0	2.07	1.37	2.22	2.77	3.09	4.33	7.96	17.0	42.8	108.9	245.0	54
1936-1940	0.951	13.7	1.71	1.13	1.87	2.49	2.68	3.83	7.47	16.5	41.8	107.1	252.7	48
1941-1945*	0.865	12.3	1.31	0.97	1.74	2.41	2.46	3.27	6.43	14.0	36.0	93.5	206.6	44
1946-1950*	0.913	8.14	0.64	0.54	1.05	1.54	1.76	2.56	5.51	12.8	34.4	93.2	208.9	32
1951-1955	0.933	5.40	0.39	0.34	0.50	0.70	1.05	2.11	4.89	11.8	33.1	92.4	222.0	23
1927	1.060	18.9	2.23	1.52	2.42	2.95	3.44	4.89	8.78	18.5	45.9	115.2	262.3	60
1928	0.925	17.3	2.24	1.53	2.38	2.96	3.26	4.61	8.21	17.3	42.7	102.6	242.9	56
1929	1.165	21.6	2.33	1.66	2.53	3.09	3.46	4.93	9.05	19.6	49.9	126.7	298.2	65
1930	0.826	16.0	2.18	1.51	2.34	2.76	3.21	4.35	7.90	16.9	40.7	102.2	226.5	51
1931	1.076	17.4	1.99	1.47	2.40	2.90	3.27	4.51	8.27	17.6	44.4	114.4	255.3	57
1932	0.970	16.8	1.94	1.33	2.24	2.81	3.10	4.34	8.02	17.1	43.2	111.4	253.0	56
1933	1.016	15.8	2.12	1.38	2.27	2.91	3.20	4.65	8.35	17.4	43.8	113.5	256.9	54
1934	0.934	15.6	2.39	1.40	2.18	2.64	3.02	4.13	7.69	16.5	41.7	103.8	227.1	52
1935	0.981	14.2	1.94	1.29	1.99	2.57	2.88	4.04	7.48	16.4	41.2	102.4	234.4	50
1936	1.018	14.9	1.86	1.13	1.84	2.52	2.71	3.94	7.60	16.5	42.2	106.2	253.2	51
1937	1.012	14.7	1.75	1.13	1.83	2.52	2.77	3.98	7.67	16.9	42.5	108.2	261.9	50
1938	0.909	13.4	1.80	1.09	1.71	2.25	2.49	3.59	6.97	15.5	38.8	98.1	228.9	46
1939	1.028	12.1	1.31	0.97	1.64	2.27	2.47	3.51	7.05	15.7	40.5	106.2	251.1	44
1940	1.124	13.6	1.80	1.31	2.32	2.87	2.94	4.14	8.04	17.7	45.0	116.4	267.5	49
1941*	0.902	14.5	1.86	1.24	2.28	2.81	2.85	3.77	7.26	15.4	39.5	101.5	241.7	52
1942*	0.878	12.3	1.31	0.91	1.73	2.41	2.41	3.22	6.37	13.9	35.4	91.0	209.2	44
1943*	1.031	12.4	1.18	0.98	1.69	2.36	2.45	3.32	6.43	13.9	36.4	95.9	213.5	43
1944*	0.947	11.7	1.17	0.92	1.55	2.36	2.44	3.11	6.19	13.4	34.6	89.7	188.8	40
1945*	0.979	10.8	1.01	0.79	1.38	2.09	2.13	2.92	5.92	13.3	34.6	90.2	189.5	40
1946*	1.000	10.3	0.75	0.67	1.17	1.78	1.99	2.79	5.82	13.3	34.6	92.4	206.2	37
1947*	1.019	10.6	0.75	0.61	1.21	1.82	1.94	2.74	5.72	13.1	35.2	96.6	219.8	36
1948*	0.885	7.64	0.62	0.55	1.12	1.56	1.77	2.45	5.33	12.2	32.1	84.5	183.5	30
1949*	1.079	6.71	0.57	0.49	0.96	1.43	1.65	2.48	5.19	12.8	35.5	95.8	217.5	28
1950	0.979	5.85	0.53	0.41	0.78	1.09	1.45	2.32	5.30	12.6	34.7	96.6	216.9	26
1951	1.061	5.68	0.46	0.37	0.64	0.90	1.30	2.32	5.32	13.0	36.9	104.4	249.1	26
1952	0.881	5.45	0.41	0.34	0.52	0.76	1.10	2.09	4.90	11.9	32.3	89.6	212.3	24
1953	1.004	5.62	0.41	0.35	0.46	0.67	1.07	2.11	4.79	11.6	32.1	90.7	218.8	24
1954	0.967	5.10	0.34	0.31	0.46	0.63	1.01	2.09	4.75	11.4	31.6	87.4	209.7	22
1955	1.022	5.12	0.36	0.32	0.40	0.55	0.94	1.93	4.70	11.3	32.3	90.9	222.9	21
1956	0.988	4.98	0.33	0.27	0.36	0.53	0.87	1.90	4.52	11.2	31.8	90.1	222.7	20
1957	0.963	5.11	0.34	0.30	0.45	0.54	0.86	1.92	4.56	11.2	30.9	84.2	199.2	20

* Civilian mortality only from 1st June, 1941 to 31st December, 1949.

† Based on related live births from 1931 to 1956.

TABLE 5—Deaths Registered and Death Rates in each Quarter, 1841-1957 } **England and Wales**

See Explanatory notes on page vi.

Period	Quarter ended							
	March	June	Sept.	Dec.	March	June	Sept.	Dec.
	Deaths: Males				Deaths: Females			
1841-1850	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-1860	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-1870	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-1880	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-1890	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-1910	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-1920*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-1930	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1931-1940*	798,598	604,458	518,256	630,300	780,376	573,530	487,622	599,068
1941-1950*	801,980	612,766	519,908	651,534	751,419	566,731	484,757	608,558
1947*	93,626	60,774	50,218	63,096	88,110	57,241	46,881	57,669
1948*	69,356	57,223	52,059	64,261	63,272	53,034	49,489	61,204
1949*	82,234	61,287	51,480	65,685	79,031	58,685	49,710	62,624
1950	76,984	61,633	52,914	69,621	74,300	59,158	49,953	65,738
1951	104,298	62,560	51,658	63,208	101,580	59,123	48,399	58,554
1952	76,112	59,332	51,097	71,219	70,836	56,037	47,516	65,335
1953	87,706	59,119	50,977	61,688	83,644	55,525	47,568	57,302
1954	79,372	60,528	53,851	66,046	73,748	56,677	50,263	61,411
1955	86,465	63,433	52,582	64,496	82,180	60,797	49,095	59,816
1956	87,175	61,748	53,381	65,600	83,117	58,311	50,750	61,249
1957	68,995	60,972	56,828	79,612	65,562	57,150	53,209	72,542
	Deaths: Persons				Annual Death Rates per 1,000 persons living			
1841-1850	1,029,485	926,091	892,964	920,856	24.7	22.0	21.0	21.7
1851-1860	1,157,916	1,040,596	965,924	1,046,279	24.7	22.1	20.3	21.9
1861-1870	1,323,406	1,156,834	1,126,288	1,187,970	25.2	21.8	21.0	22.1
1871-1880	1,422,776	1,259,064	1,195,003	1,301,468	23.7	20.9	19.6	21.3
1881-1890	1,459,550	1,271,775	1,194,102	1,319,343	21.6	18.7	17.3	19.1
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	20.7	17.6	17.0	17.7
1901-1910	1,490,235	1,246,735	1,185,415	1,326,389	17.7	14.6	13.8	15.4
1911-1920*	1,532,334	1,220,642	1,074,835	1,360,241	17.2	13.6	11.8	14.9
1921-1930	1,489,996	1,136,431	936,261	1,160,303	15.5	11.7	9.5	11.8
1931-1940*	1,578,974	1,177,988	1,005,878	1,229,368	15.8	11.6	9.8	12.0
1941-1950*	1,553,399	1,179,497	1,004,665	1,260,092	15.5	11.6	9.8	12.3
1947*	181,736	118,015	97,099	120,765	17.6	11.3	9.2	11.4
1948*	132,628	110,257	101,548	125,465	12.4	10.3	9.4	11.7
1949*	161,265	119,972	101,190	128,309	15.2	11.2	9.3	11.8
1950	151,284	120,791	102,867	135,359	14.0	11.1	9.3	12.3
1951	205,878	121,683	100,057	121,762	19.1	11.1	9.1	11.0
1952	146,948	115,369	98,613	136,554	13.4	10.6	8.9	12.4
1953	171,350	114,644	98,545	118,990	15.8	10.4	8.9	10.7
1954	153,120	117,205	104,114	127,457	14.0	10.6	9.3	11.4
1955	168,645	124,230	101,677	124,312	15.4	11.2	9.1	11.1
1956	170,292	120,059	104,131	126,849	15.3	10.8	9.3	11.3
1957	134,557	118,122	110,037	152,154	12.2	10.6	9.7	13.4

*See footnote to Table 3.

TABLE 6—Comparative Mortality Indices (All Ages) and Death Rates at Ages under 15. Principal Epidemic or General Diseases, 1851-1957 } England and Wales

Notes: (1) See note to Table 3 for explanation of Comparative Mortality Index.
(2) Changes in cause assignment are allowed for throughout as far as possible.
(3) See Explanatory notes on page vi

Period	Comparative Mortality Indices (base year 1938 taken as unity)											Death rates per million living at ages under 15				
	Tuberculosis (all forms) 001-019	Tuberculosis of resp. system 001-008	Syphilis 020-029	Typhoid and paratyphoid fevers 040, 041	Meningococcal infections 057	Cancer 140-205	Cancer excl. Hodg-kins dis: Leukæmia 140-200 Aleukæmia 202, 203, 205	Diabetes mellitus 260	Diseases of heart 410-443	Influenza 480-483	Pneumonia (all forms) 490-493, 763	Scarlet fever 050	Diphtheria 055	Whooping cough 056	Poliomyelitis 080, 081	Measles 085
1851-1860	5.67	5.74					0.31									1082
1861-1870	5.46	5.37					0.38					2282	1122	1319		1148
1871-1880	4.73	4.66		84.37			0.47					1664	747	1316		976
1881-1890	4.01	3.81		51.94			0.59					787	804	1171		1153
1891-1900	3.29	3.01		45.78			0.75			4.39		383	873	1037		1144
1901-1910	2.70	2.45		23.84			0.85	0.84		2.54		271	571	815		915
1911-1920†	2.34	2.20		9.28	0.94		0.92	0.89		5.75		123	437	554	13	838
1921-1930	1.62	1.59		2.85	0.58		0.98	0.86		3.61		64	298	405	11	389
1931-1939†	1.18	1.18		1.25	1.25	0.99	1.00	1.01		2.46		46	290	197	11	217
1940-1949†	0.99	1.01	0.67	0.44	1.36	1.00	0.99	0.77	0.97	1.15	0.73	7	112	111	11	62
1851-1855	5.93	5.98					0.30									1047
1856-1860	5.43	5.52					0.32					1919	1347	1300		1114
1861-1865	5.41	5.44					0.36					2307	1389	1336		1189
1866-1870	5.26	5.31					0.40					2258	871	1405		1109
1871-1875	4.84	4.86		97.71			0.44					1760	788	1282		962
1876-1880	4.62	4.48		71.90			0.50					1575	709	1349		988
1881-1885	4.19	4.04		56.99			0.55					1012	828	1180		1070
1886-1890	3.83	3.60		47.20			0.63					572	781	1163		1234
1891-1895	3.48	3.18		45.58			0.71			5.04		434	875	1070		1104
1896-1900	3.12	2.85		45.97			0.79			3.79		331	872	1003		1184
1901-1905	2.85	2.58		29.66			0.83	0.79		2.29		319	653	874		955
1906-1910	2.55	2.32		18.35			0.87	0.88		2.76		224	491	756		874
1911-1915†	2.31	2.16		12.43	0.81		0.92	0.97		2.00		161	434	633	14	1043
1916-1920†	2.38	2.25		6.02	1.07		0.92	0.82		9.53		84	439	473	12	625
1921-1925	1.74	1.70		3.27	0.46		0.99	0.85		3.77		79	302	448	11	420
1926-1930	1.51	1.49		2.45	0.70		0.99	0.90		3.54		48	294	360	12	357
1931-1935	1.29	1.29		1.35	1.48	0.99	1.00	0.98		2.85		50	293	223	11	270
1936-1939†	1.05	1.05		1.14	0.95	0.99	1.00	1.03		2.01		27	287	163	11	149
1940-1944†	1.12	1.13	0.80	0.64	2.22	0.99	0.99	0.91	0.98	1.64	0.85	11	192	140	7	78
1945-1949†	0.88	0.91	0.55	0.26	0.59	1.00	0.99	0.64	0.97	0.70	0.63	3	30	81	16	47
1927	1.56	1.54		2.41	0.60		0.99	0.87		5.48		43	250	341	12	337
1928	1.48	1.47		2.88	0.63		1.00	0.89		1.86		43	296	279	12	404
1929	1.53	1.53		2.49	0.85		1.00	0.96		7.01		50	320	604	10	324
1930	1.43	1.42		2.02	0.92		0.99	0.94		1.18		55	332	196	11	404
1931	1.43	1.42		1.61	2.13	0.99	1.00	0.95		3.34		39	252	244	7	320
1932	1.33	1.31		1.64	1.80	1.00	1.00	0.98		3.01		40	223	288	13	332
1933	1.31	1.32		1.41	1.41	0.99	1.00	0.98		5.15		55	255	221	13	190
1934	1.22	1.21		1.01	1.10	1.00	1.00	0.99		1.24		72	393	199	9	368
1935	1.14	1.15		1.09	0.94	0.99	1.00	1.00		1.60		41	345	159	11	134
1936	1.10	1.10		1.59	0.97	1.00	1.01	1.04		1.29		38	311	210	7	281
1937	1.10	1.10		1.27	1.07	0.99	1.00	1.05		3.92		27	305	179	8	106
1938	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	27	305	179	8	106
1939†	1.00	1.00		0.69	0.77	0.98	0.98	1.05		1.83		15	228	140	10	34
1940†	1.14	1.16	0.90	0.83	3.83	1.00	1.00	1.10	1.13	2.52	1.04	12	266	78	9	95
1941†	1.20	1.20	0.87	0.98	3.29	0.99	0.99	0.99	1.00	1.51	0.94	11	280	279	9	128
1942†	1.09	1.09	0.80	0.56	1.83	0.99	0.99	0.89	0.93	0.73	0.74	9	192	94	7	53
1943†	1.12	1.13	0.76	0.46	1.19	0.99	0.99	0.84	0.93	2.65	0.86	11	134	129	4	86
1944†	1.06	1.07	0.68	0.36	0.89	0.98	0.98	0.78	0.93	0.81	0.68	9	92	121	4	28
1945†	1.03	1.06	0.62	0.30	0.81	0.99	0.98	0.75	0.93	0.55	0.66	7	67	79	4	80
1946†	0.90	0.93	0.62	0.32	0.71	0.99	0.99	0.67	0.95	1.04	0.65	3	40	91	5	22
1947†	0.90	0.93	0.56	0.18	0.72	1.00	1.00	0.63	1.01	0.64	0.70	3	23	99	33	69
1948†	0.83	0.86	0.49	0.29	0.39	1.01	1.00	0.57	0.92	0.23	0.53	2	14	80	8	33
1949†	0.75	0.78	0.48	0.19	0.37	1.01	1.00	0.59	1.03	1.03	0.61	1	7	55	29	30
1950	0.59	0.62	0.50	0.09	0.36	1.02	1.01	0.62	1.07	0.71	0.53	1	4	41	33	22
1951	0.51	0.53	0.51	0.12	0.38	1.03	1.01	0.62	1.14	2.87	0.67	1	2	46	8	30
1952	0.39	0.41	0.46	0.12	0.38	1.03	1.01	0.55	1.00	0.31	0.55	1	2	18	10	14
1953	0.32	0.34	0.40	0.03	0.39	1.02	1.01	0.52	0.98	1.14	0.61	0	2	24	14	24
1954	0.28	0.30	0.39	0.05	0.35	1.03	1.01	0.48	0.98	0.31	0.52	1	1	13	5	5
1955	0.23	0.25	0.38	0.08	0.28	1.03	1.02	0.52	0.99	0.51	0.60	0	1	9	8	17
1956	0.19	0.20	0.37	0.04	0.26	1.03	1.02	0.50	0.99	0.44	0.63	0	0	9	4	2
1957	0.17	0.18	0.34	0.06	0.25	1.03	1.01	0.48	0.95	1.12	0.62	0	0	8	6	9

† Civilian mortality only in 1915-20 and from 3rd September, 1939 to 31st December, 1949, for males, and from 1st June, 1941 to 31st December, 1949, for females.

TABLE 7—Deaths by Cause and Sex at All Ages, 1947-1957 — England and Wales

(Excluding non-civilian from 1947 to 1949 inclusive).

- Note: (i) The following categories of the 1948 International Statistical Classification are not applicable to primary death tabulation and are therefore omitted from this table:—306, 308, 649, 775.
 (ii) Although deaths in each year from 1949 inclusive were coded according to the 1948 International Statistical Classification, certain minor changes in coding practice were introduced between 1949 and 1950, and comparability of figures between those years is consequently affected. Categories principally affected are noted accordingly.
 (iii) Deaths assigned to any of the following categories as the underlying cause, but where the interval between onset of the disease and death was stated to exceed one year, are, for years 1951 and on, separately distinguished in footnotes, as well as being included in the totals for these categories:—
 040-043, 050, 055, 056, 058, 084-087, 100-108.
 (iv) See Explanatory notes on page vi.

International List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
	ALL CAUSES ... {M F}	265739 249852	241674 226971	259942 250031	261152 249149	281724 267656	257760 239724	259490 244039	259797 242099	266976 251888	267904 253427	266407 248463
001-138	I.—INFECTIVE AND PARASITIC DISEASES {M F}	17222 12446	15722 10938	14865 9915	12797 8037	11434 6738	9303 5023	8203 4497	7227 3766	6414 3265	5508 2767	5144 2587
001-019	Tuberculosis (all forms) ... {M F}	13390 9686	12791 8884	11918 7879	9922 6047	8826 4980	7114 3471	5964 2938	5392 2505	4533 1959	3804 1571	3414 1370
001-008	Tuberculosis of respiratory system ... {M F}	†11678 †8075	†11313 †7485	10655 6816	8934 5145	7903 4128	6421 2914	5447 2466	4944 2125	4172 1665	3534 1319	3150 1099
001	With mention of occupational disease ... {M F}	234 3	278 5	262 9	255 7	288 6	292 3	298 6	276 4	296 6	247 6	215 —
002	Pulmonary ... {M F}			10274 6731	8603 5084	7550 4081	6066 2868	5107 2426	4630 2083	3844 1630	3263 1291	2899 1085
003	Pleural ... {M F}			66 47	57 38	50 33	53 35	34 29	30 33	25 25	18 19	31 11
	0. Pleurisy specified as tuberculous ... {M F}			24 11	26 8	19 9	22 7	11 12	15 10	10 4	6 4	12 1
	1. Pleurisy with effusion without mention of cause {M F}			42 36	31 30	31 24	31 28	23 17	15 23	15 21	12 15	19 10
004	Primary, complex with symptoms ... {M F}	†11444 †8072	†11035 †7480	— 1	1 —	2 —	2 —	— 1	— 1	— —	— —	— —
005	Tracheobronchial glandular, with symptoms ... {M F}			5 7	9 7	5 7	4 4	3 2	5 3	4 4	4 2	1 1
006	Radiological evidence sugges- tive of active resp. tub: not classifiable elsewhere {M F}			— —	— —	— —	— —	— —	— —	— —	— —	— —
007	Other respiratory ... {M F}			30 6	6 9	6 1	4 1	3 1	1 —	— —	— —	1 1
008	Unspecified site ... {M F}			18 15	3 —	2 —	— —	2 1	2 1	3 —	2 1	3 1
010-019	Tuberculosis, other forms ... {M F}	1712 1611	1478 1399	1263 1063	988 902	923 852	693 557	517 472	448 380	361 294	270 252	264 271
010	Meninges and central nervous system ... {M F}	784 749	647 665	558 533	432 458	440 442	265 246	177 168	96 95	67 65	39 52	47 63
011	Intestines, peritoneum, and mesenteric glands ... {M F}	203 242	168 201	146 148	91 100	83 99	67 66	60 59	38 58	45 41	35 35	28 27
012	Bones and joints, active or un- specified ... {M F}	*204 *163	*202 *164	146 119	146 101	114 93	110 70	68 71	75 65	67 44	48 36	42 49
	0. Vertebral column ... {M F}	*137 *115	*136 *114	108 99	100 78	81 67	81 54	47 51	58 56	52 35	37 28	33 39
	1-3. Other ... {M F}	*67 *48	*66 *50	38 20	46 23	33 26	29 16	21 20	17 9	15 9	11 8	9 10
013	Late effects, bones and joints... {M F}			1 2	5 2	3 3	5 2	3 2	2 2	6 2	4 5	2 3
014	Skin and subcutaneous cellular tissue ... {M F}	9 18	10 7	5 8	5 11	5 11	1 3	2 3	— 7	1 3	— 4	2 2
015	Lymphatic system ... {M F}	29 29	29 28	21 36	18 31	12 19	15 14	9 15	10 10	11 10	9 6	5 13
016	Genito-urinary system ... {M F}	186 114	183 108	208 93	173 89	167 88	144 66	109 79	121 64	87 52	82 64	81 44
017	Adrenal glands ... {M F}	16 20	13 15	18 10	13 11	8 16	13 18	19 12	14 9	6 7	11 5	9 9
018	Other organs ... {M F}	10 5	20 5	5 7	10 7	17 6	13 11	8 7	9 4	11 13	6 6	10 13

† 002-008 excludes 003.1, which comprises about 36% of deaths shown for 519; includes Hæmoptysis N.O.S. from 783.1, (Hæmoptysis) for these years.

* {012.0 includes 013.0 (late effects of tuberculosis of vertebral column) for these years.
 {012.1-012.3 includes 013.1-013.3 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
019	Disseminated ... {M F}			155 107	95 92	74 75	60 61	62 56	83 66	60 57	36 39	38 48
	0-1. Acute miliary tuber- culosis ... {M F}	††271 ††271	††206 ††206	22 13	22 10	7 11	4 2	3 5	5 7	4 3	2 1	3 5
	2. Other forms ... {M F}			133 94	73 82	67 65	56 59	59 51	78 59	56 54	34 38	35 43
020-029	Syphilis and its sequelæ ... {M F}	1445 577	1303 505	1290 491	1202 527	1265 506	1097 522	1001 444	954 467	947 438	922 452	879 413
020	Congenital syphilis ... {M F}	†49 †46	†47 †42	45 38	25 20	17 15	17 15	10 3	6 6	2 4	6 8	3 7
021	Early syphilis ... {M F}	†	†	1	1	1	2	1	—	—	1	—
022	Aneurysm of aorta ... {M F}	502 177	478 169	515 191	430 225	475 204	435 222	408 190	392 211	424 219	420 218	459 233
023	Other cardiovascular syphilis... {M F}	†447 †194	†462 †196	353 126	449 151	458 157	388 173	344 159	339 139	341 136	330 153	281 107
024	Tabes dorsalis... {M F}	†164 †44	†111 †32	114 20	99 24	111 32	100 27	87 26	70 26	53 24	66 15	53 22
025	General paralysis of insane ... {M F}	†283 †116	†205 †66	161 65	111 56	121 47	78 45	91 26	89 37	84 36	56 28	48 20
026	Other syphilis of central ner- vous system... {M F}			29 19	46 28	48 30	50 21	37 25	47 32	27 13	33 19	26 18
027	Other forms of late syphilis ... {M F}			36 13	21 5	29 14	23 13	18 13	8 15	13 5	10 9	7 4
028	Latent syphilis... {M F}	†	†	—	—	—	—	—	—	—	—	—
029	Syphilis, unqualified ... {M F}			37 18	21 17	6 6	5 4	6 1	3 1	3 1	1 1	2 2
030-039	Gonococcal infection and other venereal diseases ... {M F}	18 2	12 1	3 2	9 —	6 1	12 1	6 —	13 —	3 2	8 —	5 1
030	Acute or unspecified gonorrhœa {M F}			2 —	5 —	2 1	2 —	— —	2 —	— —	1 —	2 —
031	Chronic gonococcal infection of genito-urinary system ... {M F}			1 —	— —	2 —	1 —	— —	1 —	— —	— —	— —
032	Gonococcal infection of joint... {M F}			— —	1 —	— —	— —	— —	— —	— —	— —	— —
033	Gonococcal infection of eye ... {M F}	17 2	12 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
034	Gonococcal infection of other sites ... {M F}			1 1	2 —	1 —	1 —	— —	2 —	— —	1 —	— —
035	Late effects of gonococcal in- fection ... {M F}			— —	1 —	1 —	8 —	6 —	7 —	2 —	6 —	3 —
036	Chancroid ... {M F}			— —	— —	— —	— —	— —	— —	— —	— —	— —
037	Lymphogranuloma venereum {M F}			— —	— —	— —	1 —	— —	— —	— —	— —	— —
038	Granuloma inguinale, venereal {M F}	1	—	— —	— —	— —	— —	— —	1 —	— —	— —	— —
039	Other and unspecified venereal diseases ... {M F}			— —	— —	— —	— —	— —	— —	1 1	— —	— —
040-049	Infectious diseases commonly arising in intestinal tract ... {M F}	102 64	96 70	75 69	84 68	75 59	63 43	53 48	49 34	59 51	46 55	42 40
040	Typhoid fever* ... {M F}	17 8	20 18	10 9	8 7	5 7	5 4	1 2	1 3	5 2	— 2	1 7
041	Paratyphoid fever* ... {M F}	2 2	2 8	5 8	— 1	1 8	5 7	— 2	1 3	3 5	2 3	— 2
042	Other Salmonella infections... {M F}	†29 †21	†35 †14	24 31	31 27	27 9	27 16	23 20	22 11	25 19	20 26	29 20
043	Cholera... {M F}	—	—	—	—	—	—	—	—	—	—	—

*Including the following "late effects" (see note (iii) on page 11) :—

040	Typhoid fever	1951	1952	1953	1954	1955	1956	1957
	{M	—	1	—	1	1	—	—
	{F	2	3	—	—	—	—	2
041	Paratyphoid fever	1951	1952	1953	1954	1955	1956	1957
	{M	—	—	—	—	—	—	—
	{F	—	—	1	1	—	—	—

††019 includes 138.0 (Sarcoid of Boeck) for these years.

†023 includes 021,026-029 for these years.

‡024, 025. These numbers combined include 020.1 (Juvenile neurosyphilis) for these years.

†042 includes 049 for these years.

TABLE 7—continued

Inter-national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
044	Brucellosis (undulant fever) ... {M F	3 2	2 2	3 —	— 1	1 1	2 —	2 2	— —	— —	2 1	—
045	Bacillary dysentery ... {M F	28 20	18 16	17 8	22 21	27 30	11 10	13 15	12 13	15 12	13 13	7 8
046	Amoebiasis ... {M F	15 2	10 5	9 4	14 3	13 1	11 —	5 1	6 2	7 1	2 1	4 1
047	Other protozoal dysentery ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
048	Unspecified forms of dysentery {M F	8 9	9 7	3 4	3 2	1 2	2 2	1 1	4 2	1 4	2 2	— 2
049	Food poisoning (infection and intoxication) {M F	† †	† †	4 5	6 6	— 1	— 4	8 5	3 —	3 7	5 7	1 —
050-064	Other bacterial diseases ... {M F	1041 1103	814 831	657 627	575 533	546 527	395 384	427 407	330 310	251 231	274 223	224 223
050	Scarlet fever† ... {M F	*17 *25	*16 *21	13 14	15 18	13 24	9 14	8 19	10 17	8 13	8 7	4 6
051	Streptococcal sore throat ... {M F	43 58	40 55	23 43	37 24	14 15	21 20	15 19	13 12	14 10	15 13	7 9
052	Erysipelas ... {M F	27 34	27 24	27 27	20 21	9 8	6 10	9 13	9 5	7 6	3 4	5 1
053	Septicæmia and pyæmia ... {M F	104 91	106 83	86 60	89 75	62 49	47 64	68 52	56 66	39 41	62 44	50 48
054	Bacterial toxæmia ... {M F	— —	— —	— 2	— 2	1 —	— —	2 —	— —	— 1	— 1	— 1
055	Diphtheria† ... {M F	124 118	78 77	45 39	31 18	15 18	14 18	11 12	3 6	6 7	5 3	2 4
056	Whooping cough† ... {M F	386 519	336 412	238 289	162 232	212 244	84 100	104 139	66 73	45 43	42 53	33 55
057	Meningococcal infections ... {M F	287 236	160 136	154 133	154 129	156 142	160 130	166 125	138 121	105 100	109 80	94 90
058	Plague ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
059	Tularæmia ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
060	Leprosy... {M F	— 1	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —
061	Tetanus ... {M F	49 22	48 21	61 18	61 10	59 22	42 21	37 24	28 9	23 10	22 15	23 5
062	Anthrax ... {M F	2 —	— 1	2 —	— —	1 —	2 —	1 —	1 —	1 —	3 —	1 —
063	Gas gangrene ... {M F	1 —	3 1	7 2	4 4	2 3	10 6	4 3	5 1	3 —	4 1	4 4
064	Other bacterial diseases ... {M F	— —	— —	1 —	2 —	1 1	— 1	2 1	1 —	— —	1 2	— 1
070-074	Spirochætal diseases, except syphilis {M F	16 10	15 5	39 2	45 12	37 3	32 1	28 5	25 2	27 2	11 1	18 3
070	Vincent's infection ... {M F	4 6	2 2	3 1	2 6	1 —	2 —	2 2	— —	2 1	— 1	1 2
071	Relapsing fever ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
072	Leptospirosis icterohæmor- rhagica (Weil's disease) ... {M F	12 4	13 3	36 1	39 5	36 3	29 1	26 2	25 2	24 1	11 —	17 —
073	Yaws ... {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
074	Other spirochætal and lepto- spirochætal infections ... {M F	— —	— —	— —	4 1	— —	1 —	— 1	— —	1 —	— —	— 1
080-096	Diseases attributable to viruses {M F	1151 962	647 610	839 809	917 811	615 617	535 547	682 608	400 402	538 529	383 403	494 478

† Including the following "late effects" (see note (iii) on page 11):—

050	Scarlet fever	{M F	1951 7 15	1952 5 10	1953 6 17	1954 8 15	1955 8 11	1956 8 6	1957 3 4
055	Diphtheria	{M F	1 2	1 8	1 —	— 1	— —	— 2	— 2
056	Whooping cough	{M F	1 2	2 1	— —	— —	1 1	— —	— —

*049. See 042.

*050 excludes deaths occur-
ring 1 or more years after
onset, for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
080	Acute poliomyelitis ... {M F}			355 288	411 323	110 81	167 108	199 121	73 39	150 91	68 46	143 83
	0. Specified as bulbar or polio-encephalitis ... {M F}			155 118	164 114	35 31	72 42	102 52	29 17	73 41	25 15	63 30
	1. With other paralysis ... {M F}			17 12	57 44	21 14	30 12	28 15	13 4	23 17	14 9	21 16
	2. Specified as nonparalytic ... {M F}	407 281	140 99	— —	— —	— —	2 —	— —	— —	— —	— —	— —
	3. Unspecified ... {M F}			183 158	190 165	54 36	63 54	69 54	31 18	54 33	29 22	59 37
081	Late effects of acute polio- myelitis ... {M F}			4 4	10 11	10 16	9 11	8 10	11 11	11 18	9 14	21 8
082	Acute infectious encephalitis... {M F}			105 91	58 57	63 55	52 53	70 64	51 37	49 38	58 48	59 50
083	Late effects of acute infectious encephalitis ... {M F}	245 213	215 189	76 95	132 118	92 124	79 95	99 84	80 95	81 77	82 67	55 50
084	Smallpox* ... {M F}	11 4	— —	1 4	— —	3 7	— 1	6 2	— —	— —	— —	1 1
085	Measles* ... {M F}	338 306	162 164	152 155	133 88	173 144	71 70	142 103	29 21	87 89	15 15	54 41
086	Rubella (German measles)*... {M F}	3 1	2 —	1 1	1 —	1 —	2 1	3 3	2 1	— —	— 1	1 1
087	Chickenpox ... {M F}	6 6	6 4	7 7	3 4	6 10	8 5	10 2	8 9	4 5	4 8	5 9
088	Herpes zoster ... {M F}	19 56	25 50	20 36	20 53	19 39	18 42	8 38	17 30	25 41	17 45	24 49
089	Mumps ... {M F}	1 —	9 7	— 3	5 3	5 8	4 6	4 5	7 2	3 8	4 —	3 6
090	Dengue ... {M F}	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
091	Yellow fever ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
092	Infectious hepatitis ... {M F}	120 91	85 95	114 116	142 142	127 125	116 148	126 162	108 151	116 159	116 156	119 173
093	Glandular fever (infectious mononucleosis) ... {M F}	1 4	2 1	1 —	1 1	1 1	4 1	1 2	2 2	3 —	5 1	3 2
094	Rabies ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —
095	Trachoma ... {M F}	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
096	Other diseases attributable to viruses ... {M F}	†— †—	†1 †1	3 9	1 10	5 7	4 6	6 11	12 4	8 3	4 2	6 5
100-108	Typhus and other rickettsial diseases ... {M F}	1 —	1 —	— —	— —	— —	— 1	— 1	— —	— —	— —	— —
100	Louse-borne epidemic typhus ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
101	Flea-borne endemic typhus (murine) ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
102	Brill's disease, not specified as louse- or flea-borne typhus* {M F}	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
103	Tabardillo (Mexican typhus), not specified as louse- or flea- borne ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
104	Tick-borne typhus ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
105	Mite-borne typhus ... {M F}	1 —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
106	Wolhynian fever (trench fever) {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
107	Typhus, unspecified ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
108	Other rickettsial diseases ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

† 096. See 706-716.

* Including the following "late effects" (see note (iii) on page 11):—084, Smallpox:— 1952-1F; 085, Measles:— 1953-2M, 1F; 1954-5M; 1955-2M; 1956-1M, 1F; 1957-1M; 086, Rubella:— 1954-1F; 102, Brill's disease:— 1952-1F.

TABLE 7—continued

International List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
110-117	Malaria... {M F}			5	9 3	10	8 1	4	9	5	3 1	3 1
110	Vivax malaria (benign tertian) {M F}			—	—	1	—	—	—	—	—	1
111	Malariae malaria (quartan) ... {M F}			—	—	—	—	—	—	—	—	—
112	Falciparum malaria (malignant tertian) ... {M F}			1	6 2	7	4	4	5	4	1 1	1 1
113	Ovale malaria ... {M F}	11 1	9 1	—	—	—	—	—	—	—	—	—
114	Mixed malarial infections ... {M F}			—	—	—	—	—	—	—	—	—
115	Blackwater fever ... {M F}			4	—	1	1	—	—	—	—	—
116	Other and unspecified forms of malaria ... {M F}			—	3 1	1	3	—	4	1	2	1
117	Recurrent induced malaria ... {M F}			—	—	—	—	—	—	—	—	—
120-138	Other infective and parasitic diseases ... {M F}	47 41	34 31	39 36	34 36	54 45	47 52	38 46	55 46	51 53	57 61	65 58
120	Leishmaniasis ... {M F}	4 1	—	3	—	2	—	1	—	—	—	—
121	Trypanosomiasis ... {M F}	—	1	—	—	—	—	—	1	—	—	2
122	Other protozoal diseases ... {M F}	—	—	1	1 2	1 2	3 2	2 4	5 5	1 1	1	3 1
123	Schistosomiasis ... {M F}	—	1	1	1	—	—	1	1	2	1	—
124	Other trematode infestation... {M F}	—	—	—	—	—	—	—	1	—	—	—
125	Hydatid disease ... {M F}	9 8	8 11	6 9	3 6	17 6	7 5	6 7	5 3	6 6	4 6	11 8
126	Other cestode infestation ... {M F}	3 1	— 2	—	2 2	2	2	1	2 2	3 1	5	5 1
127	Filariasis ... {M F}	—	—	—	1	—	—	—	—	—	—	—
128	Trichiniasis ... {M F}	—	—	—	—	—	—	1	—	—	—	—
129	Ankylostomiasis ... {M F}	—	—	—	—	—	—	—	—	—	—	—
130	Infestation with worms of other, mixed & unspc'd: {M F}	— 2	2 4	—	—	1	—	1	1	2	—	—
131	Dermatophytosis ... {M F}	—	2	1 2	1	2	1	2	—	—	1 1	—
132	Actinomycosis ... {M F}	15 14	11 11	13 11	8 5	6 3	6 6	2 5	5 2	4	1 4	4 2
133	Coccidioidomycosis ... {M F}	—	—	—	—	—	—	—	—	—	—	—
134	Other fungus infections ... {M F}	16 15	9 3	11 8	9 3	9 9	10 9	12 7	13 6	9 5	14 7	13 8
135	Scabies ... {M F}	†	†	—	1	1	—	—	—	—	—	—
136	Pediculosis ... {M F}	—	—	—	1	—	—	—	—	1	—	—
137	Other arthropod infestation ... {M F}	—	—	—	—	—	—	—	—	—	—	—
138	Other infective and parasitic diseases ... {M F}	*— *	*— *	4 5	11 13	17 21	17 30	9 23	21 28	24 39	31 41	27 38
40-239	II.—NEOPLASMS ... {M F}	40814 41022	42236 41488	43124 42054	44436 42838	45531 42436	46220 43138	46773 42907	48104 43727	48907 44097	49675 44679	50792 44853

† 135. See 706-716.

* 138. See 019.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	19 50	1951	1952	1953	1954	1955	1956	1957
140-205	Malignant neoplasms including { M neoplasms of lymphatic and { F hematopoietic tissues	39927 39857	41302 40353	42196 41008	43570 41700	44632 41448	45429 42213	45935 41989	47313 42782	48160 43180	48935 43775	50056 43961
140-148	Malignant neoplasm of buccal { M cavity and pharynx... { F	1706 551	1643 530	1560 580	1584 618	1566 630	1472 646	1402 568	1516 641	1421 650	1234 654	1259 669
140	Lip ... { M ... { F	150 19	139 13	160 19	148 13	136 12	96 18	116 8	104 13	109 13	80 13	83 9
141	Tongue ... { M ... { F	615 135	581 137	499 156	525 146	492 155	451 135	424 143	442 146	393 150	359 165	336 158
142	Salivary gland... { M ... { F	72 51	78 46	88 56	82 51	81 58	99 70	80 51	80 60	75 65	78 57	81 64
143	Floor of mouth ... { M ... { F	**	**	87 16	89 22	80 22	65 18	80 16	85 23	90 22	78 21	63 20
144	Malig: neoplasm of other parts { M of mouth and mouth un- { F specified	**338 **86	**358 **80	244 65	226 77	246 85	219 74	193 66	226 63	223 71	199 82	186 71
145	Oral mesopharynx ... { M ... { F	183 45	165 49	157 33	172 37	188 37	178 55	167 32	180 46	141 46	110 44	153 47
146	Nasopharynx ... { M ... { F	47 26	30 22	48 34	50 37	68 42	76 42	69 31	100 38	83 30	73 42	78 45
147	Hypopharynx ... { M ... { F	53 99	54 94	56 106	99 139	73 124	87 148	100 146	98 153	106 154	83 152	85 157
148	Pharynx, unspecified ... { M ... { F	248 90	238 89	221 95	193 96	202 91	201 86	173 75	201 99	201 99	174 78	194 98
150-159	Malig: neoplasm of digestive { M organs and peritoneum { F	20629 18459	20966 18476	20609 18524	20420 18720	20405 18213	20175 18403	19805 18140	19616 18317	19452 18317	19157 18175	19428 17998
150	Esophagus ... { M ... { F	1548 804	1501 810	1439 786	1510 835	1488 852	1475 850	1335 865	1306 930	1358 956	1378 959	1312 963
151	Stomach ... { M ... { F	7810 6206	8167 6225	8065 6139	8013 6432	8155 6506	8066 6343	8044 6209	7848 6266	7975 6180	7747 6206	7986 6009
152	Small intestine, including duo- { M denum ... { F	103 107	102 79	113 102	96 86	92 109	108 93	110 99	101 93	104 101	111 98	97 75
153	Large intestine, except rectum { M ... { F	4729 6025	4593 5845	4509 5932	4319 5834	4246 5451	4165 5657	4163 5556	4047 5481	3920 5535	3812 5471	3810 5426
154	Rectum ... { M ... { F	3784 2529	3901 2552	3762 2609	3699 2537	3614 2414	3412 2396	3247 2429	3334 2474	3186 2393	3166 2384	3116 2291
155	Biliary passages and of liver { M (stated to be primary site)... { F	1147 1375	1103 1393	461 726	479 820	479 767	538 792	487 778	548 809	491 808	516 863	569 833
156	Liver (secondary and un- { M specified) ... { F			589 649	586 562	562 544	553 469	532 470	482 500	447 460	427 438	460 425
157	Pancreas ... { M ... { F	1379 1182	1449 1325	1514 1363	1567 1434	1620 1368	1723 1562	1724 1491	1773 1530	1830 1628	1847 1557	1893 1722
158	Peritoneum ... { M ... { F	125 228	148 241	153 212	143 173	143 192	121 224	148 225	162 216	126 231	130 180	163 230
159	Unspecified digestive organs... { M ... { F	4 3	2 6	4 6	8 7	6 11	13 17	15 18	15 18	15 25	23 19	22 24
160-165	Malignant neoplasm of res- { M piratory system ... { F	8594 1975	9473 2121	10189 2207	11340 2353	12237 2434	12971 2579	13862 2577	14888 2681	15729 2794	16523 2897	17284 3002
160	Nose, nasal cavities, middle { M ear, and accessory sinuses... { F	89 76	100 83	120 87	117 102	124 86	118 85	130 99	125 104	118 82	134 97	114 86
161	Larynx ... { M ... { F	769 203	827 205	787 199	809 182	805 202	752 189	737 168	662 181	695 202	675 169	661 174
162	Trachea, and of bronchus and { M lung specified as primary* { F	\$7581 \$1623	\$8403 \$1759	2213 485	2855 596	2998 622	3623 743	3850 733	6424 1155	10703 1748	11409 1878	12079 1966
163	Lung & bronchus, unspec'd: { M as to whether primary or { F secondary*			6917 1360	7399 1391	8168 1459	8358 1494	9031 1518	7571 1181	4118 703	4206 693	4351 723
164	Mediastinum ... { M ... { F	\$155 \$73	\$143 \$74	130 69	135 60	115 53	100 54	99 39	82 43	76 39	68 42	57 36
165	Thoracic organs (secondary)... { M ... { F	\$	\$	22 7	25 22	27 12	20 14	15 20	24 17	19 20	31 18	22 17
170-181	Malignant neoplasm of breast { M and genito-urinary organs... { F	5144 15667	5265 15948	5565 15982	5810 16171	5831 16218	5956 16496	6048 16384	6301 16612	6395 16896	6682 17136	6615 17253
170	Breast ... { M ... { F	70 7738	64 7843	78 7875	65 7927	63 8006	59 8285	81 8158	80 8361	77 8495	69 8580	70 8613

** 144 includes 143 for these years.

§ 162, 163, includes malignant neoplasm of trachea, bronchus, lung, pleura, specified as secondary, from 165, for these years.

164 includes remainder of 165 for these years.

*A minor change in coding practice introduced in 1954 resulted in a transfer of deaths from 163 to 162 in that year.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
171	Cervix uteri F	1837	1873	2138	2654	2585	2547	2501	2410	2486	2511	2474
172	Corpus uteri F	332	338	514	1157	1185	1237	1203	1185	1147	1184	1216
173	Other parts of uterus, in- cluding chorionepithelioma	F	18	12	16	25	41	27	41	48	28	39
174	Uterus, unspecified† F	2082	2098	1579	302	248	213	200	203	203	212	213
175	Ovary, Fallopian tube, and broad ligament	F	2209	2256	2350	2501	2542	2503	2565	2615	2786	2874
176	Other and unspecified female genital organs	F	450	435	425	466	443	471	472	488	477	519
177	Prostate... .. M	2800	2781	2963	3095	3020	3007	3168	3340	3329	3554	3475
178	Testis M	179	195	187	217	195	208	197	217	165	201	175
179	Other and unspecified male genital organs	M	186	156	158	160	169	154	123	127	162	139
180	Kidney { F	492 350	529 381	562 384	597 366	597 430	638 471	655 443	676 455	706 421	700 463	704 433
181	Bladder and other urinary organs { M F	1417 651	1540 712	1617 701	1676 773	1787 738	1890 742	1824 801	1861 847	1956 853	2018 862	2052 875
190-199	Malignant neoplasm of other and unspecified sites ... { M F	2329 2025	2310 2079	2381 2274	2466 2347	2469 2232	2546 2358	2477 2501	2570 2597	2674 2537	2799 2798	2743 2875
190	Malignant melanoma of skin... { M F	574 465	558 438	71 102	93 131	112 137	115 178	132 168	144 185	164 213	166 181	145 247
191	Other malignant neoplasm of skin { M F	447 351	461 343	376 281	376 343	369 281	337 298	325 292	312 264	312 262	310 249	316 254
192	Eye { M F	45 43	49 48	60 41	60 62	58 54	49 60	51 57	53 69	53 44	57 56	60 51
193	Brain and other parts of nervous system ... { M F	552 380	614 387	654 462	678 521	738 495	833 525	811 589	831 624	903 611	889 659	894 667
194	Thyroid gland... .. { M F	89 231	76 231	82 254	73 241	94 257	104 260	91 264	99 268	95 268	113 272	89 264
195	Other endocrine glands ... { M F	50 43	60 31	41 63	65 50	47 45	74 49	52 49	60 38	62 46	66 55	71 54
196	Bone (including jaw bone) ... { M F	544 371	492 388	499 409	455 325	449 315	395 326	396 300	356 319	346 266	385 304	351 288
197	Connective tissues { M F	• •	• •	52 50	82 85	95 93	122 94	92 82	119 105	111 102	121 111	125 103
198	Secondary and unspecified mal- ignant neoplasm of lymph nodes	{ M F	124 57	105 58	83 41	59 32	61 20	46 29	38 29	43 29	37 14	37 22
199	Other and unspecified sites ... { M F	*351 *435	*356 *498	392 501	440 557	439 535	439 539	477 671	540 696	587 708	655 897	655 925
200-205	Neoplasms of lymphatic and hematopoietic tissues ... { M F	1525 1180	1645 1199	1892 1441	1950 1491	2124 1721	2309 1731	2341 1819	2422 1934	2487 1986	2540 2115	2727 2164
200	Lymphosarcoma and reticulo- sarcoma { M F	†282 †157	†276 †167	394 249	381 245	421 294	453 286	454 301	460 338	466 372	459 381	486 381
201	Hodgkin's disease { M F	409 226	441 237	451 246	414 249	472 277	483 278	488 287	493 288	495 284	507 309	584 288
202	Other forms of lymphoma { M F	21 25	25 24	41 36	45 41	82 53	90 46	82 64	93 59	75 52	78 62	78 76
203	Multiple myeloma (plasmocytoma) ... { M F	58 62	90 80	91 105	107 110	154 150	161 175	190 149	218 217	217 261	250 277	268 314
204	Leukæmia and aleukæmia ... { M F	905 798	994 838	984 943	1102 941	1116 1005	1142 1018	1223 1001	1229 1086	1301 1093	1301 1093	1301 1093
	0. Lymphatic leukæmia ... { M F	322 228	415 312	429 324	443 324	435 287	443 314	462 350	484 334	468 361	504 331	504 331
	1. Myeloid leukæmia ... { M F	308 311	405 398	398 474	449 462	472 488	470 479	513 470	537 494	582 522	582 544	582 544
	2. Monocytic leukæmia ... { M F	748 704	806 683	46 57	96 69	83 62	86 86	100 96	99 82	92 93	119 111	103 112
	3. Acute leukæmia, un- specified type... { M F	133 114	43 35	45 48	91 73	78 77	82 74	95 53	66 52	71 52	71 52	71 52
	4. Other and unspecified leukæmia { M F	96 88	35 24	29 35	33 33	31 33	29 33	39 27	39 27	40 27	41 27	41 27

† 174. Enquiries made from 1950 onwards.

‡ 199 includes 197 for these years.

¶ 200. Lymphosarcoma and reticulosarcoma of site other than lymph glands, spleen and mediastinum are included in 140-199 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
205	Mycosis fungoides ... {M F	7 6	7 8	10 7	9 8	11 4	20 5	11 13	16 14	11 6	17 9	10 12
210-229	Benign neoplasm ... {M F	350 719	382 680	371 625	375 689	386 580	346 584	363 555	328 598	328 571	305 548	329 555
210	Buccal cavity and pharynx ... {M F	4 6	7 4	3 3	3 3	3 1	3 2	1 1	1 2	2 1	3 1	2 1
211	Other parts of digestive system {M F	32 44	37 36	36 34	30 38	28 16	32 18	25 17	23 24	22 32	23 29	17 28
212	Respiratory system ... {M F	14 17	30 17	25 10	16 11	9 4	15 9	16 7	17 8	12 10	13 6	10 10
213	Breast ... {M F	— 2	1 —	— —	— —	1 —	2 —	1 —	3 —	— —	1 —	— —
214	Uterine fibromyoma ... F	178	194	169	174	135	127	117	126	99	93	87
215	Other benign neoplasm of uterus F	16	24	17	16	14	9	13	11	25	17	12
216	Ovary ... F	175	126	141	154	120	125	113	121	103	122	112
217	Other female genital organs ... F	6	5	8	3	1	4	4	2	3	1	1
218	Male genital organs ... M	3	1	4	—	1	2	—	—	—	—	—
219	Kidney and other urinary organs {M F	100 50	123 46	120 28	118 44	121 35	99 31	100 28	98 34	87 34	67 34	91 41
220	Benign melanoma of skin ... {M F	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —
221	Pilonidal cyst ... {M F	1 —	1 —	— —	— 1	— —	— —	2 —	1 —	— 1	— —	2 —
222	Other benign neoplasm of skin {M F	— 2	— 2	3 2	— 2	1 —	1 —	— 1	— —	1 1	1 —	1 3
223	Brain and other parts of nervous system {M F	130 156	125 148	120 159	133 161	136 164	115 164	141 168	125 177	133 178	125 163	131 179
224	Endocrine glands ... {M F	35 32	33 45	23 20	39 44	54 52	48 49	37 46	37 52	38 48	39 45	38 44
225	Bone and cartilage ... {M F	8 8	7 10	11 7	13 11	6 14	5 7	18 7	9 4	7 10	6 11	12 8
226	Lipoma ... {M F	— 4	— 2	2 4	2 6	3 1	3 6	6 6	3 11	4 3	3 1	3 4
227	Other benign neoplasm of muscular and connective tissue {M F	2 5	1 7	2 4	7 6	4 7	7 11	6 5	4 9	5 9	5 12	5 5
228	Hæmangioma and lymphangioma ... {M F	15 13	12 9	8 11	12 12	20 12	13 19	11 12	9 11	12 11	17 8	14 13
229	Other and unspecified organs and tissues {M F	6 5	4 5	13 8	2 3	— 3	3 1	2 7	1 3	5 3	3 4	3 7
230-239	Neoplasm of unspecified nature {M F	537 446	552 455	557 421	491 449	513 408	445 341	475 363	463 347	419 346	435 356	407 337
230	Digestive organs ... {M F	25 37	24 47	27 31	27 40	30 41	16 37	23 19	31 19	20 23	18 26	26 23
231	Respiratory organs ... {M F	53 17	45 9	35 8	47 19	42 18	36 17	36 9	27 11	21 11	23 10	14 10
232	Breast ... {M F	— 1	— —	4 —	— —	2 —	— —	— —	1 —	1 —	— —	— —
233	Uterus ... F	4	1	1	1	1	1	2	3	1	1	—
234	Ovary ... F	2	4	4	5	1	2	2	7	4	7	1
235	Other female genital organs ... F	3	—	1	—	1	—	—	—	—	—	—
236	Other genito-urinary organs {M F	16 6	9 8	11 2	7 7	8 7	6 7	11 6	9 8	6 —	5 4	6 2
237	Brain and other parts of nervous system {M F	413 355	449 353	443 340	391 347	405 312	372 260	390 304	383 274	360 279	375 295	344 279
238	Skin and musculo-skeletal system {M F	9 9	11 10	9 3	7 4	10 3	4 7	6 4	3 6	1 1	1 3	5 5
239	Other and unspecified organs {M F	21 12	14 23	32 27	12 26	18 22	11 10	9 17	10 18	11 26	13 10	12 17

TABLE 7—continued

International List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
240-289	III.—ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES	3227 5060	2780 4559	3112 4805	3223 5062	3492 5379	2937 4585	2799 4433	2719 4303	2726 4438	2663 4388	2429 4246
240-245	Allergic disorders ...	1670 1430	1417 1264	1683 1426	1625 1465	1851 1719	1412 1239	1371 1359	1251 1237	1250 1178	1140 1273	1011 1120
240	Hay fever	—	—	2	1	—	—	—	1	—
241	Asthma ...	1670 1430	1417 1264	1681 1425	1622 1463	1844 1714	1408 1235	1366 1356	1246 1233	1248 1171	1134 1268	1006 1114
242	Angioneurotic edema ...	†	†	2	2	3	2	4	3	2	5	3
243	Urticaria	—	—	—	—	—	—	—	—	—
244	Allergic eczema	—	1	—	—	—	2	—	—	—
245	Other allergic disorders ...	—	—	—	—	2	1	1	—	3	—	2
250-254	Diseases of thyroid gland ...	127 915	102 767	117 761	117 804	121 783	104 679	104 525	98 623	95 643	99 597	89 590
250	Simple goitre	10 40	15 31	5 29	9 18	6 26	10 21	7 20	7 20	4 22
251	Nontoxic nodular goitre ...	15 65	16 59	6 32	8 50	6 34	4 38	6 31	6 21	6 42	5 27	2 22
252	Thyrotoxicosis with or without goitre ...	75 626	65 559	77 512	61 502	81 478	61 397	65 317	52 342	50 320	50 300	59 314
253	Myxœdema and cretinism ...	33 205	17 132	20 158	28 208	25 227	22 213	27 148	27 225	29 249	34 241	22 223
254	Other diseases of thyroid gland ...	4 19	4 17	4 19	5 13	4 15	3 11	5 11	3 9	3 11	3 9	2 9
260	Diabetes mellitus ...	*1164 *2364	*1048 *2204	1100 2338	1221 2463	1219 2484	1091 2247	1066 2128	1048 1980	1084 2207	1108 2134	1013 2124
270-277	Diseases of other endocrine glands ...	134 220	111 181	121 169	140 183	150 226	130 211	136 194	134 201	114 156	124 146	112 156
270	Dis'orders of pancr: int: secretion other than diabetes mell:	•	•	2 4	3 —	8 3	3 3	3 2	5 2	7 4	8 4	4 5
271	Diseases of parathyroid gland ...	2 6	2 10	— 6	4 2	— 5	4 3	3 5	3 4	5 7	1 11	2 11
272	Diseases of pituitary gland ...	15 45	23 40	29 36	37 55	41 71	39 64	30 80	31 80	36 60	37 58	40 65
273	Diseases of thymus gland ...	47 33	36 28	23 7	20 12	30 13	18 7	15 8	11 3	9 4	13 2	6 5
274	Diseases of adrenal glands ...	69 132	48 102	63 102	63 93	58 107	52 106	67 74	70 75	52 52	49 49	42 50
275	Ovarian dysfunction ...	††	††	—	—	—	—	—	—	—	1	—
276	Testicular dysfunction ...	††	††	—	1	—	—	—	—	—	—	—
277	Polyglandular dysfunction and other dis: of endocrine glands ...	1 4	2 1	4 14	12 21	21 27	22 28	18 25	14 37	5 29	16 21	18 20
280-289	Avitaminoses, and other metabolic diseases ...	132 131	102 143	91 111	120 147	143 167	192 209	122 227	108 262	103 254	192 238	204 256
280	Beriberi ...	1 —	1 3	1 2	2 2	3 —	— —	— 3	1 —	1 1	4 —	2 1
281	Pellagra ...	2 1	1 3	— 2	2 —	— 2	1 3	4 1	2 4	— 2	1 —	— 2
282	Scurvy ...	5 4	3 3	6 1	8 2	2 1	2 2	5 2	— 2	3 3	1 1	1 4
283	Active rickets	3 4	— 5	1 3	2 1	— —	2 1	— 1	1 2	— —
284	Late effects of rickets ...	5 11	2 5	— —	— 1	— —	4 1	— 1	— —	2 1	— 2	1 3

† 242. Included in 517 and 716 for these years.
 • 243, 244. Included in 716 for these years.
 * 260 includes 270 and 789.6 (Glycosuria) for these years.
 †† 275. Included in 625 for these years.
 ‡ 276. Included in 617 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
285	Osteomalacia {M F	\$5 \$9	\$7 \$12	4 10	— —	2 3	1 4	— 4	— 3	1 1	1 2	— 1
286	Other avitaminoses and nut- {M ritional deficiency states .. F	40 31	26 43	27 30	37 31	46 43	64 61	36 58	63 60	48 69	50 69	41 56
287	Obesity, not specified as of en- {M docrine origin F	11 51	18 48	4 24	15 60	30 79	34 76	30 100	45 136	30 110	41 101	55 127
288	Gout {M F	34 5	21 4	14 4	11 7	23 2	21 5	10 3	17 4	16 2	16 2	17 3
289	Other metabolic diseases .. {M F	29 19	23 22	32 34	45 39	34 34	63 56	40 52	58 52	82 64	78 58	87 59
290-299	IV.—DISEASES OF THE {M BLOOD AND BLOOD- F FORMING ORGANS	1015 1614	892 1426	870 1475	803 1521	843 1466	819 1367	751 1222	799 1349	780 1317	697 1352	729 1329
290	Pernicious and other hyper- {M chromic anæmias F	569 1004	469 816	441 844	412 836	380 783	322 661	282 587	279 639	283 628	262 650	260 622
	0. Pernicious anæmia .. {M F			409 780	346 751	333 703	282 584	246 519	246 567	241 547	218 567	216 551
	1. Subacute combined degen- {M eration of spinal cord .. F	557 988	454 798	25 43	43 58	32 53	33 48	27 39	13 37	24 34	18 36	13 28
	2. Other hyperchromic {M anæmias F	12 16	15 18	7 21	23 27	15 27	7 29	9 29	20 33	18 47	26 47	31 43
291	Iron deficiency anæmias (hypochromic anæmias) .. {M F	27 85	27 99	35 90	48 137	41 160	61 147	59 157	64 180	66 169	70 192	70 193
292	Other anæmias of specified type {M F	156 182	160 176	140 185	131 208	153 182	181 232	191 202	222 242	207 225	189 216	181 237
	4. Aplastic anæmia .. {M F	116 131	121 115	103 121	100 126	111 126	137 175	145 147	159 173	143 144	128 138	107 151
	0-3, 5-7. Other .. {M F	40 51	39 61	37 64	31 68	42 56	44 57	46 55	63 69	64 81	61 78	74 86
293	Anæmia of unspecified type {M F	35 78	31 69	55 110	43 106	61 78	39 108	48 78	47 91	47 105	46 108	48 115
294	Polycythæmia {M F	33 26	19 16	27 24	22 32	31 28	35 25	34 18	35 19	45 26	20 32	37 28
295	Hæmophilia {M F	31 —	17 —	18 —	14 —	23 —	19 1	13 —	15 —	12 —	9 —	19 —
296	Purpura and other hæmorrhagic conditions .. {M F	60 111	77 93	62 73	56 72	70 100	74 88	66 92	76 81	71 85	59 63	70 73
297	Agranulocytosis {M F	18 8	11 22	11 26	19 28	24 29	17 26	6 21	14 21	10 17	12 20	8 8
298	Diseases of spleen {M F	84 120	78 135	79 120	62 96	55 103	66 76	48 67	40 71	36 60	23 60	26 43
299	Other diseases of blood and blood-forming organs .. {M F	2 —	3 —	2 3	6 6	5 3	5 3	4 4	7 5	3 2	7 11	10 10
300-324	V.—MENTAL, PSYCHO- {M NEUROTIC & PERSON- F ALITY DISORDERS	527 862	465 695	451 710	479 797	521 815	476 675	415 708	458 715	438 709	374 764	347 698
300-309	Psychoses {M F	363 702	312 548	329 553	314 645	372 641	344 527	306 575	346 611	313 570	278 643	259 593
300	Schizophrenic disorders (de- {M mentia præcox) F	48 44	20 32	27 33	27 41	35 44	39 31	25 37	44 39	24 37	28 24	27 23
301	Manic-depressive reaction .. {M F			48 80	39 83	30 62	20 53	26 36	27 46	27 37	17 52	9 30
302	Involuntional melancholia .. {M F	‡ ‡	‡ ‡	1 10	2 1	2 6	5 4	3 8	3 2	4 5	3 1	5 5
303	Paranoia and paranoid states {M F			1 2	2 1	2 3	1 1	— —	— 4	1 —	2 4	— 3
304	Senile psychosis {M F			214 379	202 453	261 458	220 381	204 416	216 450	202 415	176 500	161 440
305	Presenile psychosis {M F	207 439	192 338	14 19	25 29	21 33	35 29	29 37	28 39	34 42	37 47	43 61
307	Alcoholic psychosis {M F	2 3	4 2	2 —	5 1	5 3	1 2	3 3	2 1	6 —	— 2	3 4
309	Other and unspecified psy- {M choses F	‡106 ‡216	‡96 ‡176	22 30	12 36	16 32	23 26	16 38	26 30	15 34	15 13	11 27

‡ 285 includes osteoporosis from 733 for these years.

‡ 309 includes 301-303 and 310-321 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
310-318	Psychoneurotic disorders ... {M F}			13 34	15 52	15 52	15 37	11 43	20 35	17 42	16 38	14 36
310	Anxiety reaction without mention of somatic symp- toms ... {M F}			1 1	— 3	— 1	3 1	— 4	1 2	2 5	2 3	— 1
311	Hysterical reaction without mention of anxiety reaction {M F}			3 21	6 31	6 39	7 26	5 29	8 26	4 27	4 22	7 23
312	Phobic reaction ... {M F}			—	—	—	—	—	—	—	—	1
313	Obsessive-compulsive reaction {M F}			1 3	2 1	—	— 3	—	2	—	—	1
314	Neurotic-depressive reaction... {M F}	†	†	— 2	— —	— 3	— 3	2 —	1 1	2 4	2 5	— 8
315	Psychoneurosis with somatic symptoms (somatization re- action) affecting circ: system {M F}			—	1 2	—	— 1	1 —	—	—	— 1	—
316	Psychoneurosis with somatic symptoms (somatization re- action) affecting dig: system {M F}			1 2	1 2	3 1	— 1	— 2	1 1	— 1	— 1	1 2
317	Psychoneurosis with somatic symptoms (somatization re- actions) afft: other systems {M F}			—	1 1	3 1	— —	1 1	1 1	4 —	5 2	2 —
318	Psychoneurotic disorders, others mixed and unspec'd: {M F}			6 5	3 12	4 7	4 2	3 6	5 4	4 5	3 4	2 2
320-326	Disorders of character, be- haviour, and intelligence ... {M F}	164 160	153 147	109 123	150 100	134 122	117 111	98 90	92 69	108 97	80 83	74 69
320	Pathological personality ... {M F}			—	—	1	—	—	—	—	4	—
321	Immature personality... {M F}	†	†	—	—	—	—	1	—	—	1	—
322	Alcoholism ... {M F}			24 24	33 16	33 18	21 23	24 13	20 11	22 16	20 18	15 8
	0. Acute ... {M F}			8 3	6 2	5 —	3 2	5 1	3 1	3 2	2 —	1 2
	1. Chronic ... {M F}	38 16	28 12	11 21	20 12	23 15	16 19	14 6	15 10	16 9	12 18	10 5
	2. Unspecified ... {M F}			5 —	7 2	5 3	2 2	5 6	2 —	3 5	6 —	4 1
323	Other drug addiction... {M F}	4 4	4 5	3 1	1 1	2 11	10 4	2 3	1 3	2 —	— 1	— 1
324	Primary childhood behaviour disorders ... {M F}	—	—	—	—	—	—	—	—	—	—	—
325	Mental deficiency ... {M F}			82 98	115 83	99 93	86 83	72 73	71 55	84 81	56 62	59 60
326	Other and unspec: character, behaviour, and intelligence disorders {M F}	122 140	121 130	—	—	—	—	—	—	—	1	—
330-398	VI.—DISEASES OF THE NERVOUS SYSTEM & SENSE ORGANS ... {M F}	28703 37270	25787 34597	28371 37917	30402 40707	32024 42617	31958 43067	31488 42234	33094 44387	33976 46013	33716 46339	33257 45960
330-334	Vascular lesions affecting central nervous system ... {M F}	25178 33786	22912 31613	25270 34781	27175 37528	29003 39443	29158 40230	28762 39307	30516 41626	31098 43054	31034 43453	30537 43132
330	Subarachnoid hæmorrhage ... {M F}			536 780	670 1006	831 1231	1014 1633	1058 1618	1211 1747	1094 1856	1244 1902	1193 1902
331	Cerebral hæmorrhage ... {M F}	14326 20000	12935 18611	13289 18983	13642 19587	13752 19507	13122 18784	12831 18274	13326 18833	12861 18629	12562 18192	11970 17408
332	Cerebral embolism and throm- bosis ... {M F}	*9454 *12234	*8703 *11562	10061 13398	11510 15331	12682 16520	13072 17413	12916 17025	13795 18292	14813 19649	14791 20366	14914 20806
333	Spasm of cerebral arteries ... {M F}			— 2	2 —	1 1	— 2	2 —	1 —	1 3	—	1
334	Other and ill-defined vascular lesions affecting central ner- vous system {M F}	1398 1552	1274 1440	1384 1618	1351 1604	1737 2184	1948 2400	1955 2388	2183 2754	2329 2917	2437 2993	2459 3016
340-345	Inflammatory diseases of central nervous system ... {M F}	851 885	707 753	801 770	781 781	754 869	668 735	683 808	683 743	741 794	678 811	765 802

† { 310-318
320, 321 } See 309.

* 332 includes 341 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
340	Meningitis, except meningo- coccal and tuberculous ... {M F}			276 204	236 172	227 168	197 145	230 184	212 141	237 158	216 171	26 15
	0. H. influenzae ... {M F}			38 27	27 22	27 15	24 15	25 12	15 15	24 20	22 20	2 1
	1. Pneumococcus ... {M F}	†1306 †1232	†1249 †1172	106 87	101 66	115 68	91 64	101 84	107 70	119 73	123 89	14 7
	2. Due to other specified organism... {M F}			35 22	35 23	30 29	24 16	48 45	41 20	42 28	35 27	3 3
	3. Unspecified cause ... {M F}			97 68	73 61	55 56	58 50	56 43	49 36	52 37	36 35	5 3
341	Phlebitis and thrombophlebitis of intracranial venous sinuses {M F}	**	**	5 2	14 19	12 6	12 11	10 15	12 10	10 11	6 11	1 1
342	Intracranial and intraspinal abscess ... {M F}	76 43	79 37	77 38	81 37	63 38	52 38	54 27	53 31	53 26	57 32	7 2
343	Encephalitis, myelitis, and en- cephalomyelitis (except acute infectious) {M F}	108 112	82 102	100 103	106 75	78 72	69 55	69 46	58 42	67 65	49 66	7 6
344	Late effects of intracranial ab- scess or pyogenic infection... {M F}	28 20	20 15	24 19	20 21	22 27	26 19	40 25	36 32	30 30	37 38	3 3
345	Multiple sclerosis ... {M F}	333 478	277 427	319 404	324 457	352 558	312 467	280 511	312 487	344 504	313 493	30 51
350-357	Other diseases of central nervous system ... {M F}	2056 2177	1723 1880	1879 2074	2055 2138	1915 2075	1843 1901	1747 1912	1637 1820	1901 1997	1796 1912	177 188
350	Paralysis agitans ... {M F}	629 739	509 688	614 803	633 813	711 896	665 864	655 829	599 812	775 924	675 891	68 83
351	Cerebral spastic infantile paralysis ... {M F}	66 46	40 39	53 33	60 47	71 54	56 48	52 45	53 59	59 53	71 55	5 5
352	Other cerebral paralysis ... {M F}	260 416	251 383	269 420	430 475	231 369	236 247	193 264	209 253	225 292	229 288	19 30
353	Epilepsy ... {M F}	654 578	511 460	483 440	472 443	467 436	456 408	406 418	337 348	404 373	387 341	37 31
354	Migraine ... {M F}			2	1	—	1	1	—	—	—	—
355	Other diseases of brain ... {M F}	94 118	65 90	87 102	82 110	85 94	70 89	93 105	103 97	98 99	97 111	11 12
356	Motor neurone disease and muscular atrophy ... {M F}			335 251	315 217	300 189	318 202	303 216	307 221	295 218	297 199	31 22
	0. Progressive muscular atrophy ... {M F}			254 184	211 157	214 137	208 148	225 141	221 166	183 151	172 138	19 14
	1. Amyotrophic lateral sclerosis ... {M F}	304 246	324 190	64 50	82 45	59 39	83 37	51 40	56 27	64 36	56 25	2 2
	2, 3. Other ... {M F}			17 17	22 15	27 13	27 17	27 35	30 28	48 31	69 36	7 3
357	Other diseases of spinal cord... {M F}	49 34	23 30	36 25	62 33	50 37	41 43	44 35	29 30	45 38	40 26	2 2
360-369	Diseases of nerves and peri- pheral ganglia ... {M F}	118 88	78 71	91 81	83 68	80 48	54 48	54 49	62 53	40 35	38 42	3 2
360	Facial paralysis ... {M F}			— 4	— —	— —	— —	1 —	1 —	1 —	— —	— —
361	Trigeminal neuralgia ... {M F}			4 4	1 8	4 2	3 7	3 7	3 4	2 3	3 5	— —
362	Brachial neuritis ... {M F}	†60 †43	†34 †44	— —	— —	— —	— —	— —	— —	— 2	— —	— —
363	Sciatica ... {M F}			2 6	— 1	4 5	— 2	— 1	2 1	1 2	1 1	— —
364	Polyneuritis and polyradiculitis {M F}			42 22	33 23	30 13	22 18	25 19	38 30	27 18	28 23	2 1
365	Erythrædema polyneuritica ... {M F}	58 45	44 27	36 30	34 23	34 19	15 13	19 17	8 7	4 3	3 1	— —

†† 340. See 480-483.

** 341. See 332.

† 360-364 includes 366-369 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
366	Other and unspecified forms of {M neuralgia and neuritis ... {F			6 12	15 10	7 7	13 6	7 4	9 6	5 5	3 9	2 5
367	Other diseases of cranial nerves {M ... {F			—	1 2	—	1 —	—	1 —	—	1 —	—
368	Other diseases of peripheral {M nerves except autonomic ... {F			—	1 —	2 —	1 —	—	2 3	1 —	1 —	1 —
369	Diseases of peripheral auto- nomic nervous system ... {M ... {F			1 1	— —	— —	— —	— —	— —	— —	1 —	1 —
370-379	Inflammatory diseases of eye ... {M ... {F	7 8	5 7	10 16	5 8	8 9	7 5	1 9	1 4	8 3	2 7	1 5
370	Conjunctivitis and ophthalmia {M ... {F	—	1	2 2	— —	1 2	2 —	— 4	— —	— —	— —	— —
371	Blepharitis ... {M ... {F	—	—	1 —	— —	1 —	— —	— —	1 —	— —	— —	— —
372	Hordeolum (stye) ... {M ... {F	1 2	1 —	— —	2 —	— —	2 1	— 1	1 —	— —	1 —	— —
373	Iritis ... {M ... {F	—	—	1 —	1 —	1 —	— —	— —	— —	— —	1 —	— —
374	Keratitis ... {M ... {F	—	—	1 —	1 —	1 —	— —	— —	— —	1 —	— —	— —
375	Choroiditis ... {M ... {F	—	—	— —	— —	2 —	— —	— —	— —	— —	— —	— —
376	Other inflammation of uveal {M tract ... {F	2 —	— 1	4 1	— 2	— 1	2 —	— 1	— —	2 2	— 3	1 3
377	Inflammation of optic nerve {M and retina ... {F	—	—	1 —	— 1	1 1	1 —	— 1	— 1	1 —	1 —	— 1
378	Inflammation of lachrymal {M glands and ducts ... {F	—	1 —	1 3	1 —	1 —	— 1	— 1	— —	2 —	— —	— —
379	Other inflammatory diseases of {M eye ... {F	4 6	3 5	2 7	3 2	2 3	2 1	1 1	1 —	2 —	— 2	— 1
380-389	Other diseases and conditions of {M eye ... {F	7 18	13 20	9 14	14 16	7 18	9 30	17 37	20 32	18 32	18 34	23 34
380	Refractive errors ... {M ... {F	—	—	— —	— —	— —	— —	1 —	— —	— —	— —	— —
381	Corneal ulcer ... {M ... {F	—	—	2 —	2 —	1 —	1 —	3 —	1 —	1 —	— —	1 —
382	Corneal opacity ... {M ... {F	—	—	— —	— —	— —	— —	— —	— —	— —	— —	— —
383	Pterygium ... {M ... {F	—	—	— —	— —	— —	— —	— —	— —	— —	— —	— —
384	Strabismus ... {M ... {F	3 2	— 1	1 —	2 2	— 1	2 —	1 2	3 4	2 2	1 —	2 —
385	Cataract ... {M ... {F	2 12	5 9	1 8	6 10	2 13	3 16	9 17	8 15	7 23	9 21	11 22
386	Detachment of retina ... {M ... {F	— 1	1 —	— —	1 —	1 —	1 1	— 1	2 3	— 2	3 3	2 5
387	Glaucoma ... {M ... {F	1 1	4 9	2 5	3 4	3 1	— 9	1 6	2 6	1 1	2 4	3 2
388	Other diseases of eye ... {M ... {F	1 2	3 —	1 —	— —	1 —	— 1	2 2	1 3	2 1	1 3	3 2
389	Blindness ... {M ... {F	— —	— 1	2 —	— —	1 1	2 3	3 6	3 1	5 3	2 —	1 3
390-398	Diseases of ear and mastoid {M process ... {F	486 308	349 253	311 181	289 168	257 155	219 118	224 112	175 109	170 98	150 80	124 69
390	Otitis externa ... {M ... {F			— —	1 —	— —	1 —	1 —	— —	— —	— —	— —
391	Otitis media without mention {M of mastoiditis ... {F	*273 *183	*234 *181	229 129	207 122	186 124	156 93	172 88	142 91	137 67	121 61	95 52
392	Otitis media with mastoiditis... {M ... {F			18 8	15 15	21 4	20 6	12 8	6 4	8 10	3 4	6 5
393	Mastoiditis without mention of {M otitis media ... {F	213 125	115 72	56 42	60 28	41 23	36 16	38 14	23 12	24 20	24 14	21 8

† 366-369. See 360-364.

• 390, 391 Includes 394-395 for these years

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
394	Other inflammatory diseases of ear ... {M ... F}			2	1	1	1	—	1	—	2	—
395	Ménière's disease ... {M ... F}			2	1	1	—	—	1	—	—	—
396	Other diseases of ear and mastoid process ... {M ... F}	*	*	4	5	7	5	1	2	1	—	—
397	Deaf mutism ... {M ... F}			—	—	—	—	—	—	—	—	—
398	Other deafness... {M ... F}			—	—	—	—	1	1	—	—	—
400-468	VII.—DISEASES OF THE CIRCULATORY SYSTEM {M ... F}	84729 83808	79023 78816	89013 91608	92677 93883	97891 99342	92556 90394	91456 90762	94675 91634	96779 95583	98097 95810	95788 92844
400-402	Rheumatic fever ... {M ... F}	350 427	363 449	312 391	259 310	164 214	144 184	143 167	152 147	103 114	102 106	71 90
400	Rheum: fever without mention of heart involvement ... {M ... F}	23 14	33 26	24 23	21 15	5 11	7 18	13 13	8 11	9 5	5 7	—
401	Rheumatic fever with heart involvement ... {M ... F}	318 391	324 405	284 355	227 259	150 169	128 140	123 135	141 113	87 89	92 81	61 8
	0. Active rheumatic pericarditis ... {M ... F}	52 42	65 44	60 39	36 38	35 28	33 39	39 35	42 27	30 24	29 22	21 14
	1. Acute rheumatic endocarditis ... {M ... F}	85 96	84 100	67 80	42 46	41 43	37 45	34 38	31 18	13 16	15 15	10 10
	2. Active rheumatic myocarditis ... {M ... F}	25 43	21 39	11 26	10 15	5 9	10 5	7 8	7 8	5 3	2 4	—
	3. Active rheum: fever with other and multiple types of heart involvement {M ... F}	156 210	154 222	146 210	139 160	69 89	48 51	43 54	61 60	39 46	46 40	31 43
402	Chorea ... {M ... F}			4 13	11 36	9 34	9 26	7 19	3 23	7 20	5 18	—
	0. Without mention of heart involvement ... {M ... F}	9 22	6 18	1 7	3 17	6 31	7 22	7 17	3 18	6 18	5 17	—
	1. With heart involvement... {M ... F}			3 6	8 19	3 3	2 4	—	—	1 2	—	—
410-416	Chronic rheumatic heart disease {M ... F}	3991 6025	3680 5745	3733 6075	4251 6940	4076 6777	3469 5637	3334 5503	3144 5452	2991 5356	3049 5161	2988 5228
410	Diseases of mitral valve ... {M ... F}	2944 4748	2679 4488	2726 4815	2843 5083	2736 4955	2385 4371	2296 4267	2139 4241	2035 4066	1989 3926	1937 3933
411	Diseases of aortic valve specified as rheumatic ... {M ... F}	189 103	182 108	198 114	272 109	290 133	305 128	290 140	302 172	272 156	325 177	347 312
412	Diseases of tricuspid valve ... {M ... F}			6 4	3 5	3 4	3 4	2 2	6 4	4 12	11 6	—
413	Diseases of pulmonary valve specified as rheumatic ... {M ... F}	409 578	394 599	—	2	—	—	—	—	—	—	—
414	Other endocarditis specified as rheumatic {M ... F}			419 629	650 1049	555 907	317 499	276 415	255 361	243 404	259 344	236 347
415	Other myocarditis specified as rheumatic ... {M ... F}	251 356	217 299	174 256	192 281	147 259	125 173	124 160	96 150	79 151	96 128	77 141
416	Other heart disease specified as rheumatic ... {M ... F}	198 240	208 251	210 257	289 413	345 517	334 462	346 519	346 524	358 567	369 580	394 628
420-422	Arteriosclerotic and degenerative heart disease ... {M ... F}	64058 60421	59649 56413	67769 66014	69142 65786	72950 69778	69809 63418	68251 63185	70762 63321	72679 65634	74004 65935	72113 63170
420	Arteriosclerotic heart disease, incl: coronary disease ... {M ... F}	24409 12984	25740 14590	29902 17226	34708 20047	36965 20678	38997 22432	38966 22785	42387 24514	44256 26341	46921 27869	47809 28515
	0. Arteriosclerotic heart disease, so described... {M ... F}	22993 12278	24506 13913	99 74	93 104	164 164	174 155	204 184	254 253	303 268	280 293	354 373
	1. Heart dis: spec'd: as involving coronary arteries {M ... F}			28574 16462	33611 19378	35955 20678	38163 21889	38253 22785	41688 23983	43574 25765	46333 27333	47175 27926
	2. Angina pectoris without mention of coronary dis: {M ... F}	1416 706	1234 677	1229 690	1004 565	846 502	660 388	509 319	445 278	370 308	308 243	280 216
421	Chronic endocarditis not specified as rheumatic ... {M ... F}	2584 2520	2169 2160	2313 2142	1520 1215	1298 1023	1506 1386	1453 1316	1667 1427	1564 1330	1570 1322	1716 1571

• 394-398. See 390, 391.

† 414. See note to title of 421.4

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
	0. Of mitral valve, specified as non-rheumatic ... { M F }	\$	\$	6 7	30 25	14 22	77 87	57 88	48 65	40 71	63 97	87 163
	1. Of aortic valve, not specified as rheumatic ... { M F }	1027 533	891 526	1028 555	979 590	929 557	914 527	940 565	1151 719	1143 708	1131 759	1296 897
	2. Of tricuspid valve, specified as non-rheumatic ... { M F }			— —	3 —	3 2	— 3	1 2	2 —	1 1	3 1	1 1
	3. Of pulmonary valve, not specified as rheumatic ... { M F }	\$1557 \$1987	\$1278 \$1634	1 —	— —	3 2	1 3	2 1	1 1	3 1	— 2	1 3
	4. Other and ill-defined, not specified as rheumatic ... { M F }			1278 1580	508 600	349 440	514 766	453 660	465 642	377 549	373 463	331 507
422	Other myocardial degeneration { M F }	37065 44917	31760 39663	35554 46646	32914 44524	34687 47411	29306 39600	27832 39084	26728 37380	26859 37963	25513 36744	22588 33084
	0. Fatty degeneration ... { M F }	291 433	226 373	225 470	215 386	207 308	120 230	116 225	120 207	107 195	98 176	90 150
	1. With arteriosclerosis ... { M F }	11721 12836	10626 11954	12030 14545	12271 15097	13324 16670	11720 14685	11355 14878	11019 14388	11338 14878	11050 14663	9697 13734
	2. Other ... { M F }	25053 31648	20908 27336	23299 31631	20428 29041	21156 30433	17466 24685	16361 23981	15589 22785	15414 22890	14365 21905	12801 19200
430-434	Other diseases of heart ... { M F }	2327 2899	2041 2668	2443 2974	2592 3068	3346 3749	3270 3673	3588 3942	4028 4096	4177 4428	4272 4760	4745 5173
430	Acute and subacute endocarditis ... { M F }	312 250	291 222	255 215	232 167	212 158	182 133	199 140	198 118	208 119	196 121	195 128
431	Acute myocarditis not specified as rheumatic ... { M F }	102 130	104 110	96 128	107 96	98 103	77 77	84 83	80 65	59 57	77 60	66 72
432	Acute pericarditis specified as non-rheumatic ... { M F }	14 23	16 23	19 25	18 12	15 5	11 18	14 11	17 12	13 17	12 9	15 8
433	Functional disease of heart ... { M F }	1101 1690	982 1588	1130 1733	979 1631	1201 1874	1133 1755	1164 1740	1095 1671	980 1611	1019 1619	1000 1579
434	Other and unspecified diseases of heart* ... { M F }	798 806	648 725	943 873	1256 1162	1820 1609	1867 1690	2127 1968	2638 2230	2917 2624	2968 2951	3469 3386
440-447	Hypertensive disease* ... { M F }	7361 7338	7151 7241	8011 8746	9423 10234	10024 10921	9006 9970	9237 10186	9451 10727	9536 11384	9298 11100	8792 10708
440	Essential benign hypertension with heart disease* ... { M F }			9 13	125 138	127 123	82 86	80 107	95 108	104 124	97 138	106 150
441	Essential malignant hypertension with heart disease* ... { M F }	**	**	32 32	142 118	174 129	93 129	104 55	90 70	109 40	105 56	96 67
442	Hypertensive heart dis: with arteriolar nephrosclerosis* ... { M F }	317 331	281 282	282 305	255 310	328 366	162 196	172 183	128 164	135 191	150 144	132 136
443	Other and unspecified hypertensive heart disease* ... { M F }	**3511 **3591	**3360 **3510	3843 4310	6856 7670	7390 8303	4744 5567	4860 5739	5226 6132	5329 6750	5287 6713	5034 6561
444	Essential benign hypertension without mention of heart* ... { M F }			2021 2290	692 831	721 822	2108 2308	2088 2368	2095 2398	2031 2470	1962 2346	1857 2184
445	Essential malignant hypertension without mention of heart* ... { M F }	†2819 †2724	†2877 †2861	310 223	283 171	262 186	349 215	414 204	351 219	360 162	353 184	345 178
446	Hypertension with arteriolar nephrosclerosis without mention of heart* ... { M F }	714 692	633 588	629 638	626 571	576 546	536 516	582 507	530 509	515 495	439 473	395 396
447	Other hypertensive disease without mention of heart* ... { M F }	†	†	885 935	444 425	446 446	932 1018	937 1023	936 1127	953 1148	905 1046	827 1036
450-456	Diseases of arteries ... { M F }	6122 5888	5550 5455	6040 6360	6208 6368	6545 6819	6103 6346	6091 6508	6201 6544	6287 7194	6286 7089	5954 6842
450	General arteriosclerosis ... { M F }			5325 5617	5701 5891	6038 6366	5320 5701	5237 5862	5272 5784	5292 6373	5211 6174	4756 5926
	0. Without mention of gangrene ... { M F }	5463 5216	4870 4785	4794 5209	5062 5357	5343 5799	4708 5194	4657 5366	4687 5298	4713 5859	4633 5684	4286 5435
	1. With gangrene ... { M F }			531 408	639 534	695 567	612 507	580 496	585 486	579 514	578 490	470 491
451	Aortic aneurysm specified as non-syph., and dissecting aneurysm ... { M F }			173 189	212 204	234 231	550 456	594 426	686 537	750 575	815 676	926 679
452	Other aneurysm, except of heart and aorta* ... { M F }	321 330	340 351	182 214	85 100	33 29	28 28	41 31	44 18	47 29	39 35	40 31

\$421.2-421.4 includes 421.0 for these years.

†421.4. From 1950, inquiry was made at all ages (instead of at ages under 45 only) regarding endocarditis and valvular disease of unspecified cause, with the result that considerable numbers were assigned to 414 and some to 450.0.

†444, 445 includes 447 for these years. ** 443 includes 440, 441 for these years. † 450.0. See note to title of 421.4.

*434, 440-447, 452. See note (ii) at head of table. Certain changes in coding practice were also introduced at the beginning of 1952 which resulted in a transfer of deaths in that year from codes (440-443) to codes (444-447).

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
453	Peripheral vascular disease ... {M F}	48 20	43 20	60 26	52 26	73 23	71 26	70 22	55 30	63 16	63 31	59 12
	0. Raynaud's disease ... {M F}	4 10	3 7	4 10	6 12	4 13	5 9	2 8	4 15	8 3	5 10	3 5
	1. Thrombo-angiitis obliterans ... {M F}	44 10	40 13	55 14	41 10	52 6	51 11	52 8	39 8	40 9	45 6	39 1
	2., 3. Other ... {M F}	10 10	13 13	1 2	5 4	17 4	15 6	16 8	12 7	15 4	13 15	17 6
454	Arterial embolism and throm- bosis ... {M F}	23 26	15 26	18 34	38 42	51 57	31 23	30 38	21 44	32 53	34 51	36 40
455	Gangrene of unspecified cause* {M F}	239 252	244 213	206 203	47 40	27 38	17 20	25 24	9 22	11 25	23 6	12 12
456	Other diseases of arteries ... {M F}	28 44	38 60	76 77	73 65	89 75	86 92	94 105	114 109	123 123	101 116	125 142
460-460	Diseases of veins and other dis- eases of circulatory system... {M F}	520 810	569 845	705 1048	802 1177	786 1084	785 1166	812 1271	917 1347	1006 1473	1086 1659	1112 1630
460	Varicose veins of lower ex- tremities ... {M F}			73 212	83 235	79 225	74 218	50 169	52 201	51 196	55 197	53 172
461	Hæmorrhoids ... {M F}	88 249	88 229	15 16	21 13	13 10	21 10	12 13	24 9	22 14	23 13	19 8
462	Varicose veins of other speci- fied sites ... {M F}			23 23	17 19	27 14	18 21	20 25	20 12	20 20	17 24	27 26
463	Phlebitis and thrombophlebitis of lower extremities* ... {M F}	** **	** **	87 160	147 288	119 217	138 224	120 236	101 230	141 223	156 261	132 254
464	Phlebitis and thrombophlebitis of other sites* ... {M F}	** **	** **	55 81	14 24	23 21	10 17	10 20	12 20	14 20	13 20	14 24
465	Pulmonary embolism and in- farction ... {M F}	223 215	228 234	284 312	308 333	335 324	316 360	377 428	413 433	465 484	457 574	486 565
466	Other venous embolism and ... {M F}	**182 **311	**218 **352	142 209	163 227	144 239	150 284	189 341	261 399	253 469	332 535	359 545
467	Other diseases of circulatory system ... {M F}	4 10	18 9	12 18	36 31	39 29	21 26	23 31	29 31	31 38	26 29	19 26
468	Certain diseases of lymph nodes and lymph channels... {M F}	††23 ††25	††17 ††21	14 17	13 7	7 5	7 6	11 8	5 12	9 9	7 6	3 10
470-527	VIII.—DISEASES OF THE RESPIRATORY SYSTEM {M F}	34798 24746	27928 18281	33823 25598	31781 22715	45234 35320	31530 20672	36388 25959	30714 19692	35000 22994	35732 24047	37625 23734
470-475	Acute upper respiratory in- fections ... {M F}	94 60	82 56	102 75	127 146	124 137	81 81	81 86	78 83	67 69	68 70	68 72
470	Acute nasopharyngitis (common cold) ... {M F}	9 6	6 6	6 7	22 47	33 48	10 15	12 15	8 16	8 6	3 4	6 8
471	Acute sinusitis... {M F}	10 4	8 4	8 3	4 6	1 4	1 4	2 4	2 4	1 1	3 3	2 1
472	Acute pharyngitis ... {M F}	15 11	10 6	9 10	14 14	14 9	7 11	9 10	9 9	8 8	13 14	7 7
473	Acute tonsillitis ... {M F}	50 31	50 30	32 30	35 32	22 29	21 27	16 19	18 23	14 18	13 18	17 14
474	Acute laryngitis and tracheitis {M F}	8 8	8 10	39 18	28 23	32 23	29 12	23 25	27 17	26 27	24 18	24 29
475	Acute upper resp: infection of multiple or unspecified sites {M F}	10 8	8 10	8 7	24 24	22 24	13 12	17 15	14 14	10 9	12 13	12 13
480-483	Influenza ... {M F}	§§1700 §§1603	§§ 674 §§ 564	2630 2962	1862 2040	7393 8416	879 871	2905 3560	878 933	1460 1523	1272 1354	3553 3163
480	Influenza with pneumonia ... {M F}	§§788 §§654	§§313 §§234	1209 1282	941 922	3708 4046	449 429	1442 1756	459 446	776 774	661 645	2516 2236
481	'Flu: with other resp: manifes- tations, and 'flu: unqualified {M F}			1387 1634	882 1071	3638 4310	404 417	1427 1753	410 463	664 725	597 693	1009 892
	A. Without mention of re- spiratory complications {M F}			?	479 632	1550 2088	212 230	631 896	224 268	307 364	276 369	454 532
	B. With mention of respir- atory complications ... {M F}	§§912 §§949	§§361 §§330	?	403 439	2088 2222	192 187	796 857	186 195	357 361	321 324	555 360
482	'Flu: with digestive manifesta- tions, but without resp: F symptoms			24 38	30 41	41 49	16 22	28 38	5 23	12 19	6 14	9 18
483	'Flu: with nerv: manifestns, F but without dig: or resp: F symptoms			10 8	9 6	6 11	3 10	8 13	4 1	8 5	8 2	19 17

** 466 includes 463, 464 for these years. †† 468 includes 694, and 782.7 (enlargement of lymph node) for these years.
 §474. See 500. §§ 480-483 includes 340.0 for these years. * 455, 463, 464. See note (ii) at head of table.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
490-493	Pneumonia † {M F}	11734 9799	9265 7618	10496 9636	9075 8498	11596 10900	9782 8826	10698 10061	9255 8824	20594 10400	11144 11227	11616 11188
490	Lobar pneumonia † {M F}	2884 1973	2429 1545	2399 1773	2229 1587	2382 1697	2171 1443	2171 1521	1870 1467	1994 1472	1973 1449	1884 1352
491	Bronchopneumonia † {M F}	7928 7146	6111 5503	7255 7135	6139 6345	8321 8459	6889 6723	7760 7901	6704 6790	7877 8320	8419 9141	8884 9144
492	Primary atypical pneumonia † {M F}			19 9	55 37	86 58	76 45	59 57	89 79	59 67	86 76	145 115
493	Pneumonia, other and un- specified † {M F}	922 680	725 570	823 719	652 529	807 686	646 615	708 582	592 488	664 541	666 561	703 577
500-502	Bronchitis {M F}	*18333 *11866	*15147 *8741	17514 11467	17571 10686	22717 14268	17694 9574	19502 10890	17123 8420	19294 9499	19852 9818	18962 7973
500	Acute bronchitis {M F}	*3352 *3550	*2195 *2153	2605 3042	1959 2495	2824 3552	2851 2085	2149 2465	1493 1681	1697 1859	1675 1969	1397 1377
501	Bronchitis, unqualified {M F}			1732 1697	1377 1298	1669 1722	1117 1097	1241 1162	1063 1020	1078 1033	1055 1100	884 828
502	Chronic bronchitis {M F}			13177 6728	14235 6893	18224 8994	14692 6426	16112 7263	14567 5719	16519 6607	17122 6749	16681 5722
	0. Bronchitis with emphy- sema {M F}	14981 8316	12952 6588	4178 932	4890 1000	6483 1460	6026 1279	6769 1421	6522 1262	7949 1580	8353 1783	8532 1531
	1. Other {M F}			8999 5796	9345 5893	11741 7534	8666 5147	9343 5842	8045 4457	8570 5027	8769 4966	8149 4191
510-527	Other diseases of respiratory system {M F}	2937 1418	2760 1302	3081 1458	3146 1345	3404 1599	3094 1320	3202 1362	3380 1432	3585 1503	3396 1578	3426 1338
510	Hypertrophy of tonsils and adenoids {M F}	24 32	37 34	18 22	28 21	17 26	28 24	24 18	21 12	22 15	16 13	17 5
511	Peritonsillar abscess (quinsy) {M F}	11 13	12 13	9 13	6 9	13 7	8 13	7 4	10 8	4 5	4 6	5 6
512	Chronic pharyngitis and naso- pharyngitis {M F}			— 1	— 2	3 —	2 3	1 4	4 1	— 3	3 2	2 2
513	Chronic sinusitis {M F}	57 38	42 45	40 31	45 23	31 13	39 16	38 19	31 19	32 13	25 18	28 11
514	Deflected nasal septum {M F}			1 —	2 —	— —	1 —	— 1	— —	— —	2 1	— 1
515	Nasal polyp {M F}	5 5	5 4	5 2	4 3	7 4	3 3	3 2	2 4	4 —	4 4	3 2
516	Chronic laryngitis {M F}			3 —	4 2	1 —	1 1	— 2	1 —	1 —	— —	1 1
517	Other diseases of upper re- spiratory tract {M F}	35 27	36 20	28 22	30 22	25 21	21 14	19 16	24 24	14 8	19 13	23 19
518	Empyema {M F}	148 67	125 49	116 40	105 40	81 52	82 56	104 58	110 41	87 51	86 44	72 35
519	Pleurisy {M F}	1158 1108	1137 1107	85 56	83 51	78 47	65 37	57 44	51 45	49 28	59 40	30 24
520	Spontaneous pneumothorax {M F}	2 2	8 3	11 4	7 1	5 —	6 1	4 2	6 1	14 1	6 1	5 2
521	Abscess of lung {M F}	100 35	80 29	58 28	45 24	63 28	46 24	54 28	55 25	53 29	43 24	58 32
522	Pulmonary congestion and hypostasis {M F}	297 433	252 389	328 495	262 427	322 483	209 349	158 378	264 438	247 467	255 474	167 339
523	Pneumoconiosis due to silica & silicates (occupational) {M F}			526 9	559 8	594 4	557 3	573 6	647 5	714 6	666 9	760 7
524	Other spec'd: pneumoconiosis & pul: fibr: of occupat'l: {M F}	441 7	433 5	— 7	18 —	10 —	6 —	11 —	12 1	23 1	17 6	16 3
525	Other chronic interstitial pneu- monia {M F}	162 76	185 82	171 78	201 75	188 89	180 87	174 69	163 92	199 94	204 73	175 93
526	Bronchiectasis {M F}	1119 488	993 408	1146 530	1143 507	1152 614	1085 487	1117 478	1085 511	1142 550	983 559	1008 523
527	Other diseases of lung and pleural cavity {M F}	378 87	415 114	529 127	604 130	814 211	755 207	858 233	894 205	980 232	1004 291	1056 233

* 500 includes 474 for these years.

‡ 519 includes 003.1 for these years.

† 490-493. See 763 (Pneumonia of Newborn) for Pneumonia deaths at ages under 4 weeks.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
530-587	IX.—DISEASES OF THE DIGESTIVE SYSTEM {M F}	11629 8703	9847 7275	9658 7269	9438 7198	9601 7244	9243 7022	8844 6984	8960 7115	8944 7249	8549 7174	833 706
530-539	Diseases of buccal cavity and {M oesophagus {F}	108 112	112 122	131 132	109 145	131 129	111 130	121 117	114 146	125 132	90 135	11 12
530	Dental caries {M F}			3 6	2 1	2 —	— —	2 —	2 —	— —	1 —	— —
531	Abscesses of supporting struc- {M tures of teeth {F}			2 2	3 3	1 2	— —	1 1	2 —	2 —	2 4	— —
532	Other inflammatory diseases of {M supporting structures of teeth {F}			17 4	9 16	14 8	6 8	8 6	6 8	8 4	6 3	— —
533	Disorders of occlusion, erup- {M tion, and tooth development* {F}	51 18	37 19	5 5	24 24	15 12	23 11	18 7	11 15	10 7	6 8	— —
534	Toothache from unspecified {M cause {F}			— —	— —	— —	— —	— —	— —	— —	— —	— —
535	Other diseases of teeth and {M supporting structures ... {F}			1 —	— —	1 —	1 —	— —	— —	— —	— —	— —
536	Stomatitis {M F}			6 9	7 20	10 14	7 9	8 5	6 7	2 3	2 4	— —
537	Diseases of salivary glands ... {M F}	38 55	29 60	36 46	18 42	17 46	18 46	21 56	19 48	31 43	13 58	— —
538	Other diseases of buccal cavity {M F}			4 6	8 2	9 11	4 4	5 2	3 8	7 3	1 3	— —
539	Diseases of oesophagus ... {M F}	19 39	46 43	58 53	38 57	63 35	52 52	58 40	65 60	65 72	59 55	— —
540-545	Diseases of stomach and duo- {M denum {F}	3947 1283	3830 1240	3958 1291	4092 1365	4506 1486	4253 1461	3982 1463	4196 1604	4154 1670	3962 1671	36 15
540	Ulcer of stomach {M F}			2019 792	2035 843	2086 917	1967 904	1818 883	1873 913	1864 967	1803 998	16 9
	0. Without mention of per- {M foration {F}	†2133 †848	†2080 †790	1363 616	1630 634	1466 702	1374 696	1310 677	1353 701	1356 738	1318 776	12 7
	1. With perforation ... {M F}			656 176	405 209	620 215	593 208	508 206	520 212	508 232	485 222	4 2
541	Ulcer of duodenum {M F}			1737 310	1847 375	2190 437	2092 421	1977 448	2138 554	2111 575	1975 566	19 5
	0. Without mention of per- {M foration {F}	1621 254	1603 279	1087 197	1170 243	1355 269	1350 251	1253 275	1334 328	1318 337	1263 349	11 3
	1. With perforation ... {M F}			650 113	677 132	835 168	742 170	724 173	804 226	793 238	712 217	7 1
542	Gastrojejunal ulcer {M F}			55 16	63 11	59 10	47 7	34 8	46 18	63 14	50 15	— —
	0. Without mention of per- {M foration {F}	†	†	38 12	43 6	42 7	34 4	27 6	35 14	49 10	36 9	— —
	1. With perforation ... {M F}			17 4	20 5	17 3	13 3	7 2	11 4	16 4	14 6	— —
543	Gastritis and duodenitis ... {M F}	120 145	87 143	79 128	68 93	76 85	63 98	62 85	49 75	41 81	49 51	— —
544	Disorders of function of {M stomach {F}			18 19	10 16	11 10	6 13	14 6	8 16	13 10	11 7	— —
545	Other diseases of stomach and {M duodenum {F}	†73 †36	†60 †28	50 26	69 27	84 27	78 18	77 33	82 28	60 23	74 34	— —
550-553	Appendicitis {M F}			739 507	744 555	679 493	598 447	550 356	547 422	485 360	522 331	4 3
550	Acute appendicitis {M F}			644 451	641 469	592 418	517 367	465 304	456 347	415 301	425 250	4 2
	0. Without mention of peri- {M tonitis {F}			89 56	101 79	89 59	82 46	71 45	70 47	66 42	74 41	— —
	1. With peritonitis ... {M F}	†55 †36	†72 †35	555 395	540 390	503 359	435 321	394 259	386 300	349 259	351 209	3 2
551	Appendicitis, unqualified ... {M F}			91 50	61 59	79 64	79 75	83 50	86 72	67 55	93 75	— —
552	Other appendicitis {M F}			3 6	6 6	2 6	2 2	— 2	2 1	2 3	2 4	— —
553	Other diseases of appendix ... {M F}			1 —	36 21	6 5	— 3	2 —	3 2	1 1	1 2	— —

* 533. See note (ii) at head of table.

† 540 includes 542 for these years.

‡ 544, 545 includes 784.1-784.3 (nausea and vomiting, pylorospasm and heartburn) for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
560-561	Hernia of abdominal cavity ... {M F	1021 1188	934 931	842 889	832 866	821 883	822 842	758 821	761 804	830 798	768 865	769 806
560	Hernia of abdom'l: cavity with- out mention of obstruction... {M F	227 149	208 123	191 124	151 138	170 125	186 145	182 147	192 168	216 159	188 182	210 158
561	Hernia of abdominal cavity {M with obstruction† ... {F	794 1039	726 808	651 765	681 728	651 758	636 697	576 674	569 636	614 639	580 683	559 648
570-578	Other diseases of intestines and {M peritoneum ... {F	4517 3865	3112 2816	2764 2676	2345 2290	2139 2267	2005 2203	1991 2197	1873 2065	1884 2174	1781 2157	1806 2207
570	Intestinal obstruction without {M mention of hernia ... {F	1116 985	923 844	827 813	732 621	727 704	766 714	726 685	701 634	653 707	713 720	673 658
	0. Intussusception ... {M F	212 126	167 88	115 68	73 72	85 61	75 45	65 34	54 40	49 33	32 35	30 27
	1. Paralytic ileus ... {M F	20 20	22 20	29 25	26 15	17 18	10 8	23 9	6 7	10 4	19 8	6 10
	2. Mesenteric infarction ... {M F	62 38	49 45	72 67	136 136	166 150	187 174	184 177	211 187	170 206	203 200	186 240
	3. Volvulus ... {M F	273 215	228 184	204 170	193 143	190 149	227 165	188 176	188 143	184 163	221 189	201 147
	4. Impaction of intestine... {M F	20 48	17 47	16 48	35 60	25 77	30 74	29 63	44 68	35 84	48 79	24 53
	5. Other ... {M F	529 538	440 460	391 435	269 237	238 249	237 248	237 226	198 189	205 217	190 209	226 181
571	Gastro-ent: and colitis, exc: {M ulcer've: age 4 w'ks; & over {F	*2846 *2147	*1567 *1222	1328 1084	922 743	721 644	590 561	546 549	433 467	458 445	357 366	355 397
572	Chronic enteritis and ulcer- ative colitis ... {M F	? ?	? ?	422 583	454 667	434 675	412 674	449 693	484 722	510 747	477 811	526 867
	0. Regional enteritis ... {M F	29 27	26 25	24 24	19 24	20 19	22 20	28 29	24 31	34 34	29 31	39 32
	1. Diverticulitis ... {M F	195 266	236 260	240 283	255 336	247 349	228 330	241 372	306 392	294 430	272 466	302 542
	2. Ulcerative colitis ... {M F			143 251	154 273	154 283	149 306	162 269	138 289	173 265	162 302	176 280
	3. Other ... {M F	128 245	158 268	15 25	26 34	13 24	13 18	18 23	16 10	9 18	14 12	9 13
573	Functional disorders of in- testines ... {M F			3 7	17 21	15 22	18 20	21 19	7 17	12 19	15 15	10 15
574	Anal fissure and fistula ... {M F			2 3	6 1	4 2	1 2	— —	— —	1 3	1 1	3 1
575	Abscess of anal and rectal {M regions ... {F	37 15	31 15	27 12	21 14	26 7	26 15	17 12	16 9	12 10	8 9	20 11
576	Peritonitis ... {M F			62 40	54 53	62 52	52 59	68 41	57 50	50 46	47 48	56 57
577	Peritoneal adhesion ... {M F	73 75	81 74	8 14	12 7	4 15	9 11	9 11	6 5	6 5	6 4	5 4
578	Other diseases of intestines and {M peritoneum ... {F	893 \$105	890 \$108	85 120	127 121	143 146	136 149	155 187	169 161	182 192	157 179	158 197
580-587	Diseases of liver, gallbladder, {M and pancreas ... {F	1181 1619	1137 1631	1224 1774	1316 1957	1325 1986	1454 1939	1442 2030	1469 2074	1466 2115	1426 2015	1446 2019
580	Acute and subacute yellow at- rophy of liver ... {M F	69 83	68 85	54 98	52 87	59 85	47 78	56 79	63 75	49 67	37 66	45 66
581	Cirrhosis of liver ... {M F	538 324	506 310	556 362	574 440	615 502	645 479	650 505	632 535	617 542	618 535	667 539
582	Suppurative hepatitis and liver {M abscess ... {F	24 10	20 8	24 10	23 14	22 10	23 12	20 13	19 21	12 17	14 11	9 10
583	Other diseases of liver... {M F	15 15	9 16	10 25	28 18	22 23	29 27	25 30	18 30	25 38	28 33	24 36
584	Cholelithiasis ... {M F	199 518	210 511	211 521	245 617	213 583	239 569	239 613	273 590	278 606	275 572	246 581
585	Cholecystitis without mention {M of calculi ... {F	176 447	164 453	169 472	178 461	161 454	191 443	206 426	192 452	188 431	191 412	183 386

† 561. See note (ii) at head of table.

‡ 571 includes 785.6 (Diarrhoea, age 2 years and over) for these years.

§ 578 includes 785.4, 785.5 and 785.7-785.9 (Flatulence, abdominal pain, incontinence of faeces, melæna (age 1 year and over) and visible peristalsis) for these years.

TABLE 7—continued

Inter-national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
586	Other diseases of gallbladder and biliary ducts ... {M F	18 42	20 47	28 53	29 57	33 67	30 61	43 57	33 62	26 50	27 49	29 59
587	Diseases of pancreas ... {M F	142 180	140 201	172 233	187 263	200 262	250 270	203 307	239 309	271 364	236 337	243 342
590-637	X.—DISEASES OF THE GENITO-URINARY SYSTEM {M F	10226 5161	9456 4623	9602 4512	9627 4788	9247 4567	8657 4167	8330 4004	8467 3989	7997 3961	7858 3845	7431 3733
590-594	Nephritis and nephrosis ... {M F	3811 3889	3387 3419	3400 3321	3431 3443	3245 3272	2994 2879	2802 2627	2742 2531	2539 2362	2651 2195	2314 2014
590	Acute nephritis ... {M F	231 192	208 177	178 147	194 157	162 142	128 95	139 93	116 95	97 54	121 67	89 68
591	Nephritis with oedema, including nephrosis ... {M F	148 126	134 122	129 117	236 231	208 192	199 148	193 136	179 147	186 180	207 154	196 143
592	Chronic nephritis ... {M F	3132 3298	2808 2879	2883 2820	2815 2898	2625 2744	2416 2397	2230 2201	2205 2084	1982 1936	2063 1782	1791 1614
593	Nephritis not specified as acute or chronic* ... {M F	2260 2248	2202 2220	210 208	159 137	231 182	234 215	226 185	231 191	256 176	246 174	258 178
594	Other renal sclerosis ... {M F	40 25	35 21	— 29	27 20	19 12	17 24	14 12	11 14	18 16	14 18	11 11
600-609	Other diseases of urinary system {M F	1240 940	1157 883	1117 911	1181 1052	1222 1017	1159 1018	1243 1081	1286 1229	1261 1375	1264 1430	1335 1519
600	Infections of kidney ... {M F	494 505	397 513	421 514	464 590	501 573	498 582	550 637	578 738	608 873	651 909	716 995
601	Hydronephrosis ... {M F	67 46	54 54	62 51	80 62	91 78	79 70	73 61	79 69	80 76	64 86	71 80
602	Calculi of kidney and ureter ... {M F	136 153	153 132	135 119	140 129	167 126	149 138	151 140	161 146	147 154	136 152	139 154
603	Other diseases of kidney and ureter... {M F	11 20	9 9	29 18	27 31	23 29	36 40	40 35	42 27	46 36	42 41	44 38
604	Calculi of other parts of urinary system {M F	52 13	54 9	30 6	49 14	38 8	36 5	45 7	42 9	29 11	33 6	36 14
605	Cystitis ... {M F	226 182	242 145	217 177	194 188	179 167	168 154	179 161	168 190	142 183	147 186	119 179
606	Other diseases of bladder ... {M F	51 15	60 15	54 19	63 24	83 24	54 15	85 23	67 25	70 23	61 18	78 27
607	Urethritis (nonvenereal) ... {M F	† †	† †	— 1	2 1	1 1	— —	— —	2 —	1 —	2 1	3 1
608	Stricture of urethra ... {M F	187 3	170 —	161 3	131 1	117 3	114 2	93 —	118 2	101 3	103 2	94 1
609	Other diseases of urethra ... {M F	†16 †3	†18 †6	8 3	31 12	22 8	23 12	27 17	29 23	37 16	25 29	35 30
610-617	Diseases of male genital organs M	5175	4912	5085	5015	4780	4504	4285	4439	4197	3943	3751
610	Hyperplasia of prostate ... M	**4976	**4764	**4932	4762	4553	4351	4173	4334	4090	3852	3645
611	Prostatitis ... M	**158	**106	110	124	120	99	82	68	75	50	72
612	Other diseases of prostate* ... M			**13	94	89	22	9	14	11	16	14
613	Hydrocele ... M	7	7	3	9	3	6	3	3	3	3	2
614	Orchitis and epididymitis ... M	12	10	2	1	5	2	1	2	2	1	4
615	Redundant prepuce and phimosis ... M	18	18	17	9	2	11	4	3	7	8	3
616	Sterility, male ... M	—	—	—	—	—	—	—	—	—	—	—
617	Other diseases of male genital organs M	††4	††7	8	16	8	13	13	15	9	13	11
620-626	Diseases of breast, ovary, Fallo- pian tube, and parametrium F	107	90	81	64	60	58	58	56	61	54	41
620	Chronic cystic disease of breast F	5	7	1	—	—	1	—	—	—	—	—
621	Other diseases of breast ... F			4	—	2	4	3	3	3	3	3
622	Acute salpingitis and oophoritis F	78	66	7	8	3	3	1	2	1	1	5
623	Chronic salpingitis and oophoritis ... F			4	—	3	4	1	5	4	2	3
624	Salpingitis and oophoritis, un- qualified F			47	36	32	34	29	24	36	28	18

* 593, 612. See note (ii) at head of table.

† 593 includes 789.0 (Albuminuria, unqualified) for these years.

† 609 includes 607 for these years.

†† 617 includes 276 for these years.

** 610 includes 612A (Prostatectomy N.O.S.) for years up to 1949 inclusive.

TABLE 7—continued

International Classification No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
625	Other diseases of ovary and Fallopian tube	18	16	3	8	6	4	7	7	5	4	2
626	Diseases of parametrium and pelvic peritoneum (female)	16	11	15	12	14	8	17	15	12	16	10
60-637	Diseases of uterus and other female genital organs	225	231	199	229	218	212	238	173	163	166	159
630	Infective disease of uterus, vagina and vulva	15	27	12	13	15	15	20	15	15	12	8
631	Uterovaginal prolapse	128	127	119	138	128	129	134	101	96	108	106
632	Malposition of uterus	5	4	3	4	3	2	1	1	1	1	—
633	Other diseases of uterus	40	47	37	33	32	28	41	24	26	18	30
634	Disorders of menstruation	15	18	16	26	22	24	25	24	19	17	12
635	Menopausal symptoms	6	3	7	4	5	4	5	3	1	—	1
636	Sterility, female	—	1	—	—	—	1	—	—	2	1	—
637	Other diseases of female genital organs	16	4	5	11	13	9	12	5	3	9	2
60-689	XI.—DELIVERIES & COMPLICATIONS OF PREGNANCY, CHILDBIRTH & THE PUERPERIUM	1060	811	727	620	566	498	527	480	439	399	349
60-648	Complications of pregnancy	329	265	198	225	208	181	211	168	158	163	127
640	Pyelitis and pyelonephritis of pregnancy	—	2	5	5	6	3	6	2	3	5	1
641	Other infections of genito-urinary tract during pregnancy	—	—	2	—	1	3	—	—	2	—	2
642	Toxæmias of pregnancy	251	209	120	149	152	131	154	118	101	101	83
643	Placenta prævia	5	3	6	9	3	1	—	2	1	—	—
644	Other hæmorrhage of pregnancy	10	7	10	11	5	4	6	1	2	10	7
645	Ectopic pregnancy	40	34	36	36	22	22	35	24	22	21	22
646	Anæmia of pregnancy	2	2	3	3	5	4	4	3	4	3	3
647	Pregnancy with malposition of fetus in uterus	3	1	1	—	—	—	—	—	—	—	—
648	Other complications arising from pregnancy	18	7	15	12	14	13	6	18	23	23	9
50-652	Abortion	143	125	118	103	107	90	76	76	68	72	61
650	Abortion without mention of sepsis or toxæmia	27	27	32	32	37	31	30	33	27	24	24
651	Abortion with sepsis	89	87	78	64	67	47	39	32	38	40	33
652	Abortion with toxæmia, without mention of sepsis	27	11	8	7	3	12	7	11	3	8	4
660	Delivery without complication	8	5	1	5	3	6	5	7	2	2	7
70-678	Delivery with specified complication	370	272	241	158	161	130	151	148	118	96	94
670	Placenta prævia or antepartum hæmorrhage	41	36	22	24	29	15	33	29	22	23	21
671	Retained placenta	*156	*115	43	11	23	15	27	19	16	10	5
672	Other postpartum hæmorrhage			47	27	31	24	24	25	25	14	18
673	Abnormality of bony pelvis	16	10	9	2	6	4	3	3	3	1	1
674	Disproportion or malposition of fetus	40	23	34	17	10	8	6	9	11	15	10

* 671, 672 includes 688.0 (Anæmia of puerperium) for these years.

† 625 includes 275 for these years.

‡ Including the following cases in which it was stated that death followed the maternal condition after an interval of more than 12 months:— 1951:—40; 1952:—35; 1953:—32; 1954:—34; 1955:—34; 1956:—25; 1957:—16.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
675	Prolonged labour of other origin F	54	33	26	23	24	20	24	21	18	18	—
676	With laceration of perineum, F w/out: mention of other lacer'n.	3	1	1	1	1	—	—	—	—	—	—
677	With other trauma ... F	27	22	26	18	12	18	13	16	12	10	—
678	With other complications of F childbirth	33	32	33	35	25	26	21	26	11	5	—
680-689	Complications of the puerperium F	210	144	169	129	87	91	84	81	93	66	—
680	Puerperal urinary infection F without other sepsis	1	2	2	1	—	—	—	—	—	—	—
681	Sepsis of childbirth and the F puerperium	§33	§31	25	21	13	4	14	11	13	8	—
682	Puerperal phlebitis and throm- F bosis	54	29	31	36	30	28	29	39	35	32	—
683	Pyrexia of unknown origin F during the puerperium	§	§	—	—	2	—	1	—	—	—	—
684	Puerperal pulmonary embolism F	‡56	‡38	25	26	19	25	22	13	23	5	—
685	Puerperal eclampsia ... F	46	33	60	31	14	13	7	11	10	8	—
686	Other forms of puerperal tox- F æmia	15	7	19	5	2	3	5	4	1	3	—
687	Cerebral hæmorrhage in the F puerperium	—	—	3	6	3	11	4	—	7	5	—
688	Other and unspecified compli- F cations of the puerperium	‡2	‡2	3	3	4	2	2	1	3	1	—
689	Mastitis and other disorders of F lactation	3	2	1	—	—	5	—	2	1	4	—
690-716	XII—DISEASES OF THE {M SKIN & CELLULAR {F	355 363	324 295	288 303	287 326	288 360	247 356	279 356	230 322	187 292	183 292	195 284
690-698	Infections of skin and subcut- {M aneous tissue ... {F	169 129	159 105	137 116	124 102	110 135	93 113	96 116	92 102	94 95	72 91	77 101
690	Boil and carbuncle ... {M ... {F	69 42	61 37	58 42	27 22	29 28	24 25	26 21	18 19	22 12	26 26	27 26
691	Cellulitis of finger and toe ... {M ... {F	—	—	2 3	4 4	1 7	3 3	2 10	3 3	3 3	— 1	— —
692	Other cellulitis and abscess {M w/out ment: of lymphangitis {F	85 75	88 59	64 58	77 58	64 84	55 62	58 77	59 69	57 70	42 56	47 56
693	Other cellulitis and abscess {M with lymphangitis ... {F	—	—	5 6	4 1	4 3	— 5	2 —	— 2	— —	— —	— 1
694	Acute lymphadenitis ... {M ... {F	†	†	— 2	2 3	1 —	— —	— —	1 1	— —	— —	— —
695	Impetigo ... {M ... {F	9 7	5 5	2 —	1 2	1 1	2 —	2 —	1 1	1 1	— 2	— —
696	Infectious warts ... {M ... {F	—	—	—	1 1	— —	— 1	— 1	— —	— —	— —	— —
697	Molluscum contagiosum ... {M ... {F	—	—	—	—	—	—	—	—	—	—	—
698	Other local infections of skin {M and subcutaneous tissue ... {F	6 5	5 4	6 5	8 11	10 12	9 17	6 7	10 7	11 9	4 5	— —
700-716	Other diseases of skin and sub- {M cutaneous tissue ... {F	186 234	165 190	151 187	163 224	178 225	154 243	183 240	138 220	93 226	111 201	117 171
700	Seborrhæic dermatitis ... {M ... {F	—	—	3 3	2 6	3 2	1 1	3 4	1 3	1 1	1 1	— —
701	Eczema ... {M ... {F	—	—	20 12	27 12	21 8	12 11	15 13	11 4	6 15	7 9	— —
702	Occupational dermatitis ... {M ... {F	77 64	68 51	— —	4 —	2 —	— —	— —	1 —	— —	— —	— —
703	Other dermatitis* ... {M ... {F	—	—	36 37	2 5	7 10	6 4	8 8	4 6	2 3	4 2	— —

§ 681 includes 683 for these years.

‡ 684 includes 688.2 (Sudden death from unknown cause in the puerperium) for these years.

† 688. See 671, 672, 684.

‡ 694. See 468.

* 703. See note (ii) at head of table.

TABLE 7—continued

International list No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
704	Pemphigus ... {M F}	56 61	48 48	44 48	46 57	55 57	61 60	51 55	41 56	19 36	28 42	27 40
705	Erythematous conditions* ... {M F}	14 22	12 18	11 18	46 48	34 43	31 46	43 31	28 30	27 47	23 30	29 24
706	Psoriasis and similar disorders {M F}			5 5	2 4	5 5	5 9	1 7	5 10	4 4	2 5	3 2
707	Lichen planus ... {M F}			— —	— —	1 1	— 1	— —	1 —	— —	— —	— —
708	Pruritus and related conditions {M F}			— —	— 1	1 5	2 2	2 2	1 2	1 2	1 3	— 1
709	Corns and callosities ... {M F}			— —	— —	1 —	1 —	1 —	1 —	1 1	— —	1 —
710	Other hypertrophic and atrophic conditions of skin {M F}			8 7	7 23	13 28	13 33	22 36	9 30	11 38	18 47	22 38
711	Other dermatoses ... {M F}	**39 **87	**37 **73	— —	— —	— —	— 1	— —	— —	— 1	— —	— 2
712	Diseases of nail ... {M F}			— —	— —	— 1	— 1	1 —	1 —	— —	1 —	1 —
713	Diseases of hair and hair follicles ... {M F}			— —	— —	— —	— 1	1 —	— —	— —	— —	1 —
714	Diseases of sweat and sebaceous glands ... {M F}			2 1	1 —	— —	— 1	1 1	— 1	2 —	— —	— 2
715	Chronic ulcer of skin ... {M F}			21 56	24 66	34 63	21 71	34 81	34 75	17 77	24 58	23 58
716	Other diseases of skin ... {M F}			— —	2 2	1 2	2 1	— 2	1 2	2 1	2 4	— —
720-749	XIII.—DISEASES OF THE BONES & ORGANS OF MOVEMENT {M F}	726 1296	696 1283	685 1367	522 954	547 1043	536 957	578 982	619 1156	614 1352	624 1236	584 1225
720-727	Arthritis and rheumatism except rheumatic fever ... {M F}	462 1105	429 1094	456 1169	289 747	302 775	247 739	296 768	355 890	338 1076	351 951	309 941
720	Acute arthritis due to pyogenic organisms ... {M F}	26 26	28 24	19 9	15 11	18 7	12 11	11 18	11 11	9 13	15 5	10 11
721	Acute nonpyogenic arthritis ... {M F}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
722	Rheumatoid arthritis and allied conditions †† ... {M F}	295 841	260 858	276 902	165 562	185 574	155 546	184 558	223 683	214 814	206 729	183 705
723	Osteo-arthritis (arthrosis) and allied conditions†† ... {M F}	95 190	100 161	119 186	92 149	84 171	70 160	86 171	111 180	107 237	122 212	107 208
724	Other specified forms of arthritis†† ... {M F}	— —	1 —	5 13	2 3	4 4	3 5	— 2	1 3	1 1	— 2	1 3
725	Arthritis, unspecified ... {M F}	8 9	4 7	7 8	9 14	7 10	4 12	7 15	3 10	1 3	2 2	— 3
726	Muscular rheumatism ... {M F}	4 7	6 2	4 3	5 3	1 3	3 1	4 1	4 2	6 3	3 —	6 8
727	Rheumatism, unspecified ... {M F}			26 48	1 5	— 6	— 4	4 3	2 1	— 5	3 1	2 3
	A, B. Acute and subacute rheumatism (so described) ... {M F}	34 32	30 42	13 23	— 1	— 1	— 2	2 1	1 1	— 3	1 —	— —
	C, D, E. Other ... {M F}			13 25	1 4	3 5	— 2	2 2	1 —	— 2	2 1	2 3
730-738	Osteomyelitis and other diseases of bone and joint {M F}	180 120	173 129	151 144	155 130	164 175	170 148	180 136	162 178	167 170	156 189	157 187
730	Osteomyelitis and periostitis {M F}	99 56	92 53	70 37	73 31	52 41	52 30	59 33	51 36	48 27	37 42	43 35
731	Osteitis deformans ... {M F}			63 72	61 60	81 83	87 79	80 59	87 80	88 102	93 83	76 87
732	Osteochondrosis ... {M F}	*73 *59	*70 *67	— —	— 1	— 1	— —	— —	— —	1 —	— 1	— —
733	Other diseases of bone ... {M F}			10 22	11 24	15 31	15 27	24 31	11 52	10 43	19 52	18 54

705. See note (ii) at head of table.

706-716 includes 096.0 (Herpes febrilis) and 135 for these years.

722-724. In 1940-1949 includes some deaths with associated heart diseases which, from 1950 would be classed to those conditions.

731-733. See 285.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
734	Internal derangement of knee joint ... {M F}	—	— 1	— 1	—	1	1	—	—	—	—	—
735	Displacement of intervertebral disc ... {M F}	6 2	— 5	6 5	10 8	9 7	11 4	8 7	7 4	16 4	4 7	—
736	Affection of sacro-iliac joint... {M F}	—	—	1 1	—	—	—	—	1	1	—	—
737	Ankylosis of joint ... {M F}	1 1	9 —	— 3	— 2	1 1	1 2	— 2	2 —	— 1	1 1	—
738	Other diseases of joint ... {M F}	1 2	2 3	— 4	— 4	5 10	3 6	9 4	3 6	3 1	2 3	—
740-749	Other diseases of musculoskeletal system ... {M F}	84 71	94 60	78 54	78 77	81 93	119 70	102 78	102 88	109 98	117 96	1 —
740	Bunion ... {M F}	— 1	—	— 2	1 1	— 2	1 1	—	1 1	—	— 1	—
741	Synovitis, bursitis, and tenosynovitis, w/out mention of occupational origin {M F}	—	—	3 2	3 4	4 4	1 2	1 3	1 2	2 1	4 4	—
742	Synovitis, bursitis, and tenosynovitis of occupational origin {M F}	4 6	4 3	—	1	—	—	—	—	—	—	—
743	Infective myositis and other inflammatory diseases of tendon and fascia {M F}	— 1	1 1	— 1	1 1	1 3	2 —	— 3	—	1 —	— 1	—
744	Other diseases of muscle, tendon, and fascia ... {M F}	58 41	63 32	58 39	62 55	58 61	90 51	82 52	81 56	91 73	87 63	—
745	Curvature of spine ... {M F}	16 17	22 20	10 10	3 8	12 13	16 14	11 13	14 26	10 16	21 21	—
746	Flat foot ... {M F}	—	—	—	—	—	—	—	—	—	—	—
747	Hallux valgus and varus ... {M F}	—	— 3	— 2	— 1	— 3	1 1	— 2	— 1	2 —	2 —	—
748	Clubfoot ... {M F}	5 4	4 1	— 3	1 1	— 2	1 —	1 1	2 —	— 1	— 2	—
749	Other deformities ... {M F}	1 1	—	— 2	7 6	6 5	7 1	7 4	3 2	5 5	3 4	—
750-759	XIV.—CONGENITAL MALFORMATIONS {M F}	2977 2527	2526 2106	2406 2238	2528 2220	2425 2204	2323 2130	2216 2045	2349 2144	2431 2132	2442 2133	2587 2347
750	Monstrosity ... {M F}	52 63	46 44	32 43	34 50	37 53	54 66	33 77	51 72	41 77	59 73	—
751	Spina bifida and meningocele... {M F}	419 644	367 520	350 549	337 441	367 484	372 542	354 499	416 605	435 605	441 586	—
752	Congenital hydrocephalus ... {M F}	167 137	117 102	115 112	131 143	103 76	117 103	95 93	113 94	93 107	116 97	—
753	Other congen: malformations of nerv: sys'm & sense organs {M F}	46 58	68 45	48 60	50 59	52 74	62 41	43 62	65 62	50 63	48 67	—
754	Congenital malformations of circulatory system ... {M F}	1247 1040	1077 868	1044 923	1158 975	1050 963	890 804	913 786	948 767	1007 756	1017 791	1129 917
755	Cleft palate and harelip ... {M F}	46 34	27 38	25 24	21 20	20 14	24 7	13 9	16 8	11 13	16 15	—
756	Congenital malformations of digestive system ... {M F}	614 290	456 235	458 245	402 218	348 207	344 197	321 201	292 179	296 164	288 172	297 177
	0. Congenital hypertrophic pyloric stenosis ... {M F}	265 71	142 30	152 33	96 24	63 19	67 12	52 12	46 5	38 3	25 10	—
	1. Imperforate anus ... {M F}	37 16	24 10	24 4	38 16	33 8	28 12	28 13	31 8	26 9	27 6	—
	2. Other ... {M F}	312 203	290 195	282 208	268 178	252 180	249 173	241 176	215 166	232 152	236 156	237 157
757	Congenital malformations of genito-urinary system {M F}	239 147	222 127	197 150	247 193	255 175	265 191	265 161	260 189	279 187	267 178	272 177
	1. Polycystic disease of kidney ... {M F}	122 118	122 96	104 110	139 146	138 139	163 143	147 129	138 139	158 135	141 114	137 117
	0, 2, 3. Other ... {M F}	117 29	100 31	93 40	108 47	117 36	102 48	118 32	122 50	121 52	126 64	145 55

TABLE 7—continued

International at No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
758	Congenital malformations of bone and joint ... {M F	27 25	17 21	15 23	30 27	32 24	31 31	27 21	30 28	27 32	30 21	32 39
759	Other & unspec'd: congen: malform'ns, not elsewhere classified {M F	120 89	129 106	122 109	118 94	161 134	164 148	152 136	158 140	192 128	160 133	182 130
50-776	XV.—CERTAIN DISEASES OF EARLY INFANCY {M F	10015 7070	7671 5317	7043 4796	6425 4347	6450 4282	5986 4115	5833 4050	5703 3797	5461 3730	5586 3787	5618 3817
50-769	Birth injuries, asphyxia, and in- fections of newborn... {M F	4357 2948	3439 2193	3393 2207	3404 2056	3509 2246	3360 2182	3345 2150	3308 2053	3214 2000	3311 2106	3394 2209
760	Intracranial and spinal injury at birth ... {M F	1147 678	962 516	943 534	907 497	1033 523	983 533	952 552	950 548	916 519	938 552	899 556
761	Other birth injury ... {M F	349 238	312 214	261 177	251 166	221 176	204 149	195 137	214 145	238 151	219 176	255 159
762	Postnatal asphyxia and atelectasis ... {M F	1527 1090	1295 880	1413 989	1461 880	1455 990	1469 985	1493 998	1541 955	1467 940	1522 964	1698 1114
763	Pneumonia of newborn ... {M F	803 578	568 367	521 337	512 331	570 376	534 379	554 336	473 288	483 300	502 304	429 285
764	Diarrhea of newborn ... {M F	264 168	138 88	118 76	67 33	56 36	40 26	36 24	22 18	25 15	27 21	22 13
765	Ophthalmia neonatorum ... {M F	† —	† —	— —	3 —	1 —	— —	— —	1 2	1 1	— 3	— —
766	Pemphigus neonatorum ... {M F	18 17	11 6	3 4	6 4	1 3	4 1	5 2	2 6	2 5	4 4	4 4
767	Umbilical sepsis ... {M F	29 15	20 19	19 7	8 6	13 9	14 7	8 7	9 15	9 8	12 12	17 11
768	Other sepsis of newborn ... {M F	†52 †19	†21 †15	15 10	23 17	24 11	23 17	19 33	24 20	18 12	14 13	10 13
769	Neonatal disorders arising from maternal toxæmia ... {M F	168 145	112 88	100 73	166 122	135 122	89 85	83 61	72 56	55 49	73 57	60 54
70-776	Other diseases peculiar to early infancy ... {M F	5658 4122	4232 3124	3650 2589	3021 2291	2941 2036	2606 1933	2488 1900	2395 1744	2247 1730	2275 1681	2224 1608
770	Hæmolytic disease of newborn (erythroblastosis) ... {M F	436 254	350 227	321 231	286 216	325 187	239 203	225 185	282 186	196 170	182 171	203 175
771	Hæmorrhagic disease of new- born ... {M F	214 151	125 89	108 68	122 62	125 96	103 78	116 81	132 88	120 90	142 82	120 64
772	Nutritional maladjustment ... {M F	35 26	18 17	14 12	18 16	18 7	14 5	6 3	5 6	4 3	8 3	6 1
773	Ill-defined diseases peculiar to early infancy ... {M F	693 442	428 291	320 190	225 181	208 124	175 120	142 84	119 112	136 87	116 70	85 68
774	Immaturity with mention of any other subsidiary cond'n {M F	— —	— —	— —	130 109	106 83	98 71	73 67	68 58	67 64	64 63	81 48
776	Immaturity unqualified ... {M F	4280 3249	3311 2500	2887 2088	— —	— —	— —	— —	— —	— —	— —	— —
50-795	XVI.—SYMPTOMS, SENI- LITY, AND ILL- DEFINED COND- ITIONS {M F	6384 9453	4950 7621	4919 7936	3822 6152	3749 5968	2997 4748	2804 4834	3049 5284	3390 5751	3208 5537	2697 4789
50-789	Symptoms referable to systems or organs ... {M F	505 342	378 286	243 210	137 121	139 98	95 74	75 86	85 63	91 69	68 72	60 61
780	Certain symptoms referable to nerv: system & special senses {M F	— —	— —	— —	77 68	33 42	40 18	13 16	17 15	18 13	14 8	7 4
	2. Convulsions ... {M F	†205 †143	†140 †111	77 64	30 38	35 18	12 15	15 14	17 13	12 8	10 4	5 3
	0, 1, 3-9. Other ... {M F	— —	— —	— —	3 4	5 —	1 1	2 1	1 —	2 —	1 1	2 1
781	Other symptoms referable to nerv: system & special senses {M F	— —	— —	— —	3 —	— —	— —	1 —	— 1	— 1	— —	— —
782	Symptoms referable to cardio- vascular & lymphatic system {M F	§†209 §†148	§†147 §†116	107 92	66 54	67 56	40 34	42 48	37 36	38 39	35 41	36 42
	4. Acute heart failure, un- defined ... {M F	§198 §142	§137 §106	92 81	63 48	59 51	35 31	38 44	35 32	38 35	32 39	31 37
	0-3, 5-9. Other ... {M F	†11 †6	†10 †10	15 11	3 6	8 5	5 3	4 4	2 4	— 4	3 2	5 5

† 768 includes 765 for these years.

780 includes 788.5 (Tetany) for these years.

782.4 includes 795.2 (Sudden death (cause unknown)), for these years.

782.7. See 468.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
783	Symptoms referable to respi- ratory system {M F	** **1	** **1	—	8 5	4 5	6 5	6 2	— 2	4 1	3 2	3 4
784	Symptoms referable to upper gastro-intestinal tract ... {M F	††18 ††12	††29 ††18	21 11	11 12	12 9	13 14	5 6	8 4	15 16	7 11	—
785	Syms: referable to abdomen & lower gastro-intestin'l system {M F	††25 ††14	††12 ††17	14 23	10 5	5 9	13 4	2 5	9 5	9 1	2 5	—
786	Symptoms referable to genito- urinary system {M F	36 17	42 16	13 9	8 1	— —	6 1	7 4	7 1	8 —	6 2	—
787	Symptoms referable to limbs and back {M F	—	—	—	—	—	—	—	—	—	—	—
788	Other general symptoms ... {M F	†8 †6	†3 †3	3 6	2 2	2 1	1 2	1 4	1 1	2 1	2 3	—
789	Abnormal urinary constituents of unspecified cause ... {M F	*4 *1	*5 *4	— 1	— —	1 —	2 3	— 2	— 1	2 1	2 1	—
790-795	Senility and ill-defined diseases {M F	5879 9111	4572 7335	4676 7726	3685 6031	3610 5870	2902 4672	2729 4748	2954 5221	3299 5682	3140 5465	2647
790	Nervousness and debility ... {M F	1 1	— 2	— 3	1 1	6 —	3 1	— —	— —	1 —	— 1	—
791	Headache {M F	—	—	— 1	— —	— —	— —	— —	— —	— —	— —	—
792	Uræmia unqualified {M F	76 41	56 37	63 38	13 23	19 13	18 12	15 13	21 10	20 10	26 15	—
793	Observation, without need for further medical care ... {M F	—	—	—	—	—	—	—	—	—	—	—
794	Senility without mention of psychosis {M F	5738 9028	4466 7256	4567 7666	3626 5988	3535 5833	2836 4626	2667 4707	2878 5176	3229 5640	3049 5419	2548
795	Ill-defined and unknown causes of mortality {M F	\$64 \$41	\$50 \$40	46 18	45 19	50 24	45 33	47 28	65 35	49 32	65 30	—
E800-E999	XVII.—ACCIDENTS, POI- SONINGS, AND VIOLENCE	12392 7391	11371 6840	11712 6801	11905 6984	12447 7309	11992 6810	12333 7531	12630 8239	12932 8537	12992 8878	12887
E800-E802	Railway accidents ... {M F	—	—	329 29	331 38	301 33	390 59	342 25	249 31	283 34	292 39	—
E800	Involving railroad employee... {M F	—	—	181 4	203 —	166 2	184 3	193 —	148 1	166 —	164 —	—
E801	Involving passenger ... {M F	445 48	346 63	27 5	33 16	53 10	107 34	40 8	19 7	35 10	44 19	—
E802	Involving other and unspecified person {M F	—	—	121 20	95 22	82 12	99 22	109 17	82 23	82 24	84 20	—
E810-E825	Motor vehicle traffic accidents {M F	2807 1031	2536 970	2841 923	3099 1035	3293 1099	3013 958	3225 1021	3289 1158	3552 1256	3655 1284	3612
E810	Involving collision with railway train {M F	6 2	12 2	4 —	13 2	8 2	10 1	12 4	7 1	10 —	11 3	—
E811	Involving collision with street car {M F	— 1	2 —	1 —	1 —	1 —	— —	— —	— —	— —	1 —	—
E812	To pedestrian {M F	†1304 †711	†1190 †720	1205 674	1140 726	1302 725	1099 663	1182 674	1201 807	1210 813	1275 844	1275
E813	To pedal cyclist {M F	†405 †81	†452 †86	490 78	475 80	473 80	443 74	461 73	457 79	437 84	458 67	—
E814	To rider or pass'r: of m/c: in coll: with non-motor v: or object {M F	†234 †25	†208 †12	130 12	175 9	134 14	60 5	65 4	49 1	60 2	59 8	—
E815	To rider or pass'r: of m/c: in coll: with other m: v: ... {M F	379 37	275 12	425 32	640 56	624 50	662 48	689 57	696 38	797 59	746 57	—
E816	Other m: v: traffic acc: involv'g two or more vehicles ... {M F	—	—	190 53	216 75	245 116	191 70	286 91	302 107	389 153	437 165	—
E817	To occupant of m: v: in coll: with pedestrian or pedal c: {M F	—	—	— 1	— —	— —	2 —	— —	2 —	1 —	1 1	—
E818	Involving coll: with animal or animal-drawn v: ... {M F	§§479 §§174	§§397 §§138	—	7 1	6 2	4 —	7 —	3 —	3 —	6 —	—
E819	Involving coll: with fixed or unspecified object ... {M F	—	—	62 13	72 21	33 4	4 3	3 1	4 1	2 1	3 2	—
E820	While boarding and alighting... {M F	—	—	20 10	22 11	21 15	15 14	20 19	6 9	12 18	21 8	—

** 783.1 (Hæmoptysis)—Hæmoptysis of unstated cause but stated to be non-tuberculous for these years. "Hæmoptysis N.O.S." is included in 002-008.

†† 784. See 544, 545. †† 785. See 571 and 578. † 788. See 780. * 789. See 260 and 593.

§ 795. See 782.4. † E812 includes E830, and E813 includes E831 for these years.

‡ E814 includes E821 and E832 for these years.

|| E810-E825. See note on next page.

§§ E816-E820 includes E822-E825 for these years.

TABLE 7—continued

International Stat No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
E821	To rider of motor cycle not in- volving collision {M F}	‡	‡	133 12	164 14	261 30	280 25	286 34	304 31	322 28	327 23	387 32
E822	Involving overturning in road- way {M F}			48 8	64 7	54 14	57 11	49 12	47 15	72 14	48 10	53 16
E823	Involving running off roadway {M F}			21 4	14 3	52 19	96 20	107 32	130 40	165 49	190 61	231 57
E824	Other non-collision motor veh- icle traffic accident... .. {M F}	§§	§§	104 26	93 28	78 27	78 22	54 19	75 28	62 34	63 31	62 32
E825	Of unspecified nature {M F}			1 —	4 —	4 —	9 2	8 1	6 1	7 1	13 4	17 13
0-E835	Motor vehicle non-traffic ac- cidents {M F}	77 2	69 4	69 3	88 8	103 15	134 12	117 12	134 8	104 11	84 13	65 6
E830	To pedestrian {M F}	†	†	13 2	32 6	43 10	54 8	32 10	55 8	52 9	47 9	40 6
E831	To pedal cyclist {M F}	†	†	—	—	1 —	—	—	—	—	1 —	2 —
E832	To rider or passenger of motor- cycle {M F}	‡	‡	—	6 —	7 —	3 —	10 1	10 1	8 —	18 —	5 —
E833	Other m: v: non-traffic acc: in- volving two or more v's: ... {M F}			—	—	2 —	1 —	1 —	1 —	3 —	1 —	1 —
E834	While boarding and alighting {M F}	*77 *2	*69 *4	—	1 —	2 —	—	1 —	—	—	—	1 —
E835	Of other and unspecified nature {M F}			49 1	45 2	54 5	69 2	73 1	70 —	30 1	30 3	16 —
0-E845	Other road vehicle accidents ... {M F}	257 79	261 80	251 88	294 95	238 68	229 76	181 66	198 60	191 56	157 43	170 50
E840	Street car accident to ped- estrian {M F}	17 12	26 11	11 13	18 8	8 10	5 4	6 1	5 3	3 2	6 3	— 1
E841	Other street car accident, exc: collision with motor vehicle {M F}	7 3	6 4	7 3	3 —	4 —	3 1	3 —	1 —	—	—	—
E842	Accident to pedestrian caused by pedal cycle {M F}	45 33	52 31	43 34	47 39	40 29	56 23	32 20	46 24	38 27	35 25	38 21
E843	Acc: to rider of p: cycle not in- volving collision with m: v: {M F}	152 25	154 30	152 30	168 31	160 18	125 31	113 30	126 23	131 19	101 9	126 21
E844	Accident to pedestrian caused by other non-motor road v: {M F}	16 5	10 3	13 4	11 4	11 4	12 4	10 5	6 —	2 2	4 1	—
E845	Other non-motor road vehicle accidents {M F}	20 1	13 1	25 4	47 13	15 7	28 13	17 10	14 9	17 6	11 3	6 7
0-E858	Water transport accidents ... {M F}	158 2	131 6	142 9	186 3	145 8	137 7	147 6	127 5	135 4	140 6	156 5
E850	Submersion of occupant of small boat {M F}			48 4	57 1	39 3	54 3	56 3	38 3	43 3	52 4	62 4
E851	Other water transport injury by submersion {M F}	92 2	65 6	33 2	59 1	44 —	28 4	36 3	42 1	32 —	44 —	41 —
E852	Fall on stairs and ladders in water transport {M F}			7 —	10 —	6 —	5 —	6 —	7 —	4 —	9 —	3 —
E853	Other falls from one level to an- other in water transport ... {M F}			28 1	25 —	19 —	23 —	22 —	13 —	20 1	12 —	15 —
E854	Falls on same level in water transport {M F}	—	32	—	1 —	—	—	4 —	2 —	—	1 —	3 —
E855	Unspecified falls in water trans- port {M F}			1 —	—	—	—	1 —	—	2 —	1 —	1 —
E856	Machinery accident in water transport {M F}			8 —	6 —	7 —	2 —	9 —	3 —	2 —	3 —	7 —
E857	Other specified accidents in water transport {M F}	34 —	34 —	16 2	28 1	30 5	20 —	15 —	20 1	30 —	19 1	23 1
E858	Water transport accident of un- specified cause {M F}			—	—	—	1 —	—	1 —	—	—	1 —

‡ E821 and E832. See E814. §§ E822-E825. See E816-E820. † E830 and E831. See E812 and E813.

* E833-E835 includes a few non-motor vehicles used in farming, for these years.

† E810-E835. Motor Vehicle Accidents. An analysis of these deaths for years 1950 and on according to the types of vehicle involved (as provided for in the 1948 International Statistical Classification) is not included in this table, but details are available at the General Register Office.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
E860-E866	Aircraft accidents ... {M F}				76 19	230 10	273 23	291 20	190 2	222 3	139 5	130 6
E860	Accident to personnel in military aircraft ... {M F}				11	128	198	222	175	194	106	100
E861	Inj. to occupant by acc. to comm. "transport" aircraft {M F}				34 14	76 10	45 20	22 8	3 1	2 2	1	7 1
E862	Other injury in commercial "transport" aircraft ... {M F}				1	—	—	—	—	—	—	—
E863	Injury to occupant by accident to other aircraft ... {M F}	50 9	88 19		18	21	15 1	13 1	4	13	8	5 1
E864	Aircraft accident at airfield to person not in aircraft ... {M F}				3	4	5	28 8	3	4	7 1	3
E865	Aircraft accident elsewhere to person not in aircraft ... {M F}				1 5	—	2 2	3 3	— 1	1	7 4	5 3
E866	Other and unspecified aircraft accidents ... {M F}				8	1	8	3	5	8 1	10	10
E870-E888	Accidental poisoning by solid and liquid substances ... {M F}	92 106	116 99	93 101	113 142	121 143	154 141	136 152	150 165	152 169	165 191	17 17
E870	Morphine and other opium de- rivatives ... {M F}	6 3	4 3	2 1	3 1	4	8 1	1 4	2	3	—	1
E871	Barbituric acid and derivatives {M F}	30 47	34 41	27 50	47 80	40 77	61 79	84 85	67 117	77 115	91 132	9 11
E872	Aspirin and salicylates ... {M F}	6 16	16 16	10 17	14 17	18 19	24 26	9 23	18 14	16 15	18 21	1 2
E873	Bromides ... {M F}	—	—	—	—	1 1	1	—	2	—	—	—
E874	Other analgesic and soporific drugs ... {M F}	8 10	6 7	8 8	5 3	6 9	11 5	3 9	11 8	7 7	5 6	1 1
E875	Sulphonamides ... {M F}	—	—	1 2	—	1	—	1	—	—	—	—
E876	Strychnine ... {M F}	2 1	1 1	3 2	2	2 7	2 3	2 2	1	2 1	—	3
E877	Belladonna, hyoscine, and at- ropine ... {M F}	1 —	1 1	5 —	1 1	1	3	1	—	1 1	—	—
E878	Other and unspecified drugs... {M F}	5 12	10 8	— 4	5 6	9 3	4 6	5 9	11 10	7 12	14 11	1
E879	Noxious foodstuffs ... {M F}	1 —	1 1	—	1 1	—	—	—	—	1	1	—
E880	Alcohol... {M F}	1 3	6 3	5	4 2	4	8	10 1	11 1	11 6	13 4	1
E881	Petroleum products ... {M F}	1 —	2	—	1	—	2	1 1	1	5 1	—	—
E882	Industrial solvents ... {M F}	3 1	6	3	5	4 1	1 1	1 1	4	2 1	3 2	—
E883	Corrosive aromatics, acids, and caustic alkalis ... {M F}	13 6	10 4	10 4	15 9	8 9	9 4	6 5	6 6	8 2	4 6	—
E884	Mercury and its compounds ... {M F}	— 1	2	1	— 1	1	1	3 3	—	1 2	1	—
E885	Lead and its compounds ... {M F}	5 1	1 1	2 1	— 2	4	3 1	1 1	4 1	2	3	—
E886	Arsenic and antimony, and their compounds ... {M F}	— —	3 1	1	— 3	—	1	—	1 1	1	—	—
E887	Fluorides ... {M F}	— —	—	—	—	1	—	—	—	1	1	—
E888	Other and unspecified solid and liquid substances ... {M F}	10 5	13 12	15 12	10 16	18 13	18 12	8 8	11 7	8 5	12 3	—
E890-E895	Accidental poisoning by gases and vapours ... {M F}	211 269	195 207	229 235	208 255	252 304	246 303	322 322	326 391	376 476	360 452	36 46
E890	Utility (illuminating) gas ... {M F}	170 250	166 195	195 226	158 248	215 300	203 295	279 312	280 380	320 464	301 440	30 44
E891	Motor vehicle exhaust gas ... {M F}	4 1	1 2	7 1	7 1	11	8	17	8 2	15	15	—
E892	Other carbon monoxide gas {M F}	16 14	13 5	13 2	27 2	16 3	24 7	18 9	23 8	23 10	29 11	2 1

TABLE 7—continued

Inter-national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
E893	Cyanide gas ... {M F	—	2	1 1	—	—	—	—	—	—	1	1
E894	Other specified gases and vapours ... {M F	21 4	13 5	9 4	16 4	9 1	9 —	8 1	15 1	17 1	14 1	22 1
E895	Unspecified gases and vapours {M F	—	—	4 1	—	1 —	2 —	—	—	1 —	—	1 —
900-E904	Accidental falls ... {M F			1661 2365	1577 2551	1816 2657	1676 2402	1787 2812	2118 3235	2019 3310	2124 3459	1991 3305
E900	Fall on stairs ... {M F			290 463	260 458	320 502	321 488	326 495	381 555	405 565	412 556	371 545
E901	Fall from ladders ... {M F			81 10	83 6	95 5	88 13	87 5	95 7	81 7	82 11	74 9
E902	Other falls from one level to another ... {M F	1842 2446	1581 2227	614 355	555 365	607 423	507 267	512 222	503 261	498 214	457 254	450 246
E903	Fall on same level ... {M F			509 1131	448 1115	516 1111	485 1004	562 1183	566 1021	461 991	482 1024	498 1100
E904	Unspecified falls ... {M F			167 406	231 607	278 616	275 630	300 907	573 1391	574 1533	691 1634	598 1405
910-E936	Other accidents ... {M F	3535 1586	2850 1296	2801 1199	2596 1112	2766 1206	2635 1151	2569 1221	2347 1151	2600 1143	2413 1153	2414 1100
E910	Blow from falling object ... {M F	469 17	411 6	437 17	387 10	392 17	365 13	349 16	295 13	297 18	285 20	299 7
E911	Caused by vehicle ... {M F	*116 —	*109 —	98 —	90 1	101 —	105 —	83 —	75 —	98 —	67 —	83 —
E912	Caused by machinery ... {M F	224 3	245 4	198 7	176 5	181 4	186 3	167 5	173 7	243 4	233 10	245 3
E913	Caused by cutting and piercing instruments ... {M F	22 11	14 8	16 2	15 11	17 6	15 7	17 8	19 14	21 3	15 3	13 6
E914	Caused by electric current ... {M F	78 16	77 19	68 21	69 20	85 17	94 18	86 25	82 20	92 18	109 14	106 19
E915	Caused by explosion of pressure vessel ... {M F			19 2	8 —	12 —	9 2	9 1	8 —	14 1	7 1	8 1
E916	Caused by fire and explosion of combustible material† ... {M F	536 603	264 449	191 367	†180 366	311 440	†266 439	220 359	221 437	257 435	233 439	232 398
E917	Caused by hot substance, corrosive liquid, and steam‡ ... {M F			80 89	78 74	73 64	55 71	71 53	54 69	65 60	70 80	52 54
E918	Caused by radiation ... {M F	—	—	—	—	—	—	—	—	—	—	—
E919	Caused by firearm ... {M F	77 5	82 13	84 7	93 6	87 5	104 3	87 5	83 4	66 5	74 3	74 7
E920	Foreign body entering the eye and adnexa ... {M F	—	—	1 —	—	1 —	—	—	—	—	—	1 —
E921	Inhalat'n and ingest'n of food causing obstr: or suffocation {M F			241 169	226 181	228 163	242 159	205 163	256 173	259 165	249 185	230 157
E922	Inhalat'n and ingest'n of other obj: causing obstr: or suff'n: {M F			21 15	23 9	14 14	10 6	11 3	16 3	21 14	16 11	18 12
E923	Foreign body entering other orifice ... {M F	658 470	528 383	17 22	17 14	14 13	20 21	22 22	14 23	7 14	9 15	7 5
E924	Acc: mechanical suffocation in bed and cradle‡ ... {M F			210 138	180 106	165 130	154 93	125 99	132 90	118 70	118 95	93 74
E925	Acc: mechanical suffocation in other and unspecified circs: {M F			30 10	49 5	56 6	48 9	46 3	71 5	65 4	56 1	39 5
E926	Lack of care of infants under 1 year of age ... {M F	74 80	66 65	65 65	51 41	63 41	50 46	53 30	28 28	31 30	28 16	26 34
E927	Acc: caused by bites and stings of ven: animals and insects... {M F	2 4	2 4	2 8	2 —	1 3	2 3	2 4	1 2	3 2	1 4	3 3
E928	Other accidents caused by animals ... {M F	38 13	43 13	28 5	36 6	24 4	17 5	13 3	13 5	20 7	12 3	14 5
E929	Accidental drowning and submersion ... {M F	979 231	793 235	822 185	763 200	754 214	713 182	719 194	646 189	759 225	637 188	703 227

* E911. See E833-E835. † E916. 80 male deaths which occurred in the Creswell Colliery Disaster on the 26th September, 1950, were registered in 1952, and are therefore included in the 1952 deaths for this cause.

‡ E916, E917, E924. See footnotes to these causes in Table 18A.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
E930	High and low air pressure ... {M F}	—	—	1	2	2	1	—	1	1	—	—
E931	Excessive heat and insolation... {M F}	11 13	18 8	10 5	9 3	1 4	4 5	3 1	4 —	3 2	— 1	1 4
E932	Excessive cold ... {M F}	41 26	20 15	4 2	4 2	6 4	7 3	3 2	17 7	12 10	11 9	4 3
E933	Hunger, thirst, and exposure... {M F}	16 8	23 14	22 12	11 9	14 9	10 9	18 11	24 10	12 10	11 9	4 3
E934	Cataclysm ... {M F}	6 7	1 1	1 3	— —	— —	17 12	122 175	2 3	— 1	7 2	— 1
E935	Lightning ... {M F}	6 1	9 2	9 3	11 2	3 2	11 —	12 2	5 3	12 3	7 2	— 1
E936	Other and unspecified accidents {M F}	198 86	168 71	132 49	104 36	153 43	129 42	130 39	121 47	118 41	145 41	143 62
E940-E946	Complications due to nonthera- peutic medical and surgical {M F}	6 9	6 2	6 4	4 4	3 5	2 4	5 3	5 2	3 2	4 5	6 7
E940	Generalized vaccinia following vaccination ... {M F}	2 3	4 —	— —	— —	1 2	1 —	— —	— —	— —	1 —	— —
E941	Postvaccinal encephalitis ... {M F}	1 2	— —	— —	1 1	3 1	1 —	3 1	1 —	1 —	1 2	— 1
E942	Other complications of small- pox vaccination ... {M F}	1 2	— —	— —	1 1	— —	— —	— 1	— —	— —	— —	— 1
E943	Post-immunization jaundice & hepatitis ... {M F}	†3 †3	†2 †1	2 1	— —	— —	— —	— —	— —	— —	— —	— 1
E944	Other complication of prophy- lactic inoculation ... {M F}	— —	— —	— —	2 1	2 1	— —	2 1	4 1	2 1	2 2	3 1
E945	Complications of anaesthesia for nontherapeutic purpose {M F}	— 1	— 1	— 4	— —	— —	— —	— —	— —	— 1	— 1	— —
E946	Other compl'ns due to non- therap: med: & surg: procs: {M F}	† †	† †	— —	2 —	3 —	1 —	— —	1 —	— —	— —	— 2
E950-E959	Therapeutic misadventure and late complications of thera- peutic procedures {M F}	? ?	? ?	1 5	10 15	2 1	5 8	29 26	35 29	28 28	27 23	23 28
E950	Therapeutic misadventure in surgical treatment ... {M F}	? ?	? ?	— —	1 5	1 —	2 1	13 15	32 22	23 20	22 19	17 20
E951	Therapeutic misadventure in infusion or transfusion ... {M F}	? ?	? ?	— 2	2 3	— —	— 1	4 1	— 1	1 —	— —	— 3
E952	Therapeutic misadventure in local application ... {M F}	? ?	? ?	— —	— —	1 —	1 —	1 —	— —	1 —	1 —	— —
E953	Therapeutic misadv: in admin: of drugs or biologicals ... {M F}	? ?	? ?	1 1	3 5	— —	2 1	3 5	— 3	2 —	2 —	2 2
E954	Therapeutic misadventure in anaesthesia ... {M F}	? ?	? ?	— 1	1 1	1 —	— 1	1 1	1 —	— —	1 —	— 2
E955	Other and unspecified thera- peutic misadventure ... {M F}	? ?	? ?	— 1	2 1	— —	1 3	7 4	3 2	2 2	3 2	2 —
E956	Late complication of surgical operation ... {M F}	? ?	? ?	— —	1 —	— —	— —	— —	— —	3 —	— —	— 1
E957	Late complication of amput- ation stump ... {M F}	? ?	? ?	— —	— —	— —	— —	— —	— —	— —	— —	— —
E958	Late complication of irradiation ... {M F}	? ?	? ?	— —	— —	— —	— —	— —	— —	— —	— —	— —
E959	Late complications of other forms of treatment... {M F}	? ?	? ?	— —	— —	— —	— —	— —	— —	1 —	— —	— 1
E960-E965	Late effects of injury and poisoning ... {M F}	? ?	? ?	80 7	175 23	204 26	188 27	179 31	154 32	184 19	153 29	159 37
E960	Late effect of motor vehicle accident ... {M F}	† †	† †	1 1	7 3	8 1	6 2	8 1	11 2	11 —	9 4	10 2
E961	Late effect of accidental poisoning ... {M F}	† †	† †	— —	1 —	3 —	— 2	1 —	— 2	— —	— —	— 1
E962	Late effect of other accidental injury... {M F}	† †	† †	3 4	47 19	62 25	79 21	76 29	64 28	66 18	44 23	48 32

† E943, E944 include E946 for these years.

‡ E960. Included in E810-E835 for these years.

§ E961. Included in E870-E895 for these years.

|| E962. Included in rest of E800-E946 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
E963	Late effect of self-inflicted in- jury {M F	‡	‡	1	—	—	—	—	—	—	—	1
E964	Late effect of injury purposely inflicted by another person (not in war) {M F	‡	‡	—	—	—	—	—	—	—	—	—
E965	Late effects of injuries due to war operations {M F	•	•	74 2	120 1	131 —	103 2	94 1	79 —	106 1	100 2	100 2
E970-E979	Suicide and self-inflicted injury {M F	2694 1680	2961 1757	3023 1697	2885 1586	2831 1638	2788 1550	3020 1734	3178 1865	3060 1940	3198 2084	3170 2145
E970	Poisoning by analgesic and soporific substances ... {M F	97 142	142 217	148 207	176 245	152 221	241 295	193 254	222 312	241 354	314 388	294 401
E971	Poisoning by other solid and liquid substances ... {M F	120 113	122 78	119 99	110 83	111 64	113 62	101 79	82 51	90 42	104 54	85 55
E972	Poisoning by gases in domestic use {M F	919 856	1098 904	1081 852	1034 757	1080 876	1092 780	1271 942	1356 1072	1261 1073	1347 1183	1399 1202
E973	Poisoning by other gases ... {M F	20 2	36 6	21 —	24 5	33 8	24 3	43 3	39 5	41 2	45 8	67 5
E974	Injury by hanging and strang- ulation {M F	582 165	589 131	632 143	569 128	536 133	531 119	531 126	612 128	573 124	562 117	553 132
E975	Injury by submersion (drowning) {M F	301 234	340 251	357 235	330 221	326 218	270 189	258 216	290 178	282 206	271 213	264 211
E976	Injury by firearms and ex- plosives {M F	241 13	205 13	220 10	198 9	189 13	170 4	208 11	197 6	218 10	210 9	189 14
E977	Injury by cutting and piercing instruments {M F	216 44	187 37	232 38	198 40	162 25	155 29	195 25	160 27	162 22	138 35	130 30
E978	Injury by jumping from high place {M F	70 68	95 61	80 66	84 51	90 41	54 38	74 47	76 51	59 57	63 43	70 58
E979	Injury by other and unspecified means {M F	128 43	147 59	133 47	162 47	152 39	138 31	146 31	144 35	133 50	144 34	119 37
E980-E985	Homicide and injury purposely inflicted by other persons (not in war) {M F	94 123	123 102	86 114	107 107	99 83	102 93	83 98	97 104	101 84	90 91	116 127
E980	Non-accidental poisoning by another person ... {M F	—	—	5 18	7 8	5 10	17 12	10 14	14 23	13 11	21 14	24 29
E981	Assault by firearm and ex- plosive {M F	—	—	8 7	13 11	3 13	10 9	9 10	15 8	6 4	10 10	14 13
E982	Assault by cutting and piercing instruments ... {M F	84 123	115 102	8 11	7 17	3 8	12 18	9 18	10 16	12 17	10 15	17 19
E983	Assault by other means ... {M F	—	—	51 77	62 71	73 52	40 54	43 55	44 56	59 51	49 52	59 66
E984	Injury by intervention of police {M F	—	—	—	—	1	—	—	—	—	—	—
E985	Execution {M F	10 —	8 —	14 1	18 —	14 —	23 —	12 1	14 1	11 1	— —	2 —
E990-E999	Injury resulting from operations of war {M F	—	—	24 1	2 —	— —	2 —	1 —	1 —	5 —	— —	2 —
E990	By gas and chemicals ... {M F	—	—	—	—	—	—	—	—	—	—	—
E991	By gunshot {M F	—	—	—	—	—	—	—	—	—	—	—
E992	By grenade and land mine ... {M F	—	—	—	—	—	—	—	—	—	—	—
E993	By bomb {M F	—	—	1	—	—	—	—	—	—	—	—
E994	By marine mine, depth charge, and torpedo ... {M F	*124 *1	*108 *8	—	—	—	—	—	—	—	—	—
E995	By explosion of artillery shell... {M F	—	—	—	—	—	—	1	—	—	—	—
E996	By explosion of undetermined origin {M F	—	—	—	—	—	—	—	—	—	—	—
E997	By aircraft destruction ... {M F	—	—	—	—	—	—	—	—	—	—	—
E998	By other and unspecified means {M F	—	—	—	—	—	—	—	—	—	—	—
E999	Inj: due war ops: but occurring after cess'n: of hostilities ... {M F	—	—	24 —	2 —	— —	2 —	— —	1 —	5 —	— —	2 —

‡ E963. Included in E970-E979 for these years.
E964. Included in E980-E985 for these years.

* E990-E999. Includes E965 for these years.

TABLE 7—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
N800-N999	XVII. — ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, & VIOLENCE (NATURE OF INJURY) {M F	? ?	? ?	11712 6801	11905 6984	12447 7309	11992 6810	12333 7531	12630 8239	12932 8537	12992 8878	12851 8703
N800-N804	Fracture of skull ... {M F	? ?	? ?	2974 890	3248 961	3477 965	3189 847	3143 855	3057 877	3169 910	3125 972	3064 903
N805-N809	Fracture of spine and trunk ... {M F	? ?	? ?	759 210	703 245	674 251	677 271	716 294	759 372	766 389	793 408	782 406
N810-N829	Fracture of limbs ... {M F	? ?	? ?	836 1798	837 1995	960 2069	808 1786	957 2169	1191 2511	1127 2599	1243 2787	1205 2594
N830-N839	Dislocation without fracture ... {M F	? ?	? ?	6 5	24 9	49 24	43 19	43 13	40 24	58 30	42 23	43 23
N840-N848	Sprains and strains of joints and adjacent muscles {M F	? ?	? ?	7 1	4 1	2 4	1 2	2 1	2 1	2 2	4 —	3 —
N850-N856	Head injury (excluding fracture) ... {M F	? ?	? ?	817 373	902 387	973 405	839 361	862 360	932 429	962 446	916 432	894 444
N860-N869	Internal injury of chest, abdomen, and pelvis ... {M F	? ?	? ?	580 125	746 151	839 166	955 173	854 200	885 173	954 175	933 186	937 181
N870-N908	Laceration and open wounds {M F	? ?	? ?	490 89	402 94	362 77	468 109	502 89	429 107	458 108	398 94	395 94
N910-N929	Superficial injury, contusion & crushing with intact skin surface {M F	? ?	? ?	55 57	38 61	52 63	34 58	40 73	42 90	59 92	54 56	48 58
N930-N936	Effects of foreign body entering through orifice ... {M F	? ?	? ?	280 213	271 206	265 196	275 189	247 191	289 201	291 193	281 213	265 176
N940-N949	Burns ... {M F	? ?	? ?	272 449	257 426	306 485	245 492	288 393	251 480	297 475	265 464	273 406
N960-N979	Effects of poisons ... {M F	? ?	? ?	1759 1542	1752 1522	1893 1664	2042 1624	2155 1800	2271 2057	2287 2159	2458 2356	2508 2391
N950-N959	} All other & unspecified effects of external causes ... {M F	? ?	? ?	2877	2721	2595	2416	2524	2482	2522	2480	2439
N980-N999				1049	926	940	879	1093	917	959	887	1013

TABLE 8 —Crude death Rates per Million Living from Certain Causes, by Sex at All Ages, 1947-1957 } England and Wales

Note: (1) Rates for years up to 1949 are based on civilian deaths and civilian populations. Rates from 1950 are based on total deaths and Home Populations. See *Explanatory notes on page vi*.
 (2) Footnotes to individual causes in Table 7 apply also to those causes in this table.
 (3) The symbols M, F and P in the second column indicate "Males", "Females" and all "Persons" respectively.

Inter- national List No.	Causes of Death		1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
	Estimated mid-year popula- tion (in thousands)	{ M F P	19612 22174 41786	20370 22380 42750	20580 22520 43100	21169 22661 43830	21044 22771 43815	21110 22845 43955	21206 22903 44109	21288 22986 44274	21389 23052 44441	21517 23150 44667	21648 23259 44907
	ALL CAUSES	{ M F P	13550 11268 12339	11864 10142 10962	12631 11103 11832	12337 10995 11643	13387 11754 12539	12210 10493 11318	12236 10655 11416	12204 10532 11336	12482 10927 11675	12451 10947 11672	12306 10682 11465
001-138	I.—INFECTIVE & PARA- SITIC DISEASES	{ M F P	878 561 710	772 489 624	722 440 575	605 355 475	543 296 415	441 220 326	387 196 288	339 164 248	300 142 218	256 120 185	238 111 172
001-019	Tuberculosis (all forms)	{ M F P	683 437 552	628 397 507	579 350 459	469 267 364	419 219 315	337 152 241	281 128 202	253 109 178	212 85 146	177 68 120	158 59 107
001-008	Respiratory system	{ M F P	595 364 473	555 334 440	518 303 405	422 227 321	376 181 275	304 128 212	257 108 179	232 92 160	195 72 131	164 57 109	146 47 95
010-019	Other forms	{ M F P	87 73 80	73 63 67	61 47 54	47 40 43	44 37 41	33 24 28	24 21 22	21 17 19	17 13 15	13 11 12	12 12 12
010	Meninges and central nervous system	{ M F P	40 34 37	32 30 31	27 24 25	20 20 20	21 19 20	13 11 12	8 7 8	5 4 4	3 3 3	2 2 2	2 3 2
011	Intestines, peritoneum, and mesenteric glands	{ M F P	10 11 11	8 9 9	7 7 7	4 4 4	4 4 4	3 3 3	3 3 3	2 3 2	2 2 2	2 2 2	1 1 1
012,013	Bones and joints	{ M F P	10 9 7	10 7 9	7 5 6	7 5 6	6 5 4	5 3 4	3 3 3	4 3 3	3 2 3	2 2 2	2 2 2
016	Genito-urinary system	{ M F P	9 5 7	9 5 7	10 4 7	8 4 6	8 4 6	7 3 5	5 3 4	6 3 4	4 2 3	4 3 3	4 2 3
019	Disseminated tuberculosis	{ M F P	14 12 13	10 9 10	8 5 6	4 4 4	4 3 3	3 3 3	3 2 3	4 3 3	3 2 3	2 2 2	2 2 2
020-029	Syphilis and its sequelæ	{ M F P	74 26 48	64 23 42	63 22 41	57 23 39	60 22 40	52 23 37	47 19 33	45 20 32	44 19 31	43 20 31	41 18 29
022	Aneurysm of aorta	{ M F P	26 8 16	23 8 15	25 8 16	20 10 15	23 9 15	21 10 15	19 8 14	18 9 14	20 10 14	20 9 14	21 10 15
023	Other cardiovascular syphilis	{ M F P	23 9 15	23 9 15	17 6 11	21 7 14	22 7 14	18 8 13	16 7 11	16 6 11	16 6 11	15 7 11	13 5 9
024	Tabes dorsalis	{ M F P	8 2 5	5 1 3	6 1 3	5 1 3	5 1 3	5 1 3	4 1 3	3 1 2	2 1 2	3 1 2	2 1 2
025	General paralysis of insane	{ M F P	14 5 10	10 3 6	8 3 5	5 2 4	6 2 4	4 2 3	4 1 3	4 2 3	4 2 3	3 2 2	2 1 2
026	Other syphilis of central nervous system	{ M F P	7 7 7	7 7 7	1 1 1	2 1 2	2 1 2	2 1 2	2 1 1	2 1 2	1 1 1	2 1 1	1 1 1
040-049	Infectious diseases commonly arising in intestinal tract	{ M F P	5 3 4	5 3 4	4 3 3	4 3 3	4 3 3	3 2 2	2 2 2	2 2 2	3 2 2	2 2 2	2 2 2
040, 041	Typhoid and paratyphoid fevers	{ M F P	1 0 1	1 1 1	1 1 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
042	Other salmonella infections	{ M F P	1 1 1	2 1 1	1 1 1	1 1 1	1 0 1	1 1 1	1 1 1	1 0 1	1 1 1	1 1 1	1 1 1

TABLE 8—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
045-048	Dysentery (all forms) .. { M F P	3 1 2	2 1 2	1 1 1	2 1 1	2 1 2	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
045	Bacillary dysentery .. { M F P	1 1 1	1 1 1	1 0 1	1 1 1	1 1 1	1 0 0	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
050-064	Other bacterial diseases .. { M F P	53 50 51	40 37 38	32 28 30	27 24 25	26 23 24	19 17 18	20 18 19	16 13 14	12 10 11	13 10 11	10 10 11
050	Scarlet fever .. { M F P	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	0 1 1	0 1 1	0 1 1	0 1 0	0 0 0	0 0 0
051	Streptococcal sore throat { M F P	2 2 2	2 2 2	1 2 2	2 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
052	Erysipelas .. { M F P	1 2 1	1 1 1	1 1 1	1 1 1	0 1 0	0 0 0	0 1 0	0 0 0	0 0 0	0 0 0	0 0 0
053	Septicæmia and pyæmia { M F P	5 4 5	5 4 4	4 3 3	4 3 4	3 2 3	2 3 3	3 3 3	3 3 3	2 2 2	3 2 2	2 2 2
055	Diphtheria .. { M F P	6 5 6	4 3 4	2 2 2	1 1 1	1 1 1	1 1 1	1 1 1	0 0 0	0 0 0	0 0 0	0 0 0
056	Whooping cough .. { M F P	20 23 22	16 18 17	12 13 12	8 10 9	10 11 10	4 4 4	5 6 6	3 3 3	2 2 2	2 2 2	2 2 2
057	Meningococcal infections { M F P	15 11 13	8 6 7	7 6 7	7 6 6	7 6 7	8 6 7	8 5 7	6 5 6	5 4 5	5 3 4	4 3 4
080-096	Diseases attributable to viruses .. { M F P	59 43 51	32 27 29	41 36 38	43 36 39	29 27 28	25 24 25	32 27 29	19 17 18	25 23 24	18 17 18	23 21 22
080, 081	Acute poliomyelitis, including late effects .. { M F P	21 13 16	7 4 6	17 13 15	20 15 17	6 4 5	8 5 7	10 6 8	4 2 3	8 5 6	4 3 3	8 4 6
082, 083	Acute infectious encephalitis, including late effects .. { M F P	12 10 11	11 8 9	9 8 9	9 8 8	7 8 8	6 6 6	8 6 7	6 6 6	6 5 6	7 5 6	5 4 5
085	Measles .. { M F P	17 14 15	8 7 8	7 4 7	6 4 5	8 6 7	3 3 3	7 4 6	1 4 1	4 4 4	1 1 1	2 1 2
092	Infectious hepatitis .. { M F P	6 4 5	4 4 4	6 5 5	7 6 6	6 5 6	5 6 6	6 6 7	5 7 6	5 7 6	5 7 6	5 7 7
140-239	II.—NEOPLASMS .. { M F P	2081 1850 1958	2073 1854 1958	2095 1867 1976	2099 1890 1991	2164 1864 2008	2189 1888 2033	2206 1873 2033	2260 1902 2074	2287 1913 2093	2309 1930 2112	2346 1928 2130
140-205	Cancer, including Hodgkin's disease, leukæmia and aleukæmia .. { M F P	2036 1797 1909	2028 1803 1910	2050 1821 1930	2058 1840 1945	2121 1820 1965	2152 1847 1994	2166 1833 1993	2223 1861 2035	2252 1873 2055	2274 1891 2076	2312 1890 2094
140-200 202, 203, 205	Cancer, excluding Hodgkin's disease, leukæmia and aleukæmia .. { M F P	1977 1756 1859	1966 1762 1859	1984 1775 1875	1992 1792 1889	2052 1760 1904	2077 1794 1930	2090 1777 1928	2146 1804 1969	2171 1817 1988	2194 1831 2005	2225 1831 2021
140-148	Malignant neoplasm of buccal cavity and pharynx { M F P	87 25 54	81 24 51	76 26 50	75 27 50	74 28 50	70 28 48	66 25 45	71 28 49	66 28 47	57 28 42	58 29 43
140	Lip .. { M F P	8 1 4	7 1 4	7 1 4	7 1 4	6 1 3	5 1 3	5 0 3	5 1 3	5 1 3	4 1 2	4 0 2
141	Tongue .. { M F P	31 6 18	29 6 17	24 7 15	25 6 15	23 7 15	21 6 13	20 6 13	21 6 13	18 7 12	17 7 12	16 7 11
142-148	Other or unspecified parts of buccal cavity and pharynx .. { M F P	48 18 32	45 17 30	44 18 30	43 20 31	45 20 32	44 22 32	41 18 29	46 21 33	43 21 32	37 21 28	39 22 30
150-159	Malignant neoplasm of digestive organs and peritoneum .. { M F P	1052 832 935	1029 826 923	1001 823 908	965 826 893	970 800 881	956 806 878	934 792 860	921 797 857	909 795 850	890 785 836	897 774 833

TABLE 8—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
150	Esophagus { M F P	79 36 56	74 36 54	70 35 52	71 37 54	71 37 53	70 37 53	63 38 50	61 40 51	63 41 52	64 41 52	60 41 51
151	Stomach { M F P	398 280 335	401 278 337	392 273 330	379 284 330	388 286 335	382 278 328	379 271 323	369 273 319	373 268 319	360 268 312	369 258 312
152	Small intestine, including duodenum { M F P	5 5 5	5 4 4	5 5 5	5 4 4	4 5 5	5 4 5	5 4 5	5 4 4	5 5 5	5 4 5	4 3 4
153	Large intestine, except rectum { M F P	241 272 257	225 261 244	219 263 242	204 257 232	202 239 221	197 248 223	196 243 220	190 238 215	183 240 213	177 236 208	176 233 206
154	Rectum { M F P	193 114 151	192 114 151	183 116 148	175 112 142	172 106 138	162 105 132	153 106 129	157 108 131	149 104 126	147 103 124	144 98 120
155	Biliary passages and liver (stated to be primary site) { M F P	58 62 60	54 62 58	22 32 28	23 36 30	23 34 28	25 35 30	23 34 29	26 35 31	23 35 29	24 37 31	26 36 31
156	Liver (secondary and unspecified) { M F P	70 53 61	71 59 65	74 61 67	74 63 68	77 60 68	82 68 75	81 65 73	83 67 75	86 71 78	86 67 76	87 74 80
157	Pancreas { M F P	6 10 8	7 11 9	7 9 8	7 8 7	7 8 8	6 10 8	7 10 8	8 9 9	6 10 8	6 8 7	8 10 9
158	Peritoneum { M F P	438 89 253	465 95 271	495 98 288	536 104 312	581 107 335	614 113 354	654 113 373	699 117 397	735 121 417	768 125 435	798 129 452
160-165	Malignant neoplasm of respiratory system { M F P	5 3 4	5 4 4	6 4 5	6 5 5	6 4 5	6 4 5	6 4 5	6 4 5	6 4 5	6 4 5	5 4 4
160	Nose, nasal cavities, middle ear, and accessory sinuses { M F P	39 9 23	41 9 24	38 9 23	38 9 23	38 9 23	36 8 21	35 7 21	31 9 19	32 9 20	31 7 19	31 7 19
161	Larynx { M F P	387 73 220	413 79 238	108 22 63	135 26 79	142 27 83	172 33 99	182 32 104	302 50 171	500 76 280	530 81 297	558 85 313
162	Trachea, and of bronchus and lung specified as primary { M F P	336 60 192	350 61 201	388 64 220	396 65 224	426 66 239	456 66 244	486 66 249	516 66 254	546 66 259	576 66 264	606 66 269
163	Lung and bronchus, un- specified as to whether primary or secondary { M F P	8 3 5	7 3 5	6 3 5	6 3 5	5 2 4	5 2 4	5 2 4	4 2 3	4 2 3	3 2 2	3 2 2
164	Mediastinum { M F P	262 707 498	258 713 496	270 710 500	274 714 502	277 712 503	282 722 511	285 715 509	296 723 518	299 733 524	311 740 533	306 742 531
170-181	Malignant neoplasm of breast and genito-urinary organs { M F P	4 349 187	3 350 185	4 350 185	3 350 182	3 352 184	3 363 190	4 356 187	4 364 191	4 369 193	3 371 194	3 370 193
170	Breast F	193	193	189	183	178	176	172	167	168	170	169
171-174	Uterus F	100	101	104	110	112	110	112	114	121	121	124
175	Ovary, Fallopian tube and broad ligament F	20	19	19	21	19	21	21	21	21	21	22
176	Other and unspecified female genital organs F	143	137	144	146	144	142	149	157	156	165	161
177	Prostate M	9	10	9	10	9	10	9	10	8	9	8
178	Testis M	9	8	8	8	8	7	6	6	8	7	6
179	Other and unspecified male genital organs M	25 16 20	26 17 21	27 17 22	28 16 22	28 19 23	30 21 25	31 19 25	32 20 26	33 20 25	33 20 26	33 19 25
180	Kidney { M F P	72 29 49	76 32 53	79 31 54	79 34 56	85 32 58	90 32 60	86 35 60	87 37 61	91 37 63	94 37 64	95 38 65
181	Bladder and other urinary organs { M F P	72 29 49	76 32 53	79 31 54	79 34 56	85 32 58	90 32 60	86 35 60	87 37 61	91 37 63	94 37 64	95 38 65

TABLE 8—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
190-199	Malignant neoplasm of other and unspecified sites ..	M 119 F 91 P 104	M 113 F 93 P 103	M 116 F 101 P 108	M 116 F 104 P 110	M 117 F 98 P 107	M 121 F 103 P 112	M 117 F 109 P 113	M 121 F 113 P 117	M 125 F 110 P 117	M 130 F 121 P 125	M 127 F 124 P 125
190, 191	Skin	M 29 F 21 P 25	M 27 F 20 P 23	M 25 F 20 P 23	M 26 F 21 P 23	M 23 F 18 P 21	M 23 F 21 P 22	M 22 F 20 P 21	M 22 F 20 P 21	M 22 F 21 P 21	M 22 F 19 P 20	M 21 F 22 P 21
192	Eye	M 2 F 2 P 2	M 2 F 2 P 2	M 3 F 2 P 2	M 3 F 3 P 3	M 3 F 2 P 3	M 2 F 3 P 2	M 2 F 2 P 2	M 2 F 3 P 3	M 2 F 2 P 2	M 3 F 2 P 3	M 3 F 2 P 2
193	Brain and other parts of nervous system ..	M 28 F 17 P 22	M 30 F 17 P 23	M 32 F 21 P 26	M 32 F 23 P 27	M 35 F 22 P 28	M 39 F 23 P 31	M 38 F 26 P 32	M 39 F 27 P 33	M 42 F 27 P 34	M 41 F 28 P 35	M 41 F 29 P 35
194	Thyroid gland ..	M 5 F 10 P 8	M 4 F 7 P 7	M 4 F 11 P 8	M 3 F 11 P 7	M 4 F 11 P 8	M 5 F 11 P 8	M 4 F 12 P 8	M 5 F 12 P 8	M 4 F 12 P 8	M 5 F 12 P 9	M 4 F 11 P 8
195	Other endocrine glands ..	M 3 F 1 P 2	M 3 F 1 P 2	M 2 F 3 P 2	M 3 F 2 P 3	M 2 F 2 P 2	M 4 F 2 P 3	M 2 F 2 P 2	M 3 F 2 P 2	M 3 F 2 P 2	M 3 F 2 P 3	M 3 F 2 P 3
196	Bone (including jaw bone)	M 28 F 17 P 22	M 24 F 17 P 21	M 24 F 18 P 21	M 21 F 14 P 18	M 21 F 14 P 17	M 19 F 14 P 16	M 19 F 13 P 16	M 17 F 14 P 15	M 16 F 12 P 14	M 18 F 13 P 15	M 16 F 12 P 14
197-199	Other and unspecified sites	M 24 F 22 P 23	M 23 F 25 P 24	M 26 F 26 P 26	M 27 F 30 P 29	M 28 F 28 P 28	M 29 F 29 P 29	M 29 F 34 P 31	M 33 F 36 P 35	M 35 F 36 P 35	M 38 F 44 P 41	M 38 F 45 P 42
200-205	Neoplasms of lymphatic and haematopoietic tissues ..	M 78 F 53 P 65	M 81 F 54 P 67	M 92 F 64 P 77	M 92 F 66 P 79	M 101 F 76 P 88	M 109 F 76 P 92	M 110 F 79 P 94	M 114 F 84 P 98	M 116 F 86 P 101	M 118 F 91 P 104	M 126 F 93 P 109
200	Lymphosarcoma and reticulosarcoma ..	M 14 F 7 P 11	M 14 F 7 P 10	M 19 F 11 P 15	M 18 F 11 P 14	M 20 F 13 P 16	M 21 F 13 P 17	M 21 F 13 P 17	M 22 F 15 P 18	M 22 F 17 P 19	M 21 F 16 P 19	M 22 F 16 P 19
201	Hodgkin's disease ..	M 21 F 15 P 15	M 22 F 11 P 16	M 22 F 16 P 16	M 20 F 11 P 15	M 22 F 12 P 17	M 23 F 13 P 18	M 23 F 13 P 18	M 23 F 13 P 18	M 23 F 12 P 18	M 24 F 13 P 18	M 27 F 12 P 19
204	Leukæmia and aleukæmia	M 47 F 35 P 40	M 47 F 35 P 40	M 47 F 35 P 40	M 47 F 37 P 42	M 47 F 41 P 44	M 52 F 41 P 46	M 53 F 44 P 48	M 54 F 44 P 49	M 57 F 43 P 50	M 57 F 47 P 52	M 60 F 47 P 53
	0. Lymphatic leukæmia	M 16 F 10 P 13	M 20 F 14 P 17	M 20 F 14 P 17	M 20 F 14 P 17	M 21 F 14 P 17	M 21 F 13 P 17	M 21 F 14 P 17	M 22 F 15 P 18	M 23 F 14 P 18	M 23 F 16 P 19	M 23 F 14 P 19
	1. Myeloid leukæmia ..	M 38 F 32 P 35	M 40 F 31 P 35	M 15 F 14 P 14	M 19 F 18 P 18	M 19 F 21 P 20	M 21 F 20 P 21	M 22 F 21 P 22	M 22 F 21 P 21	M 24 F 21 P 23	M 25 F 23 P 24	M 27 F 23 P 25
	2-4 Other and unspecified leukæmia ..	M 13 F 12 P 12	M 8 F 6 P 7	M 8 F 6 P 7	M 7 F 6 P 7	M 10 F 8 P 9	M 10 F 9 P 9	M 10 F 8 P 9	M 11 F 8 P 9	M 10 F 9 P 10	M 10 F 9 P 10	M 10 F 9 P 10
210-229	Benign neoplasm ..	M 18 F 32 P 26	M 19 F 30 P 25	M 18 F 28 P 23	M 18 F 30 P 24	M 18 F 25 P 22	M 16 F 26 P 21	M 17 F 24 P 21	M 15 F 26 P 21	M 15 F 25 P 20	M 14 F 19 P 24	M 15 F 24 P 20
214	Uterine fibromyoma ..	F 8	F 9	F 8	F 8	F 6	F 6	F 5	F 5	F 4	F 4	F 4
216	Ovary	F 8	F 6	F 6	F 7	F 5	F 5	F 5	F 5	F 4	F 5	F 5
219	Kidney and other urin- ary organs ..	M 5 F 2 P 4	M 6 F 2 P 4	M 6 F 1 P 3	M 6 F 2 P 4	M 6 F 1 P 2	M 5 F 1 P 3	M 5 F 1 P 3	M 5 F 1 P 3	M 4 F 1 P 3	M 3 F 2 P 3	M 4 F 2 P 3
223	Brain and other parts of nervous system ..	M 7 F 7 P 7	M 6 F 7 P 6	M 6 F 7 P 6	M 6 F 7 P 7	M 6 F 7 P 7	M 5 F 7 P 6	M 7 F 7 P 7	M 6 F 8 P 7	M 6 F 8 P 7	M 6 F 7 P 6	M 6 F 8 P 7
230-239	Neoplasm of unspecified nature ..	M 27 F 20 P 24	M 27 F 20 P 24	M 27 F 19 P 23	M 23 F 20 P 21	M 24 F 18 P 21	M 21 F 15 P 18	M 22 F 16 P 19	M 22 F 15 P 18	M 20 F 15 P 17	M 20 F 15 P 18	M 19 F 14 P 17
240-289	III.—ALLERGIC, ENDO- CRINE SYSTEM, META- BOLIC, & NUTRITION- AL DISEASES	M 165 F 228 P 198	M 136 F 204 P 172	M 151 F 213 P 184	M 152 F 223 P 189	M 166 F 236 P 202	M 139 F 201 P 171	M 132 F 194 P 164	M 128 F 187 P 159	M 127 F 193 P 161	M 124 F 190 P 158	M 112 F 183 P 149
240-245	Allergic disorders ..	M 85 F 64 P 74	M 70 F 56 P 63	M 82 F 63 P 72	M 77 F 65 P 70	M 88 F 75 P 81	M 67 F 54 P 60	M 65 F 59 P 62	M 59 F 54 P 56	M 58 F 51 P 55	M 53 F 55 P 54	M 47 F 48 P 47
241	Asthma	M 7 F 7 P 7	M 7 F 7 P 7	M 82 F 63 P 72	M 77 F 65 P 70	M 88 F 75 P 81	M 67 F 54 P 60	M 64 F 59 P 62	M 59 F 54 P 56	M 58 F 51 P 54	M 53 F 55 P 54	M 46 F 48 P 47

TABLE 8—continued

International List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
0-254	Diseases of thyroid gland .. { M F P	6 41 25	5 34 20	6 34 20	6 35 21	6 34 21	5 30 18	5 23 14	5 27 16	4 28 17	5 26 16	4 25 15
2	Thyrototoxicosis with or without goitre .. { M F P	4 28 17	3 25 15	4 23 14	3 22 13	4 21 13	3 17 10	3 14 9	2 15 9	2 14 8	2 13 8	3 14 8
3	Myxœdema and cretinism { M F P	2 9 6	1 6 3	1 7 4	1 9 5	1 10 6	1 9 5	1 6 4	1 10 6	1 11 6	2 10 6	1 10 5
0	Diabetes mellitus .. { M F P	59 107 84	51 98 76	53 104 80	58 109 84	58 109 85	52 98 76	50 93 72	49 86 68	51 96 74	51 92 73	47 91 70
0-277	Diseases of other endocrine glands .. { M F P	7 10 8	5 8 7	6 8 7	7 8 7	8 10 9	7 9 8	6 8 7	6 9 8	5 7 6	6 6 6	5 7 6
2	Diseases of pituitary gland .. { M F P	1 2 1	1 2 1	1 2 2	2 2 2	2 3 3	2 2 2	1 3 2	1 3 3	2 3 2	2 3 2	2 3 2
4	Diseases of adrenal glands { M F P	4 6 5	2 5 4	3 5 4	3 4 4	3 5 4	3 5 4	3 3 3	3 3 3	2 2 2	2 2 2	2 2 2
0-289	Avitaminoses, and other metabolic diseases { M F P	7 6 6	5 6 6	4 5 5	6 6 6	7 7 7	9 9 9	6 10 8	9 11 10	9 11 10	9 10 10	9 11 10
0-299	IV.—DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS ... { M F P	52 73 63	44 64 54	42 65 54	38 67 53	40 64 53	39 60 50	35 54 45	38 59 49	36 57 47	32 58 46	34 57 46
0-290	Pernicious and other hyperchromic anæmias { M F P	29 45 38	23 36 30	21 37 30	19 37 28	18 34 27	15 29 22	13 26 20	13 28 21	13 27 20	12 28 20	12 27 20
	0. Pernicious anæmia .. { M F P	28 45 37	22 36 29	20 35 28	16 33 25	16 31 24	13 26 20	12 23 17	12 25 18	11 24 18	11 24 18	10 24 17
	1. Subacute combined degeneration of spinal cord .. { M F P	37 45 37	29 36 29	1 2 2	2 3 2	2 2 2	2 2 2	1 2 1	1 2 1	1 2 1	1 2 1	1 1 1
1	Iron deficiency anæmias (hypochromic anæmias) { M F P	1 4 3	1 4 3	2 4 3	2 6 4	2 7 5	3 6 5	3 8 5	3 7 6	3 7 5	3 8 6	3 8 6
2, 293	Other anæmias .. { M F P	10 12 11	9 11 10	9 13 11	8 14 11	10 11 11	10 15 13	11 12 12	13 14 14	12 14 13	11 14 13	11 15 13
00-326	V.—MENTAL, PSYCHO-NEUROTIC, AND PERSONALITY DISORDERS { M F P	27 39 33	23 31 27	22 32 27	23 35 29	25 36 30	23 30 26	20 31 25	22 31 26	20 31 26	17 33 25	16 30 23
00-309	Psychoses .. { M F P	19 32 25	15 24 20	16 25 20	15 28 22	18 28 23	16 23 20	14 25 20	16 27 22	15 25 20	13 28 21	12 25 19
20-326	Disorders of character, behaviour, and intelligence { M F P	8 7 8	8 7 7	5 5 5	7 4 6	6 5 6	6 5 4	5 4 4	4 3 4	5 4 5	4 4 4	3 3 3
25	Mental deficiency .. { M F P	7 7 7	7 7 7	4 4 4	5 4 5	5 4 4	4 4 4	3 3 3	3 2 3	4 4 4	3 3 3	3 3 3
30-398	VI.—DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS { M F P	1464 1681 1579	1266 1546 1412	1379 1684 1538	1436 1796 1622	1532 1872 1704	1514 1885 1707	1485 1844 1671	1555 1931 1750	1588 1996 1800	1567 2002 1792	1536 1976 1764
30-334	Vascular lesions affecting central nervous system .. { M F P	1284 1524 1411	1125 1413 1275	1228 1544 1393	1284 1656 1476	1378 1732 1562	1381 1761 1579	1356 1716 1543	1433 1811 1629	1454 1868 1669	1442 1877 1668	1411 1854 1640
30	Subarachnoid hæmorrhage { M F P	730 902 821	635 832 738	26 35 31	32 44 38	39 54 47	48 71 60	50 71 61	57 76 67	51 81 66	58 82 70	55 82 69
31	Cerebral hæmorrhage .. { M F P	482 552 519	427 517 474	489 595 544	544 677 612	603 725 666	619 762 694	609 743 679	648 796 725	693 852 775	687 880 787	689 895 795

TABLE 8—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
333,334	Spasm of cerebral arteries, and other and ill-defined vascular lesions affecting central nervous system ..	M 71 F 70 P 71	63 64 63	67 72 70	64 71 67	83 96 90	92 105 99	92 104 99	103 120 112	109 127 118	113 129 122	114 130 122
340-345	Inflammatory diseases of central nervous system ..	M 43 F 40 P 42	35 34 34	39 34 36	37 34 36	36 38 37	32 32 32	32 35 34	32 32 32	35 34 35	32 35 33	32 34 35
340	Meningitis, except menin- gococcal and tuberculous	M 16 F 10 P 13	12 8 10	13 9 11	11 8 9	11 7 9	9 6 8	11 8 9	10 6 8	11 7 9	10 7 9	11 14 13
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious) ..	M 6 F 5 P 5	4 5 4	5 5 5	5 3 4	4 3 3	3 2 3	3 2 3	3 2 2	3 3 3	2 3 3	3 3 3
345	Multiple sclerosis ..	M 17 F 22 P 19	14 19 16	16 18 17	15 20 18	17 25 21	15 20 18	13 22 18	15 21 18	16 22 19	15 21 18	14 22 18
350-357	Other diseases of central nervous system ..	M 105 F 98 P 101	85 84 84	91 92 92	97 94 96	91 91 91	87 83 85	82 83 83	77 79 78	89 87 88	83 83 83	82 81 82
350	Paralysis agitans ..	M 32 F 33 P 33	25 31 28	30 36 33	30 36 33	34 39 37	32 38 35	31 36 35	28 35 32	36 40 38	31 38 35	32 36 34
351, 352	Cerebral spastic infantile paralysis and other cerebral paralysis ..	M 17 F 21 P 19	14 19 17	16 20 18	23 23 23	14 19 17	14 13 13	12 13 13	12 14 13	13 15 14	14 15 14	12 15 13
353	Epilepsy ..	M 33 F 26 P 29	25 21 23	23 20 21	22 20 21	22 19 21	22 18 20	19 18 19	16 15 15	19 16 17	18 15 16	17 15 15
356	Motor neurone disease and muscular atrophy ..	M 16 F 11 P 13	16 8 12	16 11 14	15 10 12	14 8 11	15 9 12	14 9 12	14 10 12	14 9 12	14 9 11	15 10 12
	0. Progressive muscular atrophy ..	M 7 F 7 P 7	7 7 7	12 8 10	10 7 8	10 6 8	10 6 8	11 6 8	10 7 9	9 7 8	8 6 7	9 6 8
360-369	Diseases of nerves and peripheral ganglia ..	M 6 F 4 P 5	4 3 3	4 4 4	4 3 3	4 2 3	3 2 2	3 2 2	3 2 3	2 2 2	2 2 2	2 3 1
390-398	Diseases of ear and mastoid process ..	M 25 F 14 P 19	17 11 14	15 8 11	14 7 10	12 7 9	10 5 8	11 5 8	8 5 6	8 4 6	7 3 5	6 3 4
391	Otitis media without men- tion of mastoiditis ..	M 7 F 7 P 7	7 7 7	11 6 8	10 5 8	9 5 7	7 4 6	8 4 6	7 4 5	6 3 5	6 3 4	4 2 3
392, 393	Otitis media with mastoid- itis, and mastoiditis with- out mention of otitis media	M 11 F 6 P 8	6 3 4	4 2 3	4 2 3	3 1 2	3 1 2	2 1 2	1 1 1	1 1 1	1 1 1	1 1 1
400-468	VII.—DISEASES OF THE CIRCULATORY SYSTEM	M 4320 F 3780 P 4033	3879 3522 3692	4325 4068 4191	4378 4143 4256	4652 4363 4501	4384 3957 4162	4313 3963 4131	4447 3987 4208	4525 4146 4328	4559 4139 4341	4425 3992 4200
400-402	Rheumatic fever ..	M 18 F 19 P 19	18 20 19	15 17 16	12 14 13	8 9 9	7 8 7	7 7 7	7 6 7	5 5 5	5 5 5	4 4 4
410-416	Chronic rheumatic heart disease ..	M 203 F 272 P 240	181 257 220	181 270 228	201 306 255	194 298 248	164 247 207	157 240 200	148 237 194	140 232 188	142 223 184	138 225 183
410	Diseases of mitral valve ..	M 150 F 214 P 184	132 201 168	132 214 175	134 224 181	130 218 176	113 191 154	108 186 149	100 185 144	95 176 137	92 170 132	89 169 131
411	Diseases of aortic valve specified as rheumatic ..	M 10 F 5 P 7	9 5 7	10 5 7	13 5 9	14 6 10	14 6 10	14 6 10	14 7 11	13 7 10	15 8 11	16 7 11
412-414	Dis: of tricuspid v: pulm: v: specified as rh: & other en- docarditis specified as rh:	M 21 F 26 P 24	19 27 23	21 28 25	31 47 39	27 40 34	15 22 19	13 18 16	12 16 14	12 18 15	13 15 14	11 15 13
415	Other myocarditis specified as rheumatic ..	M 13 F 16 P 15	11 13 12	8 11 10	9 12 11	7 11 9	6 8 7	6 7 6	5 7 6	4 7 5	4 6 5	4 6 5
416	Other heart disease specified as rheumatic ..	M 10 F 11 P 10	10 11 11	10 11 11	14 18 16	16 23 20	16 20 18	16 23 20	16 23 20	17 25 21	17 25 21	18 25 23

TABLE 8—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
20-422	Arteriosclerotic and degener- ative heart disease ..	M 3266 F 2725 P 2979	2929 2521 2715	3293 2931 3104	3266 2903 3078	3467 3064 3258	3307 2776 3031	3218 2759 2980	3325 2755 3029	3398 2847 3112	3439 2848 3133	3331 2716 3013
20	Arteriosclerotic heart disease, including coronary disease ..	M 1245 F 586 P 895	1264 652 943	1453 765 1093	1640 885 1249	1757 937 1331	1847 982 1398	1837 995 1400	1991 1066 1511	2069 1143 1589	2181 1204 1674	2208 1226 1700
	0. Arteriosclerotic heart disease so described ..	M 1172 F 554 P 844	1203 622 899	5 4 4	4 5 4	8 7 7	8 7 7	10 8 9	12 11 11	14 12 13	13 13 13	16 16 16
	1. Heart disease specified as involving coronary arteries ..	M 844 F 731 P 1045	899	1388 731 1045	1588 908 1209	1709 958 1293	1808 973 1366	1804 973 1372	1958 1043 1483	2037 1118 1560	2153 1181 1649	2179 1201 1672
	2. Angina pectoris without mention of coronary disease ..	M 72 F 32 P 51	61 30 45	60 31 45	47 25 36	40 22 31	31 17 24	24 14 19	21 12 16	18 13 15	14 10 12	13 9 11
21	Chronic endocarditis not specified as rheumatic ..	M 132 F 114 P 122	106 97 101	112 95 103	72 54 62	62 45 53	71 61 66	69 57 63	78 62 70	73 58 65	73 57 65	79 68 73
	0. Of mitral valve, speci- fied as non-rheumatic ..	M ? F ? P ?	? ? ?	0 1 0	1 1 1	1 4 1	4 4 3	3 4 3	2 3 3	2 3 2	3 4 4	4 7 6
	1. Of aortic valve, not specified as rheumatic ..	M 52 F 24 P 37	44 24 33	50 25 37	45 26 36	44 24 34	43 23 33	44 25 34	54 31 42	53 31 42	53 33 42	60 39 39
	2-4 Of tricuspid v: specified as non-rh., pulm: v: not specified as rh., & other & ill-def: not specified as rh:	M 79 F 90 P 85	63 73 68	62 70 66	24 26 25	17 19 18	24 34 29	22 29 25	22 28 25	18 24 21	17 20 19	15 22 19
22	Other myocardial degener- ation ..	M 1890 F 2026 P 1962	1559 1772 1671	1728 2071 1907	1555 1965 1767	1648 2082 1874	1388 1733 1568	1312 1707 1517	1256 1626 1448	1256 1647 1459	1186 1587 1394	1043 1422 1240
	0. Fatty degeneration ..	M 15 F 20 P 17	11 17 14	11 21 16	10 17 14	10 14 12	6 10 8	5 10 8	5 9 7	5 8 7	5 8 6	4 6 5
	1. With arteriosclerosis ..	M 598 F 579 P 588	522 534 528	585 646 617	580 666 624	633 732 685	555 645 601	535 650 595	518 626 574	530 645 590	514 633 576	448 590 522
	2. Other ..	M 1277 F 1427 P 1357	1026 1221 1129	1132 1405 1274	965 1282 1129	1005 1336 1177	827 1081 959	772 1047 915	732 991 867	721 993 862	668 946 812	591 825 713
30-434	Other diseases of heart ..	M 119 F 131 P 125	100 119 110	119 132 126	122 135 129	159 161 162	155 161 158	169 172 171	189 178 183	195 192 194	199 206 202	219 222 221
40	Acute and subacute endocarditis ..	M 16 F 11 P 13	14 10 12	12 10 11	11 7 9	10 7 8	9 6 7	9 5 8	9 5 7	10 5 7	9 5 7	9 6 7
31	Acute myocarditis not specified as rheumatic ..	M 5 F 6 P 6	5 5 5	5 6 5	5 4 5	5 5 5	4 3 4	4 4 4	4 3 3	4 2 3	4 3 3	3 3 3
32	Acute pericarditis specified as non-rheumatic ..	M 1 F 1 P 1	1 1 1	1 1 1	1 1 1	1 0 0	1 1 1	1 0 1	1 1 1	1 1 1	1 0 0	1 0 1
33	Functional disease of heart ..	M 56 F 76 P 67	48 71 60	55 77 66	46 72 60	57 82 70	54 77 66	55 76 66	51 73 62	46 70 58	47 68 59	46 68 57
34	Other and unspecified diseases of heart ..	M 41 F 36 P 38	32 32 32	46 39 42	39 51 55	86 71 78	88 74 81	100 86 93	124 97 110	136 114 125	138 127 133	160 146 153
40-447	Hypertensive disease ..	M 375 F 331 P 352	351 324 337	389 388 389	445 452 448	476 480 478	427 436 432	436 445 440	444 467 456	446 494 471	432 479 457	406 460 434
40	Essential benign hyperten- sion with heart disease ..	M ? F ? P ?	? ? ?	0 1 1	6 6 6	6 5 6	4 4 4	4 5 4	4 5 5	5 5 5	5 6 5	5 6 6
41	Essential malignant hyper- tension with heart disease ..	M ? F ? P ?	? ? ?	2 1 1	7 5 6	8 6 7	4 3 4	5 2 4	4 3 4	5 2 3	5 2 4	4 3 4
42	Hypertensive heart disease with arteriolar nephro- sclerosis ..	M 16 F 15 P 16	14 13 13	14 14 14	12 14 13	16 16 16	8 8 9	8 8 8	6 7 7	6 8 7	7 6 7	6 6 6

TABLE 8—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
443	Other & unspecified hyper- tensive heart disease .. { M F P	179 162 170	165 157 161	187 191 189	324 338 331	351 365 358	225 244 235	229 251 240	245 267 257	249 293 272	246 290 269	247 290 269
444	Essential benign hyperten- sion without mention of heart { M F P	144 123 123	141 128 134	98 102 100	33 37 35	34 36 35	100 101 100	98 103 101	98 104 101	95 107 101	91 101 96	91 101 96
445	Essential malignant hyper- tension without mention of heart { M F P	133 133 133	134 134 134	15 10 12	13 8 10	12 7 10	17 9 13	20 9 14	16 10 13	17 7 12	16 8 12	16 8 12
446	Hypertension with arteri- olar nephrosclerosis with- out mention of heart .. { M F P	36 31 34	31 26 29	31 28 29	30 25 27	27 24 26	25 23 24	27 22 23	25 22 23	24 22 23	20 20 20	20 20 20
447	Other hypertensive disease without mention of heart { M F P	7 7 7	7 7 7	43 42 42	21 19 20	21 20 20	44 45 44	44 45 44	44 49 47	45 50 47	42 45 44	42 45 44
450-456	Diseases of arteries .. { M F P	312 266 287	272 244 257	293 282 288	293 281 287	311 299 305	289 278 283	287 284 286	291 285 288	294 312 303	292 306 299	292 306 299
450	General arteriosclerosis .. { M F P	279 235 256	239 214 226	233 231 232	239 236 238	254 255 254	223 227 225	220 234 227	220 230 226	220 254 238	215 246 231	215 246 231
	0. Without mention of gangrene { M F P	279 235 256	239 214 226	233 231 232	239 236 238	254 255 254	223 227 225	220 234 227	220 230 226	220 254 238	215 246 231	215 246 231
	1. With gangrene .. { M F P	279 235 256	239 214 226	233 231 232	239 236 238	254 255 254	223 227 225	220 234 227	220 230 226	220 254 238	215 246 231	215 246 231
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm .. { M F P	7 7 7	7 7 7	8 8 8	10 9 9	11 10 11	26 20 23	28 19 23	32 23 28	35 23 30	38 29 33	38 29 33
460-468	Diseases of veins and other diseases of circulatory system { M F P	27 37 32	28 38 33	34 47 41	38 52 45	37 48 44	36 51 43	38 55 47	43 59 51	47 64 56	50 72 61	50 72 61
460	Varicose veins of lower extremities { M F P	4 11 8	4 10 7	4 7 7	4 10 7	4 10 7	4 10 7	2 7 5	2 9 6	2 9 6	3 9 6	3 9 6
461	Hæmorrhoids { M F P	4 11 8	4 10 7	4 7 7	4 10 7	4 10 7	4 10 7	2 7 5	2 9 6	2 9 6	3 9 6	3 9 6
462	Varicose veins of other specified sites { M F P	4 11 8	4 10 7	4 7 7	4 10 7	4 10 7	4 10 7	2 7 5	2 9 6	2 9 6	3 9 6	3 9 6
463	Phlebitis and thrombo- phlebitis of lower extre- mities { M F P	7 7 7	7 7 7	4 7 6	7 13 10	6 10 8	7 10 8	6 10 8	5 10 7	7 10 8	7 11 9	7 11 9
464	Phlebitis and thrombo- phlebitis of other sites .. { M F P	7 7 7	7 7 7	3 4 3	7 11 1	1 1 1	0 1 1	0 1 1	7 11 1	7 11 1	7 11 1	7 11 1
465	Pulmonary embolism and infarction { M F P	11 10 10	11 10 11	14 14 14	15 14 15	16 14 15	15 16 15	18 19 18	19 19 19	22 21 21	21 25 23	21 25 23
466	Other venous embolism and thrombosis { M F P	9 14 12	11 16 13	7 9 8	8 10 9	7 10 9	7 12 10	9 15 12	12 17 15	12 20 16	15 23 19	15 23 19
470-527	VIII.—DISEASES OF THE RESPIRATORY SYSTEM { M F P	1774 1116 1425	1371 817 1081	1643 1137 1379	1501 1002 1243	2149 1551 1839	1494 905 1188	1716 1133 1413	1443 857 1139	1636 997 1305	1661 1039 1338	1737 1072 1361
470-475	Acute upper respiratory infections { M F P	5 3 4	4 3 3	5 3 4	6 6 6	6 6 6	4 4 4	4 4 4	4 4 4	3 3 3	3 3 3	3 3 3
480-483	Influenza { M F P	87 72 79	33 25 29	128 132 130	88 90 89	351 370 361	42 38 40	137 155 147	41 41 41	68 66 67	58 59 59	16 13 15
480	Influenza with pneumonia { M F P	40 29 35	15 10 13	59 57 58	44 41 43	176 178 177	21 19 20	68 77 73	22 19 20	36 34 35	31 28 29	11 9 10
481	Influenza with other res- piratory manifestations, & influenza unqualified { M F P	7 7 7	7 7 7	67 73 70	42 47 45	173 189 181	19 18 19	67 77 72	19 20 20	31 31 31	28 30 29	4 4 4

TABLE 8—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
90-493 63	Pneumonia { M 639 483 535 453 578 489 531 457 518 541 556 F 468 357 443 390 495 403 454 396 464 498 493 P 548 417 487 420 535 444 491 426 490 519 524											
	Lobar pneumonia (age 4 weeks and over) .. { M 147 119 117 105 113 103 102 88 93 92 87 F 89 69 79 70 75 63 66 64 64 63 58 P 116 93 97 87 93 82 84 75 78 77 72											
	Bronchopneumonia (age 4 weeks and over) .. { M 404 300 353 290 395 326 366 315 368 391 410 F 322 246 317 280 371 294 345 295 361 395 393 P 361 272 334 285 383 310 355 305 364 393 401											
	Primary atypical pneu- monia (age 4 weeks and over) { M 47 36 1 3 4 4 3 4 3 4 7 F 31 25 0 2 3 2 2 3 3 3 5 P 38 30 1 2 3 3 3 4 3 4 6											
	Pneumonia, other and unspecified { M 40 31 38 31 33 28 31 31 32 F 32 23 30 27 25 21 23 24 25 P 36 27 34 29 29 24 27 27 29											
	Pneumonia of the newborn* { M 1.76 1.42 1.38 1.43 1.63 1.55 1.57 1.37 1.41 1.40 1.15 F 1.35 0.97 0.95 0.98 1.14 1.16 1.01 0.88 0.93 0.90 0.81 P 1.56 1.20 1.17 1.21 1.39 1.36 1.30 1.13 1.17 1.16 0.99											
502	Bronchitis { M 935 744 851 830 1080 838 920 804 902 923 876 F 535 390 509 472 627 419 475 366 412 424 343 P 723 559 672 645 844 620 689 577 648 664 600											
	Acute bronchitis { M 171 108 127 93 134 89 101 70 79 78 65 F 160 96 135 110 156 90 108 73 81 85 61 P 165 102 131 102 146 90 105 72 80 82 63											
	Bronchitis unqualified .. { M 84 65 79 53 59 50 50 49 41 F 75 57 76 48 51 44 45 48 36 P 80 61 77 50 54 47 48 48 38											
	Chronic bronchitis .. { M 640 672 866 696 760 684 772 796 771 F 299 304 395 281 317 249 287 292 246 P 764 636 462 480 530 458 520 534 499											
	0. Bronchitis with em- physema { M 375 294 203 231 308 285 319 306 372 388 394 F 558 457 41 44 64 56 62 33 69 77 66 P 119 134 181 166 186 176 214 227 224											
	1. Other { M 437 441 558 411 441 378 401 408 376 F 257 260 331 225 255 194 218 215 180 P 343 348 440 314 344 282 306 307 275											
527	Other diseases of respiratory system { M 150 135 150 149 162 147 151 159 168 158 158 F 64 58 65 59 70 58 59 62 65 68 58 P 104 95 105 102 114 100 103 109 114 111 106											
	Empyema { M 8 6 6 5 4 4 5 5 4 3 F 3 2 2 2 2 3 2 2 2 2 P 5 4 4 3 3 4 3 3 3 2											
	Pleurisy { M 8 7 4 4 4 3 3 2 2 3 1 F 5 5 2 2 2 2 2 2 2 2 1 P 6 6 3 3 3 2 2 2 2 2 1											
	Pulmonary congestion and hypostasis { M 15 12 16 12 15 10 7 12 12 12 8 F 20 17 22 19 21 15 17 20 20 20 15 P 17 15 19 16 18 13 12 16 16 16 11											
524	Silicosis, and occupational pulmonary fibrosis .. { M 22 21 26 27 29 27 28 31 34 32 36 F 0 0 0 0 0 0 0 0 0 0 0 P 11 10 13 13 14 13 13 15 17 16 18											
	Other chronic interstitial pneumonia { M 8 9 8 9 9 8 8 9 9 8 F 3 4 3 3 4 4 4 4 4 3 4 P 6 6 6 6 6 6 6 7 6 6 6											
	Bronchiectasis { M 57 49 56 54 55 51 53 51 53 46 47 F 22 18 24 22 27 21 21 22 24 24 22 P 38 33 39 38 40 36 36 36 38 35 34											
	Other diseases of lung and pleural cavity { M 19 20 26 29 39 36 40 42 46 47 49 F 4 5 6 6 9 9 10 9 10 13 10 P 11 12 15 17 23 22 25 25 27 29 29											
	1. Emphysema without mention of bronchitis { M 17 19 23 27 36 34 38 39 43 43 45 F 3 3 4 4 8 7 8 7 8 10 8 P 10 11 13 15 21 20 22 22 25 26 26											
507	IX.—DISEASES OF THE DIGESTIVE SYSTEM .. { M 593 483 449 444 456 438 417 421 418 397 385 F 392 325 323 318 318 307 305 310 314 310 301 P 487 401 393 380 384 370 359 363 364 352 341											
539	Diseases of buccal cavity and oesophagus { M 6 5 6 5 6 5 6 5 6 4 5 F 5 5 6 7 6 6 5 6 6 5 5 P 5 5 6 6 6 5 5 6 6 5 5											

Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).

TABLE 8—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
540-545	Diseases of stomach and duodenum	M 201 F 58 P 125	M 188 F 55 P 119	M 192 F 57 P 122	M 193 F 60 P 125	M 214 F 65 P 137	M 201 F 64 P 130	M 188 F 64 P 123	M 197 F 70 P 131	M 194 F 72 P 131	M 184 F 72 P 126
540	Ulcer of stomach	M F P		M 98 F 35 P 65	M 96 F 37 P 66	M 99 F 40 P 69	M 93 F 40 P 65	M 86 F 39 P 61	M 88 F 40 P 63	M 87 F 32 P 64	M 84 F 43 P 63
	0. Without mention of perforation	M 109 F 35 P 71	M 102 F 35 P 67	M 66 F 27 P 46	M 77 F 28 P 52	M 70 F 31 P 49	M 65 F 30 P 47	M 62 F 30 P 45	M 64 F 30 P 46	M 63 F 32 P 47	M 61 F 34 P 47
	1. With perforation	M F P		M 32 F 8 P 19	M 19 F 9 P 14	M 29 F 9 P 19	M 28 F 9 P 18	M 24 F 9 P 16	M 24 F 9 P 17	M 24 F 10 P 17	M 23 F 10 P 16
541	Ulcer of duodenum	M F P		M 84 F 14 P 47	M 87 F 17 P 51	M 104 F 19 P 60	M 99 F 18 P 57	M 93 F 20 P 55	M 100 F 24 P 61	M 99 F 25 P 60	M 92 F 24 P 57
	0. Without mention of perforation	M 83 F 11 P 45	M 79 F 12 P 44	M 53 F 9 P 30	M 55 F 11 P 32	M 64 F 12 P 37	M 64 F 11 P 36	M 59 F 12 P 35	M 63 F 14 P 38	M 62 F 15 P 37	M 59 F 15 P 36
	1. With perforation	M F P		M 32 F 5 P 18	M 32 F 6 P 18	M 40 F 7 P 23	M 35 F 7 P 21	M 34 F 8 P 20	M 38 F 10 P 23	M 37 F 10 P 23	M 33 F 9 P 21
550-553	Appendicitis	M 44 F 29 P 36	M 35 F 24 P 29	M 36 F 23 P 29	M 35 F 24 P 30	M 32 F 22 P 27	M 28 F 20 P 24	M 26 F 16 P 21	M 26 F 18 P 22	M 23 F 16 P 19	M 24 F 14 P 19
560, 561	Hernia of abdominal cavity	M 52 F 54 P 53	M 46 F 42 P 44	M 41 F 39 P 40	M 39 F 38 P 39	M 39 F 39 P 39	M 39 F 37 P 36	M 36 F 36 P 36	M 36 F 35 P 35	M 39 F 35 P 37	M 36 F 37 P 37
560	Hernia of abdominal cavity without mention of obstruction	M 12 F 7 P 9	M 10 F 5 P 8	M 9 F 6 P 7	M 7 F 6 P 7	M 8 F 5 P 7	M 9 F 6 P 8	M 9 F 6 P 7	M 9 F 7 P 8	M 10 F 7 P 8	M 9 F 8 P 8
561	Hernia of abdominal cavity with obstruction	M 40 F 47 P 44	M 36 F 36 P 36	M 32 F 34 P 33	M 32 F 32 P 32	M 31 F 33 P 32	M 30 F 31 P 30	M 27 F 29 P 28	M 27 F 28 P 27	M 29 F 28 P 28	M 27 F 30 P 28
570-578	Other diseases of intestines and peritoneum	M 230 F 174 P 201	M 153 F 126 P 139	M 134 F 119 P 126	M 111 F 101 P 106	M 102 F 100 P 101	M 95 F 96 P 96	M 94 F 96 P 95	M 88 F 90 P 89	M 88 F 94 P 91	M 83 F 93 P 88
570	Intestinal obstruction without mention of hernia	M 57 F 44 P 50	M 45 F 38 P 41	M 40 F 36 P 38	M 35 F 29 P 32	M 34 F 31 P 33	M 36 F 31 P 34	M 34 F 30 P 32	M 33 F 30 P 30	M 31 F 31 P 31	M 33 F 31 P 32
	2. Mesenteric infarction	M 3 F 2 P 2	M 2 F 2 P 2	M 3 F 3 P 3	M 6 F 6 P 6	M 8 F 7 P 7	M 9 F 8 P 8	M 9 F 8 P 9	M 10 F 8 P 9	M 8 F 9 P 8	M 9 F 9 P 9
	3. Volvulus	M 14 F 10 P 12	M 11 F 8 P 10	M 10 F 8 P 9	M 9 F 6 P 8	M 9 F 7 P 8	M 11 F 7 P 9	M 9 F 8 P 8	M 9 F 6 P 7	M 9 F 7 P 8	M 10 F 8 P 9
571	Gastro-enteritis and colitis except ulcerative, (age 4 weeks and over)	M 145 F 97 P 119	M 77 F 55 P 65	M 65 F 48 P 56	M 44 F 33 P 38	M 34 F 28 P 31	M 28 F 25 P 26	M 26 F 24 P 25	M 20 F 20 P 20	M 21 F 19 P 20	M 17 F 16 P 16
	0. Ages between 4 weeks and 2 years *	M ? F ? P ?	M ? F ? P ?	M 1434 F 1039 P 1242	M 971 F 624 P 802	M 690 F 489 P 592	M 593 F 444 P 519	M 574 F 411 P 494	M 406 F 313 P 361	M 409 F 287 P 350	M 266 F 195 P 231
	1. Age 2 years and over	M ? F ? P ?	M ? F ? P ?	M 11 F 15 P 13	M 10 F 14 P 12	M 11 F 14 P 13	M 9 F 12 P 11	M 8 F 12 P 10	M 7 F 11 P 9	M 9 F 12 P 10	M 8 F 11 P 10
572	Chronic enteritis and ulcerative colitis	M ? F ? P ?	M ? F ? P ?	M 21 F 26 P 23	M 21 F 29 P 26	M 21 F 30 P 25	M 20 F 30 P 25	M 21 F 30 P 26	M 23 F 31 P 27	M 24 F 32 P 28	M 22 F 35 P 29
	1. Diverticulitis	M 10 F 12 P 11	M 12 F 13 P 12	M 12 F 15 P 13	M 12 F 15 P 13	M 12 F 15 P 14	M 11 F 14 P 13	M 11 F 16 P 14	M 14 F 17 P 16	M 14 F 19 P 16	M 13 F 20 P 17
	2. Ulcerative colitis †	M 7 F 12 P 9	M 8 F 12 P 10	M 7 F 9 P 9	M 7 F 12 P 10	M 7 F 12 P 10	M 7 F 13 P 10	M 8 F 12 P 10	M 6 F 13 P 10	M 8 F 11 P 10	M 8 F 13 P 10
580-587	Diseases of liver, gall bladder, and pancreas	M 60 F 73 P 67	M 56 F 73 P 65	M 59 F 79 P 70	M 62 F 86 P 75	M 63 F 87 P 76	M 69 F 85 P 77	M 68 F 89 P 79	M 69 F 90 P 80	M 69 F 92 P 81	M 66 F 87 P 77
581	Cirrhosis of liver	M 27 F 15 P 21	M 25 F 14 P 19	M 27 F 16 P 21	M 27 F 19 P 23	M 29 F 22 P 25	M 31 F 21 P 26	M 31 F 22 P 26	M 30 F 23 P 26	M 29 F 24 P 26	M 29 F 23 P 26

*571-0 Rates per million population aged under 2 years.

†572-2 includes 572-3 and 573 for years up to 1948 inclusive.

TABLE 8—continued

Inter-national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
4	Cholelithiasis	M 10 F 23 P 17	M 10 F 23 P 17	M 10 F 23 P 17	M 12 F 27 P 20	M 10 F 26 P 18	M 11 F 25 P 18	M 11 F 27 P 19	M 13 F 26 P 19	M 13 F 26 P 20	M 13 F 25 P 19	M 11 F 25 P 18
5	Cholecystitis without men- tion of calculi	M 9 F 20 P 15	M 8 F 20 P 14	M 8 F 21 P 15	M 8 F 20 P 15	M 8 F 20 P 14	M 9 F 19 P 14	M 10 F 19 P 14	M 9 F 20 P 15	M 9 F 19 P 14	M 9 F 18 P 13	M 8 F 17 P 13
7	Diseases of pancreas	M 7 F 8 P 8	M 7 F 9 P 8	M 8 F 10 P 9	M 9 F 12 P 10	M 10 F 12 P 11	M 12 F 12 P 12	M 10 F 13 P 12	M 11 F 13 P 12	M 13 F 16 P 14	M 11 F 15 P 13	M 11 F 15 P 13
	0. Acute pancreatitis	M ? F ? P ?	M ? F ? P ?	M 6 F 7 P 7	M 6 F 9 P 7	M 6 F 8 P 7	M 7 F 8 P 8	M 6 F 10 P 8	M 8 F 10 P 9	M 8 F 11 P 9	M 7 F 10 P 8	M 6 F 10 P 8
0-637	X.—DISEASES OF THE GENITO-URINARY SYS- TEM	M 521 F 233 P 368	M 464 F 207 P 329	M 467 F 200 P 327	M 455 F 211 P 329	M 439 F 201 P 315	M 410 F 182 P 292	M 393 F 175 P 281	M 398 F 174 P 281	M 374 F 172 P 267	M 365 F 166 P 262	M 343 F 160 P 249
0-594	Nephritis and nephrosis	M 194 F 175 P 184	M 166 F 153 P 159	M 165 F 147 P 156	M 162 F 152 P 157	M 154 F 144 P 149	M 142 F 126 P 134	M 132 F 115 P 123	M 129 F 119 P 110	M 119 F 102 P 110	M 123 F 95 P 108	M 180 F 87 P 97
0	Acute nephritis	M 12 F 9 P 10	M 10 F 8 P 9	M 9 F 7 P 8	M 9 F 7 P 8	M 8 F 6 P 7	M 6 F 4 P 5	M 7 F 4 P 5	M 5 F 4 P 3	M 5 F 2 P 3	M 6 F 3 P 3	M 4 F 3 P 3
1	Nephritis with œdema, including nephrosis	M 8 F 6 P 7	M 7 F 5 P 6	M 6 F 5 P 6	M 11 F 10 P 11	M 10 F 8 P 9	M 9 F 6 P 8	M 9 F 6 P 7	M 8 F 6 P 7	M 9 F 8 P 8	M 10 F 7 P 8	M 9 F 6 P 8
2	Chronic nephritis	M 160 F 149 P 154	M 138 F 129 P 133	M 140 F 125 P 132	M 133 F 128 P 130	M 125 F 121 P 123	M 114 F 105 P 109	M 105 F 96 P 100	M 104 F 91 P 97	M 93 F 84 P 88	M 96 F 77 P 86	M 83 F 69 P 76
3	Nephritis not specified as acute or chronic	M 13 F 11 P 12	M 10 F 10 P 10	M 10 F 9 P 10	M 8 F 6 P 7	M 11 F 8 P 9	M 11 F 9 P 10	M 11 F 8 P 9	M 11 F 8 P 10	M 12 F 8 P 10	M 11 F 8 P 9	M 12 F 8 P 10
0-609	Other diseases of urinary system	M 63 F 42 P 52	M 57 F 39 P 48	M 54 F 40 P 47	M 56 F 45 P 51	M 58 F 45 P 51	M 55 F 45 P 50	M 59 F 47 P 53	M 60 F 53 P 57	M 59 F 60 P 59	M 59 F 62 P 60	M 62 F 65 P 64
0	Infections of kidney	M 25 F 23 P 24	M 19 F 23 P 21	M 20 F 23 P 22	M 22 F 26 P 24	M 24 F 25 P 25	M 24 F 25 P 25	M 26 F 28 P 27	M 27 F 32 P 30	M 28 F 38 P 33	M 30 F 39 P 35	M 33 F 43 P 38
	0. Pyelitis, pyelocystitis and pyelonephritis	M ? F ? P ?	M ? F ? P ?	M 19 F 21 P 20	M 20 F 25 P 23	M 22 F 23 P 23	M 22 F 24 P 23	M 25 F 27 P 26	M 26 F 31 P 28	M 27 F 36 P 32	M 29 F 38 P 34	M 32 F 42 P 37
2	Calculi of kidney and ureter	M 7 F 7 P 7	M 8 F 6 P 7	M 7 F 5 P 6	M 7 F 6 P 7	M 8 F 6 P 7	M 7 F 6 P 7	M 7 F 6 P 7	M 8 F 6 P 7	M 7 F 7 P 7	M 6 F 7 P 6	M 6 F 7 P 7
5	Cystitis	M 12 F 8 P 10	M 12 F 6 P 9	M 11 F 8 P 9	M 9 F 8 P 8	M 9 F 7 P 8	M 8 F 7 P 8	M 8 F 7 P 8	M 8 F 8 P 7	M 7 F 8 P 7	M 7 F 8 P 7	M 5 F 8 P 7
8	Stricture of urethra	M 10 F 0 P 5	M 8 F — P 4	M 8 F 0 P 4	M 6 F 0 P 3	M 6 F 0 P 3	M 5 F 0 P 3	M 4 F — P 2	M 6 F 0 P 2	M 5 F 0 P 2	M 5 F 0 P 2	M 4 F 0 P 2
0-617	Diseases of male genital organs M	264	241	247	237	227	213	202	209	196	183	173
0	Hyperplasia of prostate M	254	234	240	225	216	206	197	204	191	179	168
1	Prostatitis M	?	?	5	6	6	5	4	3	4	2	3
0-626	Diseases of breast, ovary, Fal- lopian tube, and parametrium F	5	4	4	3	3	3	3	2	3	2	2
0-637	Diseases of uterus and other female genital organs ... F	10	10	9	10	10	9	10	8	7	7	7
1	Uterovaginal prolapse ... F	6	6	5	6	6	6	6	4	4	5	5
640-689	XI.—DELIVERIES & COM- PLICATIONS OF PREG- NANCY, CHILDBIRTH & THE PUERPERIUM ... F	1-17	1-02	0-97	0-87	0-82	0-72	0-73	0-70	0-64	0-56	0-47
640-649	Deliveries and complications of pregnancy, childbirth and the puerperium, excl. abortion F	1-02	0-86	0-81	0-72	0-66	0-59	0-64	0-59	0-54	0-46	0-39
660-689	Complications of pregnancy F	0-36	0-33	0-26	0-32	0-30	0-26	0-30	0-24	0-23	0-23	0-17
640-648	Toxæmia of pregnancy ... F	0-28	0-26	0-16	0-21	0-22	0-19	0-22	0-17	0-15	0-14	0-11
642	Ectopic pregnancy ... F	0-04	0-04	0-05	0-05	0-03	0-03	0-05	0-03	0-03	0-03	0-03
643												
650-652	Abortion F	15	13	12	11	12	10	8	8	7	8	7
650	Without mention of sepsis or toxæmia F	3	3	3	3	4	3	3	4	3	3	3
651	With sepsis F	9	9	8	7	7	5	4	3	4	4	4
652	With toxæmia, without mention of sepsis ... F	3	1	1	1	0	1	1	1	0	1	0

Rates per 1,000 total (live and still) births.

† Rates per million women aged 15-44 years.

TABLE 8—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
670-678	Delivery with specified complication .. F	0.41	0.34	0.32	0.22	0.23	0.19	0.22	0.21	0.17	0.13	0.10
670	Placenta prævia or ante- partum hæmorrhage .. F	0.05	0.05	0.03	0.03	0.04	0.02	0.05	0.04	0.03	0.03	0.02
671, 672	Retained placenta, and other postpartum hæmorrhage .. F	0.17	0.14	0.12	0.05	0.08	0.06	0.07	0.06	0.06	0.03	0.02
673-675	Abnormality of bony pelvis, disproportion or malposition of fœtus, and prolonged labour of other origin .. F	0.12	0.08	0.09	0.06	0.06	0.05	0.05	0.05	0.05	0.05	0.04
* 680-689	Complications of the puer- perium .. F	0.23	0.18	0.23	0.18	0.13	0.13	0.12	0.12	0.14	0.09	0.07
681	Sepsis of childbirth and the puerperium .. F	0.04	0.04	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.01	0.01
682	Puerperal phlebitis and thrombosis .. F	0.06	0.04	0.04	0.05	0.04	0.04	0.04	0.06	0.05	0.04	0.03
684	Puerperal pulmonary embolism .. F	0.06	0.05	0.03	0.04	0.03	0.04	0.03	0.02	0.03	0.01	0.01
685	Puerperal eclampsia .. F	0.05	0.04	0.08	0.04	0.02	0.02	0.01	0.02	0.01	0.01	0.01
690-716	XII.—DISEASES OF THE SKIN AND CELLULAR TISSUE .. F	18	16	14	14	14	12	13	11	9	9	9
	.. P	16	13	13	14	16	16	16	14	14	13	13
	.. F	17	14	14	14	15	14	14	12	11	11	11
690-698	Infections of skin and sub- cutaneous tissue .. F	9	8	7	6	5	4	5	4	4	3	3
	.. F	6	5	5	5	5	5	5	4	4	4	4
	.. P	7	6	6	5	6	5	5	4	4	4	4
700-716	Other diseases of skin and subcutaneous tissue .. F	9	8	7	8	8	7	9	6	4	5	5
	.. F	11	8	8	10	10	11	10	10	10	9	9
	.. P	10	8	8	9	9	9	10	8	7	7	7
720-749	XIII.—DISEASES OF THE BONES AND ORGANS OF MOVEMENT .. F	37	34	33	25	26	25	27	29	29	29	29
	.. F	58	57	61	42	46	42	43	50	59	53	53
	.. P	48	46	48	34	36	34	35	40	44	42	42
720-727	Arthritis and rheumatism, except rheumatic fever .. F	24	21	22	14	14	12	14	17	16	16	16
	.. F	50	49	52	33	34	32	34	39	47	41	41
	.. P	38	36	38	24	25	22	24	28	32	29	29
722	Rheumatoid arthritis and allied conditions .. F	15	13	13	8	9	7	9	10	10	10	10
	.. F	38	38	40	25	25	24	24	30	35	31	31
	.. P	27	26	27	17	17	16	17	20	23	21	21
	0. Rheumatoid arthritis .. F	15	12	13	7	8	6	8	9	9	9	9
	.. F	38	38	40	25	25	24	24	30	35	31	31
	.. P	27	26	27	16	17	15	17	20	23	21	21
723	Osteo-arthritis (arthrosis) and allied conditions .. F	5	5	6	4	4	3	4	5	5	6	6
	.. F	9	7	8	7	8	7	7	8	10	9	9
	.. P	7	6	7	5	6	5	6	7	8	7	7
	0. Osteo-arthritis (arthrosis) .. F	5	5	5	4	3	2	3	4	4	4	4
	.. F	8	7	8	6	7	6	7	7	9	8	8
	.. P	7	6	6	5	5	4	5	5	7	6	6
730-738	Osteomyelitis and other diseases of bone and joint .. F	9	8	7	7	8	8	8	8	8	7	7
	.. F	5	6	6	6	8	6	6	8	8	8	8
	.. P	7	7	7	7	8	7	7	8	8	8	8
730	Osteomyelitis & periostitis .. F	5	5	3	3	2	2	3	2	2	2	2
	.. F	3	2	2	1	2	1	1	2	1	2	2
	.. P	4	3	2	2	2	2	2	2	2	2	2
730-759	XIV.—CONGENITAL MALFORMATIONS .. F	152	124	117	119	115	110	104	110	114	113	113
	.. F	114	94	99	98	97	93	89	93	92	92	92
	.. P	132	108	108	108	106	101	97	101	103	102	102
750	Monstrosity .. F	3	2	2	2	2	3	2	2	2	3	3
	.. F	3	2	2	2	2	3	3	3	3	3	3
	.. P	3	2	2	2	2	3	2	3	3	3	3
751	Spina bifida and meningocele .. F	21	18	17	16	17	18	17	20	20	20	20
	.. F	29	23	24	19	21	24	22	26	26	25	25
	.. P	25	21	21	18	19	21	19	23	23	23	23
752	Congenital hydrocephalus .. F	9	6	6	6	5	6	4	5	4	5	5
	.. F	6	5	5	6	3	5	4	4	5	4	4
	.. P	7	5	5	6	4	5	4	5	5	5	5
753	Other congenital malforma- tions of nervous system and sense organs .. F	2	3	2	2	2	3	2	3	2	2	2
	.. F	3	2	3	3	3	2	3	3	3	3	3
	.. P	2	3	3	2	3	2	2	3	3	3	3
754	Congenital malformations of circulatory system .. F	64	53	51	55	50	42	43	45	47	47	47
	.. F	47	39	41	43	42	35	34	33	33	34	34
	.. P	55	45	46	49	46	39	39	39	40	40	40
756	Congenital malformations of digestive system .. F	31	22	22	19	17	16	15	14	14	13	13
	.. F	13	11	11	10	9	9	8	8	7	7	7
	.. P	22	16	16	14	13	12	12	11	10	10	10
757	Congenital malformations of genito-urinary system .. F	12	11	10	12	12	13	12	12	13	12	12
	.. F	7	6	7	9	8	8	7	8	8	8	8
	.. P	9	8	8	10	10	10	10	10	10	10	10

*Rates per 1,000 total (live and still) births.

TABLE 8—continued

International List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
776†	XV.—CERTAIN DISEASES OF EARLY INFANCY* { M F P	21-96 16-41 19-29	19-17 14-10 16-71	18-68 13-49 16-16	17-79 12-73 15-33	18-39 12-94 15-74	17-28 12-58 14-99	16-60 12-22 14-47	16-43 11-58 14-07	15-91 11-52 13-78	15-63 11-21 13-49	15-09 10-87 13-04
795	XVI.—SYMPTOMS, SEN- ILITY, & ILL-DEFINED CONDITIONS { M F P	326 426 379	243 341 294	239 352 298	181 271 228	178 262 222	142 208 176	132 211 173	143 230 188	158 249 206	149 239 196	125 206 167
789	Symptoms referable to systems or organs .. { M F P	26 15 20	19 13 16	12 9 11	6 5 6	7 4 5	5 3 4	4 4 4	4 3 3	4 3 4	3 3 3	3 3 3
795	Senility and ill-defined diseases { M F P	300 411 359	224 328 279	227 343 288	174 266 222	172 258 216	137 205 172	129 207 170	139 227 185	154 246 202	146 236 193	122 203 164
	Senility without mention of psychosis { M F P	293 407 353	219 324 274	222 340 284	171 264 219	168 256 214	134 202 170	126 206 167	135 225 182	151 245 200	142 234 190	119 201 161
00-E999	XVII.—ACCIDENTS, POI- SONINGS, & VIOLENCE (EXTERNAL CAUSE) { M F P	632 333 473	558 306 426	569 302 430	562 308 431	591 321 451	568 298 428	582 329 450	593 358 471	605 370 483	604 383 490	594 374 480
00-E802	Railway accidents .. { M F P	23 2 12	17 3 10	16 1 8	16 2 8	14 1 8	18 3 10	16 7 8	12 1 6	13 1 7	14 2 7	13 1 7
0-E835	Motor vehicle accidents .. { M F P	147 47 94	128 44 84	141 41 89	151 46 97	161 49 103	149 42 94	158 45 99	161 51 104	171 55 111	174 56 113	170 53 109
0-E845	Other road vehicle accidents { M F P	13 4 8	13 4 8	12 4 8	14 4 9	11 3 7	11 3 7	9 3 6	9 3 6	9 2 6	7 2 4	8 2 5
0-E858	Water transport accidents { M F P	8 0 4	6 0 3	7 0 4	9 0 4	7 0 3	6 0 3	7 0 3	6 0 3	6 0 3	7 0 3	7 0 4
0-E866	Aircraft accidents .. { M F P	3 0 1	4 1 3	4 1 2	11 0 5	13 1 7	14 1 7	9 0 4	10 0 5	6 0 3	6 0 3	7 1 3
0-E888	Accidental poisoning by solid and liquid substances .. { M F P	5 5 5	6 4 5	5 4 5	5 6 6	6 6 6	7 6 7	6 7 7	7 7 7	7 7 7	8 8 8	8 8 8
0-E895	Accidental poisoning by gases and vapours .. { M F P	11 12 11	10 9 9	11 10 11	10 11 11	12 13 13	12 13 12	15 14 15	15 17 15	18 21 19	17 20 18	17 20 19
00-E904	Accidental falls .. { M F P	94 110 103	78 100 89	81 105 93	74 113 94	86 117 102	79 105 93	84 123 104	99 141 121	94 144 120	99 149 125	92 142 118
0-E936	Other accidents .. { M F P	180 72 123	140 58 97	136 53 93	123 49 85	131 53 91	125 50 86	121 53 86	110 50 79	122 50 84	112 50 80	112 47 78
0	Blow from falling object .. { M F P	24 7 12	20 0 10	21 1 11	18 0 9	19 1 9	17 1 9	16 7 8	14 7 7	14 7 7	13 1 7	14 0 7
12	Caused by machinery .. { M F P	11 0 5	12 0 6	10 0 5	8 0 4	9 0 4	9 0 4	8 0 4	8 0 4	11 0 6	11 0 5	11 0 6
16	Caused by fire and explosion of combustible material { M F P	27 27 27	13 20 17	9 16 13	**9 16 12	15 19 17	**13 19 16	10 16 13	10 19 15	12 19 16	11 19 15	11 17 14
21-E925	Accidental mechanical obstruction or suffocation { M F P	34 21 27	26 17 21	25 16 20	23 14 18	23 14 18	22 13 17	19 13 16	23 13 18	22 12 17	21 13 17	18 11 14
29	Accidental drowning and submersion .. { M F P	50 10 29	39 11 24	40 8 23	36 9 22	36 9 22	34 8 20	34 8 21	30 8 19	35 10 22	30 8 18	32 10 21
60-E965	Late effects of injury and poisoning { M F P	? ? ?	? ? ?	4 1 2	8 1 5	10 1 5	9 1 5	8 1 5	7 1 4	9 1 5	7 1 4	7 2 4
70-E979	Suicide and self-inflicted injury { M F P	137 76 105	145 79 110	147 75 110	136 70 102	135 72 102	132 68 99	142 81 108	149 81 114	143 84 113	149 90 118	146 92 118
70	Poisoning by analgesic and soporific substances .. { M F P	5 6 6	7 10 8	7 9 8	8 11 10	7 10 9	11 13 12	9 11 10	10 11 12	11 15 13	15 17 16	14 17 18

Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).

For detail of causes 760-776, see Table 11. ** E916 See footnote to this cause in Table 7.

TABLE 8—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
E971	Poisoning by other solid and liquid substances ...	M 6 F 5 P 6	M 6 F 3 P 5	M 6 F 4 P 5	M 5 F 4 P 4	M 5 F 3 P 4	M 5 F 3 P 4	M 5 F 3 P 4	M 4 F 2 P 3	M 4 F 2 P 3	M 5 F 2 P 4	M 5 F 2 P 4
972	Poisoning by gases in domestic use ...	M 47 F 39 P 42	M 54 F 40 P 47	M 53 F 38 P 45	M 49 F 33 P 41	M 51 F 38 P 45	M 52 F 34 P 43	M 60 F 41 P 50	M 64 F 47 P 55	M 59 F 47 P 53	M 63 F 51 P 57	M 63 F 51 P 57
E974	Hanging and strangulation ...	M 30 F 7 P 18	M 29 F 6 P 17	M 31 F 6 P 18	M 27 F 6 P 16	M 25 F 6 P 15	M 25 F 6 P 15	M 25 F 6 P 15	M 29 F 6 P 17	M 27 F 5 P 16	M 26 F 5 P 15	M 26 F 5 P 15
E975	Submersion (drowning)	M 15 F 11 P 13	M 17 F 11 P 14	M 17 F 10 P 14	M 16 F 10 P 13	M 15 F 10 P 12	M 13 F 8 P 10	M 12 F 9 P 11	M 14 F 8 P 11	M 13 F 9 P 11	M 13 F 9 P 11	M 13 F 9 P 11
E976	Firearms and explosives ...	M 12 F 1 P 6	M 10 F 1 P 5	M 11 F 0 P 5	M 9 F 0 P 5	M 9 F 1 P 5	M 8 F 0 P 4	M 10 F 0 P 5	M 9 F 0 P 5	M 10 F 0 P 5	M 10 F 0 P 5	M 10 F 0 P 5
E977	Cutting and piercing instruments ...	M 11 F 2 P 6	M 9 F 2 P 5	M 11 F 2 P 6	M 9 F 2 P 5	M 8 F 1 P 4	M 7 F 1 P 4	M 9 F 1 P 5	M 8 F 1 P 4	M 8 F 1 P 4	M 6 F 2 P 4	M 6 F 2 P 4
E978	Jumping from high place	M 4 F 3 P 3	M 5 F 3 P 4	M 4 F 3 P 3	M 4 F 2 P 3	M 4 F 2 P 3	M 3 F 2 P 2	M 3 F 2 P 3	M 4 F 2 P 3	M 3 F 2 P 3	M 3 F 2 P 2	M 3 F 2 P 2
E979	Other and unspecified means ...	M 7 F 2 P 4	M 7 F 3 P 5	M 6 F 2 P 4	M 8 F 2 P 5	M 7 F 2 P 4	M 7 F 1 P 4	M 7 F 1 P 4	M 7 F 2 P 4	M 6 F 2 P 4	M 7 F 1 P 4	M 7 F 1 P 4
E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	M 5 F 6 P 5	M 6 F 5 P 5	M 4 F 5 P 5	M 5 F 5 P 5	M 5 F 4 P 4	M 5 F 4 P 4	M 4 F 4 P 4	M 5 F 5 P 5	M 5 F 4 P 4	M 4 F 4 P 4	M 4 F 4 P 4
N800-N999	NXVII.—ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, & VIOLENCE (NATURE OF INJURY)	M ? F ? P ?	M ? F ? P ?	M 569 F 302 P 430	M 562 F 308 P 431	M 591 F 321 P 451	M 568 F 298 P 428	M 582 F 329 P 450	M 593 F 358 P 471	M 605 F 370 P 483	M 604 F 383 P 490	M 604 F 383 P 490
N800-N804	Fracture of skull ...	M ? F ? P ?	M ? F ? P ?	M 145 F 40 P 90	M 153 F 42 P 96	M 165 F 42 P 101	M 151 F 37 P 92	M 148 F 37 P 89	M 144 F 38 P 89	M 148 F 39 P 92	M 145 F 42 P 92	M 145 F 42 P 92
N805-N809	Fracture of spine and trunk	M ? F ? P ?	M ? F ? P ?	M 37 F 9 P 22	M 33 F 11 P 22	M 32 F 11 P 21	M 32 F 12 P 22	M 34 F 13 P 23	M 36 F 16 P 26	M 36 F 17 P 26	M 37 F 18 P 27	M 37 F 18 P 27
N810-N829	Fracture of limbs ...	M ? F ? P ?	M ? F ? P ?	M 41 F 80 P 61	M 40 F 88 P 65	M 46 F 91 P 69	M 38 F 78 P 59	M 45 F 95 P 71	M 56 F 109 P 84	M 53 F 113 P 84	M 58 F 120 P 90	M 58 F 120 P 90
N830-N839	Dislocation without fracture	M ? F ? P ?	M ? F ? P ?	M 0 F 0 P 0	M 1 F 0 P 1	M 2 F 1 P 2	M 2 F 1 P 1	M 2 F 1 P 1	M 2 F 1 P 1	M 3 F 1 P 2	M 2 F 1 P 1	M 2 F 1 P 1
N840-N848	Sprains and strains of joints and adjacent muscles ...	M ? F ? P ?	M ? F ? P ?	M 0 F 0 P 0	M 0 F 0 P 0	M 0 F 0 P 0	M 0 F 0 P 0	M 0 F 0 P 0	M 0 F 0 P 0	M 0 F 0 P 0	M 0 F 0 P 0	M 0 F 0 P 0
N850-N856	Head injury (excluding fracture) ...	M ? F ? P ?	M ? F ? P ?	M 40 F 17 P 28	M 43 F 17 P 29	M 46 F 18 P 31	M 40 F 16 P 27	M 41 F 16 P 28	M 44 F 19 P 31	M 45 F 19 P 32	M 43 F 19 P 30	M 43 F 19 P 30
N860-N869	Internal injury of chest, abdomen and pelvis	M ? F ? P ?	M ? F ? P ?	M 28 F 6 P 16	M 35 F 7 P 20	M 40 F 7 P 23	M 45 F 8 P 26	M 40 F 9 P 24	M 42 F 8 P 24	M 44 F 8 P 25	M 43 F 8 P 25	M 43 F 8 P 25
N870-N908	Laceration and open wounds ...	M ? F ? P ?	M ? F ? P ?	M 24 F 4 P 13	M 19 F 4 P 11	M 17 F 3 P 10	M 22 F 3 P 13	M 24 F 4 P 13	M 20 F 5 P 12	M 21 F 5 P 13	M 18 F 4 P 11	M 18 F 4 P 11
N910-N929	Superficial injury, contusion and crushing with intact skin surface ...	M ? F ? P ?	M ? F ? P ?	M 3 F 3 P 3	M 2 F 3 P 2	M 2 F 3 P 3	M 2 F 3 P 2	M 2 F 3 P 3	M 2 F 4 P 3	M 3 F 4 P 3	M 3 F 2 P 2	M 3 F 2 P 2
N930-N936	Effects of foreign body entering through orifice	M ? F ? P ?	M ? F ? P ?	M 14 F 9 P 11	M 13 F 9 P 11	M 13 F 9 P 11	M 13 F 9 P 11	M 12 F 8 P 10	M 14 F 9 P 11	M 14 F 8 P 11	M 13 F 9 P 11	M 13 F 9 P 11
N940-N949	Burns ...	M ? F ? P ?	M ? F ? P ?	M 13 F 20 P 17	M 12 F 19 P 16	M 15 F 21 P 18	M 12 F 22 P 17	M 14 F 17 P 15	M 21 F 21 P 17	M 14 F 21 P 17	M 12 F 20 P 16	M 12 F 20 P 16
N960-N979	Effects of poisons ...	M ? F ? P ?	M ? F ? P ?	M 85 F 68 P 77	M 83 F 67 P 75	M 90 F 73 P 81	M 97 F 71 P 83	M 102 F 79 P 90	M 107 F 89 P 98	M 107 F 94 P 100	M 114 F 102 P 108	M 114 F 102 P 108
N950-N959	All other and unspecified effects of external causes...	M ? F ? P ?	M ? F ? P ?	M 140 F 47 P 91	M 129 F 41 P 83	M 123 F 41 P 81	M 114 F 38 P 75	M 119 F 48 P 82	M 117 F 40 P 77	M 118 F 42 P 78	M 115 F 38 P 75	M 115 F 38 P 75
N980-N999		M ? F ? P ?	M ? F ? P ?	M 140 F 47 P 91	M 129 F 41 P 83	M 123 F 41 P 81	M 114 F 38 P 75	M 119 F 48 P 82	M 117 F 40 P 77	M 118 F 42 P 78	M 115 F 38 P 75	M 115 F 38 P 75

TABLE 9—Comparative Mortality Indices (Base Year 1938) by } England and Wales
Sex for Certain Causes of Death, 1947-1957

Notes: (1) The C.M.I. expresses each cause mortality (all ages) of each year as a ratio to that of 1938 adopted as a base, after adjustment for age differences in the populations exposed to risk. For years prior to 1950, including the base year 1938, mortality has been adjusted to the new (1948) method of classification to eliminate the effects of changing methods of cause assignment through those years. Owing to the degree of estimation thus involved, C.M.I.'s are shown to two decimal places only instead of three as in past years.

- (2) For years up to 1949, C.M.I.'s are based on civilian death rates and age distribution.
(3) Footnotes to Table 7 for individual causes apply also to this table.
(4) See Explanatory notes on page vi.

Inter-national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
	ALL CAUSES	$\begin{cases} M & 0.92 \\ F & 0.89 \\ P & 0.91 \end{cases}$	$\begin{cases} M & 0.82 \\ F & 0.79 \\ P & 0.80 \end{cases}$	$\begin{cases} M & 0.86 \\ F & 0.85 \\ P & 0.86 \end{cases}$	$\begin{cases} M & 0.85 \\ F & 0.83 \\ P & 0.84 \end{cases}$	$\begin{cases} M & 0.92 \\ F & 0.88 \\ P & 0.90 \end{cases}$	$\begin{cases} M & 0.84 \\ F & 0.78 \\ P & 0.81 \end{cases}$	$\begin{cases} M & 0.84 \\ F & 0.76 \\ P & 0.81 \end{cases}$	$\begin{cases} M & 0.83 \\ F & 0.76 \\ P & 0.79 \end{cases}$	$\begin{cases} M & 0.84 \\ F & 0.77 \\ P & 0.81 \end{cases}$	$\begin{cases} M & 0.84 \\ F & 0.76 \\ P & 0.80 \end{cases}$	$\begin{cases} M & 0.83 \\ F & 0.74 \\ P & 0.78 \end{cases}$
01-019	Tuberculosis (all forms)	$\begin{cases} M & 0.90 \\ F & 0.89 \end{cases}$	$\begin{cases} M & 0.83 \\ F & 0.82 \end{cases}$	$\begin{cases} M & 0.76 \\ F & 0.72 \end{cases}$	$\begin{cases} M & 0.62 \\ F & 0.55 \end{cases}$	$\begin{cases} M & 0.55 \\ F & 0.45 \end{cases}$	$\begin{cases} M & 0.44 \\ F & 0.31 \end{cases}$	$\begin{cases} M & 0.37 \\ F & 0.26 \end{cases}$	$\begin{cases} M & 0.33 \\ F & 0.22 \end{cases}$	$\begin{cases} M & 0.27 \\ F & 0.17 \end{cases}$	$\begin{cases} M & 0.23 \\ F & 0.14 \end{cases}$	$\begin{cases} M & 0.20 \\ F & 0.12 \end{cases}$
01-008	Respiratory system	$\begin{cases} M & 0.93 \\ F & 0.92 \end{cases}$	$\begin{cases} M & 0.87 \\ F & 0.85 \end{cases}$	$\begin{cases} M & 0.80 \\ F & 0.77 \end{cases}$	$\begin{cases} M & 0.66 \\ F & 0.58 \end{cases}$	$\begin{cases} M & 0.58 \\ F & 0.46 \end{cases}$	$\begin{cases} M & 0.47 \\ F & 0.32 \end{cases}$	$\begin{cases} M & 0.36 \\ F & 0.27 \end{cases}$	$\begin{cases} M & 0.36 \\ F & 0.23 \end{cases}$	$\begin{cases} M & 0.30 \\ F & 0.18 \end{cases}$	$\begin{cases} M & 0.25 \\ F & 0.14 \end{cases}$	$\begin{cases} M & 0.22 \\ F & 0.12 \end{cases}$
10-019	Other forms	$\begin{cases} M & 0.74 \\ F & 0.77 \end{cases}$	$\begin{cases} M & 0.61 \\ F & 0.50 \end{cases}$	$\begin{cases} M & 0.52 \\ F & 0.50 \end{cases}$	$\begin{cases} M & 0.40 \\ F & 0.41 \end{cases}$	$\begin{cases} M & 0.37 \\ F & 0.39 \end{cases}$	$\begin{cases} M & 0.28 \\ F & 0.26 \end{cases}$	$\begin{cases} M & 0.21 \\ F & 0.17 \end{cases}$	$\begin{cases} M & 0.18 \\ F & 0.13 \end{cases}$	$\begin{cases} M & 0.14 \\ F & 0.11 \end{cases}$	$\begin{cases} M & 0.11 \\ F & 0.08 \end{cases}$	$\begin{cases} M & 0.10 \\ F & 0.06 \end{cases}$
10	Meninges and central nervous system	$\begin{cases} M & 0.81 \\ F & 0.81 \end{cases}$	$\begin{cases} M & 0.64 \\ F & 0.70 \end{cases}$	$\begin{cases} M & 0.55 \\ F & 0.56 \end{cases}$	$\begin{cases} M & 0.42 \\ F & 0.48 \end{cases}$	$\begin{cases} M & 0.43 \\ F & 0.46 \end{cases}$	$\begin{cases} M & 0.26 \\ F & 0.26 \end{cases}$	$\begin{cases} M & 0.18 \\ F & 0.18 \end{cases}$	$\begin{cases} M & 0.10 \\ F & 0.10 \end{cases}$	$\begin{cases} M & 0.07 \\ F & 0.07 \end{cases}$	$\begin{cases} M & 0.04 \\ F & 0.06 \end{cases}$	$\begin{cases} M & 0.05 \\ F & 0.07 \end{cases}$
11	Intestines, peritoneum, mesenteric glands	$\begin{cases} M & 0.56 \\ F & 0.62 \end{cases}$	$\begin{cases} M & 0.45 \\ F & 0.51 \end{cases}$	$\begin{cases} M & 0.39 \\ F & 0.37 \end{cases}$	$\begin{cases} M & 0.23 \\ F & 0.25 \end{cases}$	$\begin{cases} M & 0.21 \\ F & 0.24 \end{cases}$	$\begin{cases} M & 0.17 \\ F & 0.16 \end{cases}$	$\begin{cases} M & 0.15 \\ F & 0.14 \end{cases}$	$\begin{cases} M & 0.10 \\ F & 0.14 \end{cases}$	$\begin{cases} M & 0.11 \\ F & 0.10 \end{cases}$	$\begin{cases} M & 0.08 \\ F & 0.08 \end{cases}$	$\begin{cases} M & 0.07 \\ F & 0.06 \end{cases}$
20-029	Syphilis and its sequelæ	$\begin{cases} M & 0.56 \\ F & 0.58 \end{cases}$	$\begin{cases} M & 0.49 \\ F & 0.50 \end{cases}$	$\begin{cases} M & 0.48 \\ F & 0.48 \end{cases}$	$\begin{cases} M & 0.44 \\ F & 0.50 \end{cases}$	$\begin{cases} M & 0.47 \\ F & 0.48 \end{cases}$	$\begin{cases} M & 0.40 \\ F & 0.49 \end{cases}$	$\begin{cases} M & 0.36 \\ F & 0.41 \end{cases}$	$\begin{cases} M & 0.34 \\ F & 0.42 \end{cases}$	$\begin{cases} M & 0.34 \\ F & 0.39 \end{cases}$	$\begin{cases} M & 0.32 \\ F & 0.40 \end{cases}$	$\begin{cases} M & 0.30 \\ F & 0.36 \end{cases}$
40, 041	Typhoid and paratyphoid fevers	$\begin{cases} M & 0.22 \\ F & 0.14 \end{cases}$	$\begin{cases} M & 0.25 \\ F & 0.35 \end{cases}$	$\begin{cases} M & 0.16 \\ F & 0.23 \end{cases}$	$\begin{cases} M & 0.08 \\ F & 0.11 \end{cases}$	$\begin{cases} M & 0.06 \\ F & 0.20 \end{cases}$	$\begin{cases} M & 0.10 \\ F & 0.15 \end{cases}$	$\begin{cases} M & 0.01 \\ F & 0.05 \end{cases}$	$\begin{cases} M & 0.02 \\ F & 0.08 \end{cases}$	$\begin{cases} M & 0.08 \\ F & 0.10 \end{cases}$	$\begin{cases} M & 0.02 \\ F & 0.07 \end{cases}$	$\begin{cases} M & 0.01 \\ F & 0.11 \end{cases}$
50	Scarlet fever	$\begin{cases} M & 0.11 \\ F & 0.15 \end{cases}$	$\begin{cases} M & 0.10 \\ F & 0.12 \end{cases}$	$\begin{cases} M & 0.06 \\ F & 0.05 \end{cases}$	$\begin{cases} M & 0.09 \\ F & 0.10 \end{cases}$	$\begin{cases} M & 0.08 \\ F & 0.13 \end{cases}$	$\begin{cases} M & 0.05 \\ F & 0.08 \end{cases}$	$\begin{cases} M & 0.05 \\ F & 0.11 \end{cases}$	$\begin{cases} M & 0.06 \\ F & 0.09 \end{cases}$	$\begin{cases} M & 0.05 \\ F & 0.07 \end{cases}$	$\begin{cases} M & 0.05 \\ F & 0.04 \end{cases}$	$\begin{cases} M & 0.02 \\ F & 0.03 \end{cases}$
52	Erysipelas	$\begin{cases} M & 0.13 \\ F & 0.18 \end{cases}$	$\begin{cases} M & 0.12 \\ F & 0.12 \end{cases}$	$\begin{cases} M & 0.12 \\ F & 0.13 \end{cases}$	$\begin{cases} M & 0.09 \\ F & 0.10 \end{cases}$	$\begin{cases} M & 0.04 \\ F & 0.04 \end{cases}$	$\begin{cases} M & 0.03 \\ F & 0.05 \end{cases}$	$\begin{cases} M & 0.04 \\ F & 0.06 \end{cases}$	$\begin{cases} M & 0.04 \\ F & 0.02 \end{cases}$	$\begin{cases} M & 0.03 \\ F & 0.03 \end{cases}$	$\begin{cases} M & 0.01 \\ F & 0.02 \end{cases}$	$\begin{cases} M & 0.02 \\ F & 0.00 \end{cases}$
55	Diphtheria	$\begin{cases} M & 0.08 \\ F & 0.08 \end{cases}$	$\begin{cases} M & 0.05 \\ F & 0.05 \end{cases}$	$\begin{cases} M & 0.03 \\ F & 0.02 \end{cases}$	$\begin{cases} M & 0.02 \\ F & 0.01 \end{cases}$	$\begin{cases} M & 0.01 \\ F & 0.01 \end{cases}$	$\begin{cases} M & 0.01 \\ F & 0.01 \end{cases}$	$\begin{cases} M & 0.01 \\ F & 0.01 \end{cases}$	$\begin{cases} M & 0.00 \\ F & 0.00 \end{cases}$	$\begin{cases} M & 0.00 \\ F & 0.00 \end{cases}$	$\begin{cases} M & 0.00 \\ F & 0.00 \end{cases}$	$\begin{cases} M & 0.00 \\ F & 0.00 \end{cases}$
56	Whooping cough	$\begin{cases} M & 0.63 \\ F & 0.67 \end{cases}$	$\begin{cases} M & 0.54 \\ F & 0.52 \end{cases}$	$\begin{cases} M & 0.41 \\ F & 0.38 \end{cases}$	$\begin{cases} M & 0.29 \\ F & 0.32 \end{cases}$	$\begin{cases} M & 0.38 \\ F & 0.35 \end{cases}$	$\begin{cases} M & 0.16 \\ F & 0.15 \end{cases}$	$\begin{cases} M & 0.20 \\ F & 0.21 \end{cases}$	$\begin{cases} M & 0.13 \\ F & 0.11 \end{cases}$	$\begin{cases} M & 0.09 \\ F & 0.06 \end{cases}$	$\begin{cases} M & 0.03 \\ F & 0.08 \end{cases}$	$\begin{cases} M & 0.06 \\ F & 0.08 \end{cases}$
57	Meningococcal infections	$\begin{cases} M & 0.65 \\ F & 0.77 \end{cases}$	$\begin{cases} M & 0.35 \\ F & 0.44 \end{cases}$	$\begin{cases} M & 0.34 \\ F & 0.43 \end{cases}$	$\begin{cases} M & 0.34 \\ F & 0.42 \end{cases}$	$\begin{cases} M & 0.35 \\ F & 0.47 \end{cases}$	$\begin{cases} M & 0.37 \\ F & 0.44 \end{cases}$	$\begin{cases} M & 0.38 \\ F & 0.42 \end{cases}$	$\begin{cases} M & 0.32 \\ F & 0.40 \end{cases}$	$\begin{cases} M & 0.24 \\ F & 0.34 \end{cases}$	$\begin{cases} M & 0.25 \\ F & 0.27 \end{cases}$	$\begin{cases} M & 0.21 \\ F & 0.30 \end{cases}$
80, 081	Acute poliomyelitis incl. late effects	$\begin{cases} M & 3.19 \\ F & 2.35 \end{cases}$	$\begin{cases} M & 1.07 \\ F & 0.81 \end{cases}$	$\begin{cases} M & 2.61 \\ F & 2.39 \end{cases}$	$\begin{cases} M & 2.95 \\ F & 2.73 \end{cases}$	$\begin{cases} M & 0.83 \\ F & 0.79 \end{cases}$	$\begin{cases} M & 1.24 \\ F & 0.98 \end{cases}$	$\begin{cases} M & 1.45 \\ F & 1.06 \end{cases}$	$\begin{cases} M & 0.58 \\ F & 0.40 \end{cases}$	$\begin{cases} M & 1.12 \\ F & 0.89 \end{cases}$	$\begin{cases} M & 0.54 \\ F & 0.49 \end{cases}$	$\begin{cases} M & 1.15 \\ F & 0.75 \end{cases}$
82, 083	Acute infectious encephalitis incl. late effects	$\begin{cases} M & 0.80 \\ F & 0.77 \end{cases}$	$\begin{cases} M & 0.69 \\ F & 0.68 \end{cases}$	$\begin{cases} M & 0.57 \\ F & 0.66 \end{cases}$	$\begin{cases} M & 0.59 \\ F & 0.61 \end{cases}$	$\begin{cases} M & 0.48 \\ F & 0.62 \end{cases}$	$\begin{cases} M & 0.41 \\ F & 0.51 \end{cases}$	$\begin{cases} M & 0.53 \\ F & 0.52 \end{cases}$	$\begin{cases} M & 0.41 \\ F & 0.46 \end{cases}$	$\begin{cases} M & 0.40 \\ F & 0.39 \end{cases}$	$\begin{cases} M & 0.43 \\ F & 0.39 \end{cases}$	$\begin{cases} M & 0.35 \\ F & 0.34 \end{cases}$
85	Measles	$\begin{cases} M & 0.33 \\ F & 0.35 \end{cases}$	$\begin{cases} M & 0.15 \\ F & 0.18 \end{cases}$	$\begin{cases} M & 0.15 \\ F & 0.17 \end{cases}$	$\begin{cases} M & 0.13 \\ F & 0.10 \end{cases}$	$\begin{cases} M & 0.17 \\ F & 0.17 \end{cases}$	$\begin{cases} M & 0.07 \\ F & 0.08 \end{cases}$	$\begin{cases} M & 0.15 \\ F & 0.12 \end{cases}$	$\begin{cases} M & 0.03 \\ F & 0.03 \end{cases}$	$\begin{cases} M & 0.09 \\ F & 0.11 \end{cases}$	$\begin{cases} M & 0.02 \\ F & 0.02 \end{cases}$	$\begin{cases} M & 0.06 \\ F & 0.05 \end{cases}$
10-205	Neoplasms, malignant, & of lymphatic and hæmato-poietic tissues	$\begin{cases} M & 1.05 \\ F & 0.96 \end{cases}$	$\begin{cases} M & 1.06 \\ F & 0.95 \end{cases}$	$\begin{cases} M & 1.07 \\ F & 0.95 \end{cases}$	$\begin{cases} M & 1.09 \\ F & 0.95 \end{cases}$	$\begin{cases} M & 1.12 \\ F & 0.93 \end{cases}$	$\begin{cases} M & 1.13 \\ F & 0.94 \end{cases}$	$\begin{cases} M & 1.13 \\ F & 0.92 \end{cases}$	$\begin{cases} M & 1.16 \\ F & 0.92 \end{cases}$	$\begin{cases} M & 1.16 \\ F & 0.91 \end{cases}$	$\begin{cases} M & 1.17 \\ F & 0.91 \end{cases}$	$\begin{cases} M & 1.18 \\ F & 0.90 \end{cases}$
10-200, 2, 203, 5	Neoplasms, malignant excl. Hodgkin's disease & leukæmia and aleukæmia	$\begin{cases} M & 1.05 \\ F & 0.95 \end{cases}$	$\begin{cases} M & 1.06 \\ F & 0.94 \end{cases}$	$\begin{cases} M & 1.06 \\ F & 0.94 \end{cases}$	$\begin{cases} M & 1.08 \\ F & 0.94 \end{cases}$	$\begin{cases} M & 1.11 \\ F & 0.92 \end{cases}$	$\begin{cases} M & 1.12 \\ F & 0.92 \end{cases}$	$\begin{cases} M & 1.12 \\ F & 0.90 \end{cases}$	$\begin{cases} M & 1.14 \\ F & 0.90 \end{cases}$	$\begin{cases} M & 1.15 \\ F & 0.90 \end{cases}$	$\begin{cases} M & 1.16 \\ F & 0.90 \end{cases}$	$\begin{cases} M & 1.16 \\ F & 0.88 \end{cases}$
10-148	Buccal cavity and pharynx	$\begin{cases} M & 0.62 \\ F & 0.84 \end{cases}$	$\begin{cases} M & 0.58 \\ F & 0.79 \end{cases}$	$\begin{cases} M & 0.54 \\ F & 0.85 \end{cases}$	$\begin{cases} M & 0.54 \\ F & 0.89 \end{cases}$	$\begin{cases} M & 0.54 \\ F & 0.89 \end{cases}$	$\begin{cases} M & 0.50 \\ F & 0.90 \end{cases}$	$\begin{cases} M & 0.47 \\ F & 0.78 \end{cases}$	$\begin{cases} M & 0.50 \\ F & 0.86 \end{cases}$	$\begin{cases} M & 0.47 \\ F & 0.86 \end{cases}$	$\begin{cases} M & 0.40 \\ F & 0.86 \end{cases}$	$\begin{cases} M & 0.40 \\ F & 0.86 \end{cases}$
10-159	Digestive organs and peritoneum	$\begin{cases} M & 0.95 \\ F & 0.91 \end{cases}$	$\begin{cases} M & 0.94 \\ F & 0.89 \end{cases}$	$\begin{cases} M & 0.91 \\ F & 0.88 \end{cases}$	$\begin{cases} M & 0.89 \\ F & 0.87 \end{cases}$	$\begin{cases} M & 0.89 \\ F & 0.84 \end{cases}$	$\begin{cases} M & 0.87 \\ F & 0.83 \end{cases}$	$\begin{cases} M & 0.85 \\ F & 0.81 \end{cases}$	$\begin{cases} M & 0.83 \\ F & 0.79 \end{cases}$	$\begin{cases} M & 0.82 \\ F & 0.78 \end{cases}$	$\begin{cases} M & 0.79 \\ F & 0.76 \end{cases}$	$\begin{cases} M & 0.79 \\ F & 0.74 \end{cases}$
10-165	Respiratory system	$\begin{cases} M & 1.76 \\ F & 1.39 \end{cases}$	$\begin{cases} M & 1.90 \\ F & 1.47 \end{cases}$	$\begin{cases} M & 2.02 \\ F & 1.51 \end{cases}$	$\begin{cases} M & 2.22 \\ F & 1.59 \end{cases}$	$\begin{cases} M & 2.39 \\ F & 1.62 \end{cases}$	$\begin{cases} M & 2.51 \\ F & 1.69 \end{cases}$	$\begin{cases} M & 2.65 \\ F & 1.68 \end{cases}$	$\begin{cases} M & 2.83 \\ F & 1.72 \end{cases}$	$\begin{cases} M & 2.96 \\ F & 1.77 \end{cases}$	$\begin{cases} M & 3.07 \\ F & 1.80 \end{cases}$	$\begin{cases} M & 3.16 \\ F & 1.84 \end{cases}$
0	Breast	$\begin{cases} M & 1.11 \\ F & 0.99 \end{cases}$	$\begin{cases} M & 0.97 \\ F & 0.98 \end{cases}$	$\begin{cases} M & 1.19 \\ F & 0.97 \end{cases}$	$\begin{cases} M & 0.97 \\ F & 0.96 \end{cases}$	$\begin{cases} M & 0.96 \\ F & 0.96 \end{cases}$	$\begin{cases} M & 0.88 \\ F & 0.98 \end{cases}$	$\begin{cases} M & 1.22 \\ F & 0.96 \end{cases}$	$\begin{cases} M & 1.17 \\ F & 0.96 \end{cases}$	$\begin{cases} M & 1.12 \\ F & 0.96 \end{cases}$	$\begin{cases} M & 0.99 \\ F & 0.96 \end{cases}$	$\begin{cases} M & 0.99 \\ F & 0.95 \end{cases}$

TABLE 9—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
171-174	Uterus F	0·85	0·85	0·82	0·79	0·77	0·75	0·73	0·70	0·70	0·70	0·69
175, 176	Other female genital organs F	1·03	1·03	1·05	1·11	1·10	1·08	1·09	1·10	1·14	1·14	1·16
177-179	Male genital organs .. M	1·14	1·10	1·14	1·18	1·15	1·13	1·16	1·21	1·19	1·25	1·20
180, 181	Kidney, bladder and other urinary organs {M F	1·38 1·18	1·21 1·26	1·26 1·22	1·29 1·26	1·36 1·28	1·42 1·31	1·38 1·33	1·40 1·35	1·45 1·31	1·47 1·33	1·46 1·29
190, 191	Skin {M F	0·74 0·79	0·70 0·72	0·64 0·74	0·67 0·76	0·59 0·66	0·58 0·74	0·56 0·70	0·55 0·67	0·55 0·70	0·55 0·62	0·52 0·71
193	Brain and other parts of nervous system {M F	1·20 1·11	1·30 1·12	1·37 1·33	1·39 1·48	1·51 1·40	1·69 1·48	1·64 1·65	1·67 1·74	1·80 1·70	1·76 1·82	1·75 1·82
201	Hodgkin's disease .. {M F	1·15 0·93	1·20 0·96	1·22 1·00	1·09 0·99	1·25 1·10	1·27 1·10	1·28 1·13	1·29 1·12	1·29 1·10	1·31 1·19	1·49 1·10
204	Leukæmia & aleukæmia {M F	1·28 1·37	1·34 1·30	1·49 1·51	1·61 1·57	1·60 1·75	1·77 1·72	1·78 1·83	1·82 1·84	1·93 1·79	1·92 1·93	2·00 1·90
240, 241	Hay fever, asthma .. {M F	1·11 1·08	0·92 0·94	1·07 1·04	1·02 1·05	1·16 1·22	0·88 0·87	0·85 0·95	0·77 0·86	0·76 0·80	0·68 0·86	0·60 0·74
252	Thyrototoxicosis .. {M F	0·43 0·46	0·36 0·41	0·42 0·37	0·33 0·36	0·44 0·34	0·33 0·28	0·34 0·22	0·28 0·23	0·26 0·21	0·26 0·20	0·30 0·20
260	Diabetes mellitus .. {M F	0·57 0·66	0·50 0·60	0·52 0·63	0·56 0·65	0·57 0·65	0·50 0·57	0·49 0·53	0·47 0·49	0·48 0·53	0·49 0·51	0·44 0·49
290-0 290-1	Pernicious anæmias and sub- acute combined degener- ation of spinal cord .. {M F	0·68 0·72	0·54 0·57	0·50 0·58	0·44 0·56	0·42 0·51	0·36 0·42	0·31 0·36	0·29 0·38	0·29 0·36	0·26 0·37	0·24 0·34
330-334	Vascular lesions affecting central nervous system .. {M F	1·03 1·10	0·92 1·00	0·99 1·08	1·05 1·14	1·13 1·18	1·12 1·18	1·09 1·13	1·14 1·16	1·15 1·18	1·14 1·16	1·10 1·13
345	Multiple sclerosis .. {M F	0·80 1·19	0·65 1·04	0·74 0·98	0·74 1·10	0·81 1·33	0·71 1·12	0·63 1·22	0·70 1·16	0·76 1·55	0·69 1·51	0·68 1·53
350	Paralysis agitans .. {M F	1·01 1·09	0·80 0·99	0·95 1·13	0·97 1·13	1·10 1·22	1·01 1·15	0·99 1·09	0·89 1·04	1·15 1·16	0·99 1·10	0·99 1·01
353	Epilepsy {M F	0·79 0·80	0·60 0·63	0·55 0·59	0·53 0·59	0·52 0·58	0·51 0·54	0·45 0·56	0·37 0·46	0·44 0·49	0·42 0·44	0·41 0·42
400-468	Diseases of the circulatory system {M F	1·06 0·97	0·97 0·89	1·07 1·01	1·09 1·01	1·16 1·06	1·08 0·94	1·06 0·93	1·08 0·90	1·09 0·92	1·10 0·91	1·06 0·86
430	Acute and subacute endo- carditis {M F	0·54 0·43	0·48 0·38	0·42 0·36	0·37 0·28	0·34 0·26	0·29 0·22	0·32 0·23	0·32 0·19	0·33 0·20	0·31 0·20	0·31 0·21
480-483	Influenza {M F	0·61 0·67	0·24 0·23	0·90 1·17	0·63 0·79	2·51 3·24	0·29 0·33	0·96 1·32	0·29 0·34	0·47 0·54	0·41 0·47	1·13 1·10
490-493, 763	Pneumonia {M F	0·66 0·76	0·50 0·56	0·55 0·69	0·47 0·60	0·60 0·76	0·51 0·62	0·56 0·69	0·48 0·59	0·54 0·68	0·56 0·72	0·57 0·70
490	Lobar pneumonia .. {M F	0·41 0·49	0·34 0·37	0·33 0·42	0·30 0·37	0·32 0·39	0·29 0·33	0·29 0·34	0·25 0·32	0·26 0·32	0·26 0·31	0·24 0·28
491	Bronchopneumonia .. {M F	0·82 0·87	0·61 0·65	0·71 0·82	0·59 0·72	0·81 0·95	0·67 0·75	0·75 0·87	0·64 0·73	0·75 0·87	0·79 0·94	0·83 0·92
500-502	Bronchitis {M F	1·09 0·85	0·88 0·60	1·00 0·78	0·99 0·71	1·29 0·94	0·99 0·61	1·08 0·68	0·94 0·51	1·05 0·57	1·07 0·57	1·00 0·46
500	Acute bronchitis .. {M F	1·09 0·95	0·70 0·55	0·81 0·77	0·60 0·62	0·87 0·87	0·57 0·49	0·65 0·58	0·45 0·54	0·50 0·55	0·49 0·43	0·40 0·30
501, 502	Chronic and unqualified {M F	1·20 0·89	1·04 0·72	1·18 0·90	1·22 0·86	1·56 1·11	1·22 0·76	1·33 0·84	1·19 0·65	1·32 0·72	1·35 0·73	1·28 0·59
530-587	Diseases of the digestive system {M F	0·78 0·74	0·65 0·60	0·63 0·59	0·60 0·58	0·61 0·58	0·59 0·55	0·56 0·54	0·57 0·54	0·56 0·55	0·53 0·53	0·51 0·51
540	Ulcer of stomach .. {M F	0·81 0·88	0·77 0·80	0·76 0·80	0·73 0·82	0·74 0·88	0·69 0·85	0·63 0·82	0·64 0·82	0·63 0·86	0·60 0·87	0·55 0·82
541	Ulcer of duodenum .. {M F	1·12 0·95	1·08 1·03	1·16 1·12	1·21 1·33	1·43 1·52	1·35 1·45	1·26 1·51	1·35 1·84	1·31 1·87	1·22 1·80	1·15 1·57
550-553	Appendicitis {M F	0·47 0·47	0·38 0·39	0·38 0·36	0·37 0·39	0·34 0·34	0·30 0·30	0·27 0·24	0·27 0·28	0·24 0·24	0·25 0·21	0·24 0·19

TABLE 9—continued

Inter- national List No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
560, 561	Hernia of abdominal cavity { F	0·88 1·00	0·78 0·76	0·69 0·71	0·67 0·68	0·67 0·69	0·66 0·65	0·61 0·62	0·60 0·59	0·65 0·58	0·60 0·62	0·59 0·56
570	Intestinal obstruction, with- out mention of hernia { F	1·13 1·06	0·83 0·88	0·74 0·84	0·64 0·67	0·64 0·71	0·67 0·71	0·64 0·67	0·61 0·61	0·57 0·67	0·61 0·67	0·57 0·60
581	Cirrhosis of liver .. { F	0·59 0·63	0·55 0·59	0·59 0·68	0·60 0·81	0·65 0·92	0·67 0·86	0·67 0·90	0·65 0·94	0·63 0·94	0·62 0·92	0·66 0·92
584	Cholelithiasis .. { F	0·54 0·53	0·55 0·51	0·55 0·51	0·63 0·59	0·55 0·55	0·61 0·53	0·60 0·56	0·68 0·53	0·69 0·53	0·67 0·49	0·59 0·49
585	Cholecystitis without mention of calculi .. { F	0·46 0·45	0·42 0·44	0·43 0·45	0·44 0·43	0·40 0·42	0·47 0·40	0·50 0·38	0·46 0·39	0·45 0·37	0·45 0·34	0·42 0·31
587	Diseases of pancreas .. { F	0·65 0·70	0·62 0·76	0·76 0·87	0·80 0·97	0·86 0·95	1·07 0·98	0·86 1·09	1·01 1·08	1·14 1·27	0·98 1·16	1·00 1·15
605	Cystitis .. { F	0·37 0·40	0·38 0·31	0·34 0·37	0·30 0·39	0·28 0·34	0·25 0·31	0·27 0·31	0·24 0·35	0·21 0·33	0·21 0·33	0·17 0·31
608	Stricture of urethra .. M	0·50	0·44	0·42	0·33	0·29	0·28	0·23	0·29	0·24	0·25	0·22
610-612	Diseases of prostate .. M	0·86	0·79	0·81	0·78	0·75	0·69	0·65	0·66	0·62	0·57	0·60
750-759	Congenital malformations { F	1·00 1·02	0·82 0·82	0·77 0·86	0·80 0·85	0·77 0·84	0·77 0·85	0·75 0·84	0·81 0·89	0·84 0·89	0·84 0·89	0·88 0·96
E800-E999	Accidents, poisonings and violence .. { F	0·79 0·82	0·70 0·75	0·71 0·73	0·71 0·74	0·74 0·77	0·71 0·71	0·73 0·77	0·74 0·82	0·76 0·84	0·75 0·86	0·74 0·83
E810-E825 E830-E835	Motor vehicle accidents { F	0·70 0·70	0·61 0·64	0·68 0·61	0·72 0·67	0·77 0·71	0·71 0·62	0·75 0·65	0·76 0·72	0·81 0·78	0·83 0·79	0·81 0·74
E870-E888	Accidental poisoning by solid or liquid substances { F	0·87 1·22	1·07 1·13	0·85 1·13	1·02 1·58	1·09 1·58	1·40 1·55	1·23 1·67	1·35 1·80	1·36 1·83	1·46 2·05	1·56 1·90
E890-E895	Accidental poisoning by gases and vapours { F	1·34 2·21	1·19 1·66	1·38 1·84	1·23 1·96	1·50 2·32	1·46 2·26	1·89 2·37	1·90 2·79	2·17 3·34	2·06 3·11	2·07 3·12
E900-E904	Accidental falls .. { F	0·77 0·75	0·64 0·66	0·66 0·69	0·61 0·73	0·71 0·75	0·64 0·66	0·68 0·75	0·80 0·83	0·75 0·83	0·78 0·85	0·73 0·79
E970-E979	Suicide and self-inflicted injury .. { F	0·71 0·90	0·76 0·93	0·76 0·89	0·71 0·82	0·70 0·84	0·69 0·79	0·74 0·89	0·78 0·95	0·74 0·97	0·77 1·04	0·75 1·06

TABLE 10—Deaths of Infants under One Year from } England and Wales
Certain Causes, 1947-1957

Note: For years 1947 and 1948, deaths and rates classified in this table and in Table 11 according to the 1948 International Statistical Classification have been estimated from available material based on the 1938 International List in the light of experience gained in 1949, when both lists were employed. For those years, therefore, figures must be regarded as approximate.

See Explanatory notes on page vi.

Inter- national Classifica- tion No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
	ALL CAUSES	36,849	26,766	23,882	20,817	20,223	18,555	18,324	17,160	16,613	16,554	16,721
010	Tuberculosis of meninges and central nervous system ..	153	113	85	52	56	38	16	10	11	5	
001-008, 011-019	Other tuberculosis	191	138	81	74	43	30	47	26	17	8	
020	Congenital syphilis	84	76	62	31	19	20	8	2	—	3	
055	Diphtheria	16	6	2	—	1	—	—	1	—	—	
056	Whooping cough	564	484	357	277	273	111	167	95	60	63	
057	Meningococcal infections ..	182	98	112	103	104	115	123	105	77	71	
080, 081	Acute poliomyelitis	39	5	25	48	6	12	6	4	6	5	
085	Measles	252	107	86	70	98	37	57	14	38	4	
Rem. of 001-138	Other infective and parasitic diseases	192	125	106	86	81	80	100	86	60	80	
295,296,771	Hæmorrhagic conditions ..	399	234	192	198	239	190	207	233	222	234	
340-343	Inflammatory diseases of central nervous system ..	290	223	197	203	171	141	180	142	149	149	
365	Pink disease	75	49	47	33	39	18	27	9	4	1	
390-396	Diseases of ear and mastoid process	335	231	151	146	114	68	100	73	68	61	
480-483	Influenza	135	76	115	77	161	37	77	31	48	30	
490-493,763	Pneumonia	6,462	4,615	4,012	3,276	3,469	3,009	2,940	2,390	2,315	2,301	
500-502	Bronchitis	807	621	484	477	455	375	430	335	357	311	
470-475, 510-527	Other respiratory diseases	*	*	91	119	114	91	95	99	94	90	
543	Gastritis and duodenitis ..	79	37	25	17	16	21	14	6	6	2	
571, 764	Gastro-enteritis ..	4,571	2,289	1,945	1,160	831	676	665	461	439	319	
690-716	Diseases of the skin and sub-cutaneous tissue	117	63	45	51	43	46	34	21	23	21	
751	Spina bifida & meningocele	1,006	833	843	727	797	855	801	967	965	966	
752	Congenital hydrocephalus ..	230	162	164	198	117	152	122	134	135	143	
754-0- 754-4	Congenital malformations of heart	1,462	1,108	1,049	1,085	981	1,009	1,045	1,069	984	848	
757	Congenital malformations of genito-urinary system ..	106	91	105	106	92	104	97	107	128	116	
Rem. of 750-759	Other congenital malformations	1,260	1,066	993	920	877	946	869	889	881	1,142	
760, 761	Injury at birth	2,433	2,028	1,915	1,820	1,953	1,869	1,836	1,857	1,824	1,885	
762	Postnatal asphyxia and atelectasis	2,567	2,138	2,401	2,340	2,441	2,452	2,490	2,494	2,405	2,483	
766-768	Pemphigus and sepsis of newborn	154	94	58	64	61	66	74	75	53	59	
770	Hæmolytic disease of newborn	704	591	552	502	505	435	408	461	363	349	
774, 776	Immaturity	7,533	5,817	4,975	4,185	3,886	3,602	3,546	3,208	3,171	3,181	
780-2	Convulsions	270	185	118	59	42	20	16	16	15	11	
E900-E904	Accidental falls	32	15	16	13	14	16	9	8	14	11	
E916, E917	Accident by fire or hot substance	46	33	34	19	18	23	14	23	17	10	
E921, E922	Obstruction by inhalation or ingestion	389	315	309	306	281	263	219	251	238	249	
E924, E925	Accidental mechanical suffocation	515	376	343	286	294	243	202	183	179	192	
E926	Lack of care of newborn ..	154	131	130	92	104	96	83	56	61	44	
Rem. of E900-E965	Other accidents	56	41	28	24	34	37	44	28	39	33	
	All other causes	*	*	1,629	1,573	1,393	1,252	1,156	1,191	1,147	1,074	

* Not available.

TABLE 11—Infant Mortality (Deaths under 1 Year per 1,000 Live Births†) from Certain Causes, 1947-1957 } England and Wales

See Note at head of Table 10.

International Classification No.	Causes of Death	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
	ALL CAUSES	41·37	33·93	32·37	29·63	29·66	27·59	26·82	25·42	24·91	23·75	23·11
10	Tuberculosis of meninges and central nervous system	0·18	0·13	0·11	0·06	0·08	0·06	0·02	0·01	0·02	0·01	0·00
008, 019	Other tuberculosis	0·21	0·17	0·10	0·11	0·06	0·04	0·07	0·04	0·02	0·01	0·01
20	Congenital syphilis	0·09	0·09	0·08	0·04	0·03	0·03	0·01	0·00	—	0·00	—
55	Diphtheria	0·01	0·00	0·00	—	0·00	—	—	0·00	—	—	—
56	Whooping cough	0·63	0·59	0·48	0·38	0·40	0·17	0·24	0·14	0·09	0·09	0·09
57	Meningococcal infections ..	0·21	0·11	0·15	0·14	0·15	0·17	0·18	0·15	0·11	0·10	0·11
081	Acute poliomyelitis	0·04	0·01	0·03	0·08	0·01	0·02	0·01	0·00	0·01	0·01	0·01
85	Measles	0·27	0·13	0·11	0·10	0·14	0·05	0·08	0·02	0·06	0·00	0·03
n. of 138	Other infective and parasitic diseases	0·22	0·16	0·14	0·12	0·12	0·12	0·14	0·13	0·09	0·11	0·11
296,771	Hæmorrhagic conditions ..	0·45	0·32	0·27	0·29	0·35	0·28	0·30	0·34	0·33	0·33	0·27
343	Inflammatory diseases of central nervous system ..	0·33	0·28	0·26	0·28	0·25	0·21	0·26	0·21	0·22	0·21	0·23
65	Pink disease	0·08	0·06	0·06	0·05	0·06	0·03	0·04	0·01	0·00	0·00	0·00
396	Diseases of ear and mastoid process	0·38	0·29	0·21	0·20	0·17	0·10	0·14	0·10	0·10	0·09	0·06
483	Influenza	0·14	0·10	0·16	0·11	0·24	0·05	0·11	0·04	0·07	0·04	0·11
493,	Pneumonia	7·22	5·77	5·40	4·63	5·09	4·48	4·31	3·53	3·47	3·31	3·01
502	Bronchitis	0·89	0·76	0·65	0·67	0·67	0·56	0·63	0·49	0·53	0·45	0·40
475, 527	Other respiratory diseases	*	*	0·13	0·17	0·17	0·13	0·14	0·14	0·14	0·13	0·12
43	Gastritis and duodenitis ..	0·09	0·04	0·03	0·02	0·02	0·03	0·02	0·01	0·01	0·00	0·00
764	Gastro-enteritis	5·13	2·90	2·59	1·63	1·22	1·01	0·97	0·68	0·66	0·46	0·44
716	Diseases of the skin and subcutaneous tissue	0·13	0·08	0·06	0·07	0·06	0·07	0·05	0·03	0·03	0·03	0·03
51	Spina bifida & meningocele	1·13	1·06	1·15	1·03	1·17	1·27	1·17	1·43	1·45	1·38	1·29
52	Congenital hydrocephalus ..	0·26	0·21	0·22	0·29	0·17	0·23	0·18	0·20	0·20	0·20	0·19
0-0-4	Congenital malformations of heart	1·64	1·40	1·43	1·55	1·44	1·50	1·53	1·58	1·47	1·59	1·59
57	Congenital malformations of genito-urinary system ..	0·12	0·12	0·14	0·16	0·13	0·15	0·14	0·16	0·19	0·16	0·20
n. of 759	Other congenital malformations	1·41	1·35	1·34	1·31	1·29	1·41	1·27	1·32	1·32	1·26	1·35
761	Injury at birth	2·74	2·60	2·61	2·61	2·87	2·78	2·68	2·75	2·73	2·69	2·58
52	Postnatal asphyxia and atelectasis	2·90	2·75	3·28	3·34	3·58	3·64	3·64	3·70	3·60	3·55	3·88
768	Pemphigus and sepsis of newborn	0·17	0·12	0·08	0·08	0·09	0·10	0·11	0·11	0·08	0·08	0·08
70	Hæmolytic disease of newborn	0·79	0·75	0·75	0·71	0·74	0·65	0·59	0·68	0·54	0·50	0·51
776	Immaturity	8·46	7·38	6·79	5·99	5·70	5·35	5·18	4·76	4·75	4·55	4·30
80·2	Convulsions	0·30	0·23	0·15	0·08	0·06	0·03	0·02	0·02	0·02	0·02	0·01
0-E904	Accidental falls	0·04	0·02	0·02	0·01	0·02	0·02	0·01	0·01	0·02	0·01	0·02
6, E917	Accident by fire or hot substance	0·05	0·04	0·04	0·02	0·03	0·03	0·02	0·03	0·02	0·01	0·01
1, E922	Obstruction by inhalation or ingestion	0·44	0·40	0·41	0·44	0·41	0·39	0·32	0·37	0·36	0·36	0·28
4, E925	Accidental mechanical suffocation	0·58	0·48	0·47	0·40	0·43	0·36	0·29	0·27	0·27	0·27	0·22
926	Lack of care of newborn ..	0·17	0·16	0·18	0·12	0·15	0·14	0·12	0·08	0·09	0·06	0·08
n. of 0-E965	Other accidents	0·06	0·05	0·03	0·03	0·05	0·05	0·06	0·04	0·06	0·05	0·05
	All other causes	*	*	2·26	2·23	2·04	1·86	1·69	1·76	1·72	1·54	1·42

* Not available. †Based on related live births prior to 1957.

TABLE 12—Home Population, Births, Deaths and Infant Mortality, 1957
 { England and Wales, Standard Regions, Wales, Conurbations, Counties
 Boroughs, Urban and Rural Districts
 See Explanatory notes on page vi. For explanation of symbols, *, †, ‡, used in this table see Note 9 and for symbol § see Note 5

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Stillbirths			
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local to National Rate		Number	Rate per 1,000 Live Births	Deaths under 4 weeks
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
ENGLAND AND WALES																			
Regions and Conurbations:																			
Northern	3,187,000	28,949	26,976	1,078	1,055	58,058	18.2	0.98	1.11	19,734	17,107	36,841	11.6	1.14	1.15	1,553	27	1,078	1,527
Tyneside Conurbation	844,150	7,729	7,229	290	305	15,553	18.4	0.95	1.09	5,296	4,575	9,871	11.7	1.18	1.20	389	25	270	401
Remainder of Northern	2,342,850	21,220	19,747	788	750	42,505	18.1	0.99	1.11	14,438	12,532	26,970	11.5	1.13	1.13	1,164	27	808	1,126
East and West Ridings																			
*West Yorkshire Conurbation	4,123,000	33,273	31,327	1,576	1,541	67,717	16.4	1.00	1.02	25,589	23,382	48,971	11.9	1.08	1.12	1,693	25	1,166	1,627
*Remainder of East and West Ridings	1,684,340	13,071	12,427	709	777	26,984	16.0	1.01	1.00	11,062	11,057	22,119	13.1	1.03	1.17	663	25	451	632
North Western																			
South East Lancashire Conurbation	6,477,000	53,275	50,443	2,664	2,471	108,853	16.8	1.00	1.04	41,995	40,233	82,228	12.7	1.09	1.20	2,808	26	1,908	2,872
Merseyside Conurbation	2,413,980	19,384	18,305	1,167	1,049	39,905	16.5	0.99	1.01	15,604	15,266	30,870	12.8	1.13	1.26	1,034	26	704	1,046
Remainder of North Western	1,387,340	13,844	12,843	644	647	27,618	19.9	0.96	1.19	8,309	7,719	16,028	11.6	1.19	1.20	714	26	482	739
North Midland	2,675,680	20,407	19,295	853	775	41,330	15.4	1.03	0.99	18,082	17,248	35,330	13.2	1.03	1.18	1,060	26	722	1,087
Midland																			
West Midlands Conurbation	3,508,000	28,548	26,724	1,408	1,312	57,992	16.5	1.00	1.02	19,765	17,609	37,374	10.7	1.08	1.01	1,329	23	949	1,306
Remainder of Midland	4,578,000	37,368	35,358	1,825	1,700	76,251	16.7	0.97	1.01	25,803	22,563	48,366	10.6	1.12	1.03	1,876	25	1,343	1,798
Eastern	2,275,820	18,387	17,450	1,066	923	38,026	16.7	0.94	0.98	12,828	11,208	24,036	10.6	1.16	1.07	930	24	654	906
Greater London	2,302,180	18,781	17,908	759	777	38,225	16.6	1.00	1.03	12,975	11,355	24,330	10.6	1.08	1.00	946	25	689	892
Remainder of South Eastern	3,446,000	28,144	26,603	1,258	1,220	57,225	16.6	1.00	1.03	18,976	17,904	36,880	10.7	0.95	0.88	1,132	20	808	1,191
South Western	11,000,000	78,025	73,621	4,836	4,662	161,144	14.6	0.97	0.88	62,299	61,114	123,413	11.2	0.97	0.94	3,203	20	2,378	3,228
Greater London	8,250,550	58,380	54,962	3,908	3,739	120,989	14.7	0.94	0.86	45,233	43,532	88,765	10.8	1.03	0.97	2,403	20	1,793	2,410
Remainder of South Eastern	2,749,450	19,645	18,659	928	923	40,155	14.6	1.06	0.96	17,066	17,582	34,648	12.6	0.81	0.89	800	20	585	818
Southern																			
South Western	2,876,000	22,982	21,555	1,264	1,126	46,927	16.3	1.04	1.05	15,984	15,071	31,055	10.8	0.96	0.90	946	20	694	923
Greater London	3,101,000	23,330	22,102	1,074	1,063	47,569	15.3	1.06	1.01	18,495	18,551	37,046	11.9	0.89	0.92	997	21	746	1,041

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)	(42)	(43)	(44)	(45)	(46)	(47)	(48)	(49)	(50)	(51)	(52)	(53)	(54)	(55)	(56)	(57)	(58)	(59)	(60)	(61)	(62)	(63)	(64)	(65)	(66)	(67)	(68)	(69)	(70)	(71)	(72)	(73)	(74)	(75)	(76)	(77)	(78)	(79)	(80)	(81)	(82)	(83)	(84)	(85)	(86)	(87)	(88)	(89)	(90)	(91)	(92)	(93)	(94)	(95)	(96)	(97)	(98)	(99)	(100)	(101)	(102)	(103)	(104)	(105)	(106)	(107)	(108)	(109)	(110)	(111)	(112)	(113)	(114)	(115)	(116)	(117)	(118)	(119)	(120)	(121)	(122)	(123)	(124)	(125)	(126)	(127)	(128)	(129)	(130)	(131)	(132)	(133)	(134)	(135)	(136)	(137)	(138)	(139)	(140)	(141)	(142)	(143)	(144)	(145)	(146)	(147)	(148)	(149)	(150)	(151)	(152)	(153)	(154)	(155)	(156)	(157)	(158)	(159)	(160)	(161)	(162)	(163)	(164)	(165)	(166)	(167)	(168)	(169)	(170)	(171)	(172)	(173)	(174)	(175)	(176)	(177)	(178)	(179)	(180)	(181)	(182)	(183)	(184)	(185)	(186)	(187)	(188)	(189)	(190)	(191)	(192)	(193)	(194)	(195)	(196)	(197)	(198)	(199)	(200)	(201)	(202)	(203)	(204)	(205)	(206)	(207)	(208)	(209)	(210)	(211)	(212)	(213)	(214)	(215)	(216)	(217)	(218)	(219)	(220)	(221)	(222)	(223)	(224)	(225)	(226)	(227)	(228)	(229)	(230)	(231)	(232)	(233)	(234)	(235)	(236)	(237)	(238)	(239)	(240)	(241)	(242)	(243)	(244)	(245)	(246)	(247)	(248)	(249)	(250)	(251)	(252)	(253)	(254)	(255)	(256)	(257)	(258)	(259)	(260)	(261)	(262)	(263)	(264)	(265)	(266)	(267)	(268)	(269)	(270)	(271)	(272)	(273)	(274)	(275)	(276)	(277)	(278)	(279)	(280)	(281)	(282)	(283)	(284)	(285)	(286)	(287)	(288)	(289)	(290)	(291)	(292)	(293)	(294)	(295)	(296)	(297)	(298)	(299)	(300)	(301)	(302)	(303)	(304)	(305)	(306)	(307)	(308)	(309)	(310)	(311)	(312)	(313)	(314)	(315)	(316)	(317)	(318)	(319)	(320)	(321)	(322)	(323)	(324)	(325)	(326)	(327)	(328)	(329)	(330)	(331)	(332)	(333)	(334)	(335)	(336)	(337)	(338)	(339)	(340)	(341)	(342)	(343)	(344)	(345)	(346)	(347)	(348)	(349)	(350)	(351)	(352)	(353)	(354)	(355)	(356)	(357)	(358)	(359)	(360)	(361)	(362)	(363)	(364)	(365)	(366)	(367)	(368)	(369)	(370)	(371)	(372)	(373)	(374)	(375)	(376)	(377)	(378)	(379)	(380)	(381)	(382)	(383)	(384)	(385)	(386)	(387)	(388)	(389)	(390)	(391)	(392)	(393)	(394)	(395)	(396)	(397)	(398)	(399)	(400)	(401)	(402)	(403)	(404)	(405)	(406)	(407)	(408)	(409)	(410)	(411)	(412)	(413)	(414)	(415)	(416)	(417)	(418)	(419)	(420)	(421)	(422)	(423)	(424)	(425)	(426)	(427)	(428)	(429)	(430)	(431)	(432)	(433)	(434)	(435)	(436)	(437)	(438)	(439)	(440)	(441)	(442)	(443)	(444)	(445)	(446)	(447)	(448)	(449)	(450)	(451)	(452)	(453)	(454)	(455)	(456)	(457)	(458)	(459)	(460)	(461)	(462)	(463)	(464)	(465)	(466)	(467)	(468)	(469)	(470)	(471)	(472)	(473)	(474)	(475)	(476)	(477)	(478)	(479)	(480)	(481)	(482)	(483)	(484)	(485)	(486)	(487)	(488)	(489)	(490)	(491)	(492)	(493)	(494)	(495)	(496)	(497)	(498)	(499)	(500)	(501)	(502)	(503)	(504)	(505)	(506)	(507)	(508)	(509)	(510)	(511)	(512)	(513)	(514)	(515)	(516)	(517)	(518)	(519)	(520)	(521)	(522)	(523)	(524)	(525)	(526)	(527)	(528)	(529)	(530)	(531)	(532)	(533)	(534)	(535)	(536)	(537)	(538)	(539)	(540)	(541)	(542)	(543)	(544)	(545)	(546)	(547)	(548)	(549)	(550)	(551)	(552)	(553)	(554)	(555)	(556)	(557)	(558)	(559)	(560)	(561)	(562)	(563)	(564)	(565)	(566)	(567)	(568)	(569)	(570)	(571)	(572)	(573)	(574)	(575)	(576)	(577)	(578)	(579)	(580)	(581)	(582)	(583)	(584)	(585)	(586)	(587)	(588)	(589)	(590)	(591)	(592)	(593)	(594)	(595)	(596)	(597)	(598)	(599)	(600)	(601)	(602)	(603)	(604)	(605)	(606)	(607)	(608)	(609)	(610)	(611)	(612)	(613)	(614)	(615)	(616)	(617)	(618)	(619)	(620)	(621)	(622)	(623)	(624)	(625)	(626)	(627)	(628)	(629)	(630)	(631)	(632)	(633)	(634)	(635)	(636)	(637)	(638)	(639)	(640)	(641)	(642)	(643)	(644)	(645)	(646)	(647)	(648)	(649)	(650)	(651)	(652)	(653)	(654)	(655)	(656)	(657)	(658)	(659)	(660)	(661)	(662)	(663)	(664)	(665)	(666)	(667)	(668)	(669)	(670)	(671)	(672)	(673)	(674)	(675)	(676)	(677)	(678)	(679)	(680)	(681)	(682)	(683)	(684)	(685)	(686)	(687)	(688)	(689)	(690)	(691)	(692)	(693)	(694)	(695)	(696)	(697)	(698)	(699)	(700)	(701)	(702)	(703)	(704)	(705)	(706)	(707)	(708)	(709)	(710)	(711)	(712)	(713)	(714)	(715)	(716)	(717)	(718)	(719)	(720)	(721)	(722)	(723)	(724)	(725)	(726)	(727)	(728)	(729)	(730)	(731)	(732)	(733)	(734)	(735)	(736)	(737)	(738)	(739)	(740)	(741)	(742)	(743)	(744)	(745)	(746)	(747)	(748)	(749)	(750)	(751)	(752)	(753)	(754)	(755)	(756)	(757)	(758)	(759)	(760)	(761)	(762)	(763)	(764)	(765)	(766)	(767)	(768)	(769)	(770)	(771)	(772)	(773)	(774)	(775)	(776)	(777)	(778)	(779)	(780)	(781)	(782)	(783)	(784)	(785)	(786)	(787)	(788)	(789)	(790)	(791)	(792)	(793)	(794)	(795)	(796)	(797)	(798)	(799)	(800)	(801)	(802)	(803)	(804)	(805)	(806)	(807)	(808)	(809)	(810)	(811)	(812)	(813)	(814)	(815)	(816)	(817)	(818)	(819)	(820)	(821)	(822)	(823)	(824)	(825)	(826)	(827)	(828)	(829)	(830)	(831)	(832)	(833)	(834)	(835)	(836)	(837)	(838)	(839)	(840)	(841)	(842)	(843)	(844)	(845)	(846)	(847)	(848)	(849)	(850)	(851)	(852)	(853)	(854)	(855)	(856)	(857)	(858)	(859)	(860)	(861)	(862)	(863)	(864)	(865)	(866)	(867)	(868)	(869)	(870)	(871)	(872)	(873)	(874)	(875)	(876)	(877)	(878)	(879)	(880)	(881)	(882)	(883)	(884)	(885)	(886)	(887)	(888)	(889)	(890)	(891)	(892)	(893)	(894)	(895)	(896)	(897)	(898)	(899)	(900)	(901)	(902)	(903)	(904)	(905)	(906)	(907)	(908)	(909)	(910)	(911)	(912)	(913)	(914)	(915)	(916)	(917)	(918)	(919)	(920)	(921)	(922)	(923)	(924)	(925)	(926)	(927)	(928)	(929)	(930)	(931)	(932)	(933)	(934)	(935)	(936)	(937)	(938)	(939)	(940)	(941)	(942)	(943)	(944)	(945)	(946)	(947)	(948)	(949)	(950)	(951)	(952)	(953)	(954)	(955)	(956)	(957)	(958)	(959)	(960)	(961)	(962)	(963)	(964)	(965)	(966)	(967)	(968)	(969)	(970)	(971)	(972)	(973)	(974)	(975)	(976)	(977)	(978)	(979)	(980)	(981)	(982)	(983)	(984)	(985)	(986)	(987)	(988)	(989)	(990)	(991)	(992)	(993)	(994)	(995)	(996)	(997)	(998)	(999)	(1000)
Wales (including Monmouthshire)	16,856,180	130,635	123,216	7,784	7,440	269,075	16.0	0.96	0.95	98,332	32,559	11.6	1.06	1.07	2,301	6,133	23	4,354	6,134	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103	1,183	28	834	1,103																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

TABLE 12—continued

AREA	LIVE BIRTHS						DEATHS						Deaths under 1 year		Stillbirths				
	Estimated Home Population (Mid-1957)	Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor		Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births	
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
BERKSHIRE—contd.																			
Rural Districts	238,200	2,175	1,986	116	81	4,358	18.3	1.00	1.14	1,162	1,058	2,220	9.3	1.05	0.85	71	16	48	76
Abingdon	28,060	279	243	15	4	341	19.3	1.01	1.21	101	111	212	7.6	1.28	0.85	6	11	5	13
Bradfield	24,410	239	224	11	10	341	19.8	0.93	1.14	108	124	232	9.5	1.01	0.83	8	17	5	8
Cookham	15,640	159	127	9	6	299	19.1	0.98	1.16	86	65	151	9.7	1.10	0.93	5	17	4	5
Easthamstead	34,720	325	301	17	9	652	18.8	0.96	1.12	171	127	298	8.6	1.12	0.84	7	11	4	12
Faringdon	13,410	123	130	2	3	258	19.2	1.03	1.23	59	62	121	9.0	1.15	0.90	4	16	4	5
Hungerford	9,890	80	62	11	3	156	15.8	1.12	1.10	65	50	115	11.6	0.87	0.88	6	38	5	4
Newbury	20,150	161	144	17	13	335	16.6	1.12	1.15	86	86	172	8.5	1.08	0.80	4	12	5	4
Wallingford	17,130	159	151	8	9	323	18.9	1.06	1.24	103	84	187	10.9	0.68	0.64	5	15	4	7
Wantage	15,820	167	149	10	9	335	21.2	0.99	1.30	86	47	133	8.4	1.07	0.78	7	21	4	5
Windsor	14,600	148	146	4	7	305	20.9	0.90	1.17	89	88	177	12.1	0.76	0.80	6	20	5	3
Wokingham	44,370	335	309	12	14	670	15.1	1.03	0.97	208	214	422	9.5	1.09	0.90	13	19	8	10
BUCKINGHAMSHIRE:																			
Municipal Boroughs and Urban Districts	430,700	3,533	3,356	172	123	7,184	16.7	0.99	1.03	2,206	1,966	4,172	9.7	1.05	0.89	155	22	115	133
Aylesbury M.B.	210,900	1,683	1,647	83	68	3,481	16.5	0.96	0.98	1,067	941	2,008	9.5	1.12	0.93	89	26	63	77
Beaconsfield	22,360	175	184	18	17	394	17.6	0.87	0.95	131	106	237	10.6	1.03	0.95	11	28	8	10
Bletchley	8,890	67	63	2	1	133	15.0	0.98	0.91	41	34	75	8.4	1.06	0.77	—	—	—	1
Buckingham M.B.	13,730	134	126	6	1	267	19.4	0.94	1.13	56	44	100	7.3	1.34	0.85	8	30	5	5
Chesham	4,130	34	33	2	2	72	17.4	1.06	1.15	16	21	37	9.0	0.98	0.77	3	42	3	3
.. .. .	12,600	108	105	6	6	224	17.8	0.98	1.08	65	61	126	10.0	0.99	0.86	2	9	1	3
Eton	4,950	24	40	—	2	66	13.3	1.14	0.94	20	17	37	7.5	1.37	0.89	3	45	3	1
High Wycombe M.B.	44,230	384	372	12	9	777	17.6	0.97	1.06	249	190	439	9.9	1.15	0.99	21	27	14	24
Ilminster	5,540	33	37	2	—	72	20.3	1.01	1.27	20	19	39	11.0	0.90	0.86	2	28	2	1
Marlow	7,150	72	52	3	1	130	18.2	0.96	1.09	32	38	70	9.8	1.03	0.88	3	23	2	3
Newport Pagnell	4,370	30	28	—	3	59	13.5	1.05	0.88	19	26	45	10.3	0.68	0.61	1	17	—	1
Slopp M.B.	71,560	540	516	27	26	1,109	15.5	0.93	0.90	317	288	605	8.5	1.30	0.96	26	23	21	22
Wolverton	13,390	82	91	4	1	178	13.3	1.13	0.93	101	97	198	14.8	0.81	1.04	3	51	4	3
Rural Districts	219,800	1,850	1,709	89	55	3,703	16.8	1.02	1.06	1,139	1,025	2,164	9.8	0.99	0.84	66	18	52	56
Amersham	48,290	395	375	20	7	797	16.5	1.00	1.02	245	223	468	9.7	1.00	0.84	10	13	7	9
Aylesbury	32,490	241	231	13	7	492	15.1	1.13	1.06	165	162	327	10.1	0.89	0.78	12	24	9	14
Buckingham	10,380	71	68	5	3	147	14.2	1.24	1.09	43	31	74	7.1	1.00	0.62	3	20	3	1
Eton	53,500	500	447	22	16	985	18.4	0.90	1.03	273	229	502	9.4	1.16	0.95	25	25	22	19
Newport Pagnell	14,150	116	103	5	—	224	15.8	1.16	1.14	88	105	193	13.6	0.81	0.96	4	18	2	3
Wing	8,790	79	63	3	—	148	16.8	1.07	1.12	54	41	95	10.8	1.00	0.94	2	14	1	1

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Winslow	7,720	70	69	4	1	144	18.7	1.13	1.31	55	48	103	13.3	0.65	0.75	3	21	3	5
Wycombe	44,480	378	353	17	18	766	17.2	1.01	1.08	216	186	402	9.0	1.00	0.78	7	9	5	4
CAMBRIDGESHIRE:	182,200	1,393	1,310	62	56	2,821	15.5	1.06	1.02	1,009	943	1,952	10.7	0.89	0.83	52	18	42	47
Cambridge M.B.	91,980	613	583	36	29	1,261	13.7	1.03	0.88	460	500	960	10.4	0.96	0.87	25	20	19	18
Rural Districts	90,220	780	777	26	27	1,560	17.3	1.10	1.18	549	443	992	11.0	0.83	0.79	27	17	23	29
Chesham	41,850	379	333	9	13	734	17.5	1.10	1.20	237	228	465	11.1	0.79	0.76	10	14	10	10
Newmarket	20,230	145	155	4	9	313	15.5	1.09	1.05	125	85	210	10.4	0.92	0.83	6	19	4	5
South Cambridgeshire	28,140	256	239	13	5	513	18.2	1.12	1.27	187	130	317	11.3	0.78	0.77	11	21	9	14
CHEESHIRE:	1,307,000	10,396	10,008	394	370	21,168	16.2	1.02	1.03	7,988	7,716	15,704	12.0	1.04	1.09	455	21	305	562
County Boroughs	445,200	3,736	3,605	161	167	7,669	17.2	0.99	1.06	2,813	2,640	5,453	12.2	1.07	1.14	202	26	136	249
Birkenhead	142,100	1,226	1,231	56	55	2,570	18.1	0.97	1.09	928	817	1,745	12.3	1.04	1.11	81	32	15	29
Chester	59,100	506	426	22	23	977	16.5	0.94	0.96	334	292	626	10.6	1.01	1.01	23	24	15	29
Stockport	141,200	1,139	1,045	46	44	2,274	16.1	1.03	1.03	939	883	1,822	12.9	1.09	1.22	50	22	33	68
Wallasey	102,800	865	901	37	45	1,848	18.0	1.00	1.12	612	648	1,260	12.3	1.02	1.09	48	26	33	73
Administrative County	861,800	6,660	6,403	233	203	13,499	15.7	1.04	1.01	5,175	5,076	10,251	11.9	1.03	1.07	253	19	169	313
Municipal Boroughs and Urban Districts	661,400	5,112	4,912	185	153	10,362	15.7	1.03	1.00	3,897	3,832	7,729	11.7	1.06	1.08	189	18	123	250
Altrincham	3,740	15	24	—	1	40	10.7	0.94	0.62	24	27	51	13.6	0.90	1.06	—	—	—	—
Alstergate	6,600	62	57	—	—	120	18.2	0.89	1.01	34	28	62	9.4	1.26	1.07	4	33	1	2
Birmingham M.B.	40,610	278	311	10	9	608	15.0	1.03	0.96	228	232	460	11.3	1.09	1.07	8	13	5	18
Birmingham M.B.	50,150	390	365	12	12	779	15.5	1.04	1.00	272	252	524	10.4	1.12	1.01	10	13	6	21
Bolton	5,410	51	43	1	1	96	17.7	1.08	1.19	23	47	70	12.9	0.98	1.10	1	10	1	2
Bowdon	3,960	27	26	—	—	53	13.4	0.91	0.76	28	37	65	16.4	0.80	1.14	1	19	1	1
Bredbury and Romiley	18,540	145	134	2	2	283	15.3	1.06	1.01	121	95	216	11.7	1.13	1.15	5	18	3	7
Cheadle and Gaitley	35,330	277	277	13	11	578	16.5	1.03	1.06	209	192	401	11.4	1.00	0.99	10	17	6	20
Congleton M.B.	15,890	125	118	3	3	246	15.5	0.99	0.95	86	98	184	11.1	1.02	1.03	3	12	2	6
Cres M.B.	51,990	393	344	30	30	779	15.2	1.00	0.94	323	253	576	11.2	1.14	1.11	21	27	14	20
Dukinfield M.B.	18,110	123	111	6	5	245	13.5	1.00	0.84	121	134	255	14.1	1.17	1.43	4	16	2	9
Ellesmere Port M.B.	37,580	396	374	13	16	799	21.3	0.95	1.26	169	137	306	13.0	1.52	1.07	13	16	10	19
Hale	12,480	67	70	1	1	140	11.2	1.15	0.80	85	77	162	8.1	0.92	0.93	3	21	2	1
Hazel Grove and Bramhall	23,390	182	179	8	3	372	15.9	1.04	1.03	129	138	267	11.4	1.10	1.09	7	19	5	5
Hoylake	32,100	205	185	4	5	395	12.3	1.24	0.95	192	214	406	12.6	0.91	1.00	9	23	7	11
Hyde M.B.	31,780	203	240	9	4	456	14.3	1.07	0.95	215	211	426	13.4	0.99	1.15	8	18	4	8
Knutsford	7,720	63	66	1	4	134	17.4	1.00	1.08	59	116	175	22.7	0.89	0.97	3	22	2	2
Longdale	4,410	31	21	1	1	34	12.2	1.12	0.85	27	39	66	15.0	0.83	1.08	3	56	3	2
Lymm	6,860	71	68	1	6	146	21.3	0.98	1.30	36	39	75	10.9	0.98	0.93	4	27	3	3
Macclesfield M.B.	36,610	267	245	13	11	536	14.6	1.07	0.97	254	294	549	15.0	0.83	1.08	15	28	6	11
Marple	14,250	85	87	—	3	125	17.3	1.03	0.79	93	86	179	12.6	0.94	1.03	1	6	—	5
Middlewich	6,880	50	70	—	—	120	17.3	0.99	0.79	93	86	179	12.6	0.94	1.03	1	6	—	5
Nantwich	9,340	75	61	1	4	141	15.1	1.07	0.95	36	38	74	10.8	1.19	1.12	3	25	2	4
Neston	10,790	81	82	4	—	167	15.5	1.01	0.95	55	44	103	11.0	0.99	0.95	3	21	1	3
Northwich	25,540	119	101	9	7	236	12.1	1.01	0.97	117	74	129	12.0	1.01	1.05	4	17	2	3
Runcorn	25,660	243	203	7	6	459	17.9	0.98	1.09	134	102	236	11.2	1.05	1.02	10	22	6	11

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths		
		Legitimate		Illegitimate		Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate			Number	Rate per 1,000 Live Births
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
CHESHIRE—contd.																			
Municipal Boroughs and Urban Districts—contd.																			
Sale M.B.	47,100	413	400	13	10	836	17.7	1.06	1.17	284	248	532	11.3	1.08	1.06	15	18	12	19
Sandbach	9,780	68	56	4	1	129	13.2	1.00	0.82	52	38	90	9.2	1.09	0.87	3	23	3	4
Stalybridge M.B.	22,530	157	194	6	5	362	16.1	1.01	1.01	141	160	301	13.4	1.07	1.25	2	6	1	12
Wilmslow	21,370	173	150	9	2	334	15.6	1.01	0.98	103	89	192	9.0	1.15	0.90	6	18	5	3
Winsford	12,970	104	124	1	6	235	18.1	0.95	1.07	71	70	141	10.9	1.16	1.10	3	13	2	4
Wirral	18,630	173	126	5	2	306	16.4	1.08	1.10	117	121	238	12.8	0.94	1.05	3	10	3	10
Rural Districts	200,400	1,548	1,491	48	50	3,137	15.7	1.06	1.03	1,278	1,244	2,522	12.6	0.92	1.01	64	20	46	63
Bucklow	12,590	117	90	3	5	215	17.1	1.05	1.12	78	56	134	10.6	1.09	1.00	9	42	7	5
Chester	27,740	168	185	3	4	360	13.0	1.20	0.97	170	220	390	14.1	0.70	0.86	8	22	6	7
Congleton	13,730	114	109	4	5	232	16.9	1.05	1.10	158	155	313	22.8	0.47	0.93	3	13	2	4
Disley	3,040	27	16	—	4	45	14.8	1.19	1.09	22	20	42	13.8	0.88	1.06	—	—	—	1
Macclesfield	20,470	129	141	—	—	278	13.6	1.08	0.91	124	136	260	12.7	0.94	1.04	5	18	5	4
Nantwich	28,730	204	178	5	6	393	13.7	1.06	0.90	167	130	297	10.3	1.03	0.92	9	23	7	6
Northwich	40,420	367	376	16	14	773	19.1	0.95	1.13	229	202	431	10.7	1.18	1.08	16	27	10	22
Runcorn	37,470	298	272	8	8	586	15.6	1.04	1.01	224	222	446	11.9	0.98	1.01	7	12	5	7
Tarvin	14,710	113	115	5	2	235	16.0	1.06	1.05	93	95	188	12.8	0.99	1.10	5	21	2	6
Tintwistle	1,500	11	9	—	—	20	13.3	1.04	0.86	13	8	21	14.0	0.91	1.11	2	100	2	1
CORNWALL:	340,600	2,358	2,239	94	101	4,792	14.1	1.08	0.95	2,225	2,298	4,523	13.3	0.85	0.98	119	25	88	149
Municipal Boroughs and Urban Districts																			
Bodmin M.B.	184,800	1,276	1,221	52	59	2,408	14.0	1.06	0.92	1,284	1,358	2,642	14.1	0.80	0.98	68	26	50	77
Bude-Stratton	5,530	41	39	2	—	82	12.6	1.37	1.07	103	127	230	35.2	0.26	0.80	2	24	1	4
Camborne-Redruth	5,220	26	18	1	—	46	8.8	1.11	0.91	32	47	79	15.1	0.73	0.96	2	43	2	1
Falmouth M.B.	35,170	266	242	6	12	526	15.0	1.00	0.93	224	234	458	13.0	0.94	1.06	18	34	13	19
Fowey M.B.	16,540	130	109	6	8	253	15.3	1.08	1.03	100	124	224	13.5	0.91	1.07	2	38	2	8
Fowey M.B.	2,310	11	10	1	1	23	10.0	1.06	0.66	9	20	29	12.6	0.84	0.92	2	87	1	1
Helston M.B.	6,260	70	66	3	2	141	22.5	0.92	1.29	57	51	108	17.3	0.61	0.92	5	35	3	6
Launceston M.B.	4,660	28	23	1	—	52	11.2	1.06	0.74	35	37	72	15.5	0.55	0.74	2	38	1	—
Liskeard M.B.	4,320	26	31	2	1	60	13.9	1.10	0.95	53	62	115	26.6	0.36	0.83	—	—	—	—

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Loce ..	3,760	13	24	1	—	38	10.1	1.15	0.72	30	22	52	13.8	0.77	0.92	1	26	1	—
Lostwithiel M.B.	1,980	10	10	—	—	20	10.1	1.08	0.68	13	16	29	14.8	0.71	0.90	—	—	—	—
Newquay ..	10,120	79	72	3	8	167	16.5	1.04	1.07	66	71	137	13.5	0.76	0.89	7	42	6	—
Padstow ..	2,900	33	32	3	1	69	23.8	0.97	1.43	13	19	32	11.0	0.84	0.80	3	43	3	2
Pennryn M.B.	4,320	31	44	—	—	248	12.6	0.95	1.04	29	21	50	11.6	1.14	1.15	2	26	1	3
Penance M.B.	19,680	114	123	6	5	248	12.6	1.08	0.85	123	134	257	13.1	0.84	0.96	4	16	4	8
St. Austell ..	23,540	149	143	3	3	353	12.9	1.09	0.87	158	145	303	12.9	0.84	0.94	7	23	5	14
St. Ives M.B.	8,480	50	50	1	1	102	12.0	1.07	0.80	56	61	117	13.8	0.75	0.90	1	10	—	5
St. Just ..	4,020	23	25	—	—	49	12.2	1.13	0.86	22	19	41	10.2	0.87	0.77	1	20	1	1
Saltash M.B.	7,440	49	55	4	6	114	15.3	1.03	0.98	50	50	100	13.4	0.85	0.99	1	9	1	1
Taupo ..	6,010	30	29	—	—	160	10.0	1.25	0.78	27	20	47	7.8	1.02	1.03	4	67	3	2
Turo M.B.	13,540	97	76	3	3	179	13.2	0.99	0.81	84	78	162	12.0	0.92	0.96	4	22	2	2
Rural Districts	153,800	1,082	1,018	42	42	2,184	14.2	1.11	0.98	941	940	1,881	12.2	0.92	0.98	51	23	38	72
Cornwall ..	7,260	49	42	—	—	93	12.8	1.06	0.90	43	34	77	10.6	0.90	0.83	1	10	1	1
Kerrier ..	22,440	137	152	4	4	303	13.5	1.06	0.89	101	119	220	9.8	0.99	0.84	3	10	1	7
Launceston ..	6,420	46	41	—	—	89	13.9	1.12	0.97	29	37	66	10.3	0.87	0.78	1	11	—	2
Liskeard ..	13,930	109	88	2	6	205	14.7	1.13	1.03	90	86	176	12.6	0.85	0.93	3	15	2	6
St. Austell ..	21,830	165	151	4	8	328	15.0	1.05	0.98	138	120	258	11.8	0.99	1.02	9	27	8	13
St. Germans ..	15,770	97	98	2	5	202	12.8	1.17	0.93	95	107	202	12.8	0.90	1.00	3	15	2	4
Sally, Isles of ..	1,330	8	14	—	—	23	12.6	0.94	0.74	8	11	19	10.4	1.09	0.99	1	43	—	—
Straton ..	5,520	44	38	1	—	83	15.8	1.30	1.28	30	26	56	10.7	1.08	1.00	1	3	2	—
Truro ..	26,760	190	183	16	7	396	14.9	1.12	1.04	202	170	372	14.0	0.81	0.99	12	30	12	16
Wadebridge ..	15,760	103	99	3	2	207	13.7	1.07	0.91	95	107	202	13.3	0.98	1.13	4	19	2	12
West Penwith ..	17,350	134	106	7	8	255	14.7	1.05	0.96	110	123	233	13.4	0.89	1.04	11	43	8	11
CUMBERLAND:	286,800	2,560	2,367	105	94	5,126	17.9	1.00	1.11	1,817	1,696	3,513	12.2	1.08	1.15	124	24	94	127
Carlisle C.B. ..	69,200	584	602	34	25	1,245	18.0	0.95	1.06	418	455	873	12.6	1.12	1.23	21	17	18	27
Administrative County	217,600	1,976	1,765	71	69	3,881	17.8	1.02	1.13	1,399	1,241	2,640	12.1	1.07	1.13	103	27	76	100
Municipal Boroughs and Urban Districts	88,300	829	766	25	27	1,647	18.7	0.98	1.14	566	515	1,081	12.2	1.11	1.18	43	26	37	46
Cockermouth ..	5,340	51	44	—	3	98	18.4	1.01	1.15	32	39	71	13.3	1.00	1.16	4	41	3	2
Keswick ..	4,700	21	27	1	—	50	10.6	1.00	0.66	30	33	63	13.4	0.86	1.00	—	—	—	3
Marjort ..	12,510	116	112	5	1	234	18.7	0.95	1.10	68	72	140	11.2	1.16	1.13	7	30	4	3
Whitehaven ..	10,590	85	86	5	4	180	17.0	1.01	1.07	71	97	168	15.9	0.88	1.22	3	17	3	4
Whitehaven M.B.	25,960	280	260	6	12	558	21.5	0.96	1.28	158	137	295	11.4	1.19	1.18	15	27	13	19
Workington ..	29,200	276	237	8	6	527	18.0	0.97	1.08	207	137	344	11.8	1.19	1.22	14	27	14	14
Rural Districts	129,300	1,147	999	46	42	2,234	17.3	1.04	1.12	833	726	1,559	12.1	1.06	1.12	60	27	39	54
Carlisle with Garrigill	2,250	22	16	—	—	39	17.3	1.09	1.17	16	15	31	13.8	0.94	1.13	—	—	—	—
Border ..	29,440	219	205	12	10	446	15.1	1.15	1.08	224	195	419	14.2	0.89	1.10	8	18	6	13
Cockermouth ..	164	133	133	4	2	303	15.5	0.99	0.95	119	128	247	12.6	1.08	1.18	11	36	6	13
Ennerdale ..	28,950	312	263	13	14	602	20.8	1.01	1.30	162	124	286	9.9	1.21	1.04	16	27	10	16
Millom ..	14,320	126	112	7	8	253	17.7	1.04	1.14	92	70	162	11.3	1.11	1.09	8	32	5	7
Penrith ..	11,500	93	82	2	1	178	15.5	1.03	0.99	73	63	136	11.9	1.00	1.10	4	22	4	2
Wigton ..	23,290	211	188	8	6	413	17.7	1.02	1.12	147	131	278	11.9	1.06	1.13	13	31	8	8

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Stillbirths			
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate		Number	Rate per 1,000 Live Births	
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
DERBYSHIRE:	853,400	6,762	6,275	277	254	13,568	15.9	0.99	0.98	4,933	4,388	9,321	10.9	1.12	1.06	338	25	253	337
Derby C.B.	135,500	1,003	967	71	49	2,090	15.4	1.00	0.96	889	795	1,684	12.4	1.04	1.12	60	29	42	45
Administrative County	717,900	5,759	5,308	206	205	11,478	16.0	0.99	0.98	4,044	3,593	7,637	10.6	1.14	1.05	278	24	211	292
Municipal Boroughs and Urban Districts	362,800	2,822	2,552	107	111	5,592	15.4	0.99	0.95	2,159	1,924	4,083	11.3	1.10	1.08	146	26	117	126
Alfreton	23,680	204	197	6	3	410	17.3	0.97	1.04	137	138	275	11.6	1.18	1.19	10	24	8	11
Ashbourne	5,500	37	30	1	2	70	12.7	1.03	0.81	41	43	84	15.3	0.60	0.82	1	14	—	—
Bakewell	3,550	13	13	2	4	32	9.0	1.05	0.59	27	24	51	14.4	0.50	0.62	—	38	7	6
Belper	15,660	93	114	11	1	209	13.3	0.99	0.82	79	84	163	10.4	1.03	0.93	8	38	7	6
Bolsover	11,530	127	110	8	5	250	21.7	1.00	1.35	51	44	95	8.2	1.31	0.93	10	40	6	8
Buxton M.B.	19,180	157	153	10	5	325	16.9	1.04	1.09	90	132	222	11.6	0.94	0.95	6	18	6	8
Chesterfield M.B.	67,200	489	436	15	22	962	14.3	0.96	0.85	456	361	817	12.2	1.08	1.15	28	29	22	25
Clay Cross	9,350	95	73	3	1	174	18.6	0.95	1.10	47	41	88	9.4	1.19	0.97	7	40	7	1
Dronfield	8,930	99	63	2	2	166	18.6	0.91	1.05	38	40	78	8.7	1.24	0.94	—	—	—	—
Glossop M.B.	17,450	131	115	10	6	262	15.0	1.03	0.96	158	145	303	17.4	0.76	1.15	5	19	4	8
Heanor	24,030	177	151	7	8	343	14.3	0.98	0.87	147	113	260	10.8	1.29	1.16	10	29	8	6
Ilkeston M.B.	34,790	288	255	10	12	565	16.2	0.99	1.00	182	156	338	9.7	1.24	1.09	8	14	6	13
Long Eaton	29,550	217	202	12	15	446	15.1	0.99	0.93	150	128	278	9.4	1.15	0.94	18	40	14	15
Matlock	18,280	127	119	4	3	253	13.8	1.02	0.87	98	97	195	10.7	0.99	0.92	3	12	2	4
New Mills	8,520	83	54	2	—	139	16.3	1.06	1.07	60	66	126	14.8	0.95	1.22	4	29	4	4
Ripley	18,040	126	128	3	9	266	14.7	1.00	0.91	111	88	199	11.0	1.15	1.10	9	34	6	4
Staveley	17,530	155	146	5	5	311	17.7	0.98	1.08	114	78	192	11.0	1.35	1.29	10	32	9	6
Swadlincote	19,780	139	130	4	5	278	14.1	0.99	0.87	113	85	198	10.0	1.17	1.02	6	22	5	2
Whaley Bridge	5,290	23	25	—	1	49	9.3	1.03	0.59	35	35	70	13.2	1.04	1.19	2	41	2	2
Wirksworth	4,960	42	36	2	2	82	16.5	1.03	1.06	25	26	51	10.3	1.03	0.92	1	12	1	2
Rural Districts	355,100	2,937	2,756	99	94	5,886	16.6	0.98	1.01	1,885	1,669	3,554	10.0	1.19	1.03	132	22	94	166
Ashbourne	11,740	92	72	3	3	170	14.5	1.11	1.00	56	48	104	8.9	1.07	0.83	5	29	4	3
Bakewell	18,800	134	128	5	4	271	14.4	1.10	0.98	138	139	277	14.7	0.92	1.18	6	22	5	5
Belper	29,560	212	193	4	5	414	14.0	1.05	0.91	165	156	321	10.9	1.02	0.97	6	14	3	12
Blackwell	43,300	359	346	12	13	730	16.9	0.97	1.02	225	186	411	9.5	1.27	1.05	19	26	14	28
Chapel en le Frith	18,560	132	131	1	9	273	14.7	1.12	1.02	127	114	241	13.0	0.98	1.11	8	29	6	8

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Chesterfield	92,920	865	814	28	26	1,733	18.7	0.93	1.08	476	366	842	9.1	1.38	1.09	46	27	35	54	
Clowne	19,260	156	160	7	5	328	17.0	1.01	1.07	110	85	110	10.1	1.38	1.04	10	10	10	10	
Repton	36,430	296	657	12	5	568	15.6	1.02	0.99	197	188	385	10.6	1.02	0.94	14	25	10	11	
Shardlow	84,350	691	657	27	24	1,399	16.6	0.95	0.98	391	387	778	9.2	1.26	1.01	18	13	11	35	
DEVON:	810,500	5,750	5,394	280	287	11,711	14.4	1.09	0.97	5,189	5,303	10,492	12.9	0.85	0.95	244	21	181	245	
County Boroughs	294,800	2,377	2,147	119	137	4,780	16.2	1.02	1.03	1,667	1,593	3,260	11.1	1.02	0.98	102	21	77	93	
Exeter	76,900	587	522	31	33	1,173	15.3	1.01	0.96	439	474	913	11.9	0.88	0.91	21	18	19	24	
Plymouth	217,900	1,790	1,625	88	104	3,607	16.6	1.01	1.04	1,228	1,119	2,347	10.8	1.09	1.02	81	22	58	69	
Administrative County	515,700	3,373	3,247	161	150	6,931	13.4	1.14	0.95	3,522	3,710	7,232	14.0	0.77	0.94	142	20	104	152	
Municipal Boroughs and Urban Districts	263,300	1,549	1,542	84	78	3,273	12.4	1.13	0.87	1,925	2,166	4,091	15.5	0.72	0.97	61	19	47	79	
Ashton	2,710	19	18	1	1	39	14.4	1.08	0.97	22	19	41	15.1	0.80	1.05	—	—	—	—	
Barnstaple M.B.	15,750	119	120	8	7	254	16.1	1.03	1.03	119	108	227	14.4	0.88	1.10	3	12	3	6	
Bideford M.B.	10,210	73	93	2	2	170	16.7	1.05	1.09	64	75	139	13.6	0.83	0.98	2	12	1	3	
Brixham	9,280	52	57	2	2	113	12.2	1.11	0.84	64	61	125	13.5	0.79	0.93	2	18	1	2	
Buckfastleigh	2,470	18	17	2	1	38	15.4	1.17	1.12	24	17	41	16.6	0.75	1.08	2	53	2	1	
Budeigh Salterton	3,830	16	17	2	1	36	9.4	1.37	0.80	36	45	81	21.1	0.55	1.01	—	—	—	—	
Credon	4,220	29	27	4	1	61	14.5	0.96	0.86	25	32	57	13.5	0.80	0.94	2	33	2	2	
Dartmouth M.B.	6,220	29	46	1	3	79	12.7	1.09	0.86	37	32	69	11.1	0.87	0.84	2	25	2	4	
Dawlish	7,140	33	30	3	2	68	9.5	1.19	0.70	48	53	101	14.1	0.74	0.91	2	29	1	2	
Exmouth	18,040	118	112	5	2	237	13.1	1.20	0.98	122	155	277	15.4	0.64	0.86	2	8	1	10	
Great Torrington M.B.	2,840	19	23	—	—	42	14.8	1.13	1.04	20	25	45	15.8	0.75	1.03	1	24	—	2	
Holsworthy	1,620	11	13	—	—	24	14.8	0.96	0.88	28	17	45	27.8	0.45	1.09	—	—	—	1	
Honiton M.B.	4,770	27	26	1	1	55	11.5	1.34	0.96	30	28	58	12.2	0.93	0.99	1	18	—	—	
Iffracombe	8,700	38	59	3	3	103	11.8	1.14	0.84	62	78	140	16.1	0.72	1.01	7	68	6	2	
Kingsbridge	3,120	26	29	—	—	55	17.6	1.08	1.18	21	19	40	12.8	0.87	0.97	3	55	3	1	
Lynton	1,710	13	11	4	—	28	16.4	1.01	1.03	11	16	27	15.8	0.74	1.02	1	36	1	—	
Newton Abbot	112	107	107	7	4	230	13.4	1.02	0.85	109	101	210	12.3	0.83	0.89	4	17	2	3	
Northam	6,630	41	28	1	—	70	10.6	1.10	0.72	46	59	105	15.8	0.76	1.04	1	14	1	3	
Okehampton M.B.	3,910	15	18	—	1	34	8.7	1.06	0.57	23	18	41	10.5	0.84	0.77	1	29	1	2	
Ottery St. Mary	4,190	30	21	—	2	53	12.6	1.04	0.81	19	17	36	8.6	0.79	0.59	3	57	3	—	
Paignton	26,260	136	120	6	8	270	10.3	1.24	0.79	242	269	511	19.5	0.63	1.07	1	4	—	—	
Salcombe	2,450	10	8	2	2	20	8.2	1.20	0.61	18	13	31	12.7	0.69	0.76	—	—	—	—	
Seaton	2,950	13	17	—	—	12	8.8	1.26	0.85	16	24	40	13.6	0.56	0.66	—	—	—	—	
Sidmouth	9,780	46	49	3	4	102	10.4	1.32	0.85	76	101	177	18.1	0.56	0.88	—	—	—	—	
South Molton M.B.	3,090	13	24	—	1	38	12.3	1.09	0.83	19	28	47	15.2	0.72	0.95	1	26	1	—	
Taivstock	6,210	35	33	2	1	71	11.4	1.15	0.81	55	57	112	18.0	0.64	1.00	3	42	3	—	
Teignmouth	10,540	60	45	4	2	111	10.5	1.19	0.78	81	98	179	17.0	0.61	0.90	2	18	3	2	
Tiverton M.B.	11,720	102	97	3	5	207	17.7	1.01	0.71	74	98	172	14.7	0.72	0.92	4	19	2	7	
Torquay M.B.	50,260	280	242	14	20	556	11.1	1.10	0.76	371	460	831	16.5	0.72	1.03	11	20	7	11	
Tonnes M.B.	5,540	36	35	4	2	77	13.9	1.06	0.92	43	43	86	15.5	0.72	0.97	—	—	—	3	
Rural Districts	252,400	1,804	1,705	77	72	3,658	14.5	1.16	1.04	1,597	1,544	3,141	12.4	0.85	0.92	81	22	57	73	
Amnister	14,230	83	69	4	3	159	11.2	1.15	0.80	90	91	181	12.7	0.80	0.88	1	6	1	1	
Barnstaple	24,010	183	171	6	7	367	15.3	1.14	0.87	155	145	300	12.5	0.97	1.05	8	22	5	7	
Bideford	5,260	34	37	1	1	73	13.9	1.11	0.96	49	30	79	15.0	0.91	1.19	5	69	1	4	
Broadwoodwidge	2,030	9	7	—	—	32	15.8	1.05	1.03	4	3	13	3.4	1.18	0.35	—	—	—	—	
Credon	9,800	76	73	2	2	153	15.6	1.13	1.09	72	58	130	13.3	0.92	1.06	—	33	2	—	

TABLE 12—continued.

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS					DEATHS					Deaths under 1 year			Stillbirths					
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor		Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births	Deaths under 4 weeks	(20)
		M.	F.	M.	F.															
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
DEVON—contd.																				
Rural Districts—contd.																				
Holworthy	5,900	60	47	3	—	110	18.6	1.12	1.29	26	27	53	9.0	0.88	0.69	2	18	2	—	
Honiton	6,920	47	45	1	2	95	13.7	1.12	0.95	43	39	82	11.8	0.94	0.96	—	—	—	1	
Kingsbridge	11,980	83	85	5	8	181	15.1	1.15	1.08	80	75	155	12.9	0.84	0.94	4	22	3	1	
Newton Abbot	25,720	132	167	4	4	307	11.9	1.16	0.86	159	172	331	12.9	0.83	0.93	6	20	5	15	
Okehampton	12,040	83	61	5	5	154	12.8	1.18	0.94	79	72	151	12.5	0.80	0.87	5	32	4	1	
Plymouth St. Mary	34,940	266	265	6	12	549	15.7	1.10	1.07	198	207	405	11.6	0.94	0.95	7	13	5	9	
St. Thomas	33,340	253	228	13	13	507	15.2	1.20	1.13	237	225	462	13.9	0.73	0.88	15	30	12	11	
South Molton	8,850	78	57	5	1	141	15.9	1.15	1.14	43	41	84	9.5	0.93	0.77	2	14	2	7	
Tavistock	15,670	120	112	5	4	241	15.4	1.22	1.17	80	109	189	12.1	0.89	0.94	8	33	4	6	
Tiverton	20,520	145	154	5	3	307	15.0	1.09	1.02	112	97	209	10.2	0.91	0.81	8	26	7	3	
Torrington	7,150	43	42	5	3	93	13.0	1.18	0.95	35	44	79	11.0	0.90	0.86	3	32	3	3	
Totnes	14,040	98	83	4	4	189	13.5	1.20	1.01	135	109	244	17.4	0.55	0.83	2	11	1	2	
DORSET:	305,100	2,156	1,971	89	101	4,317	14.1	1.12	0.98	1,880	1,773	3,653	12.0	0.90	0.94	86	20	68	95	
Municipal Boroughs and Urban Districts																				
Blandford Forum M.B.	188,700	1,257	1,140	55	63	2,515	13.3	1.11	0.92	1,177	1,119	2,296	12.2	0.88	0.93	49	19	39	53	
Bridport M.B.	3,310	20	28	1	1	50	15.1	1.03	0.97	25	28	53	16.0	0.76	1.06	—	—	—	1	
Dorchester M.B.	6,680	37	34	2	3	76	11.4	1.07	0.76	49	58	107	16.0	0.68	0.95	5	66	3	6	
Lyme Regis M.B.	11,510	93	79	4	7	183	15.9	1.07	1.06	72	64	136	11.1	0.81	1.01	3	16	3	—	
Poole M.B.	3,110	18	19	1	—	38	12.2	1.14	0.86	15	18	33	10.6	0.77	0.71	—	—	—	25	
.. .. .	87,440	541	546	31	34	1,152	13.2	1.07	0.88	564	526	1,090	12.5	0.87	0.95	22	19	18	—	
.. .. .	13,820	72	64	3	3	142	10.3	1.58	1.01	58	40	107	7.7	1.49	1.00	3	27	3	4	
.. .. .	3,430	26	22	—	—	48	14.0	1.04	0.90	20	23	43	12.5	0.77	0.84	1	21	1	2	
.. .. .	7,300	44	33	—	2	79	10.8	1.27	0.85	32	25	57	7.8	0.97	0.66	—	—	—	2	
.. .. .	7,200	32	25	3	1	61	8.5	1.15	0.61	42	44	86	11.9	0.73	0.76	1	16	1	2	
.. .. .	2,760	21	26	1	—	48	17.4	1.10	1.19	16	26	42	15.2	0.39	0.52	2	42	1	—	
..	
.. .. .	37,790	321	241	8	11	581	15.4	1.03	0.99	245	238	483	12.8	0.91	1.01	12	21	9	11	
.. .. .	4,350	32	23	1	1	57	13.1	1.14	0.93	39	20	59	13.6	0.74	0.88	—	—	—	—	

71

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS					DEATHS										Deaths under 1 year		Deaths under 4 weeks	Stillbirths
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate	Number				
		M.	F.	M.	F.											Rate per 1,000 Live Births				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
DURHAM—contd.																				
Rural Districts—contd.																				
Darlington ..	2,0100	246	224	4	12	486	24.2	0.79	1.19	68	78	146	7.3	1.40	0.89	10	21	4	9	
Durham ..	34,110	313	282	5	4	604	17.7	0.98	1.08	202	147	349	10.2	1.27	1.13	12	20	9	15	
Easington ..	84,420	863	746	15	17	1,641	19.4	0.99	1.19	414	350	764	9.0	1.38	1.08	37	23	26	42	
Lanchester ..	15,060	116	89	1	4	210	13.9	1.03	0.89	90	52	142	9.4	1.11	0.91	8	38	6	10	
Sedgefield ..	36,020	281	279	8	4	572	15.9	1.04	1.03	256	267	523	14.5	0.87	1.10	22	38	17	22	
Stockton ..	9,130	69	55	—	3	127	13.9	0.98	0.85	40	30	70	7.7	1.11	0.74	1	8	1	2	
Sunderland ..	26,630	281	277	4	9	571	21.4	0.97	1.29	254	201	455	17.1	0.81	1.20	10	18	8	10	
Weardale ..	8,930	55	68	2	1	126	14.1	1.80	1.58	71	63	134	15.0	0.89	1.16	1	8	—	—	
ELY, ISLE OF: ..	88,890	727	625	44	35	1,431	16.1	1.01	1.01	516	469	985	11.1	0.85	0.82	29	20	21	32	
Municipal Borough and Urban Districts																				
Chatteris ..	54,600	460	372	32	20	884	16.2	1.01	1.02	339	356	695	12.7	0.75	0.83	20	23	14	23	
Ely ..	5,590	34	35	5	2	76	13.6	1.00	0.84	26	26	52	9.3	0.98	0.79	1	13	1	3	
March ..	9,860	72	58	2	2	134	13.6	0.99	0.84	71	127	198	20.1	0.49	0.86	6	45	3	6	
Whitsey ..	13,130	109	81	4	4	199	15.2	1.02	0.96	71	54	125	9.5	1.10	0.91	7	35	7	2	
Wisbech M.B. ..	8,840	97	69	9	2	177	20.0	1.00	1.24	40	32	72	8.1	1.00	0.77	2	11	1	2	
..	17,180	148	129	12	9	298	17.3	0.99	1.06	131	117	248	14.4	0.60	0.75	4	13	2	10	
Rural Districts ..	34,290	267	253	12	15	547	16.0	1.02	1.01	177	113	290	8.5	1.03	0.76	9	16	7	9	
Ely ..	14,520	101	133	4	7	245	16.9	1.03	1.08	76	48	124	8.5	0.97	0.72	4	16	4	4	
North ..	4,790	40	26	1	1	69	14.4	1.03	0.92	28	24	52	10.9	1.01	0.96	3	43	2	2	
Thorney ..	2,480	15	19	1	2	37	14.9	1.03	0.95	7	9	16	6.5	1.28	0.72	—	—	—	—	
Wisbech ..	12,500	111	75	6	4	196	15.7	1.00	0.98	66	32	98	7.8	1.08	0.73	2	10	1	3	
ESSEX: ..	2,190,000	16,192	15,368	642	626	32,828	15.0	0.97	0.90	11,912	11,123	23,035	10.5	1.07	0.98	626	19	449	697	
County Boroughs																				
East Ham ..	435,400	3,024	2,825	156	158	6,163	14.2	0.98	0.86	2,626	2,498	5,124	11.8	1.03	1.06	113	18	84	128	
..	112,700	707	682	37	18	1,444	12.8	0.98	0.78	665	579	1,244	11.0	1.11	1.06	22	15	15	42	
Southend-on-Sea ..	156,800	1,008	929	58	66	2,061	13.1	1.06	0.86	1,028	1,114	2,142	13.7	0.84	1.00	40	19	27	39	
West Ham ..	165,900	1,309	1,214	61	74	2,658	16.0	0.91	0.90	933	805	1,738	10.5	1.25	1.14	51	19	42	47	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Administrative County ..	1,754,600	13,168	12,543	486	468	26,665	15.2	0.96	0.91	9,286	8,625	17,911	10.2	1.08	0.96	513	19	345	569
Municipal Boroughs and Urban Districts ..	1,518,300	11,363	10,778	398	390	22,929	15.1	0.95	0.89	7,781	7,227	15,008	9.9	1.12	0.96	448	20	318	508
Barnstaple ..	75,070	501	376	16	21	1,553	23.5	0.88	0.71	368	256	624	8.3	1.41	1.02	17	19	14	17
Bath ..	65,960	792	721	18	22	1,553	23.5	0.88	1.28	323	259	582	8.8	1.11	0.85	37	24	24	39
Berkeley ..	24,970	214	202	8	5	429	17.2	1.00	1.07	144	153	297	11.9	0.92	0.95	7	16	7	6
Bristol ..	18,490	162	154	8	13	337	18.2	1.00	1.13	111	188	219	11.8	0.91	0.93	11	33	9	7
Brentree and Bocking ..	42,330	324	315	12	13	664	15.7	0.96	0.94	181	232	413	9.8	0.84	0.72	8	12	6	20
Brentwood ..	4,630	33	23	—	—	56	12.1	1.18	0.89	25	27	52	11.2	0.70	0.68	—	—	—	3
Brightonsea ..	3,860	31	23	1	4	59	15.3	1.18	1.12	35	15	50	13.0	0.79	0.89	1	17	1	1
Burnham-on-Crouch ..	12,330	79	90	5	6	180	14.6	1.07	0.97	81	54	135	10.9	0.93	0.88	2	11	1	—
Canvey Island ..	42,260	365	362	12	11	750	17.7	0.93	1.02	211	201	412	9.7	1.17	0.91	12	16	9	14
Chelmsford M.B. ..	60,420	367	379	11	11	768	12.7	0.92	0.73	215	203	418	6.9	1.51	0.91	19	25	12	10
Chigwell ..	46,450	279	215	10	8	512	11.0	1.03	0.70	206	191	397	8.5	1.29	0.95	8	16	—	9
Chingford M.B. ..	24,890	105	110	17	12	244	9.8	1.23	0.75	184	200	384	15.4	0.72	0.86	—	—	8	10
Clacton ..	63,380	508	463	27	26	1,024	16.2	1.03	1.04	354	376	730	11.5	0.84	0.94	15	15	13	24
Colchester M.B. ..	114,400	668	720	22	25	1,435	12.5	0.92	0.71	444	350	794	6.9	1.74	1.04	24	17	17	33
Dagenham M.B. ..	8,290	72	77	1	2	152	18.3	0.93	1.06	46	37	83	10.0	0.98	0.85	5	33	3	5
Epping ..	8,640	43	26	5	1	75	8.7	1.29	0.70	55	66	121	14.0	0.69	0.84	3	40	3	1
Frinton and Walton ..	6,360	46	55	12	8	104	16.4	1.11	1.13	42	33	75	11.8	0.79	0.81	3	29	2	1
Halstead ..	35,690	582	571	15	1	1,176	33.0	0.65	1.33	76	78	154	4.3	2.50	0.93	26	22	17	31
Harlow ..	13,760	113	92	3	5	213	15.5	1.08	1.04	82	74	156	11.3	1.16	1.14	6	28	5	6
Harwich M.B. ..	117,400	1,065	1,029	26	10	2,130	18.1	0.95	1.07	655	648	1,303	11.1	0.94	0.91	40	19	24	41
Hornchurch ..	1,134	1,065	1,029	30	31	2,224	12.4	0.99	0.76	1,110	1,054	2,164	12.0	0.94	0.98	38	17	30	41
Ilford M.B. ..	99,670	601	501	28	22	1,152	11.6	0.98	0.71	609	619	1,228	12.3	0.92	0.98	17	15	15	27
Leyton M.B. ..	9,910	84	61	5	2	152	15.3	1.06	1.01	57	73	130	13.1	0.80	0.91	5	33	3	5
Maldon M.B. ..	14,830	113	130	4	2	249	16.8	0.92	0.96	99	77	176	11.9	1.08	1.12	3	12	2	7
Rayleigh ..	111,800	952	964	23	38	1,977	17.7	0.84	0.92	408	301	709	6.3	1.56	0.85	36	18	25	38
Romford M.B. ..	7,430	49	56	2	4	111	14.9	1.05	0.97	66	59	125	16.8	0.56	0.82	3	27	2	3
Saffron Walden M.B. ..	104,200	901	824	34	39	1,798	17.3	0.88	0.95	442	393	835	8.0	1.45	1.01	46	26	31	45
Thurrock ..	10,520	104	109	5	3	222	21.1	0.88	1.15	43	30	73	6.9	1.26	0.76	1	—	—	5
Waltham Holy Cross ..	115,300	629	635	27	31	1,322	11.5	1.00	0.71	316	634	1,324	11.5	1.07	1.07	32	24	22	37
Walthamstow M.B. ..	60,970	341	360	14	9	724	11.9	1.00	0.74	316	634	1,324	11.5	1.07	1.07	32	24	22	37
Wanstead and Woodford M.B. ..	3,070	22	14	1	1	38	12.4	1.24	0.96	25	23	48	15.6	0.70	0.95	1	26	—	1
West Mersea ..	8,840	68	72	5	3	148	16.7	1.12	1.16	59	44	103	11.7	1.08	1.10	1	26	—	1
Wivenhoe ..	2,580	16	20	1	—	37	14.3	1.11	0.99	19	15	34	13.2	0.83	0.95	1	27	1	—
Rural Districts ..	236,300	1,805	1,765	88	78	3,736	15.8	1.08	1.06	1,505	1,398	2,903	12.3	0.85	0.91	65	17	47	61
Braintree ..	20,260	159	174	6	3	342	16.9	1.10	1.15	134	114	248	12.2	0.95	1.01	10	29	7	5
Burnham ..	41,970	355	353	20	18	746	17.8	1.05	1.16	257	266	523	12.5	0.83	0.90	15	20	12	8
Dunmow ..	19,840	188	149	12	10	359	18.1	1.04	1.17	125	91	216	10.9	0.89	0.84	5	14	3	4
Epping and Ongar ..	33,300	302	275	8	18	603	18.1	1.04	1.17	162	144	306	9.2	1.03	0.82	11	18	7	11
Halstead ..	16,380	100	106	9	8	219	13.4	1.16	0.97	123	102	225	13.7	0.83	0.99	3	14	2	8
Lenden and Winstree ..	22,190	135	136	6	8	285	12.8	1.14	0.91	164	175	339	15.3	0.76	1.01	4	14	3	8
Maldon ..	15,320	92	108	6	3	212	13.9	1.14	0.98	109	93	202	13.3	0.82	0.95	5	24	3	4
Robford ..	23,850	190	168	5	5	369	15.5	1.00	0.96	144	150	294	12.3	0.84	0.90	4	11	4	7
Saffron Walden ..	18,550	133	143	6	4	286	15.4	1.12	1.07	93	88	181	9.8	0.87	0.74	6	21	4	3
Tendring ..	24,750	151	152	7	5	315	12.7	1.13	0.89	194	175	369	14.9	0.67	0.87	2	6	2	3

TABLE 12—continued

AREA	(1)	(2)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Stillbirths		
			Legitimate		Illegitimate		Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate	Number		Rate per 1,000 Live Births	
			M.	F.	M.	F.													
GLOUCESTERSHIRE: ..																			
*County Boroughs	969,000	7,668	7,316	364	382	15,730	16.2	1.01	1.02	5,434	5,310	10,744	11.1	0.94	0.91	317	20	338
Bristol	507,450	3,949	3,770	202	202	8,123	16.0	1.00	0.99	2,999	2,939	5,938	11.7	0.91	0.93	148	18	175
*Gloucester	439,600	3,423	3,203	161	171	6,958	15.8	1.00	0.98	2,586	2,598	5,184	11.8	0.90	0.92	128	18	155
..	..	67,850	526	567	41	31	1,165	17.2	0.99	1.06	413	341	754	11.1	1.03	0.99	20	17	20
*Administrative County	461,550	3,719	3,546	162	180	7,607	16.5	1.03	1.06	2,435	2,371	4,806	10.4	0.97	0.88	169	22	163
Municipal Boroughs and Urban Districts ..																			
Charlton Kings	154,100	1,261	1,204	64	65	2,594	16.8	0.99	1.03	836	886	1,722	11.2	0.93	0.91	57	22	38
Cheltenham M.B.	6,710	49	43	1	2	95	14.2	1.07	0.94	42	47	89	13.3	0.86	0.99	—	—	5
Cirencester	68,230	588	532	46	49	1,215	17.8	0.97	1.07	369	446	815	11.9	0.88	0.91	33	27	23
Kingswood	11,820	82	81	4	5	172	14.6	1.02	0.92	75	60	135	11.4	0.55	0.55	1	6	4
..	..	21,010	169	145	2	3	319	15.2	1.01	0.95	109	101	210	10.0	1.21	1.05	3	9	11
Mangotsfield	20,970	178	188	3	—	369	17.6	0.98	1.07	99	88	187	8.9	1.14	0.88	9	24	11
Nailsworth	3,700	25	26	1	—	52	14.1	1.09	0.95	21	18	39	10.5	0.83	0.76	—	—	—
Stroud	16,160	131	153	6	4	294	18.2	1.02	1.15	86	87	173	10.7	0.90	0.84	6	20	8
Tewkesbury M.B.	5,500	39	36	1	2	78	14.2	0.93	0.82	35	39	74	13.5	0.75	0.88	5	64	4
*Rural Districts ..																			
Cheltenham	307,450	2,458	2,342	98	115	5,013	16.3	1.05	1.06	1,599	1,485	3,084	10.0	0.99	0.86	112	22	86
Cirencester	28,470	243	241	11	14	509	17.9	0.99	1.10	111	128	239	8.4	1.10	0.80	15	29	99
Dursley	15,360	126	106	2	10	244	15.9	1.00	0.99	62	44	106	6.9	1.05	0.63	5	20	12
East Dean	17,290	134	121	3	7	265	15.3	1.06	1.01	91	81	172	9.9	1.04	0.90	5	19	6
*Gloucester	20,850	169	160	4	8	341	16.4	1.03	1.05	135	78	213	10.2	1.09	0.97	9	26	3
..	..	43,000	338	347	16	19	720	16.7	1.00	1.04	231	226	457	10.6	0.89	0.82	12	17	16
Lydney ..																			
Newent	12,290	75	93	6	1	175	14.2	1.11	0.98	68	44	112	9.1	1.12	0.89	3	17	3
North Cotswold	8,420	72	61	4	2	139	16.5	1.15	1.18	50	33	83	9.9	0.94	0.81	7	50	3
Northleach	20,420	170	150	7	5	332	16.3	1.08	1.09	100	97	197	9.6	0.99	0.83	9	27	2
Sodbury	8,150	74	60	5	4	143	17.5	1.05	1.14	41	58	99	12.1	0.75	0.79	3	21	2
..	..	40,950	337	328	8	14	687	16.8	1.00	1.04	162	189	351	8.6	1.17	0.87	10	15	22
Stroud ..																			
Tetbury	27,270	220	159	8	13	400	14.7	1.07	0.98	151	138	289	10.6	0.90	0.83	5	13	4
Thornbury	6,890	44	40	4	3	91	13.2	1.10	0.90	40	54	94	13.6	0.78	0.92	6	66	4
Warley	26,690	192	231	11	8	442	16.6	1.12	1.15	185	163	348	13.0	0.75	0.85	11	25	7
West Dean	13,500	139	107	2	2	252	18.5	0.97	1.11	95	85	180	8.8	1.01	0.91	4	16	3
..	..	17,920	125	138	7	5	278	15.3	1.05	1.00	97	108	205	11.4	1.02	0.91	8	29	8

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
HEREFORDSHIRE:	127,700	1,015	971	52	48	2,086	16.3	1.06	1.07	841	762	1,603	12.6	0.88	0.96	49	23	36	58
Municipal Boroughs and Urban Districts	52,060	434	414	14	17	879	16.9	0.97	1.02	374	328	702	13.5	0.89	1.04	20	23	14	27
Bromyard	1,700	9	10	—	2	21	12.4	1.06	0.82	15	13	28	16.5	0.91	1.31	1	48	1	4
Hereford M.B.	33,370	308	264	10	10	592	17.7	0.95	1.04	208	196	404	12.1	1.01	1.06	16	27	12	17
Kington	1,840	16	20	—	—	36	19.6	1.08	1.31	17	10	27	14.7	0.78	1.00	1	—	—	—
Ledbury	3,710	30	23	1	—	56	15.1	0.99	0.93	29	17	46	12.4	0.83	0.89	1	18	1	4
Leominster M.B.	6,170	36	51	1	3	91	14.7	0.98	0.89	51	48	99	16.0	0.71	0.99	1	11	—	1
Ross-on-Wye	5,270	35	46	2	—	83	15.7	1.03	1.00	54	44	98	18.6	0.59	0.95	—	—	—	2
Rural Districts	75,640	581	557	38	31	1,207	16.0	1.14	1.13	467	434	901	11.9	0.88	0.91	29	24	22	31
Bromyard	7,060	58	50	7	3	118	16.7	1.12	1.16	61	50	111	15.7	0.75	1.02	4	34	4	4
Dore and Brewardine	8,300	62	53	—	—	120	14.5	1.07	0.96	41	49	90	10.8	1.01	0.95	5	42	3	5
Hereford	17,900	130	125	8	7	270	15.1	1.19	1.12	110	120	230	12.8	0.76	0.85	6	22	5	6
Kington	4,780	23	39	2	2	66	13.8	1.15	0.99	28	24	52	10.9	0.89	0.84	1	15	—	2
Ledbury	8,670	62	51	2	3	118	13.6	1.12	0.95	54	42	96	11.1	0.92	0.89	5	42	4	3
Leominster and Wigmore	10,110	78	75	6	4	163	16.1	1.17	1.17	57	53	110	10.9	0.86	0.82	5	31	3	5
Ross and Whitchurch	11,790	86	96	6	7	191	16.2	1.14	1.15	62	66	128	10.9	0.88	0.83	1	5	1	3
Woolley	7,030	82	68	4	7	161	22.9	1.05	1.49	54	30	84	11.9	0.96	0.99	2	12	2	3
HERTFORDSHIRE:	739,800	6,256	5,880	210	207	12,553	17.0	0.94	0.99	3,607	3,522	7,129	9.6	1.05	0.88	235	19	169	247
Municipal Boroughs and Urban Districts	513,900	4,450	4,100	141	140	8,931	17.2	0.94	1.00	2,440	2,334	4,774	9.3	1.12	0.91	166	19	120	173
Baldock	6,960	70	43	3	5	121	17.4	0.89	0.96	35	28	63	9.1	1.32	1.04	4	33	4	3
Bardeston	2,640	186	157	1	3	353	13.7	1.01	0.86	120	139	259	10.0	1.01	0.88	10	28	6	9
Barnham	15,010	96	197	6	3	306	16.3	1.03	1.04	69	50	119	9.9	0.98	0.84	7	36	6	2
Bishop's Stortford	15,340	146	141	8	6	301	19.6	0.96	1.07	76	82	158	10.3	0.89	0.80	7	23	6	3
Bushey	18,320	146	149	2	6	303	16.5	0.94	0.96	76	94	143	7.8	1.09	0.74	3	10	3	5
Chestnut	28,050	244	237	7	5	493	17.6	0.91	0.99	110	97	204	7.3	1.32	0.84	7	14	5	8
Chorleywood	6,110	41	40	1	—	82	13.4	0.99	0.82	31	28	59	9.7	0.99	0.84	—	—	—	2
East Barnet	40,950	269	233	8	14	524	15.8	1.05	0.83	131	209	407	9.9	1.09	0.94	11	21	4	7
Harpden	16,020	131	117	1	1	250	13.1	1.02	0.93	78	85	161	10.0	1.03	0.90	5	20	4	11
Hemel Hempstead M.B.	43,500	487	454	20	17	978	22.5	0.76	1.06	138	151	289	6.6	1.36	0.90	17	17	12	22
Herford M.B.	14,960	109	113	5	8	235	15.7	0.99	0.97	72	66	138	9.2	1.04	0.83	2	9	—	6
Hitchin	21,300	165	132	10	3	310	14.6	0.97	1.08	105	111	236	10.1	0.93	0.82	6	19	2	9
Hoddesdon	16,040	135	125	3	6	269	16.8	1.00	1.04	66	66	132	8.2	1.11	0.79	3	11	1	4
Leitchworth	22,400	193	176	8	3	380	17.0	1.00	1.06	116	88	203	8.2	1.07	0.86	11	29	8	10
Rickmansworth	27,250	200	191	4	6	401	14.7	1.02	0.93	117	109	225	8.3	1.20	0.87	6	15	6	9
Royston	5,020	37	37	1	—	75	14.9	1.04	0.96	34	30	64	12.7	0.90	0.99	1	13	1	4
St. Albans M.B.	47,290	356	350	16	10	732	15.5	0.98	0.94	235	279	514	10.9	0.98	0.93	11	15	9	14
Sawbridgeworth	4,230	23	19	1	1	44	10.4	1.00	0.65	18	17	35	5.3	1.05	0.72	—	—	—	—
Sevenage	26,560	412	403	3	10	828	31.2	0.69	1.34	79	62	141	5.3	2.05	0.94	—	18	13	15
Tring	5,360	38	40	1	1	80	14.9	1.05	0.97	26	28	54	10.1	0.83	0.73	—	—	—	—
Ware	9,100	73	67	2	2	144	15.8	1.06	1.04	123	97	220	24.2	0.45	0.95	2	14	—	4
Watford M.B.	73,050	547	477	22	20	1,066	14.6	1.00	0.91	426	374	800	11.0	1.00	0.96	29	27	21	16
Welwyn Garden City	28,140	346	308	8	4	666	23.7	0.79	1.16	94	74	168	6.0	1.81	0.94	9	14	9	10

TABLE 12—continued

AREA	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths				
	Estimated Home Population (Mid-1957)	Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor			Ratio of local death rate to National Rate	Number	Rate per 1,000 Live Births	
		M.	F.	M.	F.															
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
HERTFORDSHIRE—contd.																				
Rural Districts ..	226,000	1,806	1,780	69	67	3,722	16.5	0.95	0.97	1,167	1,188	2,355	10.4	0.90	0.81	69	19	49	74	
Berkhamsted ..	6,250	32	41	—	3	76	12.2	0.98	0.74	31	28	59	9.4	0.97	0.79	3	39	2	3	
Braughing ..	10,440	74	68	2	3	147	14.1	1.03	0.90	58	58	116	11.1	0.89	0.86	7	48	5	4	
Elstree ..	26,640	262	239	10	5	516	19.4	0.91	1.10	165	188	353	13.3	0.68	0.79	15	29	14	11	
Hatfield ..	33,410	315	346	13	13	687	20.6	0.88	1.13	162	123	285	8.5	1.14	0.84	8	12	5	12	
Hemel Hempstead ..	13,050	103	98	9	4	214	16.4	1.00	1.02	69	68	137	10.5	1.14	1.04	1	5	—	4	
Hertford ..	9,030	68	60	1	—	129	14.3	1.01	0.90	45	44	89	9.9	1.04	0.90	2	16	—	5	
Hitchin ..	22,250	162	186	5	8	361	16.2	1.03	1.04	98	109	207	9.3	0.96	0.78	7	19	5	9	
St. Albans ..	33,060	251	240	12	9	512	15.5	1.08	1.04	248	281	529	16.0	0.52	0.72	9	18	5	12	
Ware ..	11,720	56	69	3	3	131	11.2	1.02	0.71	51	41	92	7.8	0.90	0.61	1	8	—	—	
Watford ..	54,230	425	390	14	17	846	15.6	0.90	0.87	207	220	427	7.9	1.16	0.80	15	18	12	14	
Welwyn ..	5,920	58	43	—	2	103	17.4	0.87	0.94	33	28	61	10.3	1.11	0.99	1	10	1	—	
HUNTINGDONSHIRE...																				
Municipal Boroughs and Urban Districts	77,210	722	650	30	24	1,426	18.5	1.10	1.26	425	349	774	10.0	1.02	0.89	19	13	11	26	
Godmanchester M.B.	33,020	333	286	18	11	648	19.6	1.01	1.23	211	188	399	12.1	0.87	0.92	8	12	6	14	
Huntingdon M.B.	2,480	31	21	3	2	57	23.0	1.02	1.46	11	22	33	13.3	0.97	1.12	1	18	—	—	
Old Fletton ..	5,670	54	45	4	4	107	18.9	1.02	1.20	72	48	120	21.2	0.43	0.79	—	—	—	2	
Ramsey ..	10,620	121	96	9	2	228	21.5	1.00	1.34	58	49	107	10.1	1.25	1.10	2	9	—	4	
St. Ives M.B.	5,690	53	47	—	1	101	17.8	1.00	1.11	22	25	47	8.3	1.11	0.80	3	30	3	3	
St. Neots ..	3,350	31	33	—	—	64	19.1	1.01	1.20	20	19	39	11.6	0.86	0.87	1	16	1	2	
St. Neots ..	5,210	43	44	2	2	91	17.5	1.04	1.13	28	25	53	10.2	0.87	0.77	1	11	1	2	
Rural Districts ..	44,190	389	364	12	13	778	17.6	1.17	1.28	214	161	375	8.5	1.15	0.85	11	14	5	12	
Huntingdon ..	12,510	146	137	3	4	292	23.3	1.34	1.94	51	29	80	6.4	1.34	0.75	3	10	1	4	
Norman Cross ..	8,740	69	64	3	1	137	15.7	1.06	1.03	57	44	101	11.6	1.21	1.22	1	7	1	2	
St. Ives ..	15,670	126	111	3	5	245	15.6	1.11	1.08	68	54	122	7.8	1.14	0.77	3	12	1	5	
St. Neots ..	7,270	48	52	1	3	104	14.3	1.13	1.08	38	34	72	9.9	0.89	0.77	4	38	2	1	
KENT: ..	1,644,000	12311	11,757	544	529	25,141	15.3	1.03	0.98	9,471	9,061	18,532	11.3	0.93	0.91	510	20	371	506	
Canterbury C.B.	30,200	219	230	11	8	468	15.5	1.02	0.98	152	172	324	10.7	0.94	0.87	10	21	5	9	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Administrative County ..	1,613,800	12,092	11,527	533	521	24,673	15.3	1.03	0.98	9,319	8,889	18,208	11.3	0.93	0.91	500	20	366	497
*Municipal Boroughs and Urban Districts ..	1,267,720	9,541	8,985	417	418	19,361	15.3	1.02	0.97	7,086	6,917	14,003	11.0	0.95	0.91	397	21	287	374
Barnstaple ..	26,140	183	149	11	9	352	13.5	1.02	0.86	147	135	282	10.8	0.93	0.88	16	7	6	7
Beckham M.B. ..	75,440	428	471	14	16	927	12.3	1.06	0.86	383	404	787	10.4	0.93	0.88	13	17	12	22
Bexley M.B. ..	90,020	600	592	17	16	1,225	13.6	1.02	0.86	418	410	828	9.2	1.23	0.98	29	21	24	24
Broadstairs and St. Peter's ..	16,570	98	89	4	7	198	11.9	1.20	0.89	119	105	216	13.0	0.70	0.79	1	1	4	1
Bromley M.B. ..	65,550	433	440	17	13	903	13.8	1.00	0.86	333	366	699	10.7	0.94	0.87	12	13	7	14
Chatham M.B. ..	50,220	456	411	18	30	915	18.2	0.97	1.10	253	220	473	9.4	1.06	0.87	17	19	13	16
Chislehurst and Sidcup ..	87,790	598	592	16	18	1,224	13.9	0.97	0.84	365	368	733	8.3	1.32	0.95	20	16	15	23
Crayford ..	29,980	251	234	8	8	501	16.7	0.95	0.99	153	132	285	9.5	1.31	1.08	17	36	13	11
*Dartford M.B. ..	41,980	359	299	12	11	681	16.2	0.98	0.99	280	271	551	13.1	0.74	0.84	6	9	11	11
Deal M.B. ..	25,500	244	168	10	12	434	17.0	1.06	1.12	144	125	269	10.5	0.98	0.89	8	18	5	7
Dover M.B. ..	35,130	292	281	15	10	598	17.0	1.00	1.06	197	195	392	11.2	0.99	0.96	15	25	10	15
Erith M.B. ..	46,010	342	306	13	7	668	14.5	1.00	0.90	260	205	465	10.1	1.16	0.84	12	12	10	13
Faversham M.B. ..	12,300	111	106	5	2	224	18.2	1.04	1.18	140	118	258	21.0	0.46	0.84	8	36	3	3
Folkestone M.B. ..	44,180	279	259	15	20	573	13.0	1.05	0.85	253	292	545	12.3	0.86	0.92	24	42	17	2
Gillingham M.B. ..	79,280	569	596	29	30	1,224	15.4	1.03	0.99	426	357	783	9.9	1.13	0.97	31	25	19	11
Gravesend M.B. ..	46,930	406	354	17	18	795	16.9	0.97	1.02	218	227	445	9.5	1.13	0.93	11	14	6	27
Herne Bay ..	18,130	119	94	8	3	224	12.4	1.26	0.97	152	195	347	19.1	0.52	0.86	6	27	3	3
Hythe M.B. ..	9,730	40	56	4	5	105	10.8	1.21	0.81	50	68	118	12.1	0.72	0.76	2	19	2	2
Lydd M.B. ..	3,070	35	37	1	—	73	23.8	1.22	1.80	20	11	31	10.1	1.19	1.05	2	27	1	3
Maldstone M.B. ..	56,000	408	381	21	18	828	14.8	1.04	0.96	332	349	681	12.2	0.85	0.90	11	13	11	20
Margate M.B. ..	43,290	344	312	36	38	730	16.9	1.09	1.14	285	247	532	12.3	0.78	0.83	18	25	13	12
New Romney M.B. ..	2,370	19	12	1	1	33	13.9	1.03	0.89	19	18	37	15.6	0.88	1.19	—	—	4	—
Northfleet ..	20,110	174	151	11	5	341	17.0	0.97	1.02	101	97	198	9.8	1.16	0.99	6	18	4	—
Orpington ..	72,170	666	619	13	12	1,310	18.2	0.99	1.12	333	295	628	8.7	1.12	0.85	25	19	20	13
Penge ..	25,610	275	230	16	16	537	21.0	0.90	1.17	157	128	285	11.1	0.99	0.96	12	22	10	10
Queenborough M.B. ..	3,210	31	31	3	—	65	20.2	1.02	1.28	25	17	42	13.1	1.12	1.28	3	46	3	—
Ramsgate M.B. ..	36,010	271	229	21	23	544	15.1	1.06	0.99	243	194	437	12.1	0.87	0.92	17	31	11	17
Rochester M.B. ..	46,840	393	381	11	21	806	17.2	0.98	1.05	238	219	457	9.8	1.08	0.92	14	17	11	13
Royal Tunbridge Wells M.B. ..	38,930	244	251	14	14	523	13.4	1.09	0.91	231	363	594	15.3	0.66	0.88	6	11	4	2
Sandwich M.B. ..	4,550	27	34	1	—	62	13.6	1.15	0.97	19	17	36	7.9	0.88	0.60	1	16	—	8
Sevenoaks ..	16,570	109	119	1	3	232	14.0	1.06	0.92	90	106	196	11.8	0.76	0.78	3	13	2	8
Sherrness ..	15,480	113	118	10	7	248	16.0	1.08	1.07	107	82	189	12.2	0.96	1.12	4	16	4	9
Sittingbourne and Milton ..	22,260	202	161	13	7	383	17.3	1.02	1.09	211	187	398	17.9	0.59	0.92	11	29	8	11
Southborough ..	8,910	57	53	—	2	112	12.6	1.16	0.91	49	42	91	10.2	0.77	0.68	2	18	1	3
Swancombe ..	8,930	54	61	5	4	124	13.9	0.93	0.80	44	34	78	8.7	1.23	0.93	2	16	1	2
Tenterden M.B. ..	4,660	35	36	1	1	73	15.7	1.05	1.02	44	48	92	19.7	0.45	0.77	1	14	—	—
Tonbridge ..	20,460	165	163	4	5	337	16.5	1.03	1.06	110	128	238	11.6	0.91	0.92	8	24	7	8
Whitstable ..	17,410	111	109	1	8	229	13.2	1.27	1.04	145	142	287	16.5	0.64	0.92	6	26	5	3
*Rural Districts ..	346,080	2,551	2,542	116	103	5,312	15.3	1.07	1.02	2,233	1,972	4,205	12.2	0.80	0.85	103	19	79	123
Bridge-Blean ..	19,080	114	99	4	4	260	13.6	1.25	1.06	182	138	320	16.8	0.51	0.75	4	15	3	8
Canbrook ..	15,100	114	99	5	6	222	14.7	1.04	0.95	86	105	191	12.6	0.79	0.87	4	18	3	3
*Dartford ..	45,810	433	401	7	3	850	18.6	1.02	1.18	251	235	486	10.6	1.01	0.93	21	25	16	22
Dover ..	12,870	92	81	1	3	177	13.8	1.16	0.99	61	67	128	9.9	0.88	0.76	3	17	3	6
East Ashford ..	10,540	61	66	4	4	135	12.8	1.11	0.88	69	45	114	10.8	0.83	0.78	—	—	—	—

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths			
		Legitimate			Illegitimate			Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor			Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births
		F.		M.	F.		M.													
		M.	F.		M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
KENT—contd.																				
Rural Districts—contd.																				
Easby	24,050	193	179	9	9	390	16.2	1.18	1.19	210	178	388	16.1	0.61	0.85	12	31	7	11	
Elham	9,460	56	69	3	5	133	14.1	1.06	0.93	109	112	221	23.4	0.32	0.65	1	8	1	4	
Hollingbourne	16,700	131	115	5	6	257	15.4	1.05	1.00	86	74	160	9.6	0.94	0.78	10	39	9	9	
Maidstone																				
Malling	18,870	126	142	13	9	290	15.4	1.05	1.00	198	139	337	17.9	0.53	0.82	4	14	3	7	
Romney Marsh	37,780	264	259	18	14	555	14.7	1.05	0.96	216	183	399	10.6	1.03	0.95	10	18	7	17	
Sevenoaks	4,540	35	32	2	1	70	15.4	1.15	1.10	31	26	57	12.6	0.92	1.01	—	—	—	—	
Sheppey	35,620	246	274	9	9	538	15.1	1.08	1.01	175	182	357	10.0	0.91	0.79	10	19	7	7	
Strood																				
Strood..	24,690	219	205	5	5	434	17.6	1.00	1.09	130	96	226	9.2	1.07	0.86	1	2	1	7	
Swale	20,390	142	128	9	3	282	13.8	1.03	0.88	103	86	189	9.3	0.99	0.80	4	14	4	5	
Tenterden	7,290	49	60	3	2	114	15.6	1.08	1.05	38	27	65	8.9	0.89	0.69	1	9	1	1	
Tonbridge	23,420	146	152	8	8	314	13.4	0.99	0.82	128	146	274	11.7	0.85	0.86	8	25	5	4	
West Ashford	10,360	69	77	5	3	154	14.9	1.05	0.97	104	86	190	18.3	0.53	0.84	5	32	5	5	
LANCASHIRE:		5,101,000	42,353	39,957	2,247	2,080	86,637	17.0	1.00	1.06	33,537	32,025	65,562	12.9	1.11	1.25	27	1,581	2,280	
County Boroughs																				
Barrow-in-Furness	2,991,000	25,454	24,068	1,601	1,495	52,818	17.7	0.98	1.08	19,632	18,822	38,454	12.9	1.13	1.27	28	986	1,424	19	
Blackburn	64,700	478	466	22	19	985	15.2	1.01	0.95	464	397	861	13.3	1.11	1.28	26	15	19	56	
Blackburn	107,000	720	705	33	30	1,488	13.9	1.06	0.92	804	797	1,601	15.0	0.97	1.27	37	25	26	47	
Blackpool	145,600	815	784	63	53	1,715	11.8	1.11	0.81	1,114	1,223	2,337	16.1	0.86	1.20	39	23	28	45	
Bolton..	162,900	1,155	1,111	62	59	2,387	14.7	1.00	0.91	1,098	1,158	2,256	13.8	1.09	1.31	61	26	40	55	
Bootle..	80,630	915	944	33	31	1,923	23.8	0.93	1.37	445	366	811	10.1	1.51	1.33	51	27	34	42	
Burnley																				
Burnley	81,760	620	587	34	31	1,272	15.6	1.04	1.01	587	675	1,262	15.4	1.00	1.34	36	28	26	45	
Bury	58,210	382	454	33	24	893	15.3	1.03	0.98	381	410	791	13.6	1.00	1.22	25	28	14	20	
Liverpool	768,700	7,830	7,322	430	424	16,066	20.8	0.93	1.20	4,750	4,351	9,101	11.8	1.22	1.25	421	26	279	407	
Manchester	682,000	5,957	5,484	332	291	12,464	18.3	0.96	1.09	4,285	4,171	8,456	12.4	1.17	1.26	374	30	261	330	
Oldham	118,800	923	874	71	43	1,911	16.1	0.99	0.99	863	894	1,757	14.8	1.10	1.42	51	27	28	57	
Preston																				
Preston	116,200	935	887	60	64	1,946	16.7	1.00	1.04	736	711	1,447	12.5	1.16	1.26	67	34	48	55	
Rochdale	85,310	663	604	35	26	1,338	15.7	1.00	0.98	634	604	1,238	14.5	1.06	1.34	46	34	30	39	
St. Helens	110,900	965	875	43	23	1,893	17.1	0.94	1.00	662	522	1,184	10.7	1.32	1.23	59	31	38	67	
Salford	165,300	1,511	1,293	82	96	2,982	18.0	0.96	1.07	1,132	1,018	2,150	13.0	1.22	1.38	87	29	62	81	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Southport	81,900	467	448	36	28	979	12.0	1.13	0.84	636	708	1,344	16.4	0.73	1.04	24	25	16	21
Warrington	79,420	670	673	22	43	1,408	17.7	0.95	1.04	394	394	916	11.5	1.20	1.20	43	31	23	32
Wigan	81,670	648	557	13	10	1,228	15.0	0.98	0.91	519	423	942	11.5	1.22	1.22	31	25	18	44
Administrative County	2,110,000	16,699	15,889	646	585	33,819	16.0	1.02	1.01	13,995	13,203	27,108	12.8	1.09	1.21	850	25	595	856
Municipal Boroughs and Urban Districts	1,777,000	13,940	13,246	562	515	28,263	15.9	1.02	1.01	11,887	11,409	23,296	13.1	1.08	1.23	715	25	499	740
Abram	6,210	51	46	2	2	101	16.3	0.95	0.96	35	31	66	10.6	1.35	1.24	10	10	9	14
Accrington M.B.	39,610	265	262	11	10	548	13.8	1.05	0.90	305	279	584	14.7	1.00	1.28	16	29	—	—
Adlington	19,170	99	25	—	—	56	13.4	1.07	0.89	34	28	62	14.9	1.11	1.44	—	—	—	—
Ashton-in-Makerfield	19,250	165	120	3	2	290	15.1	0.97	0.91	123	111	234	12.2	1.18	1.25	6	21	2	11
Ashton-under-Lyne M.B.	51,180	387	372	10	20	789	15.4	1.00	0.96	381	369	750	14.7	1.04	1.33	19	24	14	21
Aspull	6,640	66	52	—	—	120	18.1	0.98	1.10	35	27	62	9.3	1.29	1.03	17	17	1	2
Atterton	19,840	142	135	5	3	285	14.4	1.00	0.89	154	160	314	15.8	1.10	1.35	12	42	7	7
Audenshaw	12,480	94	67	1	3	165	13.2	1.03	0.84	82	93	175	14.0	1.11	1.51	5	30	4	3
Bacup M.B.	18,070	143	135	10	9	297	16.4	1.01	1.03	142	129	271	15.0	1.11	1.45	4	13	2	12
Barrowford	4,740	35	38	2	—	75	15.8	1.12	1.10	35	47	82	17.3	0.91	1.37	4	53	3	3
Billinge-and-Winstanley	6,250	43	47	—	—	90	14.4	1.07	0.96	125	120	245	39.2	0.32	1.09	3	33	2	4
Blackburn	3,290	34	31	3	1	67	20.4	0.98	1.24	21	17	38	11.6	1.10	1.11	2	30	2	1
Brierfield	6,790	51	47	3	5	106	15.6	1.10	1.07	45	48	93	13.7	0.97	1.16	4	38	4	3
Carnforth	3850	48	40	2	2	92	23.9	1.00	1.48	22	11	46	11.9	1.11	1.15	3	33	1	1
Chadderton	32,180	233	217	7	10	467	14.5	1.04	0.94	213	194	407	12.6	1.19	1.30	6	13	5	8
Chorley M.B.	31,580	231	256	15	4	506	16.0	1.01	1.00	201	189	390	12.3	1.13	1.21	9	18	8	17
Church	5,710	47	54	4	1	106	18.6	1.00	1.16	41	25	66	11.6	1.06	1.07	3	28	3	—
Clayton-le-Moors	6,900	45	43	4	2	94	13.6	1.05	0.89	58	44	102	14.8	1.09	1.40	4	43	3	3
Clitheroe M.B.	11,950	78	73	2	3	156	13.1	1.13	0.92	89	191	280	23.4	0.67	1.36	2	13	2	9
Colne M.B.	19,910	134	119	10	8	271	13.6	1.07	0.90	159	162	321	16.1	0.98	1.37	6	22	4	12
Crompton	12,560	94	78	2	4	178	14.2	1.04	0.92	93	73	166	13.2	1.08	1.24	2	11	2	4
Crosby M.B.	58,630	489	452	15	23	979	16.7	1.00	1.04	396	396	792	13.5	0.99	1.16	23	23	17	22
Dalton-in-Furness	10,300	82	95	5	2	184	17.9	1.02	1.13	82	73	155	15.0	1.04	1.36	7	38	6	6
Darwen M.B.	29,870	212	192	12	15	431	14.4	1.08	0.97	233	203	436	14.6	1.09	1.26	11	26	5	12
Denton	26,700	238	196	6	4	444	16.6	1.06	1.09	148	165	313	11.7	0.99	1.21	13	29	7	14
Droylsden	26,310	190	191	9	5	395	15.0	1.01	0.94	136	121	257	9.8	1.41	1.20	6	15	3	13
Eccles M.B.	43,720	358	341	20	17	732	16.8	1.00	1.04	372	378	750	17.2	0.73	1.09	21	29	18	16
Falsworth	19,000	153	147	9	5	314	16.5	0.98	1.00	100	105	205	10.8	1.23	1.16	2	6	—	7
Farnworth M.B.	27,560	210	190	11	8	419	15.2	0.99	0.93	192	184	376	13.6	1.06	1.25	11	26	8	12
Fleetwood M.B.	28,200	198	226	11	12	447	15.9	1.02	1.01	231	181	412	14.6	1.01	1.28	17	38	14	16
Formby	10,470	87	67	3	—	157	15.0	1.21	1.13	49	55	104	9.9	1.01	0.87	5	32	5	3
Fulwood	14,220	90	83	1	—	174	12.2	1.14	0.86	124	119	243	17.1	0.61	0.91	3	33	3	3
Golborne	18,940	193	193	4	3	393	20.7	0.92	1.18	129	75	204	10.8	1.34	1.26	13	33	9	4
Grange	2,860	15	16	1	—	32	11.2	1.46	0.94	28	21	49	17.1	0.53	0.79	—	—	—	—
Great Harwood	10,700	71	71	3	1	146	13.6	1.11	0.94	76	81	157	14.7	0.96	1.23	2	14	2	3
Haslingden M.B.	14,190	108	91	3	6	208	14.7	1.07	0.98	110	99	209	14.7	0.99	1.27	4	19	3	5
Haydock	11,820	96	102	1	1	200	16.9	0.96	1.01	53	46	99	8.4	1.28	0.93	6	30	4	3
Heywood M.B.	24,820	175	191	8	7	381	15.4	1.01	0.97	157	191	348	14.0	1.11	1.35	13	34	9	12
Hindley	19,200	128	113	3	6	250	13.0	1.00	0.81	116	124	240	12.5	1.22	1.33	9	36	4	8
Horwich	15,790	105	106	3	4	218	13.8	1.00	0.86	104	109	213	13.5	1.11	1.30	6	41	7	6
Huyton-with-Roby	60,680	686	662	30	30	1,408	23.2	0.99	1.43	243	225	468	7.7	1.77	1.19	39	28	29	38

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Rate per 1,000 Live Births	Deaths under 4 weeks	Stillbirths	
		Legitimate		Illegitimate		Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate				
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
LANCASHIRE—contd.																			
(1)																			
Municipal Boroughs and Urban Districts—contd.																			
Ince-in-Makerfield	20,080	166	147	6	3	322	16.0	0.96	0.95	127	109	236	11.8	1.41	1.45	15	47	10	16
Irlam	14,880	118	75	3	3	199	13.4	1.03	0.86	79	64	143	9.6	1.27	1.06	6	30	2	5
Kearsley	10,430	70	69	4	1	144	13.8	1.00	0.86	75	65	140	13.4	1.17	1.36	8	56	4	5
Kirkham	6,330	39	50	—	—	89	14.1	1.27	1.11	35	27	62	9.8	1.43	1.22	2	22	1	3
Lancaster M.B.	49,330	334	318	28	23	703	14.3	1.08	0.96	398	404	802	16.3	0.82	1.16	21	30	12	14
Lees	4,020	22	24	—	—	46	11.4	1.10	0.78	30	30	60	14.9	1.04	1.35	1	11	—	3
Leigh M.B.	47,600	358	357	16	8	739	15.5	0.99	0.95	311	278	589	12.4	1.24	1.34	26	35	15	19
Leyland	17,800	171	201	2	2	379	21.3	0.96	1.27	94	81	175	9.8	1.34	1.14	10	26	8	11
Litherland	24,550	228	197	5	8	438	17.8	0.94	1.04	130	118	248	10.1	1.44	1.26	12	27	9	14
Littleborough	10,550	76	62	3	2	143	13.6	1.00	0.84	69	76	145	13.7	1.10	1.31	7	7	1	3
Little Lever	4,730	38	33	3	1	75	15.9	1.05	1.04	38	35	73	15.4	1.17	1.57	3	40	2	—
Longridge	4,550	39	46	—	—	85	18.7	1.09	1.27	29	28	57	12.5	1.14	1.24	1	12	1	—
Lymm St. Anne's M.B.	31,330	198	166	6	5	375	12.0	1.15	0.86	265	307	572	18.3	0.71	1.13	9	24	9	—
Middleton M.B.	50,150	568	522	20	21	1,131	22.6	0.89	1.25	229	243	472	9.4	1.44	1.18	28	25	19	20
Minrow	8,410	58	63	3	2	126	15.0	1.01	0.94	46	54	100	11.9	1.04	1.08	—	—	—	6
Morecambe and Heysham M.B.	37,000	231	241	12	6	490	13.2	1.22	1.00	301	347	648	17.5	0.77	1.17	14	29	11	12
Mossley M.B.	10,100	76	87	1	3	167	16.5	1.03	1.06	77	64	141	14.0	1.09	1.33	3	18	2	6
Nelson M.B.	32,330	214	198	5	15	432	13.4	1.08	0.90	249	256	505	15.6	0.97	1.32	10	23	6	12
Newton-le-Willows	21,900	181	151	8	12	352	16.1	0.98	0.98	140	85	225	10.3	1.16	1.04	9	26	8	7
Ormskirk	21,420	158	150	9	5	322	15.0	1.03	0.96	140	114	254	11.9	0.99	1.02	4	12	3	7
Orrell	9,790	86	64	—	1	151	15.4	1.00	0.96	48	40	88	9.0	1.17	0.92	2	13	1	1
Oswaldtwistle	11,970	81	78	3	2	167	16.5	1.06	0.92	102	105	207	17.3	1.01	1.52	5	30	1	5
Padiham	8,960	87	63	4	2	156	15.7	1.03	1.00	63	71	134	13.5	1.02	1.20	5	32	3	4
Poulton-le-Fylde	10,150	89	76	1	1	167	16.5	1.00	1.02	65	54	119	11.7	1.09	1.11	5	30	3	—
Presall	2,250	18	18	—	—	37	16.6	1.27	1.31	18	13	31	13.9	0.67	0.81	—	—	—	—
Prescot	12,630	122	106	6	6	240	19.0	0.91	1.07	81	83	164	13.0	1.21	1.37	5	21	3	8
Preswich M.B.	33,640	222	187	7	3	432	12.8	1.13	0.90	257	273	530	15.8	0.77	1.06	12	28	7	10
Radcliffe M.B.	27,450	184	185	9	—	381	13.9	1.05	0.91	192	193	385	14.0	1.10	1.34	15	39	10	12
Rainford	4,430	39	36	—	—	75	16.9	0.97	1.02	25	21	46	10.4	1.18	1.07	3	40	2	2
Ramsbottom	13,890	72	93	3	8	176	12.7	1.08	0.85	104	104	208	15.0	0.96	1.25	3	28	1	11

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Rawtinstall M.B.	24,430	163	147	14	6	330	13.5	1.06	0.89	220	196	416	17.0	0.99	1.46	5	15	3	7
Rishon	5,540	26	34	—	—	60	10.8	1.12	0.75	29	32	61	11.0	1.01	0.97	1	17	1	3
Royston	14,340	101	95	5	3	204	14.2	1.04	0.92	96	96	192	13.4	1.12	1.31	3	15	1	4
Skelmersdale	6,340	42	35	1	—	78	12.3	1.00	0.76	40	36	96	12.0	1.27	1.33	1	13	1	4
Standish-with-Langtree	8,910	65	65	1	—	131	14.7	1.06	0.97	62	36	98	11.0	1.13	1.08	3	23	3	1
Stretford M.B.	61,750	454	503	30	37	1,024	16.6	0.95	0.98	347	300	647	10.5	1.18	1.08	27	26	22	25
Swinton and Pendlebury M.B.	40,350	298	260	12	9	579	14.3	1.05	0.93	240	233	473	11.7	1.20	1.22	18	31	12	15
Thornton Cleveleys	16,430	91	104	—	2	3	12.1	1.21	0.91	138	145	283	17.2	0.77	1.15	3	15	2	4
Totton	5,700	28	38	1	—	71	12.5	1.24	0.96	41	43	84	14.7	0.88	1.12	1	14	1	3
Trawden	2,020	16	9	—	—	26	12.9	1.15	0.92	26	17	43	21.3	0.94	1.74	2	77	1	2
Turton	11,100	84	66	3	1	154	13.9	1.11	0.96	86	86	172	15.5	0.89	1.20	3	19	3	4
Tyldesley	17,550	121	119	5	3	248	14.1	0.99	0.87	112	100	212	12.1	1.21	1.25	4	16	3	6
Ulverston	10,410	70	75	3	1	149	14.3	1.01	0.90	61	51	112	10.8	0.93	0.87	1	7	1	8
Up Holland	6,570	44	51	—	—	95	14.5	1.00	0.90	34	42	76	11.6	1.27	1.28	1	11	1	5
Urmston	40,690	361	355	11	6	733	18.0	1.00	1.12	219	193	412	10.1	1.20	1.05	15	20	13	21
Walton-le-Dale	16,130	148	128	3	4	283	17.5	1.00	1.09	99	85	184	11.4	1.22	1.21	5	18	5	6
Wardle	4,520	25	30	2	—	59	13.1	0.91	0.74	19	32	51	11.3	0.70	0.69	1	17	1	3
Westwood	14,990	102	95	1	4	202	13.5	1.04	0.87	99	98	197	13.1	1.14	1.30	4	20	4	7
Whitefield	13,040	96	86	2	1	185	14.2	1.04	0.92	84	80	164	12.6	1.15	1.26	2	11	2	6
Whitworth	7,440	57	66	6	3	132	17.7	1.01	1.11	56	40	96	12.9	1.11	1.25	2	15	1	2
Widnes M.B.	50,420	593	533	28	22	1,176	23.3	0.95	1.37	272	205	477	9.5	1.41	1.16	33	28	23	28
Withnell	2,810	22	17	2	1	42	14.9	1.11	1.03	20	21	41	14.6	1.04	1.32	—	—	9	14
Worsley	34,750	284	290	9	7	590	17.0	0.97	1.02	198	188	386	11.1	1.25	1.21	13	22	—	—
Rural Districts	333,000	2,759	2,643	84	70	5,556	16.7	1.05	1.09	2,018	1,794	3,812	11.4	1.09	1.08	135	24	96	116
Blackburn	13,790	87	57	6	3	153	11.1	1.17	0.81	91	86	177	12.8	0.91	1.01	—	—	—	—
Burnley	16,260	95	102	—	1	198	12.2	1.15	0.87	116	113	229	14.1	0.92	1.13	4	20	3	5
Clitheroe	27,260	182	203	8	4	397	14.6	1.07	0.97	181	154	335	12.3	1.16	1.24	10	25	5	7
Clitheroe	9,350	33	62	—	—	95	10.2	1.23	0.78	58	53	111	11.9	0.98	1.01	5	53	4	2
Fylde	17,670	144	115	10	2	271	15.3	1.18	1.12	87	88	175	9.9	1.24	1.07	11	41	8	6
Garsang	13,360	96	112	4	2	214	16.0	1.08	1.07	96	72	168	12.6	1.00	1.10	4	19	2	4
Lancaster	13,010	92	91	5	2	190	14.6	1.08	0.98	94	77	171	13.1	0.91	1.04	3	16	2	2
Lunesdale	4,300	46	59	1	1	107	14.7	1.02	0.93	46	38	94	12.9	0.99	1.11	1	9	1	1
Preston	40,140	291	276	10	7	584	14.5	1.20	1.08	315	323	638	15.9	0.83	1.15	11	19	9	13
Ulverston	16,090	113	96	3	3	215	13.4	1.13	0.94	118	89	207	12.9	0.89	1.00	1	5	1	5
Warrington	33,920	282	237	2	10	531	15.7	1.09	1.06	201	165	366	10.8	1.06	1.00	14	26	10	7
West Lancashire	47,020	389	430	9	9	837	17.8	0.99	1.09	254	225	479	10.2	1.19	1.06	19	23	15	23
Whiston	68,780	809	724	25	25	1,383	23.0	0.89	1.27	311	261	572	8.3	1.41	1.02	10	30	34	37
Wigan	9,050	100	79	1	—	181	20.0	0.97	1.20	50	40	90	9.9	1.23	1.06	5	28	2	4
LEICESTERSHIRE:	654,500	5,194	4,916	242	244	10,596	16.2	1.00	1.01	3,564	3,366	6,930	10.6	1.07	0.99	226	21	169	213
Leicester C.B.	281,200	2,150	1,973	149	147	4,419	15.7	1.00	0.98	1,572	1,600	3,172	11.3	1.05	1.03	78	18	60	85
Administrative County	373,300	3,044	2,943	93	97	6,177	16.5	1.01	1.04	1,992	1,766	3,758	10.1	1.09	0.96	148	24	109	128
Municipal Borough and Urban Districts	171,100	1,354	1,353	45	49	2,801	16.4	0.99	1.01	875	808	1,683	9.8	1.14	0.97	71	25	53	62
Ashty de la Zouch	6,840	38	55	1	3	97	14.2	0.99	0.87	27	47	74	10.8	1.08	1.01	3	31	2	5

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS					DEATHS										Deaths under 1 year		Deaths under 4 weeks	Stillbirths
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births			
		M.	F.	M	F.															
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
LEICESTERSHIRE—contd.																				
Municipal Borough and Urban Districts—contd.																				
Asby Wouds	3,360	19	22	1	—	42	12.5	0.98	0.76	19	15	34	10.1	1.23	1.08	2	48	1	5	
Coalville	26,120	201	181	5	4	391	15.0	0.97	0.90	126	102	228	8.1	1.17	0.82	11	28	9	6	
Hinckley	40,090	291	319	9	8	627	15.6	0.98	0.95	201	196	397	9.9	1.26	1.08	19	30	15	15	
Loughborough M.B.	35,850	273	312	7	15	567	15.8	1.01	0.99	217	158	375	10.5	1.02	0.93	9	16	8	13	
Market Harborough	10,580	83	78	6	2	169	16.0	1.07	1.06	56	68	124	11.7	0.86	0.87	2	12	—	6	
Melton Mowbray	14,860	127	116	5	10	238	17.4	0.98	1.06	77	75	152	10.2	1.11	0.98	6	23	5	2	
Oadby	8,760	76	73	3	2	154	17.6	0.92	1.01	34	47	81	9.2	1.22	0.98	2	13	1	—	
Shepshed	6,700	50	57	2	—	109	16.3	0.98	0.99	39	37	76	11.3	1.12	1.10	2	18	2	4	
Wigston	17,940	196	180	6	5	387	21.6	0.98	1.31	79	63	142	7.9	1.28	0.88	15	39	10	6	
Rural Districts	202,200	1,690	1,590	48	48	3,376	16.7	1.02	1.06	1,117	958	2,075	10.3	1.04	0.93	77	23	56	66	
Asby de la Zouch	13,850	119	99	2	2	222	16.0	1.00	0.99	94	57	151	10.9	1.11	1.05	3	14	2	2	
Barrow upon Soar	51,450	429	392	10	15	846	16.4	1.04	1.06	256	236	492	9.6	1.12	0.93	17	20	13	18	
Billesdon	15,810	190	189	6	5	390	24.7	0.86	1.32	48	44	92	5.8	1.57	0.79	9	21	8	5	
Blaby	42,640	382	343	9	9	743	17.4	1.07	1.16	254	257	511	12.0	0.81	0.85	12	16	8	11	
Castle Donington	10,210	58	74	4	3	139	13.6	1.05	0.89	49	41	90	8.8	1.08	0.83	6	43	3	3	
Lutterworth	12,300	96	80	3	3	182	14.8	1.05	0.97	73	67	140	11.4	0.90	0.89	7	38	5	4	
Market Bosworth	27,110	194	192	6	4	396	14.6	0.99	0.90	177	127	304	11.2	1.12	1.09	12	30	8	14	
Market Harborough	9,930	86	77	4	3	170	17.1	1.05	1.12	57	41	98	9.9	0.92	0.79	5	29	3	7	
Melton and Belvoir	18,860	136	144	4	4	288	15.3	1.06	1.01	109	88	197	10.4	0.99	0.90	6	21	6	2	
*LINCOLNSHIRE:																				
(Parts of Holland):																				
Municipal Borough and Urban District	102,600	840	744	43	24	1,651	16.1	1.00	1.00	590	498	1,088	10.6	0.92	0.85	42	25	28	25	
Boston M.B.	38,510	314	301	18	13	646	16.8	0.99	1.03	218	211	429	11.1	0.83	0.80	12	19	5	11	
Spalding	23,980	211	198	16	5	430	17.9	0.98	1.09	94	110	204	8.5	1.04	0.77	11	26	5	8	
Rural Districts	64,090	526	443	25	11	1,005	15.7	1.00	0.98	372	287	659	10.3	0.98	0.88	30	30	23	14	
East Eloe	23,110	182	169	9	5	365	16.5	0.99	1.01	145	107	252	11.4	0.98	0.88	9	23	7	4	
Spalding	18,890	179	133	7	4	323	17.1	1.03	0.88	129	100	229	9.2	1.06	0.82	12	32	8	6	

*LINCOLNSHIRE:

(Parts of Holland):

Municipal Borough and Urban District

Boston M.B.

Spalding

Rural Districts

Boston

East Eloe

Spalding

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
LINCOLNSHIRE: (Parts of Kesteven):																			
Municipal Boroughs and Urban Districts	133,400	1,075	971	57	35	2,138	16.0	1.03	1.02	824	747	1,571	11.8	0.92	0.94	44	21	34	50
Bourne	48,130	330	316	20	11	677	14.1	1.00	0.88	319	320	639	13.3	0.83	0.96	14	21	9	10
Grantham M.B. ..	5,020	35	32	—	—	68	13.5	0.99	0.83	35	31	66	13.1	0.94	1.07	4	59	3	2
Grimsby	24,190	168	160	12	8	348	14.4	1.00	0.89	127	116	243	10.0	1.04	0.90	5	14	3	4
Leicester	7,460	24	45	3	2	104	13.9	1.02	0.88	65	81	146	19.6	0.58	0.99	2	79	2	2
Stamford M.B. ..	11,460	73	79	4	—	157	13.7	1.02	0.87	92	92	184	16.1	0.62	0.87	3	79	1	2
Rural Districts ..	85,970	745	655	37	24	1,461	17.1	1.05	1.12	505	427	932	10.9	0.99	0.94	30	21	25	40
East Kesteven ..	20,620	177	152	3	5	337	16.1	1.13	1.13	99	76	175	8.4	1.29	0.94	9	27	8	6
North Kesteven ..	31,020	285	233	20	11	549	17.7	1.03	1.13	215	213	438	13.8	0.79	0.95	13	24	11	16
South Kesteven ..	31,100	121	115	5	5	246	16.3	1.04	1.05	79	55	134	8.9	0.97	0.75	5	20	3	9
West Kesteven ..	18,230	162	155	9	3	329	18.0	0.99	1.11	112	83	195	10.7	1.08	1.00	3	9	—	—
LINCOLNSHIRE: (Parts of Lindsey):																			
County Boroughs	486,400	4,033	3,854	200	211	8,298	17.1	1.03	1.09	2,910	2,436	5,346	11.0	1.03	0.99	185	22	126	229
Grimsby	167,900	1,463	1,328	83	79	2,953	17.6	1.01	1.00	1,018	919	1,937	11.5	1.06	1.06	61	21	42	82
Lincoln	96,050	928	797	52	44	1,821	19.0	1.00	1.18	556	516	1,072	11.2	1.13	1.10	35	19	22	52
Administrative County ..	71,750	535	531	31	35	1,132	15.8	1.00	0.98	462	403	865	12.1	0.98	1.03	26	23	20	30
Municipal Boroughs and Urban Districts	318,600	2,570	2,526	117	132	5,345	16.8	1.04	1.09	1,892	1,517	3,409	10.7	1.02	0.95	124	23	84	147
Doncaster	157,700	1,291	1,250	66	76	2,683	17.0	1.00	1.06	967	743	1,710	10.8	1.07	1.00	70	26	46	83
Alford	2,140	6	20	1	—	27	12.6	1.13	0.88	20	23	43	20.1	0.68	1.19	—	—	—	—
Barnon-upon-Humber ..	6,400	51	50	1	—	104	16.2	1.02	1.03	53	36	89	13.9	0.93	1.12	3	29	3	6
Brigg	4,440	36	37	4	4	81	18.2	1.00	1.13	31	22	53	11.9	0.92	0.95	3	37	2	1
Cleethorpes M.B. ..	30,160	217	228	9	7	461	15.3	1.00	0.95	191	162	353	11.7	1.05	1.07	15	33	10	11
Gainsborough	17,490	132	127	11	13	283	16.2	1.03	1.04	128	88	216	12.3	0.92	0.98	10	35	6	6
Horncastle	3,880	27	31	2	4	64	16.5	1.08	1.11	26	12	38	9.8	0.89	0.76	—	—	—	2
Louth M.B.	11,470	89	83	4	6	182	15.9	1.03	1.02	55	62	117	10.2	0.79	0.70	5	27	2	2
Mablethorpe and Sutton ..	5,220	33	36	1	2	72	13.8	1.21	1.04	33	25	58	11.1	0.79	0.76	1	14	1	6
Market Rasen	2,170	21	15	—	—	36	16.6	1.08	1.11	14	18	32	14.7	0.68	0.87	—	—	—	2
Skegness	59,490	572	527	18	27	1,144	19.2	0.93	1.11	310	207	517	8.7	1.49	1.13	28	24	18	38
Skegness M.B.	12,650	94	89	14	11	208	16.4	1.00	1.02	83	59	142	11.2	0.94	0.92	4	79	4	7
Woodhall Spa	2,190	13	7	1	—	21	9.6	1.18	0.70	23	29	52	23.7	0.65	1.34	1	48	—	2
Rural Districts ..	160,900	1,279	1,276	51	56	2,662	16.5	1.08	1.11	925	774	1,699	10.6	0.97	0.89	54	20	38	64
Caistor	14,480	108	108	3	4	223	15.4	1.15	1.11	96	64	160	11.0	0.99	0.95	6	27	4	2
Gainsborough	13,290	127	108	4	8	247	18.6	1.10	1.27	69	45	114	8.6	0.98	0.73	5	20	3	2
Glanford Brigg	33,080	245	261	15	14	535	16.2	1.05	1.06	186	139	325	9.8	1.06	0.90	8	75	6	19
Grimsby	14,590	138	141	4	3	286	19.6	1.02	1.24	81	74	155	10.6	1.09	1.00	3	70	3	4
Horncastle	13,450	105	98	6	6	215	16.0	1.12	1.11	66	69	135	10.0	1.00	0.87	5	23	3	6
Horncastle M.B. ..	13,450	105	98	6	6	215	16.0	1.12	1.11	66	69	135	10.0	1.00	0.87	5	23	3	6
Isle of Axholme	14,300	98	136	3	5	242	16.9	1.02	1.07	74	65	139	9.7	1.04	0.88	4	17	2	7
Louth	18,600	151	133	2	4	290	15.6	1.14	1.10	108	93	201	10.8	0.93	0.87	7	24	5	9
Spilsby	23,460	169	163	8	8	348	14.8	1.10	1.01	162	154	316	13.5	0.69	0.81	11	32	8	8
Wellingborough	15,650	138	128	6	4	276	17.6	0.95	1.04	83	71	154	9.8	1.08	0.92	5	78	4	7

TABLE 12—continued

AREA	(1)	(2)	LIVE BIRTHS						DEATHS						Deaths under 1 year		(19)	(20)			
			Legitimate			Illegitimate			Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor			Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births
			M.	F.	TOTAL	M.	F.	TOTAL													
LONDON A.C.:	..	3,253,880	24,829	23,218	2,385	2,301	52,733	16.2	0.89	0.90	0.90	19,142	17,936	37,078	11.4	0.99	0.98	1,160	22	859	1,083
City of London	..	5,100	11	19	1	1	32	6.3	0.89	0.35	0.35	37	16	53	10.4	1.02	0.92	3	94	2	—
Metropolitan Boroughs:
Battersea	..	111,800	856	804	69	73	1,802	16.1	0.94	0.94	0.94	641	576	1,217	10.9	1.02	0.97	41	23	34	52
Barnes	..	54,750	462	422	21	24	929	17.0	0.94	0.99	0.99	354	275	629	11.5	1.11	1.11	20	22	12	18
Barnet	..	50,940	397	359	23	26	805	15.8	0.92	0.90	0.90	294	283	577	10.6	1.02	1.00	10	12	7	18
Bethnal Green	..	177,700	1,423	1,344	100	107	2,974	16.7	0.92	0.95	0.95	969	918	1,887	10.3	1.03	0.95	70	24	51	58
Camberwell	..	50,600	336	299	54	50	739	14.6	0.76	0.69	0.69	345	405	750	14.8	0.69	0.89	16	22	13	9
Chelsea	..	70,970	511	477	31	30	1,049	14.8	0.96	0.88	0.88	490	378	868	12.2	0.89	0.94	13	12	10	21
Deptford	..	34,830	357	298	26	32	713	20.5	0.88	1.12	1.12	205	145	350	10.0	1.06	0.92	16	22	11	16
Finsbury	..	116,200	803	815	86	79	1,783	15.3	0.96	0.91	0.91	684	599	1,283	11.0	1.01	0.97	47	26	38	37
Fulham	..	88,910	593	584	36	40	1,253	14.1	0.94	0.82	0.82	467	389	856	9.6	1.14	0.95	36	29	26	30
Greenwich	..	165,000	1,243	1,127	124	106	2,600	15.8	0.93	0.91	0.91	994	824	1,818	11.0	1.11	1.06	53	20	38	54
Hackney
Hammersmith	..	111,700	896	787	115	95	1,893	16.9	0.93	0.98	0.98	639	590	1,229	11.0	1.08	1.03	48	25	39	36
Hampstead	..	97,130	686	638	72	67	1,463	15.1	0.75	0.70	0.70	458	362	820	10.5	1.02	0.93	27	18	23	28
Holborn	..	22,230	121	106	14	12	253	11.4	0.71	0.50	0.50	156	108	264	11.9	1.11	1.15	9	36	4	—
Islington	..	227,800	2,086	2,039	230	219	4,574	20.1	0.90	1.12	1.12	1,228	1,229	2,457	10.8	1.00	0.94	94	21	69	92
Kensington	..	167,900	1,237	1,179	176	178	2,770	16.5	0.72	0.74	0.74	799	951	1,750	10.4	1.03	0.93	78	28	58	50
Lambeth	..	224,300	1,924	1,759	267	238	4,188	18.7	0.90	1.05	1.05	1,240	1,119	2,359	10.5	1.03	0.94	98	23	72	111
Lewisham	..	120,900	1,613	1,523	80	77	3,293	14.9	0.95	0.88	0.88	1,296	1,137	2,433	11.0	1.00	0.96	53	16	38	58
Paddington	..	120,500	968	924	175	191	2,258	18.7	0.79	0.92	0.92	603	602	1,205	10.0	1.08	0.94	54	24	44	43
Poplar	..	67,080	527	543	32	25	1,127	16.8	0.93	0.93	0.93	381	309	690	10.3	1.16	1.04	24	21	14	27
St. Marylebone	..	72,530	373	352	36	27	788	10.9	0.78	0.57	0.57	593	528	1,121	15.5	0.74	1.00	25	32	21	15
St. Pancras	..	132,000	1,047	934	115	128	2,224	16.8	0.86	0.90	0.90	794	646	1,440	10.9	1.05	1.00	47	21	32	47
Shoreditch	..	43,870	342	348	32	17	739	16.8	0.90	0.94	0.94	336	279	615	14.0	0.75	0.91	16	22	10	9
Southwark	..	91,140	807	729	55	48	1,639	18.0	0.89	1.00	1.00	625	472	1,097	12.0	0.90	0.94	37	23	26	40
Steyney	..	97,810	881	806	84	88	1,859	19.0	0.88	1.04	1.04	679	535	1,214	12.4	1.13	1.22	45	24	29	36
Stoke Newington	..	50,480	424	385	44	35	888	17.6	0.89	0.97	0.97	252	244	496	9.8	1.15	0.98	25	28	21	11
*Wandsworth	..	337,580	2,429	2,210	192	188	5,019	14.9	0.96	0.89	0.89	2,314	2,657	4,971	14.7	0.69	0.88	79	16	58	103
Westminster	..	95,930	469	489	57	54	1,069	11.1	0.82	0.57	0.57	497	428	925	9.6	1.04	0.87	23	22	18	27
Woolwich	..	146,200	1,007	919	38	46	2,010	13.7	0.99	0.84	0.84	772	732	1,504	10.3	1.06	0.95	53	26	41	37

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
MIDDLESEX:	2,249,000	15,382	14,627	835	740	31,584	14.0	0.98	0.85	11,475	11,083	22,558	10.0	1.09	0.95	561	18	422	602
Municipal Boroughs and Urban Districts:																			
Acton M.B.	65,840	460	409	36	26	931	14.1	0.94	0.82	356	341	697	10.6	1.05	0.97	18	19	13	22
Brentford and Chiswick M.B.	57,700	389	356	28	27	800	13.7	0.94	0.81	335	202	627	10.9	1.01	0.96	13	16	11	13
Ealing M.B.	183,600	1,286	1,252	66	65	2,669	14.5	0.96	0.86	962	924	1,886	10.3	1.09	0.98	47	29	45	29
Eaton M.B.	96,530	592	598	28	17	1,235	12.8	0.98	0.78	512	433	945	9.8	1.13	0.96	17	14	15	49
Enfield M.B.	109,200	691	701	25	36	1,453	13.3	1.00	0.83	592	593	1,185	10.9	0.91	0.86	15	10	10	31
Fulham	50,000	391	408	12	7	818	16.4	0.97	0.99	360	160	350	7.1	1.59	0.97	16	20	13	20
Finsbury M.B.	69,380	460	427	16	24	925	13.4	0.96	0.80	392	419	781	11.3	0.91	0.89	16	17	14	17
Fioren Barret	28,490	139	165	4	7	315	11.1	1.12	0.77	186	296	482	16.9	0.57	0.84	1	3	1	6
Harrow M.B.	215,000	1,373	1,285	58	58	2,774	12.9	1.02	0.82	981	956	1,937	9.0	1.19	0.93	39	14	27	62
Hayes and Harlington	67,190	521	525	14	11	1,071	15.9	0.94	0.93	278	232	510	7.6	1.62	1.07	15	14	11	23
Hendon M.B.	152,600	956	879	49	36	1,920	12.6	0.95	0.74	785	740	1,525	10.0	1.06	0.92	42	22	33	25
Heston and Isleworth M.B.	105,100	624	633	26	26	1,109	12.5	0.99	0.77	548	534	1,082	10.3	1.07	0.96	30	23	16	12
Hornsey M.B.	96,890	780	701	61	37	1,576	16.3	0.93	0.94	520	594	1,114	11.5	0.89	0.89	27	17	24	39
Potters Bar	20,370	154	150	5	7	316	15.5	0.92	0.89	92	81	173	8.5	1.32	0.98	5	16	3	6
Ruislip-Northwood	75,280	495	469	22	24	1,008	13.4	1.00	0.83	281	277	558	7.4	1.26	0.81	24	24	18	17
Southall M.B.	53,000	375	391	22	19	807	15.2	1.03	0.97	342	348	690	13.0	0.87	0.98	17	21	13	15
Southgate M.B.	71,250	360	365	14	15	784	11.0	1.08	0.74	414	487	901	12.6	0.83	0.91	16	20	12	12
Staines	45,770	438	395	13	9	844	18.4	0.91	1.06	185	176	361	7.9	1.26	0.87	12	14	7	19
Sunbury-on-Thames	27,690	342	271	21	8	613	22.1	0.91	1.25	137	117	254	9.2	1.29	1.03	12	20	9	10
Tottenham M.B.	119,300	794	741	49	58	1,642	13.8	0.97	0.83	731	583	1,314	11.0	1.07	1.02	42	26	34	33
Twickenham M.B.	103,600	701	579	37	27	1,344	13.0	1.03	0.83	515	600	1,115	10.8	0.96	0.90	22	16	16	20
Uxbridge M.B.	60,780	550	458	24	17	1,049	17.3	0.91	0.98	297	256	553	9.1	1.32	1.04	22	21	16	13
Wembley M.B.	127,500	718	676	29	19	1,442	11.3	1.00	0.70	622	551	1,173	9.2	1.18	0.94	27	19	21	25
Willesden M.B.	174,500	1,291	1,262	157	131	2,841	16.3	0.92	0.93	897	797	1,694	9.7	1.15	0.97	48	17	34	63
Wood Green M.B.	49,500	303	318	11	15	2,647	13.1	1.00	0.81	268	217	485	9.8	0.98	0.84	11	17	11	10
Yiewsley and West Drayton	23,540	211	213	8	14	446	19.1	0.91	1.08	87	79	166	7.1	1.43	0.88	7	16	4	
*NORFOLK:	554,300	4,044	3,940	229	212	8,425	15.2	1.08	1.02	3,296	3,174	6,470	11.7	0.85	0.86	183	22	140	200
County Boroughs	170,700	1,172	1,184	87	79	2,522	14.8	1.01	0.93	995	972	1,967	11.5	0.95	0.95	50	20	39	62
Great Yarmouth	55,500	353	325	41	24	1,743	14.4	1.02	0.91	349	308	657	12.8	0.93	1.04	16	22	10	17
Norwich	119,200	819	859	46	55	1,779	14.9	1.00	0.93	646	664	1,310	11.0	0.95	0.91	34	19	29	45
*Administrative County	383,600	2,872	2,756	142	133	5,903	15.4	1.12	1.07	2,301	2,202	4,503	11.7	0.80	0.81	133	23	101	138
Municipal Boroughs and Urban Districts:																			
Colchester	74,400	603	581	34	42	1,260	16.9	1.03	1.08	407	483	890	12.0	0.83	0.87	31	25	23	23
Cromer	4,880	29	39	1	5	74	15.2	1.09	1.03	37	44	81	16.6	0.71	1.02	2	27	2	1
Diss	3,590	40	25	—	—	65	18.1	1.04	1.17	18	24	42	11.7	0.85	0.56	—	—	—	—
Downham Market	2,680	24	14	—	1	39	14.6	1.04	0.94	24	33	57	21.3	0.36	0.67	1	26	1	1
East Dereham	2,790	56	43	3	2	98	14.4	1.00	0.89	40	42	82	12.1	0.88	0.93	4	41	4	4
Hunstanton	4,260	78	63	5	2	148	34.7	1.00	2.16	20	25	45	10.6	0.88	0.81	1	7	—	1
King's Lynn M.B.	26,500	200	192	16	20	428	16.2	0.93	0.94	126	153	279	10.5	1.00	0.91	13	30	9	10
North Walsham	4,790	33	34	—	4	71	14.8	1.13	1.04	29	21	50	10.4	0.77	0.70	1	14	1	3
Sheringham	4,620	30	42	5	3	80	17.3	1.27	1.36	23	38	61	13.2	0.65	0.75	4	50	2	—
Swaffham	3,110	23	31	1	1	56	18.0	1.03	1.15	12	30	42	13.5	0.78	0.92	—	—	—	—
Thetford M.B.	4,750	48	48	1	2	99	20.8	1.06	1.37	33	29	62	13.1	0.57	0.65	1	10	1	1

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS					DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths			
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor			Ratio of local to National Rate	Number	Rate per 1,000 Live Births
		M.	F.	M.	F.														
(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)		
NORFOLK—contd.																			
Municipal Boroughs and Urban Districts—contd.																			
Wells-next-the-Sea	2,600	13	18	1	—	32	12.3	1.10	0.84	16	16	32	12.3	0.84	0.90	1	31	1	
Wymondham	5,830	35	32	1	2	70	12.0	1.06	0.79	29	28	57	9.8	0.91	0.78	3	43	2	
*Rural Districts	309,200	2,269	2,175	108	91	4,643	15.0	1.14	1.06	1,894	1,719	3,613	11.7	0.80	0.81	102	22	78	
Blolfeld and Flegg	33,320	180	170	11	8	369	11.1	1.15	0.99	264	293	487	14.6	0.64	0.81	6	16	5	
Dewdale	18,000	111	113	4	1	229	12.7	1.15	0.91	109	105	206	11.4	0.79	0.78	3	13	3	
Docking	17,540	159	152	16	10	337	19.2	1.13	1.31	105	112	217	12.4	0.82	0.88	6	18	3	
Downham	24,920	173	183	14	6	376	15.1	1.13	1.06	106	93	199	8.0	1.17	0.81	7	19	5	
Erpingham	19,860	128	107	9	2	246	12.4	1.21	0.93	134	103	237	11.9	0.65	0.67	5	20	4	
Forehoe and Henstead	24,630	211	160	3	8	382	15.5	1.07	1.03	243	224	467	19.0	0.46	0.76	10	26	7	
Freebridge Lynn	11,360	78	84	4	3	169	11.9	1.09	1.01	78	69	147	12.9	0.90	1.01	4	24	3	
*Loddon	12,770	86	83	4	4	173	13.9	1.09	0.94	72	68	140	11.0	0.89	0.85	2	11	2	
*Marshland	16,610	114	115	8	6	243	14.6	1.02	0.92	75	69	148	8.9	1.13	0.87	10	41	8	
Mitford and Launditch	18,160	132	134	4	7	297	16.4	1.16	1.18	87	97	184	10.1	0.78	0.69	3	10	3	
St. Faith's and Aylsham	41,100	339	316	9	12	676	16.4	1.09	1.11	263	268	531	12.9	0.69	0.77	12	18	10	
Smallburgh	18,130	114	114	5	4	237	13.1	1.15	0.94	109	68	177	9.8	0.90	0.77	8	34	6	
Swaffham	9,210	75	71	2	2	171	18.6	1.06	1.22	40	40	80	9.0	1.00	0.85	3	18	2	
Walsingham	23,850	207	189	9	7	412	17.3	1.28	1.38	107	83	190	8.0	1.11	0.77	12	29	6	
Weyland	19,740	162	149	6	5	322	16.3	1.28	1.30	98	95	193	9.8	1.02	0.87	11	34	11	
NORTHAMPTONSHIRE:	379,800	3,093	2,956	159	133	6,241	16.4	1.04	1.06	2,207	2,073	4,280	11.3	0.97	0.95	132	21	93	
Northampton C.B.	101,000	714	687	61	38	1,500	14.9	1.02	0.94	630	591	1,221	12.1	0.93	0.98	25	17	18	
Administrative County	278,800	2,379	2,169	98	95	4,741	17.0	1.04	1.10	1,577	1,482	3,059	11.0	0.99	0.95	107	23	75	
Municipal Boroughs and Urban Districts																			
Brackley M.B.	150,000	1,324	1,197	55	52	2,628	17.5	1.02	1.11	831	717	1,548	10.3	1.08	0.97	63	24	44	
Burton Latimer	3,090	30	18	—	—	48	15.5	0.99	0.95	21	23	44	14.2	0.99	1.22	3	63	2	
Corby	4,330	34	37	—	2	73	16.9	1.01	1.06	25	22	47	10.9	1.04	0.99	3	41	2	
Daventry M.B.	28,530	415	375	22	14	826	29.0	0.84	1.51	78	53	131	4.6	2.47	0.99	26	31	17	
Devedale	4,870	50	35	1	—	86	17.7	0.99	1.09	44	26	70	14.4	0.77	0.96	2	23	—	
Devedale	4,840	36	28	—	1	65	13.2	1.05	0.86	42	23	65	13.2	0.94	1.08	—	—	—	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Higham Ferrers M.B.	3,690	28	17	—	—	45	12.2	1.04	0.79	20	15	35	9.5	1.00	0.83	1	22	—	1
Irthingborough	5,080	17	37	15	12	58	11.4	1.07	0.76	24	31	55	10.8	1.05	0.99	3	34	1	2
Kettering M.B.	37,250	273	242	15	12	542	14.6	1.08	0.76	219	197	197	11.7	0.99	0.96	8	35	6	7
Oundle	3,070	21	14	—	1	36	11.7	1.45	1.05	17	20	37	12.1	0.90	0.95	1	28	—	—
Raunds	4,660	35	41	1	4	81	17.4	1.16	1.25	30	22	22	11.2	0.85	0.83	2	25	2	1
Rothwell	4,710	38	38	1	3	80	17.0	1.13	1.19	39	33	72	15.3	0.92	1.22	1	13	—	6
Rushden	16,670	115	107	4	3	229	12.7	1.12	0.95	85	77	162	9.7	0.96	0.81	5	22	5	—
Wellingborough	29,110	232	208	8	11	459	15.8	1.05	1.03	187	175	362	12.4	0.95	1.02	9	20	8	7
Rural Districts	128,000	1,055	972	43	43	2,113	16.4	1.06	1.08	746	765	1,511	11.7	0.89	0.91	44	21	31	37
Brackley	20,790	106	86	7	7	206	19.1	1.04	1.23	88	52	151	10.2	0.94	0.83	2	10	2	4
Brixworth	18,860	122	122	3	8	258	13.7	1.04	0.88	88	152	240	12.7	0.68	0.75	7	27	5	7
Daventry	15,450	136	126	5	5	272	16.5	1.08	1.11	113	80	190	12.0	0.93	0.97	5	28	4	4
Kettering	12,020	86	74	4	3	167	13.9	1.11	0.96	58	60	118	9.8	1.02	0.87	3	28	1	2
Northampton	24,400	235	241	6	5	487	20.0	1.04	1.29	153	179	332	13.6	0.75	0.89	11	23	7	6
Oundle and Thrapston	18,280	173	136	12	7	328	17.9	1.08	1.20	104	99	203	13.1	0.69	0.96	9	21	7	5
Towcester	14,420	101	115	2	6	224	15.5	1.08	1.04	88	67	155	10.7	0.91	0.85	5	22	4	5
Wellingborough	13,590	93	72	4	2	171	12.6	1.08	0.85	84	72	156	11.5	0.89	0.89	2	12	1	4
NORTHUMBERLAND...	807,000	6,957	6,524	271	271	14,023	17.4	0.98	1.05	5,101	4,429	9,530	11.8	1.11	1.14	332	24	235	355
County Boroughs	343,100	3,082	2,843	158	156	6,259	18.2	0.96	1.09	2,237	1,962	4,199	12.2	1.14	1.21	150	24	104	155
Newcastle upon Tyne	275,100	2,468	2,279	137	123	5,007	18.2	0.96	1.09	1,815	1,579	3,394	12.3	1.14	1.21	166	25	81	117
Tynemouth	68,000	614	584	21	33	1,252	18.4	0.95	1.09	422	383	805	11.8	1.12	1.15	34	27	23	38
Administrative County	463,900	3,875	3,661	113	115	7,764	16.7	0.99	1.03	2,864	2,467	5,331	11.5	1.09	1.09	182	23	131	200
Municipal Boroughs and Urban Districts	359,800	3,065	2,881	87	88	6,121	17.0	0.97	1.02	2,173	1,835	4,608	11.1	1.15	1.11	147	24	105	163
Alnwick	7,320	71	59	4	2	136	18.6	0.99	1.14	40	44	84	11.5	1.05	1.05	4	29	4	2
Armidale	4,810	40	36	—	2	78	16.2	1.07	1.08	23	23	46	9.6	1.05	0.88	—	—	—	1
Ashington	28,370	239	205	5	3	452	15.9	0.98	0.97	160	118	278	9.8	1.29	1.10	15	33	9	9
Bedlingtonshire	29,180	248	219	11	5	483	16.6	0.97	1.00	179	121	300	10.3	1.27	1.14	10	21	7	17
Berwick-upon-Tweed M.B.	12,670	124	140	3	9	276	21.8	1.01	1.37	94	82	176	13.9	0.91	1.10	7	25	4	8
Blyth M.B.	34,440	297	290	15	13	615	17.9	1.00	1.11	211	138	349	10.1	1.28	1.12	13	21	7	19
Gosforth	24,990	187	160	6	7	360	14.4	1.06	0.95	204	215	419	16.8	0.76	1.11	4	17	3	14
Hexham	9,390	74	61	5	3	143	15.2	0.99	0.93	65	59	124	13.2	0.93	1.07	4	28	3	14
Longenton	43,210	359	354	5	7	725	16.8	0.88	0.92	175	126	301	7.0	1.53	0.93	12	17	8	4
Morpeth M.B.	11,050	98	93	4	1	196	17.7	1.04	1.14	87	90	177	16.0	0.72	1.00	2	10	1	6
Newbiggin-by-the-Sea	10,060	86	93	2	1	182	18.1	0.99	1.11	72	52	124	12.3	1.26	1.35	8	44	5	4
Newburn	25,780	229	227	3	5	464	18.0	0.93	1.04	144	137	281	10.9	1.24	1.18	11	24	9	12
Prudhoe	9,960	69	78	1	1	149	15.0	0.99	0.92	63	40	103	10.3	1.19	1.07	10	54	6	6
Seaton Valley	26,220	207	175	2	4	388	14.8	1.00	0.92	170	139	309	11.8	1.13	1.16	8	26	8	6
Wallsend M.B.	49,830	507	471	9	17	1,004	20.1	0.92	1.15	282	242	524	10.5	1.35	1.23	27	27	34	34
Whitley Bay M.B.	32,520	230	220	12	8	470	14.5	1.07	0.96	204	206	413	12.7	0.91	1.00	12	26	10	11
Rural Districts	104,100	810	780	26	27	1,643	15.8	1.07	1.05	691	632	1,323	12.7	0.90	0.99	35	21	26	37
Alnwick	12,470	113	79	2	3	197	15.8	1.09	1.07	79	82	161	12.9	0.95	1.07	2	10	1	3
Belford	5,030	32	34	—	—	66	13.1	1.16	0.94	35	47	82	16.3	0.86	1.22	3	45	3	2
Bellingham	5,330	48	60	3	2	113	21.2	1.12	1.47	31	29	62	17.2	1.00	0.98	—	—	—	1
Castle Ward	18,690	153	137	4	2	296	15.8	1.04	1.02	169	153	320	11.3	1.00	0.88	6	20	4	4
Glendale	7,470	53	46	—	—	99	13.3	1.10	0.91	42	36	78	10.4	0.99	0.90	2	20	2	—

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS					DEATHS					Deaths under 1 year		Deaths under 4 weeks	Stillbirths				
		Legitimate		Illegitimate		Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	Total	Crude Rate per 1,000 Home Population			Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
NORTHUMBERLAND—contd.																			
Rural Districts—contd.																			
Haltwhistle	7,320	49	51	2	3	105	14.3	1.06	0.94	54	41	95	13.0	0.98	1.11	3	29	3	3
Hexham	19,980	145	151	8	3	307	15.4	1.01	0.97	123	112	235	11.8	0.91	0.93	8	26	5	7
Morpeth	18,070	153	160	4	7	324	17.9	1.06	1.18	111	78	189	10.5	1.24	1.13	8	25	5	11
Norham and Islands	4,220	21	29	1	3	54	12.8	1.09	0.87	20	26	46	10.9	0.88	0.83	2	37	2	1
Rothbury	5,520	43	33	2	4	82	14.9	1.13	1.05	27	28	55	10.0	0.86	0.75	1	12	1	1
NOTTINGHAMSHIRE:																			
.. .. .	875,900	7,247	6,842	408	398	14,895	17.0	0.98	1.03	4,731	4,146	8,877	10.1	1.16	1.02	349	23	239	342
Nottingham C.B. .. .	312,600	2,522	2,502	226	230	5,480	17.5	0.95	1.03	1,712	1,671	3,383	10.8	1.13	1.06	126	23	83	108
Administrative County ..	563,300	4,725	4,340	182	168	9,415	16.7	1.00	1.04	3,019	2,475	5,494	9.8	1.17	1.00	223	24	156	234
Municipal Boroughs and Urban Districts																			
Arnold	390,600	3,228	2,881	127	116	6,352	16.3	0.99	1.00	2,105	1,735	3,840	9.8	1.18	1.01	150	24	101	161
Beeston	23,410	198	177	4	7	388	16.6	1.00	1.03	110	100	210	9.0	1.21	0.95	6	15	5	7
Beeston and Stapleford ..	52,800	434	347	20	19	818	15.5	0.99	0.95	252	213	465	8.8	1.32	1.01	18	22	15	16
Carlton	36,940	297	292	12	12	613	16.6	0.98	1.01	206	147	353	9.6	1.15	0.96	9	15	7	13
East Retford M.B. .. .	16,940	138	113	7	2	260	15.3	0.99	0.94	106	87	193	11.4	1.01	1.00	5	19	2	4
Eastwood	10,730	91	84	2	1	178	16.6	1.01	1.04	57	44	101	9.4	1.30	1.06	9	51	7	4
Hucknall	23,600	191	178	7	7	383	16.2	1.00	1.01	102	94	196	8.3	1.36	0.98	10	26	7	12
Kirkby in Ashfield .. .	20,750	166	162	5	4	337	16.2	0.98	0.99	102	92	194	9.3	1.28	1.04	12	36	7	11
Mansfield M.B. .. .	52,100	382	400	19	15	816	15.7	0.97	0.95	291	258	549	10.5	1.16	1.06	31	38	18	22
Mansfield Woodhouse ..	18,480	189	167	12	9	377	20.4	0.98	1.24	87	75	162	8.8	1.42	1.09	8	21	5	7
Newark M.B.	23,690	198	189	12	9	408	17.2	1.00	1.07	170	150	320	13.5	0.85	1.00	9	22	6	16
Sutton in Ashfield .. .	40,340	291	263	10	6	570	14.1	1.00	0.88	247	154	401	9.9	1.29	1.11	14	25	10	23
Walsby	11,990	118	97	1	3	219	18.3	0.96	1.09	52	41	93	7.8	1.37	0.93	2	9	1	6
West Bridgford	24,750	203	159	4	11	377	15.2	1.03	0.97	143	152	295	11.9	0.86	0.89	7	19	4	3
Workop M.B.	34,080	332	253	12	11	608	17.8	0.97	1.07	180	128	308	9.0	1.24	0.97	10	16	7	17
Rural Districts																			
.. .. .	172,700	1,497	1,459	55	52	3,063	17.7	1.04	1.14	914	740	1,654	9.6	1.12	0.93	73	24	55	73
Basford	54,490	493	488	17	15	1,013	18.6	1.00	1.16	267	233	500	9.2	1.17	0.94	26	26	19	13

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Bingham	23,040	197	218	6	9	430	18.7	1.11	1.29	166	130	296	12.8	0.74	0.82	16	37	12	10
East Retford	21,820	129	161	13	7	310	14.2	1.10	0.97	117	181	198	9.0	0.59	0.78	7	23	5	6
Newark	12,930	110	91	4	10	209	16.2	1.02	1.03	69	60	129	13.0	1.56	0.92	1	14	3	5
Southwell	43,170	391	343	13	12	759	17.6	1.02	1.12	194	180	374	8.7	1.24	0.94	15	20	13	28
Worksop	17,250	177	158	2	5	342	19.8	1.04	1.28	101	56	157	9.1	1.33	1.21	6	18	3	11
OXFORDSHIRE:																			
*Oxford C.B.	299,300	2,463	2,288	151	135	5,037	16.8	1.02	1.06	1,474	1,330	2,804	9.4	1.03	0.84	103	20	70	82
*Administrative County	104,230	687	657	59	55	1,458	14.0	0.96	0.83	550	488	1,038	10.0	0.99	0.86	28	19	15	22
Municipal Boroughs and Urban Districts	195,070	1,776	1,631	92	80	3,579	18.3	1.06	1.20	924	842	1,766	9.1	1.05	0.81	75	21	55	60
Banbury M.B.	49,700	440	396	26	23	885	17.8	1.01	1.12	276	278	554	11.1	0.95	0.92	18	20	15	19
Bicester	19,430	175	143	11	3	328	17.4	1.00	1.08	93	95	188	9.7	1.23	0.89	5	15	5	6
Chipping Norton M.B.	5,480	64	58	3	3	128	23.4	0.89	1.29	23	20	43	7.8	1.03	0.83	2	6	2	4
Henley-on-Thames M.B.	3,870	61	30	—	3	55	14.2	1.07	0.94	20	19	39	10.1	0.80	0.70	2	4	2	1
Thame	8,000	62	62	—	1	127	15.9	1.06	1.05	55	67	122	15.3	0.79	1.05	4	3	1	3
Witney	3,720	29	25	—	—	54	14.5	1.02	0.92	21	15	36	9.7	0.93	0.78	—	—	—	2
Woodstock M.B.	7,390	76	63	8	5	152	20.6	0.98	1.25	35	32	67	9.1	1.13	0.89	4	26	4	2
	1,810	13	15	1	1	30	16.6	1.05	1.08	29	30	59	32.6	0.39	1.11	1	33	1	—
*Rural Districts	145,370	1,336	1,235	66	57	2,694	18.5	1.08	1.24	648	564	1,212	8.3	1.11	0.80	57	21	40	41
Banbury	15,100	126	122	8	6	262	17.4	1.13	1.22	88	81	169	11.2	0.90	0.88	5	19	2	2
*Bullington	39,820	375	333	25	18	751	18.9	0.99	1.16	173	158	331	8.3	1.08	0.78	10	13	5	15
Chipping Norton	16,210	123	112	6	10	251	15.5	1.06	1.02	89	57	146	9.0	0.95	0.74	6	24	4	4
Henley	20,810	184	179	11	10	384	18.5	1.01	1.16	112	95	207	9.9	0.99	0.85	10	26	7	5
Ploughley	28,630	268	272	7	4	551	19.2	1.22	1.45	76	80	156	5.4	1.45	0.68	17	31	14	6
Witney	24,800	260	217	9	9	495	20.0	1.14	1.42	110	93	203	8.2	1.18	0.84	9	18	8	9
PETERBOROUGH, SOKE OF:																			
Peterborough M.B.	68,270	610	575	36	26	1,247	18.3	1.01	1.15	365	332	697	10.2	1.04	0.92	30	24	24	16
Rural Districts	55,730	499	469	29	22	1,019	18.3	1.00	1.14	316	297	613	11.0	1.00	0.96	25	25	19	13
Barnack	12,540	111	106	7	4	228	18.2	1.09	1.23	49	35	84	6.7	1.25	0.73	5	22	5	3
Peterborough	4,860	42	33	2	1	78	16.0	1.42	1.41	10	7	17	3.5	1.63	0.50	—	—	—	2
	7,680	69	73	5	3	150	19.5	0.96	1.16	39	28	67	8.7	1.10	0.83	5	33	5	2
RUTLAND:																			
Oakham U.D.	22,730	220	169	9	8	406	17.9	1.12	1.25	111	115	226	9.9	0.83	0.71	8	20	5	5
Rural Districts	4,170	38	33	—	2	73	17.5	1.02	1.11	41	37	78	18.7	0.40	0.65	2	27	2	—
Ketton	18,560	182	136	9	6	333	17.9	1.14	1.27	70	78	148	8.0	1.07	0.74	6	18	3	5
Oakham	3,260	32	23	—	1	56	17.2	1.07	1.14	9	11	20	6.1	1.03	0.55	1	18	1	1
Uppingham	9,060	108	77	5	1	191	21.1	1.08	1.42	28	34	62	6.8	1.17	0.89	4	21	1	3
	6,240	42	36	4	1	86	13.8	1.28	1.10	33	33	66	10.6	0.92	0.85	1	12	1	1

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS				DEATHS					Deaths under 1 year		Deaths under 4 weeks	Stillbirths					
		Legitimate		Illegitimate		Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	Total	Crude Rate per 1,000 Home Population			Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births	
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SHROPSHIRE:																			
Municipal Boroughs and Urban Districts																			
Bishop's Castle M.B.	144,600	1,104	1,044	37	50	2,235	15.5	1.00	0.96	929	817	1,746	12.1	0.87	0.92	64	29	47	58
Brighthelm M.B.	1,250	5	5	—	2	10	8.0	1.13	0.56	21	6	27	21.6	0.31	0.58	—	—	—	1
Church Stretton	6,450	43	60	1	1	107	16.6	1.00	1.03	34	31	65	10.1	0.76	0.67	1	9	—	6
Dawley	2,700	10	18	—	1	30	19.8	1.07	0.78	15	25	40	14.4	0.59	0.74	—	—	—	3
Ellesmere	8,900	71	57	—	—	129	15.2	1.00	0.94	54	42	96	11.3	1.17	1.15	9	70	8	1
	2,270	14	13	—	—	27	11.9	1.00	0.74	18	7	25	11.0	0.87	0.83	—	—	—	3
Ludlow M.B.	6,570	50	49	1	1	101	15.4	1.00	0.96	33	36	69	10.5	0.85	0.78	5	50	4	3
Market Drayton	5,250	48	34	1	5	88	15.3	1.03	0.98	33	31	64	11.1	0.90	0.87	1	11	—	—
Newport	3,910	34	31	2	1	68	17.4	1.02	1.10	24	23	47	12.0	0.93	0.97	3	44	2	7
Oakenfold	11,150	75	66	4	5	150	13.5	1.00	0.84	79	52	131	11.7	1.09	1.11	9	60	6	6
Oswestry M.B.	11,020	90	74	2	3	169	15.3	0.99	0.94	54	46	100	9.1	1.00	0.79	3	18	1	6
Shrewsbury M.B.	47,380	360	349	13	15	737	15.6	0.98	0.95	284	283	567	12.0	0.96	1.00	18	24	13	16
Wellington	13,140	105	91	3	8	207	15.8	0.99	0.97	61	50	111	8.4	1.10	0.80	7	34	5	6
Wem	2,470	17	23	—	—	41	16.6	1.06	1.09	14	16	30	12.1	0.88	0.93	—	—	—	1
Wenlock M.B.	15,050	126	120	5	6	257	17.1	1.01	1.07	113	98	211	14.0	0.70	0.85	5	19	4	5
Whitchurch	6,950	56	54	2	2	114	16.4	1.05	1.07	92	71	163	23.5	0.39	0.80	3	26	3	3
Rural Districts	153,300	1,143	1,067	36	55	2,301	15.0	1.14	1.06	754	667	1,421	9.3	1.06	0.86	54	23	40	42
Acham	22,030	164	166	6	6	344	15.6	1.09	1.06	102	89	191	8.7	1.05	0.79	5	15	5	4
Brighthelm	16,720	103	111	2	9	225	13.5	1.23	1.03	70	49	119	7.1	1.28	0.79	6	27	6	4
Clun	9,240	67	71	4	7	149	16.1	1.15	1.15	51	36	87	9.4	0.94	0.77	3	20	3	4
Drayton	11,070	107	103	3	6	219	19.8	1.22	1.50	43	38	81	7.3	1.33	0.84	6	27	3	2
Ellesmere	8,990	57	56	3	3	118	13.1	1.29	1.05	28	37	65	7.2	1.29	0.81	3	25	2	3
Ludlow	13,740	97	93	2	2	194	14.1	1.15	1.01	74	82	156	11.4	0.94	0.93	2	10	2	9
Oswestry	20,360	145	106	1	5	257	12.6	1.17	0.92	154	123	277	13.6	0.73	0.86	9	35	5	3
Shifnal	13,470	103	94	8	5	210	15.6	1.12	1.09	67	77	144	10.7	0.87	0.81	5	24	3	3
Wellington	25,040	206	160	4	9	379	15.1	1.05	0.98	113	84	197	7.9	1.28	0.88	10	26	8	8
Wem	12,640	94	107	1	4	206	16.3	1.07	1.08	52	52	104	8.2	1.07	0.76	5	24	3	5
WEMSET:	575,600	4,142	3,984	171	160	8,457	14.7	1.07	0.98	3,415	3,737	7,152	12.4	0.82	0.88	160	19	122	171
Bath C.B.	80,100	561	503	26	22	1,112	13.9	1.02	0.88	440	536	976	12.2	0.80	0.85	21	19	14	23

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Administrative County ..	495,500	3,581	3,481	145	138	7,345	14.8	1.08	0.99	2,975	3,201	6,176	12.5	0.83	0.90	139	19	108	148
Municipal Boroughs and Urban Districts	236,100	1,682	1,661	70	68	3,481	14.7	1.04	0.95	1,437	1,671	3,108	13.2	0.80	0.92	61	18	51	66
Bridgwater M.B.	24,480	190	179	9	12	390	15.9	0.95	0.94	125	153	278	11.4	0.91	0.90	12	37	9	14
Burnham-on-Sea	9,720	72	55	3	—	133	13.7	1.13	0.96	61	82	143	14.7	0.75	0.96	12	15	2	4
Chard M.B.	5,400	44	39	3	—	86	15.9	1.00	0.99	37	53	90	16.7	0.79	1.15	2	23	3	3
Clevedon	9,680	48	72	1	—	123	12.7	1.19	0.94	68	105	173	17.9	0.62	0.97	1	8	—	—
Crewkerne	3,960	22	31	1	—	55	13.9	1.06	0.92	21	20	41	10.4	0.90	0.81	—	—	—	—
Frome ..	11,270	88	74	6	3	171	15.2	1.09	1.03	58	68	126	11.2	0.77	0.75	1	6	—	3
Glastonbury M.B.	5,340	41	48	1	1	91	17.0	0.95	1.00	25	29	54	10.1	0.90	0.79	3	33	2	2
Ilminster	2,740	20	29	—	—	49	17.9	1.00	1.11	23	14	37	13.5	0.94	1.10	—	2	2	2
Keynsham	12,780	119	127	4	—	251	19.6	0.90	1.10	84	90	174	13.6	0.76	0.90	5	41	4	4
Minehead	7,450	29	35	2	—	68	9.1	1.14	0.64	43	61	104	14.0	0.62	0.75	2	29	2	—
Norton-Radstock	12,320	112	88	4	3	207	16.8	1.04	1.09	67	44	111	9.0	1.01	0.79	5	24	4	2
Portsmouth	5,470	50	52	2	4	108	19.7	1.02	1.25	38	26	64	11.7	0.94	0.96	—	—	—	—
Shepton Mallet	5,220	38	52	2	—	92	17.6	1.02	1.12	24	37	61	11.7	1.01	1.03	2	22	2	1
Street ..	6,200	38	61	—	—	100	16.1	0.99	0.99	24	30	54	8.7	0.92	0.70	2	20	2	2
Taunton M.B.	33,300	210	212	8	13	443	13.3	0.99	0.82	207	242	449	13.5	0.79	0.93	8	18	8	7
Watket	2,560	22	19	—	1	42	16.4	1.05	1.07	12	16	28	10.9	0.91	0.86	1	24	1	1
Wellington	7,410	57	43	—	—	101	13.6	1.10	0.93	52	44	96	13.0	0.82	0.93	1	10	—	6
Wells M.B.	6,150	36	35	—	3	74	12.0	1.07	0.80	52	57	109	17.7	0.49	0.75	2	27	1	4
Weston-super-Mare M.B.	40,600	249	247	13	12	521	12.8	1.13	0.90	280	324	604	14.9	0.72	0.93	5	10	5	6
Yeovil M.B.	24,050	197	163	10	6	376	15.6	1.02	0.99	136	176	312	13.0	0.92	1.04	5	13	4	7
Rural Districts	259,400	1,899	1,820	75	70	3,864	14.9	1.12	1.04	1,538	1,530	3,068	11.8	0.85	0.87	78	20	57	82
Abbridge	10,390	194	168	17	5	374	12.3	1.25	0.95	159	173	332	10.9	0.90	0.85	7	19	6	13
Bathampton	19,610	154	162	17	7	354	17.0	1.03	1.11	92	107	199	10.1	0.90	0.79	1	3	—	5
Bathwater	20,180	162	144	12	2	320	13.9	1.08	1.07	128	116	244	12.1	0.92	0.97	9	28	6	8
Chard ..	12,400	74	84	4	2	164	13.2	1.07	0.88	73	66	139	11.2	0.93	0.91	5	30	2	6
Clutton	17,360	126	115	3	8	232	14.5	1.04	0.94	98	79	177	10.2	0.93	0.82	7	28	4	7
Dulverton	4,430	33	31	1	3	68	15.3	1.14	1.08	28	13	41	9.3	0.97	0.78	2	29	—	—
Frome	10,530	102	85	1	4	192	18.2	1.07	1.21	76	62	118	11.2	0.94	0.92	4	21	4	3
Langport	12,880	102	87	4	4	197	18.1	1.09	1.04	73	86	159	12.3	0.85	0.91	7	36	7	5
Long Ashton	24,130	157	182	7	10	356	14.8	1.12	1.07	150	161	311	12.9	0.87	0.98	11	31	7	4
Shepton Mallet	10,870	77	72	—	2	151	13.9	1.12	0.97	58	36	114	10.5	0.85	0.78	3	20	2	1
Taunton	23,250	181	169	3	5	338	15.1	1.16	1.11	150	183	353	14.3	0.62	0.77	4	11	3	6
Wellington	8,030	55	52	4	1	112	13.9	1.14	0.98	44	39	83	10.3	0.87	0.78	2	18	1	3
Wells ..	10,200	76	80	4	3	163	16.0	1.15	1.04	105	95	200	13.6	0.80	0.85	3	18	3	6
Williton	13,390	88	88	2	3	181	13.5	1.24	1.04	121	92	213	13.9	0.68	0.94	4	22	4	6
Wincanton	17,490	115	126	5	3	249	14.2	1.11	0.98	102	96	201	11.3	0.72	0.72	4	16	3	3
Yeovil ..	24,260	203	175	7	8	393	16.2	1.06	1.07	101	103	204	8.4	1.11	0.81	5	13	5	6
SOUTHAMPTON:	1,282,500	10,193	9,718	585	550	21,046	16.4	1.05	1.07	7,392	7,063	14,455	11.3	0.94	0.92	441	21	325	427
County Boroughs	567,400	4,107	4,053	304	288	8,752	15.4	1.06	1.01	3,514	3,412	6,926	12.2	0.90	0.95	192	23	153	173
Bournemouth ..	143,500	765	737	80	63	1,645	11.5	1.05	0.82	1,040	1,202	2,242	15.6	0.69	0.94	43	27	39	39
Portsmouth ..	226,900	1,675	1,650	112	123	3,560	15.7	1.06	1.03	1,377	1,287	2,664	11.7	0.96	0.98	76	21	57	60
Southampton ..	197,000	1,667	1,666	112	102	3,547	18.0	0.99	1.11	1,097	923	2,020	10.3	1.10	0.99	78	22	57	74

TABLE 12.—continued

AREA	LIVE BIRTHS										DEATHS						Deaths under 1 year		Stillbirths
	Estimated Home Population (Mid-1957)	Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births	Deaths under 4 weeks	
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SOUTHAMPTON—contd.																			
Administrative County	715,100	6,086	5,665	281	262	12,294	17.2	1.04	1.11	3,878	3,651	7,529	10.5	0.93	0.85	242	20	172	254
Municipal Boroughs and Urban Districts	423,500	3,713	3,336	165	147	7,361	17.4	1.00	1.08	2,132	1,874	4,006	9.5	1.08	0.89	134	18	100	156
Aldershot M.B.	39,760	341	300	17	14	672	17.1	1.08	1.15	168	106	274	7.0	1.63	0.99	18	27	15	13
Alton	8,740	86	66	2	9	163	18.6	1.01	1.17	56	44	100	11.4	0.97	0.96	2	12	2	3
Andover M.B.	16,150	123	117	4	6	250	15.5	1.01	0.97	101	86	187	11.6	0.80	0.81	5	20	3	5
Basingstoke M.B.	20,830	203	174	12	17	406	19.5	0.96	1.16	91	83	174	8.4	1.09	0.80	4	10	4	4
Christchurch M.B.	23,790	174	149	6	7	336	14.1	1.03	0.90	148	160	308	12.9	0.82	0.92	3	9	3	6
Eastleigh M.B.	33,840	294	275	16	6	591	17.5	0.96	1.04	174	145	319	9.4	1.12	0.92	20	34	12	13
Fareham	51,770	491	440	20	16	967	18.7	1.01	1.17	269	253	522	10.1	1.06	0.93	12	12	10	17
Farnborough	31,450	255	242	8	6	511	16.2	1.05	1.06	103	101	204	6.5	1.50	0.85	6	12	5	10
Fleet	9,600	87	70	3	4	164	17.1	1.08	1.15	68	53	121	12.6	0.88	0.96	3	18	3	3
Gosport M.B.	64,510	548	513	32	13	1,106	17.1	1.00	1.06	272	222	494	7.7	1.32	0.88	19	17	15	28
Havant and Waterloo	57,910	664	592	20	26	1,302	22.5	0.89	1.24	257	211	468	8.1	1.20	0.85	26	20	15	27
Lymington M.B.	24,700	147	141	9	15	312	12.6	1.11	0.87	180	187	367	14.9	0.69	0.89	5	16	5	11
Petersfield	7,300	65	40	3	—	108	14.8	1.05	0.97	48	45	93	12.7	0.71	0.78	2	19	2	2
Romsey M.B.	6,510	47	47	1	2	97	14.9	1.08	1.00	47	38	85	13.1	0.81	0.92	2	21	2	2
Winchester M.B.	27,040	188	170	12	6	376	13.9	1.01	0.87	150	140	290	10.7	0.85	0.79	7	19	4	12
Rural Districts	291,600	2,373	2,329	116	115	4,933	16.9	1.10	1.15	1,746	1,777	3,523	12.1	0.77	0.81	108	22	72	98
Alton	25,750	215	190	16	14	435	16.9	1.16	1.22	131	98	229	8.9	1.10	0.85	5	11	3	8
Andover	19,540	151	140	4	6	301	15.4	1.09	1.04	77	54	131	6.7	1.25	0.73	6	20	2	8
Basingstoke	17,580	117	137	5	6	265	15.1	1.20	1.13	186	175	361	20.5	0.40	0.71	5	19	4	5
Droxford	20,970	186	167	6	4	363	17.3	1.16	1.25	143	169	312	14.9	0.58	0.75	3	8	2	8
Hartley Wintney	25,440	185	198	9	14	406	16.0	1.17	1.16	141	142	283	11.1	0.83	0.80	11	27	7	7
Kingsclere and Whitechurch	20,390	236	206	19	12	473	23.2	1.04	1.50	103	105	208	10.2	0.94	0.83	15	32	10	3
New Forest	49,780	412	438	20	16	886	17.8	1.05	1.16	280	213	493	9.9	0.97	0.84	24	27	17	26
Petersfield	22,560	151	143	7	7	308	13.7	1.03	0.88	107	90	197	8.7	0.94	0.71	7	23	6	9
Ringwood and Fordingbridge	25,180	169	174	9	10	362	14.4	1.12	1.00	177	298	475	18.9	0.53	0.87	11	30	5	7
Romsey and Stockbridge	21,070	169	161	7	7	344	16.3	1.09	1.10	101	99	200	14.6	1.03	0.85	16	17	11	14
Winchester	43,340	382	375	14	19	790	18.2	1.10	1.24	300	334	634	14.6	0.69	0.88	13	19	11	14

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
STAFFORDSHIRE: ..	1,671,000	13,462	12,998	550	478	27,488	16.5	0.95	0.97	9,531	8,270	17,801	10.7	1.19	1.11	724	26	513	762
County Boroughs ..	752,300	5,856	5,623	297	262	12,038	16.0	0.95	0.94	4,532	3,962	8,494	11.3	1.19	1.17	323	27	228	344
Burton upon Trent ..	49,050	430	415	19	19	879	17.9	0.98	1.09	394	318	712	14.5	0.80	0.91	21	24	15	29
Snitchwick ..	73,700	489	453	34	22	968	13.1	0.95	0.77	1,625	1,484	3,109	9.7	0.97	1.26	27	17	17	25
Stoke-on-Trent ..	271,800	2,099	2,020	72	84	4,278	13.7	0.94	0.92	1,635	1,484	3,109	11.4	1.17	1.26	125	29	96	123
Walsall ..	114,800	967	914	50	44	1,975	17.2	0.94	1.00	1,671	1,594	3,271	11.1	1.35	1.27	33	27	35	64
West Bromwich ..	93,050	819	787	34	37	1,577	18.0	0.93	1.04	496	482	1,978	10.5	1.35	1.27	41	24	27	44
Wolverhampton ..	149,900	1,082	1,034	92	56	2,264	15.1	0.98	0.92	957	755	1,712	11.4	1.13	1.12	57	25	38	57
Administrative County ..	918,700	7,606	7,375	253	216	15,450	16.8	0.96	1.00	4,999	4,308	9,307	10.1	1.20	1.05	401	26	285	418
Municipal Boroughs and Urban Districts ..	686,100	5,765	5,491	187	142	11,585	16.9	0.94	0.99	3,752	3,217	6,969	10.2	1.24	1.10	313	27	223	334
Alldridge ..	39,100	375	383	13	2	773	19.0	0.91	1.12	136	101	237	16.7	0.65	0.88	13	17	11	18
Amblye ..	3,000	20	15	1	—	36	32	0.94	0.70	29	29	115	8.7	1.40	1.06	12	43	10	—
Biddulph ..	13,160	141	135	4	1	281	21.4	0.94	1.25	74	41	319	9.4	1.40	1.18	15	26	11	12
Bilston M.B. ..	33,880	279	267	14	12	572	16.9	0.89	0.93	185	134	319	8.7	1.40	1.18	15	26	11	12
Brierley Hill ..	51,180	438	403	6	4	851	16.6	0.96	0.99	254	232	486	9.5	1.25	1.03	13	15	9	25
Brownhills ..	22,680	227	180	3	4	414	18.3	0.96	1.09	112	90	202	8.9	1.32	1.04	15	36	13	15
Cannock ..	42,000	350	336	9	15	710	16.9	0.96	1.01	243	189	432	10.3	1.25	1.04	17	24	11	18
Coseley ..	34,420	279	291	11	13	594	17.3	0.92	0.99	166	122	288	8.4	1.51	1.10	20	34	14	22
Darlaston ..	22,200	187	162	6	5	360	16.2	0.91	0.92	107	88	195	8.8	1.46	1.12	6	17	5	10
Kidsgrove ..	18,630	171	186	6	4	367	19.7	0.89	1.09	89	69	158	8.5	1.40	1.03	10	27	6	10
Leek ..	18,950	129	140	2	2	273	14.4	1.03	0.92	97	104	201	10.6	1.02	0.94	4	15	4	4
Lichfield M.B. ..	11,150	114	110	5	6	235	21.0	0.96	1.25	63	67	130	11.6	0.95	0.96	6	26	5	6
Newcastle-under-Lyme M.B. ..	73,690	634	620	29	12	1,295	17.6	0.99	1.08	437	386	823	11.2	1.22	1.19	37	29	29	38
Rowley Regis M.B. ..	49,190	281	262	9	18	560	11.4	0.95	0.67	266	197	463	9.4	1.39	1.14	18	32	14	17
Rugeley ..	11,410	132	126	9	3	270	23.7	0.91	1.34	66	43	109	9.6	1.38	1.15	12	44	6	9
Sedgley ..	24,650	196	185	6	—	387	15.7	0.97	0.95	283	309	592	24.0	0.47	0.98	18	47	9	11
Stafford M.B. ..	41,960	342	314	10	14	680	16.2	1.00	1.01	207	220	427	10.2	1.01	0.90	16	24	12	17
Stone ..	8,820	46	51	1	2	100	11.3	0.98	0.69	64	82	146	16.6	0.65	0.94	6	60	3	3
Tamworth M.B. ..	13,370	93	83	3	2	181	13.5	0.98	0.82	100	86	186	13.9	0.68	0.82	7	39	3	5
Tettenhall ..	12,330	112	91	7	—	210	17.0	0.89	0.94	69	60	129	10.5	1.22	1.11	4	19	4	5
Tipton M.B. ..	39,630	315	311	7	8	641	16.2	0.89	0.90	215	179	394	9.9	1.49	1.28	24	37	19	18
Uttoxeter ..	7,860	65	66	2	4	137	17.4	1.00	1.08	44	38	82	10.4	1.09	0.99	5	36	5	9
Wednesbury M.B. ..	34,740	283	262	12	10	567	16.3	0.92	0.93	200	137	337	9.7	1.38	1.16	11	29	6	13
Wednesfield ..	26,450	293	270	9	8	581	22.0	0.86	1.18	102	78	180	6.8	1.71	1.05	12	21	8	13
Willenhall ..	31,610	263	242	3	2	510	16.1	0.94	0.94	152	136	288	9.1	1.46	1.16	10	20	5	16
Rural Districts ..	232,600	1,841	1,884	66	74	3,865	16.6	1.03	1.06	1,247	1,091	2,338	10.1	1.10	0.97	88	23	62	84
Cannock ..	25,920	204	258	10	16	488	18.8	0.96	1.12	122	101	223	8.6	1.20	0.90	16	33	11	13
Cheadle ..	35,840	273	270	14	4	561	15.7	1.07	1.04	252	207	523	14.6	0.78	0.99	10	18	7	14
Leek ..	19,150	166	163	4	5	338	17.7	0.98	1.08	106	82	188	9.8	1.25	1.07	8	24	5	8
Lichfield ..	40,100	290	309	11	9	629	15.7	1.14	1.11	228	200	428	10.7	1.03	0.96	20	32	17	8
Nichfield ..	17,580	126	123	3	15	257	14.6	1.00	0.91	97	84	181	10.3	1.04	0.93	3	12	2	3
Newcastle-under-Lyme ..	30,270	288	318	10	6	622	20.5	0.93	1.18	137	96	233	7.7	1.35	0.90	5	8	4	12
Seisdon ..	19,350	164	131	3	8	306	15.8	0.98	1.06	87	62	149	7.7	1.29	0.86	10	33	4	9
Stafford ..	17,410	127	120	7	3	357	14.8	0.97	0.89	90	83	173	9.9	1.16	1.00	3	12	3	4
Stone ..	15,630	141	129	3	5	272	17.4	1.04	1.12	66	64	130	8.3	1.07	0.77	5	18	4	4
Tutbury ..	11,350	62	69	1	3	135	11.9	1.12	0.83	62	48	110	9.7	1.10	0.93	8	59	5	9
Uttoxeter

TABLE 12 —continued

AREA	(1)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths			
		Estimated Home Population (Mid-1957)	Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor			Ratio of local adjusted death rate to National Rate	under 1 year	
			M.	F.	M.	F.														
(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)		
SUFFOLK, EAST:	..	333,600	2,656	2,422	150	162	5,390	16.2	1.06	1.07	1,973	1,825	3,798	11.4	0.85	0.84	99	18	67	100
Ipswich C.B.	..	111,900	973	884	66	75	1,998	17.9	0.98	1.09	588	597	1,185	10.6	0.97	0.89	33	17	25	32
Administrative County	221,700	1,683	1,538	84	87	3,392	15.3	1.11	1.05	1,385	1,228	2,613	11.8	0.79	0.81	66	19	42	68
Municipal Boroughs and Urban Districts	..	98,200	745	676	36	31	1,488	15.2	1.04	0.98	575	554	1,129	11.5	0.86	0.86	36	24	22	34
Aldeburgh M.B.	..	2,780	34	34	—	3	71	25.5	1.09	1.73	13	24	37	13.3	0.75	0.87	3	42	2	—
Beccles M.B.	..	7,000	49	42	2	1	94	13.4	1.06	0.88	51	30	81	11.6	0.81	0.82	2	21	—	2
Bungay	..	3,570	32	23	3	3	61	17.1	1.01	1.07	16	28	44	12.3	0.71	0.76	3	49	3	4
Eye M.B.	..	1,610	9	12	—	—	23	14.3	1.25	1.11	8	20	28	17.4	0.62	0.94	—	—	—	2
Felixstowe	..	15,650	144	142	9	4	299	19.1	1.03	1.22	75	100	175	11.2	0.79	0.77	10	33	5	6
Halesworth	..	2,330	26	20	—	—	46	19.7	1.16	1.42	14	11	25	10.7	0.89	0.83	—	—	—	—
Leiston-cum-Sizewell	..	4,160	30	24	3	—	57	13.7	1.13	0.96	30	22	52	12.5	0.79	0.86	1	18	1	—
Lowestoft M.B.	..	44,050	312	295	12	11	630	14.3	1.01	0.90	262	226	488	11.1	0.96	0.93	11	17	7	15
Saxmundham..	..	1,450	7	—	—	1	12	8.3	1.22	0.63	14	6	20	13.8	0.73	0.88	—	—	—	1
Southwold M.B.	..	2,400	5	10	2	1	18	7.5	1.51	0.70	20	22	42	17.5	0.61	0.93	—	—	—	—
Stowmarket	7,580	46	39	1	2	88	11.6	1.01	0.73	42	29	71	9.4	1.01	0.83	3	34	2	1
Woodbridge	5,620	51	31	4	3	89	15.8	1.02	1.00	30	36	66	11.7	0.82	0.83	3	34	2	3
Rural Districts	..	123,500	938	862	48	56	1,904	15.4	1.16	1.11	810	674	1,484	12.0	0.72	0.75	30	16	20	34
Blyth	19,100	146	138	7	12	303	15.9	1.17	1.16	114	137	251	13.1	0.67	0.76	2	7	2	6
Deben	29,620	217	198	19	14	448	15.1	1.19	1.12	205	195	400	13.5	0.61	0.72	6	13	4	10
Gipping	19,260	159	149	8	8	324	16.8	1.09	1.14	162	108	270	14.0	0.59	0.72	2	6	—	3
Hartismere	16,940	124	122	6	7	259	15.3	1.16	1.10	89	71	160	9.4	0.87	0.71	1	4	—	5
Lothlingland	15,460	110	81	5	4	200	12.9	1.13	0.91	98	85	183	11.8	0.90	0.92	8	40	5	3
Samford	16,330	124	119	1	4	248	15.2	1.24	1.17	114	54	168	10.3	0.75	0.67	3	32	7	4
Wainford	6,790	58	55	2	7	122	18.0	1.10	1.23	28	24	52	7.7	0.90	0.60	3	25	2	3
SUFFOLK, WEST:	..	125,300	1,012	955	46	45	2,058	16.4	1.10	1.12	718	627	1,345	10.7	0.94	0.87	48	23	33	38
Municipal Boroughs and Urban Districts	..	45,600	370	338	22	12	742	16.3	1.05	1.06	274	234	508	11.1	0.89	0.86	16	22	11	10
Bury St. Edmunds M.B.	..	21,030	168	171	8	7	354	16.8	1.03	1.07	114	99	213	10.1	0.93	0.82	10	28	7	4
Hadleigh	3,220	38	19	2	1	57	11.8	1.08	0.79	17	13	30	9.3	0.94	0.76	—	—	—	—
Haverhill	4,440	45	32	1	1	79	17.8	1.01	1.12	31	24	55	12.4	0.83	0.89	—	—	—	—

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Newmarket	10,680	87	82	8	3	180	16.9	1.01	1.06	56	42	98	9.2	0.97	0.78	3	17	1	6
Sudbury M.B.	6,230	51	37	3	—	91	14.6	1.10	1.00	56	56	112	18.0	0.71	1.11	3	33	3	5
Rural Districts .. .	79,700	642	617	24	33	1,316	16.5	1.14	1.17	444	393	837	10.5	0.96	0.88	32	24	22	28
Clare .. .	9,350	66	83	1	4	154	16.5	1.20	1.23	60	51	111	11.9	0.86	0.89	3	19	—	2
Cosford .. .	9,390	67	60	2	4	133	14.2	1.14	1.01	55	58	113	12.0	0.81	0.85	4	30	5	5
Melford .. .	12,830	84	79	1	4	168	13.1	1.00	0.81	69	77	146	11.4	0.88	0.87	3	18	2	2
Mildenhall .. .	18,900	184	173	10	15	382	20.2	1.21	1.52	87	63	150	7.9	1.27	0.87	4	70	3	8
Thedwastre .. .	8,940	76	61	1	2	140	15.7	1.13	1.10	57	45	102	11.4	0.90	0.89	6	43	6	3
Thingoe .. .	20,290	165	161	9	4	339	16.7	1.13	1.17	116	99	215	10.6	0.99	0.91	12	35	10	6
*SURREY: .. .	1,669,120	11,417	10,764	481	475	23,137	13.9	1.02	0.88	9,136	9,701	18,837	11.3	0.90	0.88	441	19	339	445
Croydon C.B.	249,500	1,713	1,604	92	96	3,505	14.0	0.99	0.86	1,461	1,491	2,952	11.8	0.84	0.86	63	18	39	70
*Administrative County .. .	1,419,620	9,704	9,160	389	379	19,632	13.8	1.02	0.87	7,675	8,210	15,885	11.2	0.90	0.88	378	19	290	375
*Municipal Boroughs and Urban Districts .. .	1,255,920	8,480	7,921	337	328	17,066	13.6	1.02	0.86	6,846	7,370	14,216	11.3	0.90	0.88	327	19	248	327
Barnet .. .	38,680	251	233	7	9	500	12.9	1.10	0.88	211	303	514	13.1	0.70	0.81	6	12	4	13
*Barnes M.B.	39,510	208	210	12	15	445	11.3	1.00	0.70	238	278	516	13.1	0.75	0.85	9	20	9	5
Beddington and Wallington M.B. .. .	32,460	209	186	3	4	402	12.4	1.05	0.81	174	179	353	10.9	0.96	0.91	4	10	4	4
Carshalton .. .	60,440	346	329	11	16	702	11.6	0.97	0.70	263	241	504	8.3	1.28	0.92	15	27	13	16
Caterham and Warlingham ..	34,030	258	228	10	11	507	14.9	1.07	0.99	158	170	328	9.6	0.94	0.78	5	10	4	8
Chertsey .. .	36,410	355	320	11	12	698	19.2	0.95	1.13	163	187	350	9.6	1.15	0.96	21	30	18	18
Coulston and Purley .. .	67,850	278	259	12	9	957	14.1	1.11	0.97	422	579	1,001	14.8	0.64	0.82	16	17	13	18
Dorking .. .	29,600	151	136	3	6	281	13.6	1.07	0.90	113	126	241	11.7	0.87	0.89	3	11	2	4
Egham .. .	28,560	224	209	14	14	461	16.1	0.96	0.95	163	137	261	10.6	0.90	0.83	10	22	4	16
Epsom and Ewell M.B. . . .	67,340	312	319	7	9	647	9.6	1.21	0.72	531	602	1,133	16.8	0.54	0.79	18	28	15	19
Esler .. .	55,840	408	371	18	12	809	14.5	1.01	0.91	262	292	554	9.9	0.97	0.84	21	26	17	14
Farnham .. .	25,130	168	147	2	7	324	12.9	1.04	0.83	204	197	401	16.0	0.68	0.95	12	37	8	3
Frimley and Camberley .. .	24,170	248	245	12	6	511	21.1	1.02	1.34	113	106	219	9.1	1.44	0.90	7	14	5	3
Godalming M.B.	15,640	124	115	2	5	246	15.7	1.04	1.01	101	89	190	12.1	0.93	0.98	3	12	5	5
Guildford M.B.	51,200	387	344	22	14	767	15.0	0.97	0.90	245	276	521	10.2	0.91	0.81	22	29	19	18
Haslemere .. .	11,930	75	82	3	4	164	13.7	0.99	0.84	51	70	121	10.1	0.81	0.71	—	—	—	6
Kingston-upon-Thames M.B. .	38,590	240	263	16	25	544	14.1	0.96	0.84	202	230	432	11.2	0.92	0.90	7	13	5	8
Leatherhead .. .	32,650	236	242	4	4	486	14.9	1.01	0.93	161	143	304	9.3	1.05	0.81	9	16	8	10
Malden and Coombe M.B. . .	45,940	249	260	9	8	526	11.4	1.05	0.74	221	265	486	10.6	1.00	0.97	14	27	10	13
Merton and Morden .. .	71,090	383	338	19	20	760	10.7	1.04	0.69	381	308	689	9.7	1.15	0.97	9	12	6	13
Mitcham M.B.	64,930	476	380	15	19	890	13.7	0.96	0.82	302	292	594	9.1	1.21	0.96	11	13	6	18
Reigate M.B.	49,330	343	323	21	7	694	14.1	1.01	0.88	283	281	564	11.4	0.86	0.85	9	13	6	9
Richmond M.B.	42,450	289	269	17	16	591	12.9	0.93	0.80	293	273	566	13.3	0.74	0.86	10	17	10	17
Subiton M.B.	63,110	380	365	11	15	771	13.2	1.00	0.76	264	289	553	8.8	1.07	0.82	9	12	8	18
Sutton and Cheam M.B. . . .	78,960	473	462	15	18	968	12.3	1.03	0.79	415	475	890	11.3	0.99	0.97	26	27	19	18
Walton and Weybridge .. .	42,200	299	305	15	6	625	14.8	0.97	0.89	232	231	463	11.0	0.94	0.90	11	18	7	12
Wimbledon M.B.	57,630	414	350	21	11	796	13.8	0.96	0.82	306	346	652	11.3	0.85	0.84	9	11	8	18
Woking .. .	59,270	496	451	23	24	994	16.8	0.99	1.03	379	405	775	13.1	0.76	0.87	31	31	19	25

TABLE 12—continued

Area	Estimated Home Population (Mid-1957)	LIVE BIRTHS				DEATHS										Deaths under 1 year		Deaths under 4 weeks	Stillbirths
		Legitimate		Illegitimate		Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births		
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SURREY—contd.																			
Rural Districts	163,700	1,224	1,239	52	51	2,566	15.7	1.06	1.03	829	840	1,669	10.2	0.95	0.84	51	20	42	48
Bagshot	14,980	113	115	5	6	239	16.0	1.06	1.05	65	70	135	9.0	0.92	0.72	7	29	6	2
Dorking and Horley	29,260	239	255	11	9	494	17.4	1.02	1.10	156	162	318	10.9	1.03	0.98	12	24	12	10
Godstone	35,440	270	276	14	16	576	16.3	1.11	1.12	206	237	443	12.5	0.77	0.84	10	17	17	12
Guildford	50,130	382	382	15	17	796	15.9	1.09	1.08	232	196	428	8.5	1.02	0.75	17	21	13	15
Hambleton	33,890	220	211	11	3	445	13.1	1.04	0.85	170	175	345	10.2	0.91	0.81	5	11	4	9
SUSSEX, EAST:	633,000	3,720	3,503	207	212	7,642	12.1	1.13	0.85	4,461	5,160	9,621	15.2	0.70	0.93	134	18	101	136
County Boroughs	281,900	1,670	1,513	99	132	3,414	12.1	1.10	0.83	1,987	2,393	4,380	15.5	0.73	0.98	72	21	52	64
Brighton	159,500	1,047	919	68	85	2,123	13.3	1.06	0.83	1,139	1,240	2,379	14.9	0.80	1.04	49	23	34	41
Eastbourne	57,800	315	248	12	18	593	10.3	1.14	0.73	397	511	908	15.7	0.67	0.91	11	17	9	12
Hastings	64,600	308	346	19	25	698	10.8	1.17	0.78	451	642	1,093	16.9	0.64	0.94	12	17	9	11
Administrative County	351,100	2,050	1,990	108	80	4,228	12.0	1.16	0.86	2,474	2,767	5,241	14.9	0.69	0.89	62	15	49	72
Municipal Boroughs and Urban Districts	191,200	1,108	1,092	68	48	2,316	12.1	1.14	0.86	1,319	1,568	2,887	15.1	0.69	0.91	29	13	20	47
Bexhill M.B.	26,340	105	120	7	4	236	9.0	1.29	0.72	203	265	468	17.7	0.59	0.91	1	8	1	7
Burgess Hill	13,050	134	125	3	4	266	20.4	0.95	1.20	89	53	142	8.6	1.09	0.82	3	1	1	3
Cuckfield	17,670	108	93	7	5	213	12.1	1.18	0.89	151	160	311	17.6	0.54	0.83	3	1	1	4
East Grinstead	13,340	107	103	2	2	214	16.0	1.00	0.99	93	106	199	14.9	0.78	1.01	2	9	1	4
Hove M.B.	69,620	349	356	29	22	756	10.9	1.17	0.79	523	674	1,197	17.2	0.62	0.93	14	19	9	17
Lewes M.B.	13,290	91	78	3	4	176	13.2	1.09	0.89	66	77	143	10.8	0.92	0.86	1	6	1	3
Newhaven	8,030	52	40	3	1	96	12.0	1.03	0.77	55	50	105	13.1	0.68	0.77	1	10	1	4
Portsmouth-by-Sea	14,560	91	98	10	4	203	13.9	1.10	0.95	78	69	147	10.1	1.03	0.90	5	25	5	3
Rye M.B.	4,520	26	30	—	1	57	12.6	1.02	0.80	31	27	58	12.8	0.86	0.96	—	—	—	—
Seaford	10,780	45	49	4	1	99	9.2	1.31	0.75	60	90	150	13.9	0.70	0.85	—	—	—	—
Rural Districts	159,900	942	898	40	32	1,912	12.0	1.19	0.89	1,155	1,199	2,354	14.7	0.68	0.87	33	17	29	25
Battle	29,680	174	163	9	5	351	11.8	1.18	0.86	258	232	490	16.5	0.70	1.00	4	11	7	4
Chailly	20,800	107	123	7	6	243	11.7	1.17	0.85	168	201	369	17.7	0.58	0.89	9	37	7	4
Cuckfield	27,270	157	170	7	4	338	12.4	1.10	0.85	148	150	298	10.9	0.80	0.76	6	18	5	3
Hauzham	38,770	214	191	8	11	424	10.9	1.25	0.85	317	366	683	17.6	0.57	0.87	4	9	4	5
Uckfield	43,380	290	251	6	6	556	12.8	1.21	0.96	264	250	514	11.8	0.78	0.80	10	18	10	9

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
SUSSEX, WEST:																			
Municipal Boroughs and Urban Districts																			
Arundel M.B.	219,600	1,640	1,589	55	67	3,351	15.3	1.05	1.00	1,379	1,558	2,937	13.4	0.77	0.90	66	20	51	78
Bognor Regis	25,960	177	177	—	—	34	13.0	1.21	0.98	10	23	33	12.6	0.75	0.82	—	—	—	—
Chichester M.B.	19,010	142	126	6	6	322	14.0	1.20	0.92	183	220	403	15.5	0.72	0.97	12	37	10	11
Crawley	39,040	538	518	8	17	277	14.6	1.06	0.96	172	126	298	15.7	0.77	0.78	14	14	3	4
Horsham	18,650	140	128	6	6	1,081	27.7	0.72	1.24	84	88	172	4.4	1.97	0.75	17	16	16	19
Littlehampton	14,970	122	133	7	3	268	14.9	1.03	0.95	97	107	204	10.9	0.90	0.81	5	18	2	12
Shoreham-by-Sea	15,090	126	123	5	5	258	17.7	1.04	1.14	111	87	198	13.2	0.88	1.05	7	26	4	5
Southwick	11,410	375	391	3	18	258	13.4	1.10	1.06	32	69	151	10.9	0.95	0.83	8	—	—	4
Worthing M.B.	72,860	312	357	16	18	683	9.4	1.32	0.77	567	771	1,338	12.3	0.84	0.86	13	52	5	3
Rural Districts																			
Chichester	150,600	979	928	40	45	1,992	13.2	1.13	0.93	967	853	1,920	12.1	0.82	0.86	37	19	26	53
Chichesterbury	28,810	142	133	8	10	293	13.4	1.14	0.95	131	119	250	10.5	0.83	0.88	15	17	3	13
Horsham	48,630	341	315	12	15	683	14.2	1.08	0.95	263	207	470	9.8	0.93	0.88	11	10	8	24
Horsham	27,710	150	129	3	10	292	13.5	1.07	0.90	107	99	206	9.5	0.97	0.80	10	36	2	7
Midhurst	15,990	98	113	3	2	217	12.8	1.08	0.86	122	114	236	13.9	0.66	0.80	2	10	2	1
Networth	9,690	73	69	3	1	146	15.1	1.14	1.07	52	51	103	10.6	0.78	0.72	4	27	1	18
Worthing	32,370	175	169	11	6	361	11.2	1.24	0.86	292	263	555	17.1	0.62	0.92	5	14	4	7
WARWICKSHIRE:																			
County Boroughs																			
Birmingham	1,380,300	11,587	10,751	815	762	23,915	17.3	0.94	1.01	7,782	6,789	14,571	10.6	1.12	1.03	612	26	437	525
Coventry	1,103,000	9,173	8,487	690	626	18,976	17.2	0.94	1.00	6,484	5,867	12,551	11.2	1.07	1.04	471	25	340	423
Administrative County	549,700	4,854	4,427	184	148	9,613	17.5	0.98	1.05	1,298	922	2,220	8.0	1.37	0.95	141	29	97	102
Municipal Boroughs and Urban Districts																			
Bedworth	353,100	3,068	2,814	117	95	6,094	17.3	0.97	1.04	1,928	1,687	3,615	10.2	1.10	0.98	113	19	84	107
Kenilworth	28,640	265	250	12	8	335	18.7	0.90	1.05	270	252	522	18.2	0.74	1.17	13	24	9	2
Leamington Spa	12,630	124	94	8	2	228	18.1	0.94	1.06	51	50	101	8.0	1.17	0.81	—	—	—	—
Royal Leamington Spa M.B.	56,320	478	387	12	16	283	15.9	0.97	0.96	328	225	553	9.8	1.27	1.01	18	20	12	19
Rugby M.B.	38,940	362	337	35	24	758	19.5	0.97	1.17	217	234	451	11.6	0.91	0.92	17	22	15	16
Solihull M.B.	48,080	741	370	14	15	741	15.4	0.99	0.95	249	220	469	9.8	1.09	0.93	12	16	9	19
Stratford-upon-Avon M.B.	81,620	742	721	12	16	1,491	18.3	0.96	1.09	374	307	681	8.3	1.33	0.96	22	15	13	14
Sutton Coldfield M.B.	15,110	129	101	10	4	244	16.1	0.98	0.98	100	69	169	11.2	0.93	0.91	2	8	2	5
Warwick M.B.	55,950	505	492	9	8	1,014	18.1	0.98	1.10	254	241	495	8.8	1.10	0.84	25	20	20	20
Warwick M.B.	15,810	93	88	4	5	190	12.0	0.98	0.73	85	89	174	11.0	1.07	1.02	4	21	2	3
Rural Districts																			
Alester	196,600	1,786	1,613	67	53	3,519	17.9	1.01	1.12	1,002	842	1,844	9.4	1.09	0.89	65	18	53	64
Atherstone	13,630	117	94	3	5	219	16.1	0.99	0.99	87	63	150	11.0	0.94	0.90	3	14	2	1
Meriden	24,630	214	182	8	8	412	16.7	0.96	1.00	145	91	236	9.6	1.18	0.99	11	27	9	7
Rugby	49,490	479	421	13	12	925	18.7	0.92	1.07	189	153	342	6.9	1.41	0.85	19	21	14	19
Shipston on Stour	22,070	179	199	14	7	399	18.1	1.00	1.12	108	80	188	8.5	1.26	0.93	8	20	6	9
Southam	7,970	73	80	1	1	155	19.4	1.08	1.30	70	54	124	15.6	0.55	0.75	2	13	2	2
Stratford-upon-Avon	15,570	162	122	3	6	293	18.8	1.25	1.46	69	56	125	8.0	1.24	0.86	3	10	3	8
Tamworth	23,090	209	183	12	12	416	18.0	1.08	1.21	106	91	197	8.5	1.06	0.78	9	22	8	6
Warwick	17,360	162	148	3	—	313	18.0	1.00	1.13	80	73	153	8.8	1.18	0.90	3	10	3	8
Warwick	22,790	191	184	10	2	387	17.0	1.07	1.13	148	181	329	14.4	0.67	0.84	7	18	6	4

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS				DEATHS						Deaths under 1 year		Stillbirths					
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population		Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births	Deaths under 4 weeks
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
WESTMORLAND:	66,600	464	412	29	14	919	13.8	1.06	0.91	442	409	851	12.8	0.94	1.05	22	24	16	24
Municipal Boroughs and Urban Districts	32,050	204	190	9	4	407	12.7	1.02	0.80	214	219	433	13.5	0.91	1.07	9	22	6	5
Appleby M.B.	1,690	10	11	2	—	23	13.6	1.07	0.90	9	14	23	13.6	0.94	1.11	—	—	—	—
Kendal M.B.	18,510	137	124	5	2	268	14.5	1.00	0.90	122	135	258	13.9	0.97	1.17	8	30	5	2
Lakes	5,460	17	26	1	—	44	8.1	1.03	0.52	33	22	55	10.1	0.90	0.79	—	—	—	2
Windermere	6,390	40	29	1	2	72	11.3	1.07	0.75	50	47	97	15.2	0.78	1.03	1	14	1	1
Rural Districts	34,550	260	222	20	10	512	14.8	1.10	1.01	228	190	418	12.1	0.95	1.00	13	25	10	19
North Westmorland	16,320	128	111	13	3	255	15.6	1.10	1.07	104	84	188	11.5	1.01	1.01	9	35	7	10
South Westmorland	18,230	132	111	7	7	257	14.1	1.09	0.95	124	106	230	12.6	0.90	0.99	4	16	3	9
WIGHT, ISLE OF:	93,800	605	536	28	20	1,189	12.7	1.12	0.88	605	643	1,248	13.3	0.75	0.87	17	14	14	25
Municipal Boroughs and Urban Districts	76,240	504	442	22	17	985	12.9	1.11	0.89	489	526	1,015	13.3	0.75	0.87	15	15	13	21
Cowes	16,910	124	109	5	—	238	14.1	1.07	0.94	92	85	177	10.5	0.89	0.81	4	17	3	6
Newport M.B.	19,880	147	111	3	5	266	13.4	1.15	0.96	156	183	339	17.1	0.64	0.95	5	19	5	6
Ryde M.B.	20,120	138	123	10	7	278	13.8	1.08	0.93	118	124	242	12.0	0.76	0.79	4	14	4	7
Sandown-Shanklin	12,580	58	67	2	1	128	10.2	1.19	0.75	85	98	183	14.5	0.71	0.90	2	16	1	2
Ventnor	6,750	37	32	2	4	75	11.1	1.08	0.74	38	36	74	11.0	0.73	0.70	—	—	—	—
Isle of Wight R.D.	17,560	101	94	6	3	204	11.6	1.15	0.83	116	117	233	13.3	0.76	0.88	2	10	1	4
WILTSHIRE:	405,300	3,412	3,169	165	133	6,879	17.0	1.08	1.14	2,232	1,903	4,135	10.2	0.95	0.84	157	23	123	138
Municipal Boroughs and Urban Districts	195,600	1,707	1,569	82	71	3,429	17.5	1.00	1.09	1,250	1,072	2,322	11.9	0.85	0.88	76	22	56	63
Bradford-on-Avon	5,640	33	50	—	2	85	15.1	1.05	0.98	23	25	48	8.5	0.92	0.68	3	35	3	—
Calne M.B.	6,340	58	47	3	—	108	17.0	0.99	1.05	33	17	50	7.9	1.01	0.69	—	—	—	—
Chippenham M.B.	15,540	147	81	7	4	239	15.4	1.02	0.98	91	104	195	12.5	0.59	0.64	7	29	6	3
Devizes M.B.	8,190	67	70	5	3	145	17.7	1.04	1.14	73	86	159	19.4	0.49	0.83	1	7	1	1
Malmesbury M.B.	2,710	19	15	1	2	37	13.7	1.14	0.97	19	16	35	12.9	0.87	0.98	—	—	—	—

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Marlborough M.B.	5,530	32	32	3	3	70	12.7	1.28	1.01	28	26	54	9.8	1.09	0.93	1	14	—	2
Melksham	7,210	63	55	1	—	119	16.5	0.97	0.99	47	47	84	11.7	1.14	1.16	3	25	3	1
Salisbury M.B.	34,390	314	232	20	10	576	16.7	0.98	1.02	302	232	534	15.5	0.89	0.80	8	14	6	11
Swindon M.B.	77,900	729	753	36	37	1,555	20.0	0.97	1.20	430	351	781	10.0	1.09	0.95	41	26	31	32
Trowbridge	14,540	108	100	2	6	216	14.9	1.03	0.95	89	89	172	11.8	0.93	0.95	8	37	3	7
Warminster	8,860	79	72	4	2	157	17.7	1.07	1.18	57	53	110	12.4	0.54	0.58	3	19	2	3
Westbury	5,500	42	41	—	2	85	15.3	1.04	1.00	31	26	57	10.4	1.01	0.91	1	12	2	2
Wilton M.B.	3,520	16	21	—	—	37	11.4	0.95	0.97	27	16	43	13.2	1.06	1.22	—	—	1	1
Rural Districts	209,700	1,705	1,600	83	62	3,450	16.5	1.16	1.19	982	831	1,813	8.6	1.08	0.81	81	23	67	75
Amesbury	24,980	234	212	13	4	464	18.5	1.31	1.51	82	54	136	5.5	1.88	0.90	16	34	12	1
Bradford and Melksham	12,990	68	83	4	4	159	12.7	1.12	1.03	73	38	135	11.9	0.79	0.82	4	25	3	1
Cane and Chippenham	33,160	269	264	8	10	551	15.7	1.28	1.25	120	99	219	6.2	1.43	0.77	11	20	8	15
Cricklade and Wootton Bassett	16,690	157	154	10	7	328	19.7	1.02	1.25	71	58	129	7.7	1.20	0.80	10	30	9	8
Devizes	16,500	97	115	1	1	214	13.0	1.36	1.10	113	119	232	14.1	0.50	0.61	4	19	3	4
Highworth	23,610	203	159	12	6	380	16.1	1.03	1.03	120	70	190	8.0	1.16	0.81	7	18	6	9
Malmesbury	10,100	77	101	3	5	186	18.4	1.03	1.18	40	42	92	9.1	1.02	0.81	6	32	5	7
Marlborough and Ramsbury	10,300	84	76	3	3	167	16.2	1.20	1.21	49	49	106	10.3	0.92	0.89	7	42	6	1
Mere and Tisbury	11,210	85	68	3	2	161	14.4	1.14	1.04	57	53	116	9.8	0.86	0.73	4	12	7	2
Pewsey	18,000	160	153	11	2	326	18.1	1.16	1.32	88	68	159	9.5	1.28	0.97	11	4	8	1
Salisbury and Wilton	17,530	174	129	9	8	320	18.3	1.04	1.18	92	75	169	9.5	0.91	0.75	9	28	4	12
Warminster and Westbury	12,720	97	86	5	6	194	15.3	1.19	1.13	67	55	122	9.6	0.96	0.80	2	10	2	5
WORCESTERSHIRE:	551,400	4,203	4,100	151	159	8,613	15.6	1.00	0.97	3,036	2,729	5,765	10.5	1.09	1.00	195	23	133	182
County Boroughs	128,200	961	942	37	31	1,971	15.4	0.96	0.92	737	597	1,334	10.4	1.15	1.04	48	24	33	44
Judley	64,570	474	477	20	16	987	15.3	0.95	0.90	364	256	620	9.6	1.30	1.08	25	19	25	19
Worcester	63,630	487	465	17	15	984	15.5	0.96	0.92	373	341	714	11.2	1.04	1.01	23	23	14	19
Administrative County	423,200	3,242	3,158	114	128	6,642	15.7	1.02	0.99	2,299	2,132	4,431	10.5	1.08	0.99	147	22	100	138
Municipal Boroughs and Urban Districts	299,300	2,343	2,218	81	86	4,728	15.8	0.99	0.97	1,630	1,494	3,124	10.4	1.11	1.00	109	23	74	100
Bewdley M.B.	4,920	36	47	3	12	87	17.7	1.01	1.11	36	31	67	13.6	0.99	1.17	3	34	8	2
Bromsgrove	30,910	238	246	9	5	505	16.3	1.03	1.04	195	192	387	12.5	0.94	1.02	12	24	2	5
Droitwich M.B.	6,850	57	58	4	5	124	18.1	0.97	1.09	54	66	120	17.8	0.84	1.28	3	24	2	4
Evesham M.B.	12,330	97	99	5	5	206	16.7	1.03	1.07	83	75	158	12.5	0.92	1.02	4	19	2	7
Halesowen M.B.	42,950	305	306	6	3	620	14.4	0.97	0.87	216	171	387	9.0	1.26	0.99	16	26	10	10
Kidderminster M.B.	39,320	330	286	14	16	646	16.4	1.00	1.02	247	219	466	11.9	1.03	1.07	20	31	12	11
Malvern	24,880	183	184	6	10	383	15.4	1.10	1.05	125	141	266	10.0	0.88	0.82	8	21	6	3
Oldbury M.B.	54,770	401	366	14	16	797	14.6	0.96	0.97	267	225	492	9.0	1.42	1.11	19	24	13	24
Redditch	32,220	263	268	14	9	554	17.2	0.97	1.04	156	149	305	9.5	1.16	0.96	13	23	11	17
Stourbridge M.B.	39,130	339	269	1	6	615	15.7	1.00	0.98	200	179	379	9.7	1.08	0.91	2	15	6	12
Stourport-on-Severn	11,020	94	89	5	3	191	17.3	0.96	1.03	51	46	97	8.8	1.18	0.90	2	10	1	5
Rural Districts	123,900	899	940	33	42	1,914	15.4	1.07	1.02	669	638	1,307	10.5	0.99	0.90	38	20	26	38
Bromsgrove	32,600	272	300	7	10	589	18.1	1.01	1.14	148	153	301	9.2	1.17	0.94	9	15	7	14
Droitwich	13,580	82	76	5	5	168	12.4	1.11	0.85	58	58	116	8.5	0.99	0.73	2	12	1	5
Evesham	16,730	125	113	2	8	248	14.8	1.09	1.00	89	84	173	10.3	0.96	0.86	4	16	4	4
Kidderminster	12,560	79	79	1	1	160	12.7	1.01	0.80	70	41	111	8.8	1.15	0.88	4	51	1	3
Martley	11,800	86	102	4	7	199	16.9	1.03	1.08	57	52	109	9.2	0.97	0.78	6	30	3	6
Pershore	16,440	127	150	7	9	293	17.8	1.05	1.16	104	89	193	11.7	1.02	1.04	5	17	3	4
Tenbury	5,360	38	43	3	1	85	15.9	1.08	1.07	27	27	61	11.4	0.96	0.95	3	35	3	1
Upton upon Severn	14,830	90	77	4	1	172	11.6	1.34	0.97	116	127	243	16.4	0.63	0.90	5	29	4	1

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths		
		Legitimate		Illegitimate		Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate			Number	Rate per 1,000 Live Births
		M.	F.	M.	F.														
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)			(13)	(14)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
YORKSHIRE, EAST RIDING:																			
..	519,000	4,275	4,090	240	191	8,796	16.9	1.01	1.06	3,099	2,703	5,802	11.2	1.08	1.05	230	26	150	212
Kingston upon Hull C.B.	300,500	2,653	2,543	173	144	5,513	18.3	0.96	1.09	1,757	1,388	3,145	10.5	1.24	1.13	161	29	104	134
Administrative County ..	218,500	1,622	1,547	67	47	3,283	15.0	1.09	1.02	1,342	1,315	2,657	12.2	0.90	0.95	69	21	46	78
Municipal Boroughs and Urban Districts	108,900	824	741	29	20	1,614	14.8	1.07	0.98	732	762	1,494	13.7	0.85	1.01	37	23	26	30
Beverley M.B.	15,570	138	125	6	2	271	17.4	1.00	1.08	101	106	207	13.3	0.98	1.13	7	26	5	7
Bridlington M.B.	24,780	150	118	7	8	283	11.4	1.13	0.80	195	225	420	16.9	0.75	1.10	6	21	3	4
Driffield	6,930	48	49	1	1	99	14.3	0.97	0.86	47	46	93	13.4	0.74	0.86	3	30	2	2
Filey ..	4,790	25	21	—	—	48	10.0	1.05	0.65	36	31	67	14.0	0.93	1.13	1	21	1	1
Haltemprice ..	39,370	344	298	7	5	654	16.6	1.10	1.13	239	250	489	12.4	0.85	0.92	16	24	12	9
Hedon M.B.	2,220	24	14	—	—	38	17.1	1.00	1.06	9	9	18	8.1	1.01	0.71	—	13	—	1
Horsea ..	5,440	28	44	3	1	76	14.0	1.13	0.98	37	36	73	13.4	0.73	0.85	—	—	1	2
Norton ..	4,820	32	36	1	1	70	14.5	1.09	0.98	29	22	51	10.6	1.01	0.93	—	—	2	2
Withernsea ..	4,980	35	36	2	2	75	15.1	1.09	1.02	39	37	76	15.3	0.83	1.10	—	—	2	2
Rural Districts ..	109,600	798	806	38	27	1,669	15.2	1.11	1.05	610	553	1,163	10.6	0.96	0.88	32	19	20	48
Beverley ..	21,880	162	175	2	2	341	15.6	1.15	1.11	108	120	228	10.4	0.95	0.86	3	9	—	8
Bridlington ..	9,380	59	68	1	2	130	13.9	1.12	0.97	54	44	98	10.4	0.96	0.87	2	15	—	1
Derwent ..	13,750	95	95	3	3	194	14.1	1.05	0.92	84	73	157	11.4	0.76	0.75	6	31	2	1
Driffield ..	11,030	67	80	6	2	155	14.1	1.13	0.99	57	46	103	9.3	1.02	0.83	4	26	2	7
Holderness ..	19,950	151	137	10	8	306	15.3	1.14	1.08	122	89	211	10.6	0.96	0.88	8	26	7	6
Howden ..	11,780	95	83	9	6	193	16.4	1.08	1.10	60	49	109	9.3	0.91	0.74	2	10	1	12
Norton ..	7,990	59	54	4	1	118	16.0	1.07	1.06	53	45	98	13.3	1.02	1.18	2	17	2	2
Pocklington ..	14,440	110	114	3	5	232	16.1	1.07	1.07	72	87	159	11.0	0.97	0.93	5	22	4	3
YORKSHIRE, NORTH RIDING:	537,600	4,906	4,531	226	238	9,901	18.4	1.03	1.18	3,200	2,881	6,081	11.3	1.10	1.08	296	30	216	265
..	151,000	1,729	1,592	85	98	3,504	23.2	0.95	1.37	949	774	1,723	11.4	1.22	1.21	126	36	88	99
Middlesbrough C.B. ..																			

Administrative County ..	3,177	2,939	141	140	6,397	16.5	1.06	1.09	2,251	2,107	4,358	11.3	1.06	1.04	170	129	166
Municipal Boroughs and Urban Districts...	1,816	1,699	103	85	3,703	17.7	1.01	1.11	1,287	1,244	2,531	12.1	1.05	1.10	105	28	166
Eston ..	34,890	379	25	20	838	24.0	0.95	1.42	204	133	337	9.7	1.40	1.18	28	77	96
Guiseborough ..	9,630	102	93	2	198	20.6	0.98	1.25	60	44	104	10.8	1.09	1.02	7	35	25
Loftus ..	7,660	64	1	1	141	18.4	1.00	1.14	47	52	99	12.9	1.15	1.29	3	21	6
Malton ..	4,160	28	1	1	56	13.5	1.09	0.91	29	22	51	12.3	0.98	1.05	1	18	1
Northallerton ..	6,160	41	2	2	87	14.1	1.00	0.88	34	37	71	11.5	1.10	1.10	1	11	4
Pickering ..	25	32	—	3	60	14.3	1.14	1.01	28	31	59	14.0	0.92	1.12	—	—	1
Redcar M.B. ..	28,310	224	21	12	464	16.4	1.03	1.05	177	150	327	11.6	1.13	1.14	11	24	9
Richmond M.B. ..	6,040	55	4	2	123	20.4	1.00	1.27	32	30	62	10.3	1.14	1.02	5	41	—
Saltburn and Marske-by-the-Sea ..	9,570	86	8	—	195	20.4	0.96	1.22	44	49	93	9.7	1.03	0.87	2	10	4
Scaaby ..	6,470	34	2	—	68	10.5	1.14	0.74	42	54	96	14.8	0.76	0.98	3	44	2
Scarborough M.B. ..	43,510	245	24	20	562	12.9	1.06	0.85	294	363	657	15.1	0.81	1.06	15	27	19
Skelton and Brotton ..	12,810	103	3	4	204	15.9	1.02	1.01	90	70	160	12.5	1.17	1.27	7	34	34
Thornaby-on-Tees M.B. ..	23,910	242	8	13	508	21.2	0.94	1.24	111	110	221	9.2	1.42	1.14	15	30	12
Whitby ..	11,480	99	2	6	199	17.3	1.06	1.14	95	99	194	16.9	0.83	1.22	7	35	5
Rural Districts ..	1,361	1,240	38	55	2,694	15.2	1.13	1.07	964	863	1,827	10.3	1.06	0.95	65	24	70
Aysgarth ..	3,390	22	14	1	39	11.5	1.13	0.81	32	25	57	16.8	0.83	1.21	1	26	1
Bedale ..	8,390	75	65	2	145	17.3	1.14	1.22	44	42	86	10.3	1.09	0.98	1	7	—
Croft ..	2,320	14	—	1	31	13.4	0.95	0.79	10	15	25	10.8	1.25	1.17	2	65	1
Easingwold ..	11,560	95	72	2	170	14.7	1.10	1.00	59	44	103	8.9	1.03	0.80	1	35	3
Flaxton ..	23,090	189	153	7	352	15.3	1.08	1.03	120	136	256	11.1	0.85	0.82	6	17	8
Helmsley ..	5,360	28	26	1	58	10.8	1.34	0.90	31	23	54	10.1	1.10	0.97	—	—	1
Kirkbymoorside ..	4,930	28	34	1	63	12.8	1.14	0.91	39	20	59	12.0	0.89	0.93	1	16	1
Leyburn ..	6,380	43	39	2	86	13.5	1.10	0.92	35	31	66	10.3	0.97	0.87	1	12	1
Malton ..	5,550	40	2	—	78	14.1	1.14	1.00	25	29	54	9.7	0.97	0.82	2	26	3
Masham ..	14	10	—	7	24	14.7	1.18	1.08	17	10	27	16.6	0.89	1.28	3	125	1
Northallerton ..	1,630	73	5	1	144	16.7	1.04	1.08	46	46	92	10.7	0.98	0.91	3	21	3
Pickering ..	8,000	36	32	—	70	13.8	1.20	1.03	33	35	68	13.4	0.84	0.98	3	43	9
Reeth ..	5,090	11	—	1	23	12.7	1.12	0.88	9	15	24	12.2	0.83	0.88	—	—	1
Richmond ..	1,970	11	—	4	449	16.3	1.26	1.28	125	55	180	6.5	1.61	0.91	14	31	12
Scarborough ..	7,630	38	2	7	93	12.2	1.20	0.91	41	52	93	12.2	0.87	0.92	1	11	1
Startforth ..	5,120	46	2	—	73	12.3	1.26	1.12	25	18	43	8.4	1.16	0.85	1	14	2
Spillstoe ..	19,660	188	2	5	364	17.3	0.67	1.11	102	91	193	9.8	1.10	0.94	10	27	1
Tosky ..	10,660	97	6	2	262	12.0	1.08	1.01	75	67	142	10.1	1.01	0.89	4	19	8
Wath ..	3,830	30	—	1	63	13.4	1.38	1.41	15	11	26	6.8	1.65	0.98	2	32	1
Whitby ..	11,640	75	—	6	156	13.4	1.21	1.01	81	98	179	15.4	0.84	1.12	4	26	9
YORKSHIRE WEST RIDING:	28,998	27,237	1,336	1,350	58,921	16.3	1.00	1.01	22,490	20,679	43,169	12.0	1.08	1.13	1,463	25	1,415
*County Boroughs ..	1,979,610	14,690	829	883	31,983	16.2	1.00	1.01	12,533	11,700	24,233	12.2	1.08	1.15	752	24	757
Barnsley ..	75,360	613	18	23	1,308	17.4	0.99	1.07	219	383	802	10.6	1.24	1.14	33	25	36
Bradford ..	287,000	2,428	160	182	4,982	17.4	0.90	1.08	2,010	2,358	4,057	14.1	0.98	1.20	144	29	131
Dewsbury ..	53,190	483	21	19	935	17.6	1.01	1.10	357	358	725	13.6	1.02	1.21	19	20	34
Doncaster ..	83,680	681	46	41	1,354	16.2	0.94	0.95	523	300	913	15.5	1.15	1.09	46	34	26
Halifax ..	95,430	697	703	56	1,503	15.7	1.02	0.99	713	769	1,462	10.5	0.88	1.19	28	19	32

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths		
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate			Number	Rate per 1,000 Live Births
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
YORKSHIRE, WEST RIDING—contd.																			
County Boroughs—contd.																			
Huddersfield ..	127,600	931	924	57	56	1,968	15.4	1.05	1.00	871	855	1,726	13.5	1.01	1.19	39	20	29	51
*Leeds ..	509,790	3,978	3,890	253	282	8,403	16.5	0.98	1.00	2,924	2,897	5,821	11.4	1.14	1.13	207	25	150	183
Rotherham ..	83,350	704	673	23	25	1,425	17.1	1.04	1.04	521	382	903	10.8	1.17	1.10	36	25	22	36
Sheffield ..	498,500	3,703	3,557	144	146	7,550	15.1	1.01	0.95	3,164	2,621	5,785	11.6	1.13	1.14	154	20	119	158
Wakefield ..	59,590	485	424	21	17	947	15.9	1.04	1.03	382	354	736	12.1	0.95	1.02	21	22	12	25
*York ..	106,120	837	696	39	36	1,608	15.2	0.97	0.92	639	644	1,283	12.1	0.91	0.96	25	16	17	37
*Administrative County ..	1,624,390	13,417	12,547	507	467	26,938	16.6	1.01	1.04	9,957	8,979	18,936	11.7	1.09	1.11	711	26	509	658
Municipal Boroughs and Urban Districts																			
Adwick le Street ..	1,172,300	9,394	8,764	366	331	18,955	16.1	1.01	1.01	7,560	6,978	14,538	12.4	1.04	1.12	478	25	344	454
Aireborough ..	18,530	140	157	5	5	333	18.0	0.97	1.08	99	82	181	9.8	1.42	1.21	6	18	4	5
Baildon ..	27,510	192	169	2	3	360	13.1	1.14	0.93	225	205	430	15.6	0.78	0.96	8	30	9	4
Barnoldswick ..	10,860	58	69	2	3	132	12.2	1.07	0.81	59	61	120	10.0	1.03	0.97	4	24	2	—
Batley M.B. ..	10,860	91	76	1	2	170	15.7	1.09	1.06	56	58	114	10.5	1.00	0.91	4	24	2	12
Bentley with Arksey ..	39,730	297	313	14	24	648	16.3	1.01	1.02	297	286	583	13.9	1.09	1.32	19	24	13	16
Bingley ..	21,710	220	222	8	12	462	21.3	0.93	1.23	128	86	214	9.9	1.46	1.26	15	32	13	14
Brighouse M.B. ..	21,670	143	141	6	7	297	13.7	1.05	0.89	165	156	321	14.8	1.00	1.29	8	27	5	6
Brighton M.B. ..	30,500	247	185	11	10	453	14.9	1.05	0.97	182	194	376	12.3	0.99	1.06	9	20	3	5
Castleford M.B. ..	41,690	319	292	12	10	633	15.2	0.97	0.92	242	183	425	10.2	1.32	1.17	20	32	12	20
Colne Valley ..	21,340	165	143	8	2	318	14.9	1.06	0.98	150	132	282	13.2	1.02	1.17	11	35	9	7
Conisbrough ..	17,540	173	175	6	6	360	20.5	0.96	1.22	94	64	158	9.0	1.41	1.10	8	22	6	11
Cudworth ..	8,830	90	77	2	2	171	19.4	0.96	1.16	54	34	88	10.0	1.37	1.19	5	29	5	1
Darfield ..	6,500	67	52	2	1	122	18.8	1.00	1.17	42	18	60	9.2	1.24	0.99	2	16	1	1
Darton ..	14,630	104	103	6	2	215	14.7	0.98	0.89	91	70	161	11.0	1.34	1.28	5	23	5	5
Deane ..	26,940	299	282	6	8	595	22.1	0.95	1.30	155	111	266	9.9	1.49	1.28	20	34	12	12
Denby Dale ..	9,540	61	74	1	3	139	14.6	1.10	1.00	71	65	136	14.2	1.00	1.23	4	29	1	1
Denholme ..	2,640	22	22	1	1	46	17.4	1.09	1.18	19	19	38	14.4	0.97	1.21	2	43	1	—
Dodworth ..	4,200	30	34	—	1	65	15.5	0.98	0.94	26	19	45	10.7	1.41	1.31	1	15	1	3
Earby ..	5,170	51	39	1	1	92	17.8	1.07	1.18	25	26	51	9.9	1.06	0.91	4	43	3	1
Elland ..	18,830	130	115	5	1	251	13.3	1.05	0.87	124	143	267	14.2	0.96	1.19	4	16	3	4

(7)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Featherstone ..	14,410	152	117	—	2	271	18.8	0.94	1.10	86	62	148	10.3	1.39	1.24	6	22	6	7
Garforth ..	13,360	121	127	—	2	252	18.9	1.02	1.20	69	66	135	10.1	1.18	1.04	5	20	4	9
Goole M.B. ..	13,420	169	136	10	2	337	17.4	0.97	1.05	165	108	273	14.1	0.66	0.81	8	24	7	7
Harrogate M.B.	52,220	380	323	30	17	750	14.4	1.04	0.93	327	393	720	13.8	0.80	0.96	18	24	15	24
Hebden Royd ..	8,760	11	52	6	1	130	13.3	1.11	0.92	65	76	141	14.4	0.86	1.08	4	31	3	4
Heckmondwike ..	8,620	84	62	1	2	130	17.3	0.93	1.13	56	56	141	12.4	1.06	1.14	4	27	2	5
Hensworth ..	4,010	135	141	6	2	287	20.5	0.93	1.13	132	113	267	19.1	0.62	1.03	9	31	6	12
Holmfirth ..	18,890	133	129	5	4	271	14.3	1.08	0.96	160	170	350	17.5	0.70	1.07	5	18	5	6
Horbury ..	8,260	50	59	—	—	109	13.2	1.00	0.82	52	50	102	12.3	1.01	1.08	—	—	—	7
Horsforth ..	15,000	116	101	—	3	220	14.7	1.01	0.92	80	78	168	11.2	1.06	1.03	8	36	6	9
Hoyland Nether ..	13,810	124	126	5	1	256	16.2	0.98	0.89	85	68	153	9.7	1.10	1.00	10	37	7	4
Ilkley ..	17,250	112	118	1	2	230	13.3	1.08	0.89	116	143	259	15.0	0.73	0.95	4	19	4	5
Keighley M.B. ..	55,320	444	385	16	20	865	15.6	1.00	0.97	408	407	815	14.7	1.00	1.28	24	28	19	13
Kirkburton ..	17,700	111	112	4	2	229	12.9	1.29	1.03	180	190	370	20.9	0.50	0.91	5	22	5	10
Knatesborough ..	8,570	71	55	6	2	138	16.1	0.93	0.93	54	40	94	11.0	0.87	0.87	4	29	3	7
Kingsthorpe ..	10,800	104	92	5	4	205	19.0	0.90	1.06	59	44	103	9.5	1.44	1.19	6	27	4	8
Leeds M.B. ..	13,940	158	122	4	10	294	21.1	0.89	1.17	63	28	91	6.5	1.65	0.93	8	27	1	5
Meltham ..	5,150	29	32	3	—	64	12.4	1.04	0.80	34	26	60	11.7	1.00	1.02	1	16	—	—
Mexborough ..	18,710	134	133	5	4	276	14.8	0.97	0.89	119	79	198	10.6	1.29	1.19	10	36	2	7
Miffield ..	11,840	104	70	1	3	178	15.0	1.01	0.94	94	69	163	13.8	1.04	1.15	2	12	1	5
Morley M.B. ..	39,630	322	289	12	15	638	16.1	1.03	1.04	253	239	492	12.4	1.14	1.23	7	14	6	19
Normanton ..	18,570	151	151	7	3	312	16.8	1.01	1.03	108	81	189	10.2	1.21	1.07	11	22	8	10
Ossett M.B. ..	14,480	156	110	7	2	245	16.9	1.03	1.08	81	91	172	11.9	1.15	1.19	1	16	3	7
Osley ..	11,340	97	72	3	1	173	15.3	1.04	0.99	59	87	146	12.9	1.03	1.16	2	12	2	5
Penistone ..	6,630	58	53	1	2	114	17.2	1.02	1.09	34	30	64	9.7	1.01	0.85	1	9	1	6
Pontefract M.B. ..	24,620	255	224	15	15	509	20.7	0.97	1.25	135	105	240	9.7	1.26	1.06	7	14	6	19
Pudsey M.B. ..	32,000	229	248	6	9	492	15.4	1.01	0.97	180	211	391	12.2	1.09	1.16	11	22	8	10
Queensbury and Shelf ..	8,890	76	82	3	4	165	18.6	0.96	1.11	70	54	124	13.9	1.05	1.27	1	6	1	4
Rainmarsh ..	19,660	198	167	6	3	374	19.0	0.99	1.17	105	87	192	9.8	1.27	1.08	7	19	6	17
Raton M.B. ..	10,100	89	75	6	8	178	17.6	0.97	1.06	59	79	138	13.7	0.88	1.05	5	28	4	3
Ripponden ..	5,070	40	31	3	2	76	15.0	1.08	1.01	35	44	79	15.6	1.00	1.36	2	26	1	3
Rothwell ..	24,850	170	194	4	8	376	15.1	1.04	0.98	193	213	406	16.3	0.71	1.01	6	16	3	6
Royston ..	8,270	77	64	2	—	143	17.3	0.97	1.04	46	25	71	8.6	1.36	1.02	5	35	3	3
Saddleshworth ..	16,640	126	76	4	5	211	12.7	1.10	0.87	104	119	223	13.4	0.95	1.11	4	19	2	7
Selby ..	10,230	77	76	3	2	158	15.4	1.00	0.96	61	49	110	10.8	0.98	0.92	7	44	6	4
Shipley ..	31,910	224	230	12	10	476	14.9	1.01	0.93	198	186	384	12.0	1.08	1.13	15	32	13	11
Slisden ..	5,360	43	43	1	1	88	16.4	0.92	0.94	26	33	59	11.0	1.18	1.13	1	11	1	2
Skipton ..	13,100	100	100	5	2	207	15.8	1.06	1.04	133	103	236	18.0	0.56	0.88	3	14	3	—
Sowerby Bridge ..	18,170	155	134	10	6	305	16.8	1.01	1.05	114	133	247	13.6	1.01	1.19	8	26	4	5
Spenborough M.B. ..	36,560	237	246	6	11	500	13.7	1.04	0.88	222	247	469	12.8	1.01	1.12	14	28	11	12
Stanley ..	16,780	104	129	4	7	244	14.5	0.98	0.88	88	82	170	10.1	1.23	1.08	5	20	4	8
Stocksbridge ..	10,340	88	88	3	2	181	17.5	0.98	1.07	50	37	87	8.4	1.29	0.94	6	33	5	2
Swinton ..	12,470	106	99	4	2	211	16.9	0.96	1.01	73	44	117	9.4	1.25	1.02	2	9	1	10
Tickhill ..	2,560	14	20	—	—	34	13.3	1.00	0.83	11	12	23	9.0	1.02	0.80	—	—	—	1
Todmorden M.B. ..	18,190	123	106	5	4	238	13.1	1.05	0.85	134	144	278	15.3	0.95	1.26	3	13	2	6
Wath upon Dearne ..	14,930	112	129	5	2	248	17.6	0.97	1.06	86	59	145	10.3	1.22	1.09	10	40	5	3
Wombwell ..	18,990	159	158	8	5	330	17.4	1.00	1.08	99	71	170	9.0	1.28	1.00	9	27	7	5
Worsbrough ..	14,500	137	111	5	3	256	17.7	1.00	1.10	70	63	133	9.2	1.37	1.10	7	27	5	5

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths				
		Legitimate			Illegitimate			Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	Total	Crude Rate per 1,000 Home Population			Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births
		M.		F.	M.		F.														
		(3)	(4)	(5)	(6)	(7)	(8)														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)		
YORKSHIRE, WEST RIDING—contd.																					
*Rural Districts ..	452,090	4,023	3,783	141	136	8,083	17.9	1.00	1.11	2,397	2,001	4,398	9.7	1.23	1.04	233	29	165	204		
Bowland ..	4,870	36	36	—	—	72	14.8	1.19	1.09	26	29	55	11.3	1.00	0.98	3	42	2	1		
Doncaster ..	57,420	618	576	20	30	1,244	21.7	0.97	1.31	260	226	486	8.5	1.46	1.08	42	34	24	34		
Goole ..	9,150	72	65	4	1	142	15.5	0.98	0.94	38	38	76	8.3	1.08	0.78	4	28	4	2		
Hensworth ..	51,260	598	485	24	17	1,124	21.9	0.98	1.33	209	169	378	7.4	1.46	0.94	27	24	21	27		
Hepton ..	4,000	29	23	1	1	54	13.5	1.10	0.92	26	27	53	13.3	0.99	1.14	—	—	—	1		
Kiveton Park ..	18,740	208	203	11	7	429	22.9	0.98	1.39	108	67	175	9.3	1.15	0.93	12	28	7	16		
Nidderdale ..	16,250	111	95	6	5	217	13.4	1.25	1.04	81	80	161	9.9	1.06	0.91	3	14	3	3		
Osgodcross ..	7,820	60	59	3	1	123	15.7	1.00	0.98	50	46	96	12.9	1.13	1.27	4	33	3	6		
Penistone ..	7,320	59	51	1	2	113	15.4	1.08	1.03	46	36	82	11.2	1.15	1.12	4	35	4	3		
Ripon and Pateley Bridge ..	14,370	89	69	2	3	163	11.3	1.23	0.86	71	59	130	9.0	1.07	0.84	3	18	2	6		
Rotherham ..	55,460	578	553	14	19	1,164	21.0	0.91	1.19	278	218	496	8.9	1.51	1.17	37	32	29	33		
Sedburgh ..	3,830	26	29	—	—	55	14.4	1.24	1.11	24	20	44	11.5	0.99	0.90	2	36	2	—		
Selby ..	6,610	48	44	1	5	98	14.8	1.09	1.00	42	32	74	11.2	1.08	1.03	1	10	—	4		
Settle ..	14,040	99	106	2	3	210	15.0	1.09	1.02	96	94	190	13.5	0.96	1.13	1	5	1	7		
Skipton ..	24,040	170	171	7	8	356	14.8	1.06	0.97	151	154	305	12.7	0.97	1.07	8	22	6	1		
*Tadcaster ..	27,150	220	200	11	8	439	16.2	1.03	1.04	162	128	290	10.7	1.11	1.03	15	34	12	10		
Thorne ..	34,170	334	364	11	11	720	21.1	0.97	1.27	162	130	292	8.5	1.56	1.15	25	35	15	18		
Wakefield ..	19,860	166	170	2	6	344	17.3	0.96	1.03	122	72	194	9.8	1.30	1.11	12	33	11	16		
Wetherby ..	22,400	145	144	5	3	297	13.3	1.01	0.83	106	114	220	9.8	1.11	0.95	10	34	8	8		
Wharfedale ..	6,250	37	45	4	—	86	13.8	1.01	0.87	33	34	67	10.7	1.10	1.02	2	23	1	2		
Wortley ..	47,080	320	295	12	6	633	13.4	1.01	0.84	306	223	529	11.2	1.02	0.99	18	28	10	8		
WALES (including Monmouthshire)																					
ANGLESEY:	51,990	400	384	22	24	830	16.0	1.09	1.08	368	390	758	14.6	0.85	1.08	20	24	11	23		
Municipal Borough and Urban Districts	20,280	163	152	10	11	336	16.6	1.00	1.03	133	123	256	12.6	0.96	1.05	10	30	4	11		

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Amlwch	3,000	19	22	1	1	43	14.3	1.10	0.98	16	17	33	11.0	0.86	0.82	1	23	—	1
Beaumaris M.B. ..	2,220	13	14	2	3	32	14.4	1.02	0.91	10	18	28	12.6	0.85	0.93	—	31	—	2
Holyhead	10,330	83	67	7	5	162	15.7	1.00	0.98	79	69	148	14.3	0.99	1.23	5	42	2	4
Llangefni	2,670	32	37	—	2	71	26.6	0.88	1.45	12	15	27	10.1	1.13	0.99	3	36	1	2
Menai Bridge	2,060	16	12	—	—	28	13.6	1.00	0.84	16	4	20	9.7	0.89	0.75	1	36	1	2
Rural Districts ..	31,710	237	232	12	13	494	15.6	1.16	1.12	235	267	502	15.8	0.79	1.09	10	20	7	12
Aethwy	10,720	86	74	4	5	169	15.8	1.18	1.16	82	83	165	15.4	0.83	1.11	2	12	2	4
Twrcelyn	8,440	53	50	1	1	105	12.4	1.22	0.94	62	54	116	13.7	0.85	1.01	5	48	4	4
Valley	12,550	98	108	7	7	220	17.5	1.11	1.21	91	130	221	17.6	0.72	1.10	3	14	1	4
BRECKNOCKSHIRE:	56,300	403	390	10	15	818	14.5	1.06	0.95	372	318	690	12.3	1.00	1.07	18	22	15	19
Municipal Borough and Urban Districts	16,220	111	109	2	3	225	13.9	1.03	0.89	110	106	216	13.3	0.94	1.09	6	27	5	10
Brecknock M.B. ..	6,370	42	35	1	1	99	15.5	1.04	1.00	43	40	83	13.0	0.90	1.02	2	20	2	2
Brynmawr	6,380	49	38	—	2	94	13.2	1.00	0.82	42	52	74	22.7	1.10	1.11	4	48	3	4
Builth Wells	1,540	11	8	—	—	22	14.3	1.07	0.95	14	21	35	15.7	0.83	1.64	—	—	—	2
Fay	1,420	5	2	1	—	14	9.9	1.13	0.69	7	9	16	11.3	0.62	0.91	—	—	—	—
Llanwryd Wells ..	510	4	2	—	—	6	11.8	1.16	0.85	4	4	8	15.7	0.68	0.63	—	—	—	—
Rural Districts ..	40,080	292	281	8	12	593	14.8	1.07	0.98	262	212	474	11.8	1.02	1.05	12	20	10	9
Brecknock	3,430	27	25	2	3	107	14.4	1.15	1.03	48	31	79	10.6	0.94	0.87	1	9	1	1
Builth	7,300	73	61	—	—	199	14.0	1.24	1.08	47	44	71	8.9	0.89	0.69	—	—	—	2
Crickhowell	7,980	73	61	—	5	139	19.2	1.12	1.02	42	33	73	9.4	1.02	0.83	1	8	1	1
Fay	3,640	23	24	2	—	49	13.5	1.30	1.09	40	34	74	20.3	0.58	1.02	2	41	2	2
Vaynor and Penderyn ..	6,050	53	45	2	—	102	13.9	0.98	1.03	45	24	69	11.1	1.15	1.14	5	49	4	1
Ystradgynlais	11,490	74	79	2	2	157	13.7	0.98	0.83	80	66	146	12.7	1.28	1.41	3	19	2	1
CAERNARVONSHIRE:	122,100	799	720	47	37	1,603	13.1	1.10	0.90	956	881	1,837	15.0	0.87	1.13	37	23	29	39
Municipal Boroughs and Urban Districts	71,340	482	436	31	25	974	13.7	1.07	0.91	559	506	1,065	14.9	0.86	1.11	19	20	15	20
Bangor M.B.	13,740	96	85	4	6	191	13.9	0.96	0.83	83	74	157	11.4	1.05	1.04	4	21	4	3
Bethesda	4,250	28	33	1	2	64	15.1	1.12	1.05	22	36	58	13.6	0.98	1.06	1	16	—	—
Betws-y-Coed	750	2	—	—	1	10	13.3	1.00	0.83	12	12	18	24.0	0.99	2.05	—	—	—	—
Caernarvon M.B. ..	9,210	91	63	6	4	164	17.8	1.00	1.11	67	60	127	13.8	0.99	1.09	3	18	3	6
Conway M.B.	10,530	73	71	2	4	150	14.2	1.16	1.02	92	87	179	17.0	0.68	1.01	3	20	3	3
Criceth	1,490	10	9	3	—	22	14.8	1.08	0.99	14	8	22	14.8	0.76	0.98	—	—	—	—
Llandudno	16,820	95	97	13	8	213	12.7	1.05	0.83	127	112	239	14.2	0.81	1.00	7	33	4	2
Llanfairfechan	3,010	15	7	1	—	23	7.6	1.19	0.56	31	18	49	16.3	0.81	1.15	—	—	—	2
Pennamawr	3,950	22	17	1	—	40	10.1	1.23	0.77	32	21	53	13.4	0.71	0.83	—	—	—	1
Pwllheli	3,860	24	20	—	—	44	11.4	1.04	0.74	39	34	73	18.9	0.84	1.38	1	23	1	3
Pwllheli M.B.	3,730	21	32	—	—	53	14.2	1.10	0.97	46	44	90	24.1	0.65	1.36	—	—	—	—

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS				DEATHS										Deaths under 1 year		Stillbirths	
		Legitimate		Illegitimate		TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	TOTAL	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate	Number	Rate per 1,000 Live Births		
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
CAERNARVONSHIRE—contd.																			
Rural Districts	50,760	317	284	16	12	629	12.4	1.14	0.88	397	375	772	15.2	0.83	1.16	18	29	14	19
Gwynfa	22,710	141	126	7	5	279	12.3	1.13	0.86	202	178	380	16.7	0.91	1.32	8	29	7	10
Lleyn	16,940	97	89	5	2	193	11.4	1.14	0.81	115	113	228	13.5	0.84	0.99	7	36	5	7
Nant Conway	6,220	37	32	3	2	74	11.9	1.14	0.84	39	33	72	11.6	0.96	0.97	1	14	1	2
Ogwen	4,890	42	37	1	3	83	17.0	1.14	1.20	41	51	92	18.8	0.76	1.24	2	24	1	—
CARDIGANSHIRE:	53,400	356	304	12	10	682	12.8	1.14	0.91	409	360	769	14.4	0.81	1.01	10	15	6	16
Municipal Boroughs and Urban Districts	18,020	127	105	2	2	236	13.1	1.09	0.89	131	134	265	14.7	0.77	0.98	2	8	1	3
Aberayron	1,170	9	4	—	—	13	17.1	1.33	0.92	6	13	19	16.2	0.65	0.92	—	—	—	—
Aberystwyth M.B.	10,400	62	51	—	—	116	11.2	1.08	0.75	77	70	147	14.1	0.74	0.91	—	9	—	3
Cardigan M.B.	3,530	34	34	—	—	68	19.3	1.00	1.20	20	23	43	17.9	1.00	1.06	—	—	—	—
Lampeter M.B.	1,960	15	10	—	—	25	12.8	1.03	0.82	15	20	35	17.6	0.70	1.09	—	—	—	—
New Quay	960	7	6	—	1	14	14.6	1.49	1.35	13	8	21	21.9	0.66	1.26	1	71	1	—
Rural Districts	35,380	229	199	10	8	446	12.6	1.17	0.92	278	226	504	14.2	0.83	1.02	8	18	5	13
Aberayron	9,280	59	51	5	1	116	12.5	1.17	0.91	62	58	120	12.9	0.84	0.94	2	17	2	2
Aberystwyth	10,610	69	70	2	2	143	13.5	1.17	0.98	89	81	170	14.8	0.77	0.93	3	21	1	6
Telfside	10,380	83	55	1	4	143	13.8	1.18	1.01	81	76	157	15.1	0.84	1.10	2	14	1	2
Tregaron	5,110	18	23	2	1	44	8.6	1.18	0.63	46	33	79	15.5	0.85	1.15	1	23	1	3
CARMARTHENSHIRE:	170,300	1,178	1,105	36	39	2,358	13.8	1.02	0.87	1,283	1,054	2,337	13.7	1.02	1.22	70	30	48	70
Municipal Boroughs and Urban Districts	68,500	435	412	14	10	871	12.7	1.01	0.80	558	508	1,066	15.6	0.87	1.18	17	20	13	23
Ammanford	6,680	36	34	1	1	72	15.8	1.01	0.68	40	40	104	15.6	1.03	1.40	4	56	4	2
Burry Port	6,030	45	42	3	2	92	15.3	0.96	0.91	112	129	243	20.8	0.13	1.16	1	17	1	1
Carmarthen M.B.	11,860	81	75	4	1	161	13.6	1.05	0.89	119	124	243	20.5	0.63	1.12	3	19	1	6
Cwmaman	4,290	29	20	—	—	49	11.4	0.99	0.70	30	27	57	13.3	1.05	1.21	1	20	1	4

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Kidwelly M.B.	3,010	15	23	1	1	40	13.3	0.98	0.81	32	16	48	15.9	1.19	1.65	1	25	1	
a) Llandello	1,840	12	11	—	—	35	13.6	1.08	0.71	16	18	34	18.5	0.89	1.43	—	65	2	1
Llanvory M.B.	1,950	12	11	—	—	31	15.3	1.23	0.71	19	10	39	9.7	1.04	0.88	2	13	3	9
Llanelli M.B.	32,110	194	192	3	5	394	12.3	0.59	0.78	240	236	476	14.8	0.86	1.11	5	15	—	
Newcastle Emlyn	730	4	3	—	—	7	9.6	1.30	0.78	6	8	14	19.2	0.75	1.25	—	—	—	
Rural Districts	101,800	743	693	22	29	1,487	14.6	1.03	0.93	725	546	1,271	12.5	1.10	1.20	53	36	35	47
Carmarthen	28,260	217	207	4	4	436	15.4	1.05	1.00	188	164	352	12.5	1.12	1.22	18	21	12	10
(a) Llanelli	25,470	160	154	6	3	323	12.7	1.04	0.82	192	142	332	13.1	1.05	1.15	20	26	12	10
Llanelli	39,600	312	275	9	12	608	15.4	0.98	0.94	271	180	451	14.1	1.22	1.21	20	33	11	23
Newcastle Emlyn	8,470	54	57	3	6	120	14.2	1.15	1.01	74	60	134	15.8	0.84	1.15	6	50	6	2
DENBIGHSHIRE:	169,500	1,218	1,234	48	54	2,554	15.1	1.05	0.98	1,185	1,211	2,396	14.1	0.96	1.18	59	23	38	66
Municipal Boroughs and Urban Districts	78,560	534	577	24	30	1,165	14.8	1.08	0.99	587	688	1,275	16.2	0.82	1.16	33	28	20	30
Aberystwyth	7,270	44	41	3	3	90	12.4	1.10	0.85	55	73	128	17.6	1.10	1.24	2	22	1	2
Colwyn Bay M.B.	22,020	112	129	3	9	253	11.5	1.21	0.86	181	258	439	19.9	0.65	1.12	8	32	5	4
Denbigh M.B.	7,850	45	57	—	6	108	13.8	1.24	1.06	102	111	213	27.1	0.48	1.13	1	24	1	3
Llangollen	3,140	16	16	—	1	39	12.4	1.02	0.79	19	34	53	16.9	0.87	1.28	2	51	2	2
Llanrwst	2,640	13	21	2	—	36	13.6	1.16	0.98	26	22	48	18.2	0.82	1.30	2	56	1	2
Ruthin M.B.	3,670	19	26	1	1	47	12.8	1.06	0.84	30	23	53	14.4	0.87	1.09	—	—	—	1
Wrexham M.B.	31,970	279	287	15	11	592	18.5	0.97	1.11	174	167	341	10.7	1.15	1.07	16	27	10	16
Rural Districts	90,940	684	657	24	24	1,389	15.3	1.03	0.98	598	523	1,121	12.3	1.10	1.18	26	19	18	36
Aled	6,930	47	34	2	3	86	12.4	1.10	0.85	40	36	76	11.0	1.07	1.02	—	—	—	2
Ceiriog	7,380	52	62	2	1	117	15.9	1.09	1.08	51	38	89	12.1	1.03	1.08	—	—	—	2
Hirwaio	5,040	47	29	1	1	78	15.5	1.15	1.11	31	19	50	9.9	0.93	0.80	2	26	1	3
Ruthin	9,430	67	73	1	4	145	15.4	1.02	0.98	63	57	120	12.7	1.00	1.10	1	7	1	3
Wrexham	62,160	471	459	18	15	963	15.5	1.00	0.96	413	373	786	12.6	1.16	1.27	23	24	16	26
FLINTSHIRE:	147,200	1,148	1,076	41	36	2,301	15.6	1.06	1.03	928	766	1,694	11.5	1.05	1.05	57	25	42	46
Municipal Borough and Urban Districts	73,360	555	532	19	20	1,126	15.3	1.04	0.99	495	438	933	12.7	1.02	1.13	29	26	22	25
Buckley	7,710	61	46	1	1	109	14.1	0.94	0.91	53	41	94	12.2	1.12	1.19	4	37	3	2
Connaught Quay	7,670	50	54	4	5	113	14.7	0.95	0.87	47	22	69	9.0	1.38	1.08	2	18	1	4
Flint M.B.	14,230	121	118	4	1	244	17.1	0.98	1.04	86	63	149	10.5	1.34	1.22	7	29	5	6
Holywell	8,230	74	62	1	1	141	17.1	1.01	1.07	45	49	94	11.4	1.16	1.15	4	28	3	4
Mold	6,550	45	53	3	2	103	15.7	1.01	0.98	35	32	67	10.2	1.16	1.03	3	29	2	3
Presstyn	9,380	62	61	1	2	126	13.4	1.23	1.02	78	77	155	16.5	0.68	0.98	2	16	2	3
Rhyl	19,590	142	138	5	5	290	14.8	1.08	0.99	151	154	305	15.6	0.84	1.14	7	24	6	3
Rural Districts	73,840	593	544	22	16	1,175	15.9	1.08	1.07	433	328	761	10.3	1.09	0.98	28	24	20	21
Hawarden	35,890	294	283	12	8	597	16.6	1.02	1.05	186	126	312	8.7	1.26	0.95	11	18	9	12
Holywell	22,130	176	158	7	5	346	15.6	1.11	1.08	142	134	276	12.5	0.95	1.03	11	32	8	6
(b) Maerlog	4,800	44	32	1	—	77	16.0	1.00	0.99	44	20	64	13.3	0.84	0.97	—	—	—	3
St. Asaph	11,020	79	71	2	3	155	14.1	1.23	1.08	61	48	109	9.9	0.99	0.85	6	39	—	—

(a) Change in name from Llandillo to Llandello, 27th February, 1957.
 (b) The figures for this area include 20 deaths (18M., 2F.) in a Polish General Hospital, which could not be transferred to the area of residence.

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS				DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths				
		Legitimate		Illegitimate		Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local to National Rate	M.		F.	Total	Crude Rate per 1,000 Home Population			Comparability Factor	Ratio of local to National Rate		
		M.	F.	M.	F.														
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
GLAMORGANSHIRE:	1,213,500	10,081	9,577	340	348	20,346	16.8	0.98	1.02	8,174	6,570	14,744	12.1	1.12	1.18	600	29	421	513
County Boroughs	472,900	4,105	3,797	171	182	8,255	17.5	0.97	1.05	3,105	2,554	5,659	12.0	1.09	1.14	220	27	158	207
Cardiff	251,300	2,257	2,144	110	121	4,632	18.4	0.94	1.07	1,529	1,269	2,798	11.1	1.12	1.08	104	22	78	100
Merthyr Tydfil	59,300	521	437	13	19	990	16.7	1.00	1.04	439	364	803	13.5	1.09	1.28	37	37	25	27
Swansea	162,300	1,327	1,216	48	42	2,633	16.2	1.00	1.01	1,137	921	2,058	12.7	1.05	1.16	79	30	55	80
Administrative County	740,600	5,976	5,780	169	166	12,091	16.3	0.99	1.00	5,069	4,016	9,085	12.3	1.14	1.22	380	31	263	306
Municipal Boroughs and Urban Districts	535,500	4,353	4,210	124	129	8,816	16.5	0.99	1.01	3,670	2,912	6,582	12.3	1.15	1.23	290	33	202	228
Aberdare	40,100	296	307	4	8	615	15.3	1.03	0.98	339	242	581	14.5	1.03	1.30	23	37	18	17
Barry M.B.	42,020	365	369	9	21	764	18.2	0.96	1.09	248	216	464	11.0	1.10	1.05	28	37	20	12
Brigend	14,810	146	130	—	5	278	18.8	0.95	1.11	92	81	173	11.7	1.08	1.10	13	47	8	7
Caeprilly	37,330	337	310	16	1	668	17.9	0.95	1.06	199	153	352	9.4	1.35	1.10	21	31	15	12
Cowbridge M.B.	1,010	5	6	—	1	12	11.9	1.04	0.77	5	6	11	10.9	1.04	0.99	—	—	—	—
Gelligaer	36,260	311	339	17	8	675	18.6	1.03	1.19	242	163	405	11.2	1.26	1.23	22	33	14	14
*Glyncorrwg	9,750	117	87	1	4	209	21.4	0.98	1.30	60	47	107	11.0	1.43	1.37	6	29	5	5
Llanwchr	25,860	177	172	2	1	352	13.6	1.02	0.86	161	128	289	11.2	1.17	1.14	6	17	5	12
*Maesteg	22,640	188	174	4	4	370	16.3	1.00	1.01	147	124	271	12.0	1.27	1.33	11	30	10	14
Mountain Ash	30,590	256	253	5	4	518	16.3	0.99	1.04	244	167	411	13.4	1.21	1.41	23	44	15	18
Neath M.B.	31,170	240	192	6	6	444	14.2	0.93	0.82	207	172	379	12.2	1.13	1.20	13	29	7	6
Ogmore and Garw	22,180	165	167	3	4	339	15.3	1.00	0.95	158	98	256	11.5	1.21	1.21	10	29	4	11
Pentarth	19,200	159	142	4	11	316	16.5	0.99	1.01	124	108	232	12.1	0.92	0.97	11	35	9	4
Pontypridd	37,590	268	302	7	6	583	15.5	0.96	0.92	305	222	527	14.0	1.09	1.33	17	29	11	15
Portcawl	10,310	63	64	3	3	133	12.9	1.02	0.82	68	72	140	13.6	0.85	1.01	6	45	5	2
Port Talbot M.B.	47,780	437	425	19	16	897	18.8	0.97	1.13	270	235	505	10.6	1.29	1.19	35	39	22	32
Rhondda M.B.	106,900	823	771	24	25	1,643	15.4	0.98	0.94	801	678	1,479	13.8	1.16	1.39	45	27	34	47
Rural Districts	205,100	1,623	1,570	45	37	3,275	16.0	1.03	1.02	1,399	1,104	2,503	12.2	1.08	1.15	90	27	61	78
Cardiff	39,180	316	272	9	4	601	15.3	1.07	1.02	293	268	561	14.3	0.82	1.02	14	23	10	11
Cowbridge	19,310	178	172	2	9	361	18.7	1.11	1.29	83	65	148	7.7	0.72	1.17	8	22	5	8
Gower	11,920	98	92	6	1	197	16.5	1.05	1.08	88	71	159	13.3	0.91	1.05	4	18	1	1
Llantrisant and Llantwit Fardre	25,780	218	232	4	8	462	17.9	0.96	1.07	154	108	262	10.2	1.28	1.14	14	30	10	20
Neath	41,370	309	309	5	3	626	15.1	0.98	0.92	241	185	426	10.3	1.27	1.14	15	24	13	14

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Penybont	35,660	284	286	12	10	592	16.6	1.04	1.07	291	233	524	14.7	0.90	1.15	19	32	11	14
Pontardawe	31,880	220	207	7	2	436	13.7	1.01	0.86	249	174	423	13.3	1.09	1.26	12	28	6	10
MERIONETHSHIRE:	39,080	263	240	14	14	531	13.6	1.21	1.02	259	286	545	13.9	0.93	1.12	9	17	5	17
Urban Districts	16,970	126	102	5	3	236	13.9	1.14	0.98	121	110	231	13.6	0.93	1.10	3	13	1	8
Bala	1,560	18	8	—	—	26	16.7	1.08	1.12	10	11	19	13.5	0.88	1.03	—	—	—	—
Barmouth	2,310	13	10	—	—	23	10.0	1.09	0.68	17	19	36	15.6	0.76	1.03	—	—	—	—
Dolgellau	2,480	18	18	—	—	37	14.9	1.02	0.94	20	15	35	14.1	1.03	1.26	—	—	—	—
Ffestiniog	6,490	52	44	—	—	98	15.1	1.11	1.04	45	47	92	14.2	0.99	1.22	1	10	1	2
Town.. ..	4,130	25	22	4	1	52	12.6	1.27	0.99	29	18	47	11.4	0.91	0.90	2	38	—	2
Rural Districts	22,110	137	138	9	11	295	13.3	1.26	1.04	138	176	126	14.2	0.92	1.14	6	20	4	9
Deudraeth	6,600	38	44	2	4	88	13.7	1.07	0.97	58	68	134	19.1	0.80	1.33	1	11	1	2
Dolgellau	8,670	44	40	2	4	90	10.4	1.48	0.96	44	57	101	11.6	1.02	1.03	1	11	—	4
Edeyrnion	4,090	34	36	1	2	73	17.8	1.12	1.24	24	35	59	14.4	0.85	1.06	4	55	3	2
Penlllyn	2,750	21	18	4	1	44	16.0	1.10	1.09	12	16	28	10.2	0.99	0.88	—	—	—	1
MONMOUTHSHIRE:	429,900	3,615	3,298	102	110	7,125	16.6	1.00	1.03	2,892	2,215	5,107	11.9	1.14	1.18	230	32	166	231
Newport C.B.	104,700	847	739	17	39	1,642	15.7	0.97	0.95	662	548	1,210	11.6	1.18	1.19	58	35	44	64
Administrative County	325,200	2,768	2,559	85	71	5,483	16.9	1.01	1.06	2,230	1,667	3,897	12.0	1.12	1.17	172	31	122	167
Municipal Boroughs and Urban Districts	276,500	2,347	2,150	76	61	4,634	16.8	1.01	1.05	1,999	1,406	3,315	12.0	1.16	1.21	155	33	107	153
Abercarn	18,390	184	144	3	3	334	18.0	0.99	1.11	134	93	227	12.2	1.22	1.29	18	54	14	11
Aberdare	8,980	70	59	1	1	131	14.6	1.00	0.91	58	54	112	12.5	0.97	1.05	9	69	5	2
Aberglavenny M.B.	26,380	209	207	6	7	429	16.1	1.03	1.03	196	143	339	12.8	1.15	1.28	9	21	8	13
Aberlleville	9,710	92	76	4	3	175	18.0	0.95	1.06	55	32	87	9.0	1.26	0.99	3	17	1	4
Bedwas and Machen	28,000	271	232	9	8	520	18.6	1.01	1.17	199	133	332	11.9	1.34	1.39	15	29	12	25
Bedwelly
Blaenavon	9,230	56	62	3	—	121	13.1	1.05	0.85	75	47	122	13.2	1.14	1.31	4	33	1	5
Caerleon	3,980	19	19	2	1	41	10.3	1.08	0.69	32	26	58	14.6	0.52	0.66	1	24	1	2
Chepstow	3,910	50	53	2	1	106	17.9	1.00	1.11	38	21	59	10.0	0.82	0.71	3	28	2	2
Cwmbran	19,220	246	199	7	7	459	23.9	0.82	1.22	104	90	194	10.1	1.39	1.22	8	17	6	16
Edw Vale	28,350	221	217	14	2	454	16.0	1.05	1.04	204	141	345	12.2	1.23	1.30	21	46	13	23
Monmouth M.B.	5,710	37	43	2	4	86	15.1	1.01	0.95	38	42	80	14.0	0.91	1.11	3	35	2	2
Mynddirlwyn	15,440	126	136	2	3	267	17.4	1.00	1.08	89	67	156	10.2	1.34	1.19	6	22	4	6
Nantyglo and Blaen.. ..	11,030	87	98	4	5	194	17.6	1.05	1.15	61	69	150	13.7	1.11	1.31	6	31	5	5
Pontypool	40,610	305	268	9	8	590	14.5	1.03	0.93	264	211	475	11.7	1.11	1.13	21	36	16	17
Rhymney	8,790	64	72	1	2	139	15.3	1.03	1.01	99	35	104	11.8	1.16	1.13	8	58	4	5
Risca	14,580	103	106	3	2	208	17.3	1.01	1.01	92	89	181	12.4	1.08	1.16	4	19	3	4
Tredegarr	20,210	195	157	4	3	359	17.8	1.00	1.11	173	102	275	13.6	1.16	1.17	16	45	10	10
Usk	1,680	12	8	—	1	21	12.5	1.09	0.85	8	11	19	11.3	1.02	1.00	—	—	—	1

TABLE 12—continued

AREA	Estimated Home Population (Mid-1957)	LIVE BIRTHS						DEATHS						Deaths under 1 year		Deaths under 4 weeks	Stillbirths		
		Legitimate		Illegitimate		Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted birth rate to National Rate	M.	F.	Total	Crude Rate per 1,000 Home Population	Comparability Factor	Ratio of local adjusted death rate to National Rate			Number	Rate per 1,000 Live Births
		M.	F.	M.	F.														
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)			(13)	(14)
MONMOUTHSHIRE—contd.																			
Rural Districts	48,700	421	409	9	10	849	17.4	1.02	1.10	321	261	582	12.0	0.88	0.92	17	20	15	14
Aberavenny	8,660	57	63	1	3	124	14.3	1.27	1.13	94	79	173	20.0	0.43	0.75	2	16	2	2
Chepstow	10,740	99	83	3	2	187	17.4	1.02	1.10	60	46	106	9.9	1.09	0.94	3	16	3	3
Magor and St. Mellons	14,190	122	112	2	5	241	17.0	1.00	1.06	95	77	172	12.1	1.02	1.07	9	37	8	3
Monmouth	5,870	45	35	2	—	82	14.0	1.08	0.94	38	28	66	11.2	0.88	0.86	—	—	—	—
Pontypool	9,240	98	116	1	—	215	23.3	0.83	1.20	34	31	65	7.0	1.28	0.78	—	14	2	6
MONTGOMERYSHIRE:																			
Municipal Boroughs and Urban Districts	44,930	352	300	11	11	674	15.0	1.09	1.02	276	255	531	11.8	0.91	0.93	15	22	13	25
Llanfyllin M.B.	17,780	157	99	1	4	261	14.7	1.00	0.91	93	105	198	11.1	0.94	0.91	8	31	7	11
Llanidloes M.B.	1,310	8	10	—	—	18	13.7	1.17	1.00	6	10	16	12.2	0.86	0.91	—	—	2	—
Llanfyllin	2,330	18	15	—	—	34	14.6	1.03	0.93	18	10	28	12.0	0.83	0.87	3	167	—	—
Machynlleth	1,830	13	7	—	—	20	10.9	1.01	0.68	12	13	25	13.7	0.88	1.05	—	—	—	—
Montgomery M.B.	870	14	6	—	—	20	23.0	1.10	1.57	4	6	10	11.5	0.83	0.83	—	—	—	—
Newtown and Llanfllwchaearn	5,370	53	25	—	1	79	14.7	0.97	0.89	25	32	57	10.6	0.96	0.88	1	13	—	3
Welshpool M.B.	6,070	51	36	1	2	90	14.8	0.96	0.88	28	34	62	10.2	1.04	0.92	4	44	4	6
Rural Districts	27,150	195	201	10	7	413	15.2	1.15	1.09	183	150	333	12.3	0.90	0.96	7	17	6	14
Forden	5,220	49	41	3	3	94	18.0	1.11	1.24	40	22	62	11.9	0.71	0.73	3	32	2	2
Llanfyllin	9,790	61	67	5	3	136	13.9	1.17	1.01	70	56	126	12.9	0.96	1.08	1	7	1	2
Machynlleth	3,040	19	14	—	2	35	11.5	1.18	0.84	22	29	51	16.8	0.87	1.27	—	—	—	—
Newtown and Llanidloes	9,100	66	79	2	1	148	16.3	1.16	1.17	51	43	94	10.3	0.89	0.80	3	20	3	7
PEMBROKESHIRE:																			
Municipal Boroughs and Urban Districts	93,670	751	750	23	16	1,540	16.4	1.03	1.05	544	517	1,061	11.3	1.05	1.03	53	34	35	37
Fishguard and Goodwick	45,750	391	395	12	10	808	17.7	1.00	1.10	270	248	518	11.3	1.09	1.07	24	30	16	22
Haverfordwest M.B.	4,770	29	41	1	1	72	15.1	1.05	0.98	35	35	70	14.7	1.04	1.33	2	28	—	4
Milford Haven	8,210	97	87	2	1	182	22.8	0.91	1.29	43	44	87	10.6	1.13	1.04	2	17	1	1
Milford Haven	12,140	98	107	4	3	212	17.5	1.01	1.10	64	56	120	9.9	1.44	1.24	6	28	4	8

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)
Narberth ..	1,060	5	8	—	1	14	13.2	1.01	0.83	4	7	11	10.4	0.98	0.89	2	143	—	1
Neyland ..	2,250	18	13	—	—	33	14.7	1.03	0.94	14	7	21	9.3	1.00	0.81	7	30	—	6
Pembroke M.B. ..	12,910	108	108	2	4	222	17.2	1.03	1.10	78	64	142	11.5	1.00	0.96	7	32	5	3
Tenby M.B. ..	4,410	36	31	1	—	68	15.4	1.01	0.97	32	35	67	15.2	0.85	1.12	4	59	4	—
Rural Districts ..	47,920	360	355	11	6	732	15.3	1.06	1.01	274	269	543	11.3	1.01	0.99	29	40	19	15
Cemaes ..	8,920	52	35	2	—	109	12.2	1.06	0.88	50	107	111	12.4	0.90	0.97	5	46	4	—
Haverfordwest ..	22,690	185	181	6	4	376	16.6	1.00	1.03	135	117	252	11.1	1.15	1.11	16	43	9	11
Narberth ..	9,930	82	77	2	—	162	16.3	1.12	1.33	61	64	125	12.6	0.89	0.98	7	43	6	2
Pembroke ..	6,380	41	42	1	1	85	13.3	1.06	0.88	28	27	55	8.6	1.01	0.76	1	12	—	1
RADNORSHIRE:																			
Urban Districts ..	19,130	147	127	4	5	283	14.8	1.15	1.06	121	106	227	11.9	0.89	0.92	5	18	5	—
Knighiton ..	6,320	49	36	2	1	88	13.9	1.01	0.87	46	47	93	14.7	0.80	1.02	2	23	2	—
Klandindod Wells ..	3,840	18	9	1	—	28	15.2	1.01	0.95	21	14	35	19.0	0.78	1.29	—	—	—	—
Presteigne ..	3,250	23	20	1	—	45	13.9	1.00	0.86	15	23	38	11.8	0.80	0.82	—	—	—	—
	1,260	8	7	—	—	15	17.9	1.08	0.80	10	10	20	15.9	0.88	1.22	2	133	2	—
Rural Districts ..	12,800	98	91	2	4	195	15.2	1.23	1.16	75	59	134	10.5	0.94	0.86	3	15	3	—
Colwyn ..	1,590	7	6	—	1	14	8.9	1.21	0.67	6	7	13	8.2	0.98	0.70	—	—	—	—
Knighiton ..	3,020	19	25	1	—	45	14.9	1.23	1.14	13	9	22	7.3	1.03	0.65	1	22	—	—
New Radnor ..	2,180	19	20	—	1	40	18.3	1.19	1.35	15	12	27	12.4	0.90	0.97	1	25	1	—
Paincastle ..	1,800	10	14	1	1	26	14.4	1.19	1.06	14	10	24	13.3	0.90	1.04	—	—	—	—
Rhayader ..	4,220	43	26	—	1	70	16.6	1.27	1.31	27	21	48	11.4	0.91	0.90	1	14	1	—

TABLE 13 —Deaths by Sex at each year of Age } **England and Wales**
(with Marital Condition), 1957

Included in this Table are 687 cases (322 Males and 365 Females) in which the age of deceased was not definitely stated ; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case. The deaths of divorced men and women are included with the deaths of widowed.

See Explanatory notes on page vi.

Age last birthday	Persons	MALES					FEMALES				
		Total	Single	Married	Widowed	Not stated	Total	Single	Married	Widowed	Not stated
All Ages.	514870	266407	37196	156421	62925	9865	248463	47881	78287	122169	126
0-4	19274	10994	10994	—	—	—	8280	8280	—	—	—
0	16720	9591	9591	—	—	—	7129	7129	—	—	—
1	1039	569	569	—	—	—	470	470	—	—	—
2	576	297	297	—	—	—	279	279	—	—	—
3	511	281	281	—	—	—	230	230	—	—	—
4	428	256	256	—	—	—	172	172	—	—	—
5-9	1426	849	849	—	—	—	577	577	—	—	—
5	349	208	208	—	—	—	141	141	—	—	—
6	290	167	167	—	—	—	123	123	—	—	—
7	258	150	150	—	—	—	108	108	—	—	—
8	261	161	161	—	—	—	100	100	—	—	—
9	268	163	163	—	—	—	105	105	—	—	—
10-14	1306	789	789	—	—	—	517	517	—	—	—
10	291	183	183	—	—	—	108	108	—	—	—
11	193	111	111	—	—	—	82	82	—	—	—
12	273	154	154	—	—	—	119	119	—	—	—
13	270	171	171	—	—	—	99	99	—	—	—
14	279	170	170	—	—	—	109	109	—	—	—
15-19	1897	1276	1160	11	—	105	621	582	37	—	2
15	285	190	190	—	—	—	95	95	—	—	—
16	328	224	224	—	—	—	104	104	—	—	—
17	388	248	248	—	—	—	140	135	5	—	—
18	464	314	308	4	—	2	150	142	8	—	—
19	432	300	190	7	—	103	132	106	24	—	2
20-24	2312	1562	836	193	2	531	750	394	350	3	3
20	483	341	206	14	1	120	142	97	44	—	1
21	480	332	178	28	1	125	148	92	55	1	—
22	455	313	182	28	—	103	142	71	70	—	1
23	442	296	146	50	—	100	146	57	89	—	—
24	452	280	124	73	—	83	172	77	92	2	1
25-29	2661	1604	549	632	9	414	1057	336	706	14	1
25	504	311	118	94	3	96	193	77	114	1	1
26	542	327	116	120	1	90	215	78	135	2	—
27	502	306	111	114	—	81	196	67	127	2	—
28	543	333	105	145	3	80	210	61	144	5	—
29	570	327	99	159	2	67	243	53	186	4	—
30-34	3586	2019	515	1105	20	379	1567	313	1215	36	3
30	594	341	93	176	2	70	253	47	204	1	1
31	655	368	91	191	1	85	287	73	205	8	—
32	738	416	97	246	2	71	322	63	255	4	—
33	751	433	118	233	3	79	318	55	250	12	1
34	848	461	116	259	12	74	387	75	301	11	—
35-39	5488	3027	626	1916	51	434	2461	399	1957	103	2
35	996	563	115	357	6	85	433	83	329	21	—
36	1181	658	145	389	12	112	523	81	423	19	—
37	1187	660	138	414	17	91	527	82	425	19	1
38	1044	565	111	375	10	69	479	70	393	16	—
39	1080	581	117	381	6	77	499	83	387	28	1
40-44	8501	4780	719	3434	123	504	3721	571	2938	207	5
40	1192	645	112	426	13	94	547	101	422	24	—
41	1476	805	127	565	23	90	671	109	525	37	—
42	1755	991	155	698	25	113	764	101	620	41	2
43	1975	1122	158	824	26	114	853	123	671	57	2
44	2103	1217	167	921	36	93	886	137	700	48	1
45-49	14729	8698	1186	6633	262	617	6031	965	4603	456	7
45	2362	1356	186	1020	39	111	1006	159	782	63	2
46	2628	1530	220	1131	43	136	1098	154	861	80	3
47	2876	1692	239	1298	45	110	1184	206	894	82	2
48	3281	1916	256	1478	67	115	1365	212	1046	107	—
49	3582	2204	285	1706	68	145	1378	234	1020	124	—

TABLE 13—continued

Age last birth-day	Persons	MALES					FEMALES				
		Total	Single	Married	Widowed	Not stated	Total	Single	Married	Widowed	Not stated
50-54	23821	14937	1709	11805	658	765	8884	1447	6413	1018	6
50	3962	2345	285	1854	81	125	1617	262	1187	167	1
51	4078	2511	302	1967	99	143	1567	261	1154	151	1
52	4800	3008	321	2400	126	161	1792	296	1305	189	2
53	5277	3381	391	2675	151	164	1896	312	1338	246	—
54	5704	3692	410	2909	201	172	2012	316	1429	265	2
55-59	34960	22418	2223	17851	1444	900	12542	1966	8205	2365	6
55	5808	3827	439	3031	198	159	1981	289	1394	296	2
56	7054	4540	474	3626	249	191	2514	379	1710	424	1
57	7422	4743	467	3783	299	194	2679	438	1730	509	2
58	7042	4475	423	3555	329	168	2567	408	1641	518	—
59	7634	4833	420	3856	369	188	2801	452	1730	618	1
60-64	46268	28068	2357	21895	2868	948	18200	2833	10198	5161	8
60	8033	4896	410	3887	413	186	3137	474	1891	767	5
61	8193	5044	435	3991	450	168	3149	505	1834	809	1
62	9332	5652	478	4465	540	169	3680	587	2065	1027	1
63	9887	5866	499	4492	664	211	4021	618	2212	1191	—
64	10823	6610	535	5060	801	214	4213	649	2196	1367	1
65-69	60939	35228	2824	25753	5616	1035	25711	3890	11741	10070	10
65	11115	6640	572	4965	887	216	4475	687	2264	1522	2
66	11097	6460	471	4898	919	172	4637	714	2239	1683	1
67	12300	7050	519	5196	1119	216	5250	806	2380	2061	3
68	12743	7323	636	5234	1233	220	5420	803	2376	2239	2
69	13684	7755	626	5460	1458	211	5929	880	2482	2565	2
70-74	76555	40156	3328	26172	9634	1022	36399	5385	12405	18594	15
70	14190	7813	635	5453	1512	213	6377	944	2472	2955	6
71	14165	7496	617	5093	1609	177	6669	975	2466	3227	1
72	15744	8317	727	5452	1940	198	7427	1104	2598	3722	3
73	16095	8304	670	5196	2222	216	7791	1109	2490	4190	2
74	16361	8226	679	4978	2351	218	8135	1253	2379	4500	3
75-79	83248	39719	3149	21315	14270	985	43529	6623	9948	26928	30
75	16503	8274	688	4813	2566	207	8229	1203	2253	4770	3
76	17092	8269	666	4615	2783	205	8823	1360	2227	5230	6
77	16497	7794	637	4206	2760	191	8703	1363	1945	5384	11
78	16607	7748	598	3933	3018	199	8859	1293	1876	5684	6
79	16549	7634	560	3748	3143	183	8915	1404	1647	5860	4
80-84	71751	30781	2187	12592	15255	747	40970	6529	5564	28864	13
80	16177	7127	552	3268	3116	191	9050	1466	1564	6017	3
81	15129	6594	490	2851	3110	143	8535	1370	1289	5872	4
82	14905	6398	472	2574	3192	160	8507	1364	1141	5999	3
83	13276	5647	346	2135	3033	133	7629	1137	888	5603	1
84	12264	5015	327	1764	2804	120	7249	1192	682	5373	2
85-89	39887	14889	948	4285	9295	361	24998	4132	1721	19135	10
85	10516	4168	277	1355	2434	102	6348	1041	537	4768	2
86	9362	3634	248	1093	2190	103	5728	942	459	4326	1
87	7933	2960	185	794	1911	70	4973	822	331	3819	1
88	6552	2301	145	611	1498	47	4251	726	234	3286	5
89	5524	1826	93	432	1262	39	3698	601	160	2936	1
90-94	13472	4003	216	757	2929	101	9469	1706	261	7498	4
90	4317	1418	83	277	1013	45	2899	514	97	2286	2
91	3309	998	49	199	727	23	2311	424	73	1814	—
92	2473	733	38	127	551	17	1740	306	47	1386	1
93	1922	487	23	89	365	10	1435	283	27	1125	—
94	1451	367	23	65	273	6	1084	179	17	887	1
95-99	2574	587	28	71	471	17	1987	390	25	1571	1
95	1029	269	11	48	198	12	760	152	11	597	—
96	677	148	8	8	132	—	529	106	7	416	—
97	447	95	6	8	79	2	352	65	4	282	1
98	260	46	3	4	37	2	214	45	1	168	—
99	161	29	—	3	25	1	132	22	2	108	—
100 and over	215	23	4	1	18	—	192	46	—	146	—

**TABLE 14—Constructed Analysis of 1957 Deaths
by Age and Marital Condition**

} England and Wales

Note.—In this table the deaths of unstated marital condition in each age group (which are shown separately in Table 13) have been distributed proportionately amongst those of stated condition in the age group.

Age Groups	Persons	MALES				FEMALES			
		Total	Single	Married	Widowed	Total	Single	Married	Widowed
All Ages	514870	266407	38926	162823	64658	248463	47902	78335	122226
0-4	19274	10994	10994	—	—	8280	8280	—	—
5-9	1426	849	849	—	—	577	577	—	—
10-14	1306	789	789	—	—	517	517	—	—
15-19	1897	1276	1264	12	—	621	584	37	—
20-24	2312	1562	1267	292	3	750	396	351	3
25-29	2661	1604	740	852	12	1057	336	707	14
30-34	3586	2019	634	1360	25	1567	314	1217	36
35-39	5488	3027	731	2237	59	2461	399	1959	103
40-44	8501	4780	804	3839	137	3721	572	2942	207
45-49	14729	8698	1277	7139	282	6031	966	4608	457
50-54	23821	14937	1801	12442	694	8884	1448	6417	1019
55-59	34960	22418	2316	18598	1504	12542	1967	8209	2366
60-64	46268	28068	2440	22660	2968	18200	2834	10203	5163
65-69	60939	35228	2909	26533	5786	25711	3891	11746	10074
70-74	76555	40156	3415	26855	9886	36399	5387	12410	18602
75-79	83248	39719	3229	21857	14633	43529	6627	9955	26947
80-84	71751	30781	2241	12905	15635	40970	6531	5566	28873
85-89	39887	14889	972	4391	9526	24998	4133	1722	19143
90-94	13472	4003	221	777	3005	9469	1707	261	7501
95-99	2574	587	29	73	485	1987	390	25	1572
100 and over	215	23	4	1	18	192	46	—	146

TABLE 15—Deaths at Different Ages, 1957

England and Wales, Standard Regions, Wales,
Conurbations, London A.C., City of London,
Metropolitan and County Boroughs.

Urban and Rural Aggregates in each Adminis-
trative County.

See Explanatory notes on page vi.

Age	Sex	England & Wales	Northern			East and West Ridings			North Western			
			Total	Tyneside Conurbation	Remainder	Total	West Yorkshire Conurbation	Remainder	Total	South East Lancashire Conurbation	Merseyside Conurbation	Remainder
All Ages	M	266,407	19,734	5,296	14,438	25,589	11,062	14,527	41,995	15,604	8,309	18,082
	F	248,463	17,107	4,575	12,532	23,382	11,057	12,325	40,233	15,266	7,719	17,248
Under 4 weeks	M	6,953	646	160	486	686	252	434	1,158	428	275	455
4 weeks	F	4,951	432	110	322	480	199	281	750	276	207	267
and under 3 months	M	1,068	112	30	82	105	37	68	204	69	59	76
	F	830	91	28	63	91	38	53	156	65	43	48
3-5 months	M	832	86	18	68	94	36	58	148	53	37	58
6-11 months	F	714	69	14	55	89	43	46	124	53	29	42
	M	738	58	16	42	78	28	50	137	46	32	59
	F	634	59	13	46	70	30	40	131	44	32	55
Total under 1 year	M	9,591	902	224	678	963	353	610	1,647	596	403	648
	F	7,129	651	165	486	730	310	420	1,161	438	311	412
1-	M	569	45	13	32	62	23	39	98	33	16	49
2-	F	470	44	8	36	40	14	26	65	23	17	25
	M	297	23	11	12	26	11	15	49	18	16	15
	F	279	31	5	26	29	10	19	36	14	8	14
3-	M	281	29	6	23	24	8	16	40	15	9	16
4-	F	230	16	4	12	28	8	20	47	17	10	20
	M	256	20	5	15	18	3	15	50	23	8	19
	F	172	17	4	13	12	4	8	34	7	10	17
Total under 5 years	M	10,994	1,019	259	760	1,093	398	695	1,884	685	452	747
	F	8,280	759	186	573	839	346	493	1,343	499	356	488
5-	M	849	65	14	51	90	44	46	134	53	23	58
10-	F	577	53	14	39	56	15	41	86	33	19	34
	M	789	56	12	44	75	28	47	111	37	24	50
	F	517	53	6	47	66	23	43	64	20	13	31
15-	M	1,276	109	27	82	86	28	58	142	48	28	66
20-	F	621	56	18	38	53	14	39	100	33	25	42
	M	1,562	135	27	108	144	56	88	199	68	44	87
	F	750	66	11	55	70	25	45	127	48	31	48
25-	M	1,604	123	43	80	166	60	106	234	82	49	103
30-	F	1,057	93	18	75	97	38	59	171	50	54	67
	M	2,019	184	45	139	204	79	125	300	104	60	136
	F	1,567	140	43	97	151	69	82	270	95	57	118
35-	M	3,027	285	75	210	282	118	164	520	203	130	187
40-	F	2,461	192	62	130	238	101	137	461	163	98	200
	M	4,780	407	111	296	473	212	261	793	318	154	321
	F	3,721	269	71	198	381	176	205	596	236	149	211
45-	M	8,698	709	210	499	876	379	497	1,471	543	288	640
50-	F	6,031	429	131	298	593	279	314	1,001	400	194	407
	M	14,937	1,183	340	843	1,432	647	785	2,610	1,018	550	1,042
	F	8,884	612	174	438	860	384	476	1,532	608	297	627
55-	M	22,418	1,640	480	1,160	2,262	1,057	1,205	3,963	1,582	790	1,591
60-	F	12,542	907	256	651	1,289	621	668	2,073	823	401	849
	M	28,068	2,046	581	1,465	2,935	1,320	1,615	4,684	1,716	985	1,983
	F	18,200	1,390	374	1,016	1,925	967	958	3,159	1,203	601	1,355
65-	M	35,228	2,636	737	1,899	3,443	1,543	1,900	5,955	2,229	1,112	2,614
70-	F	25,711	1,957	537	1,420	2,521	1,246	1,275	4,487	1,744	796	1,947
	M	40,156	2,824	731	2,093	3,940	1,694	2,246	6,329	2,314	1,241	2,774
	F	36,399	2,705	705	2,000	3,592	1,735	1,857	6,304	2,424	1,125	2,755
75-	M	39,719	2,857	771	2,086	3,770	1,594	2,176	6,008	2,217	1,125	2,666
80-	F	43,529	2,897	780	2,117	4,165	1,953	2,212	7,531	2,898	1,390	3,243
	M	30,781	2,192	537	1,655	2,838	1,211	1,627	4,326	1,613	776	1,937
	F	40,970	2,586	691	1,895	3,803	1,826	1,977	6,350	2,375	1,192	2,783
85 and over	M	19,502	1,264	296	968	1,480	594	886	2,332	774	478	1,080
	F	36,646	1,943	498	1,445	2,683	1,239	1,444	4,578	1,614	921	2,043

TABLE 15—continued

Age	Sex	North Mid- land	Midland			Eastern	London and South Eastern			South- ern	South Western
		Total	West Midlands Conurbation	Remainder		Total	Greater London	Remainder			
All Ages	M	19,765	25,803	12,828	12,975	18,976	62,299	45,233	17,066	15,984	18,495
	F	17,609	22,563	11,208	11,355	17,904	61,114	43,532	17,582	15,071	18,551
Under 4 weeks	M	545	764	365	399	460	1,371	1,030	341	428	412
4 weeks and under 3 months	F	404	579	289	290	348	1,007	763	244	266	334
	M	76	117	58	59	75	183	138	45	42	57
	F	64	81	41	40	51	148	111	37	48	42
3-5 months	M	77	89	49	40	51	149	118	31	43	45
6-11 months	F	61	70	34	36	53	128	92	36	32	37
	M	57	99	54	45	53	117	81	36	47	39
	F	45	77	40	37	41	100	70	30	40	31
Total under 1 year	M	755	1,069	526	543	639	1,820	1,367	453	560	553
	F	574	807	404	403	493	1,383	1,036	347	386	444
1-	M	34	54	18	36	54	114	86	28	29	44
	F	37	56	19	37	36	93	67	26	29	35
2-	M	21	21	13	8	31	57	43	14	21	20
	F	23	19	10	9	16	59	40	19	23	23
3-	M	21	28	15	13	26	57	38	19	15	26
	F	14	20	9	11	14	45	31	14	17	13
4-	M	24	24	6	18	26	46	32	14	14	14
	F	18	13	7	6	16	25	17	8	16	14
Total under 5 years	M	855	1,196	578	618	776	2,094	1,566	528	639	657
	F	666	915	449	466	575	1,605	1,191	414	471	529
5-	M	81	69	31	38	63	177	128	49	63	52
	F	54	53	28	25	47	112	75	37	30	44
10-	M	64	70	35	35	61	175	113	62	57	57
	F	38	68	37	31	33	115	80	35	23	30
15-	M	103	155	74	81	104	278	197	81	108	113
	F	63	69	31	38	47	124	89	35	44	22
20-	M	125	163	80	83	139	323	238	85	146	102
	F	62	79	35	44	39	162	116	46	42	47
25-	M	137	181	95	86	120	366	278	88	84	82
	F	69	109	57	52	78	239	180	59	57	73
30-	M	155	278	139	139	123	434	332	102	108	121
	F	117	144	70	74	110	364	286	78	78	91
35-	M	261	334	190	144	189	657	494	163	141	172
	F	202	237	136	101	161	567	438	129	125	133
40-	M	340	563	294	269	279	1,117	872	245	230	288
	F	281	394	190	204	216	936	731	205	197	224
45-	M	625	917	482	435	540	2,066	1,628	438	447	518
	F	451	576	284	292	435	1,491	1,136	355	301	381
50-	M	1,053	1,545	811	734	923	3,575	2,826	749	765	870
	F	640	845	425	420	589	2,189	1,669	520	484	586
55-	M	1,624	2,333	1,237	1,096	1,367	5,177	4,064	1,113	1,188	1,369
	F	944	1,198	650	548	817	2,999	2,276	723	619	859
60-	M	1,954	2,810	1,462	1,348	1,731	6,572	5,012	1,560	1,526	1,818
	F	1,236	1,721	859	862	1,157	4,259	3,154	1,105	969	1,225
65-	M	2,482	3,378	1,680	1,698	2,296	8,260	6,086	2,174	2,059	2,338
	F	1,849	2,340	1,211	1,129	1,745	5,926	4,295	1,631	1,399	1,838
70-	M	2,925	3,715	1,870	1,845	2,960	9,476	6,799	2,677	2,448	2,805
	F	2,652	3,231	1,616	1,615	2,467	8,497	6,091	2,406	2,057	2,672
75-	M	3,002	3,644	1,718	1,926	3,028	9,405	6,538	2,867	2,458	2,953
	F	3,066	3,887	1,928	1,959	3,089	10,422	7,263	3,159	2,667	3,195
80-	M	2,410	2,802	1,285	1,517	2,472	7,259	4,889	2,370	2,017	2,437
	F	2,754	3,715	1,818	1,897	3,117	10,517	7,286	3,231	2,638	3,179
85 and over	M	1,569	1,650	767	883	1,805	4,888	3,173	1,715	1,500	1,743
	F	2,465	2,982	1,384	1,598	3,182	10,590	7,176	3,414	2,870	3,423

TABLE 15—continued

Age	Sex	Wales (including Monmouthshire)			Conurbations	Areas outside conurbations				
		Total	Wales I (South East)	Wales II (Remainder)		Urban areas, with populations of 100,000 and over	Urban areas, with populations of 50,000 and under 100,000	Urban areas, with populations under 50,000	Rural Districts	
All Ages	M	17,767	12,721	5,046	98,332	35,391	20,603	60,714	51,367	
	F	14,929	10,157	4,772	93,357	32,559	19,863	56,495	46,189	
Under 4 weeks	M	483	385	98	2,510	974	536	1,579	1,354	
4 weeks and under 3 months	F	351	265	86	1,844	682	364	1,127	934	
	M	97	77	20	391	147	94	246	190	
	F	58	43	15	326	108	74	178	144	
3-5 months	M	50	38	12	311	122	76	192	131	
6-11 months	F	51	38	13	265	87	54	176	132	
	M	53	42	11	257	106	71	167	137	
	F	40	30	10	229	75	56	151	123	
Total under 1 year	M	683	542	141	3,469	1,349	777	2,184	1,812	
	F	500	376	124	2,664	952	548	1,632	1,333	
1-	M	35	28	7	189	63	46	120	151	
	F	35	24	11	148	62	42	107	111	
2-	M	28	21	7	112	35	18	55	77	
	F	20	16	4	87	32	20	74	66	
3-	M	15	11	4	91	33	27	72	58	
	F	16	12	4	79	31	24	45	51	
4-	M	20	17	3	77	32	27	59	61	
	F	7	6	1	49	22	10	44	47	
Total under 5 years	M	781	619	162	3,938	1,512	895	2,490	2,159	
	F	578	434	144	3,027	1,099	644	1,902	1,608	
5-	M	55	40	15	293	115	58	194	189	
	F	42	33	9	184	80	46	128	139	
10-	M	63	50	13	249	105	48	199	188	
	F	27	18	9	179	78	40	112	108	
15-	M	78	60	18	402	140	95	276	363	
	F	43	37	6	210	88	57	129	137	
20-	M	86	60	26	513	157	111	337	444	
	F	56	47	9	266	113	67	167	137	
25-	M	111	81	30	607	219	115	341	322	
	F	71	54	17	397	136	80	244	200	
30-	M	112	84	28	759	263	157	425	415	
	F	102	73	29	620	210	137	325	275	
35-	M	186	139	47	1,210	410	226	583	598	
	F	145	108	37	998	324	190	503	446	
40-	M	290	206	84	1,961	648	383	968	820	
	F	227	157	70	1,553	481	287	791	609	
45-	M	529	399	130	3,530	1,152	671	1,811	1,534	
	F	373	267	106	2,424	779	444	1,348	1,036	
50-	M	981	736	245	6,192	2,039	1,145	3,135	2,426	
	F	547	396	151	3,557	1,195	716	1,885	1,531	
55-	M	1,495	1,082	413	9,210	3,138	1,635	4,809	3,626	
	F	837	592	245	5,027	1,742	946	2,662	2,165	
60-	M	1,992	1,472	520	11,076	4,105	2,144	6,133	4,610	
	F	1,159	821	338	7,158	2,459	1,406	4,037	3,140	
65-	M	2,381	1,775	606	13,387	4,925	2,668	7,969	6,279	
	F	1,649	1,135	514	9,829	3,360	1,949	5,834	4,739	
70-	M	2,734	1,928	806	14,649	5,334	3,121	9,372	7,680	
	F	2,222	1,516	706	13,696	4,869	2,965	8,301	6,568	
75-	M	2,594	1,789	805	13,963	5,084	3,166	9,366	8,140	
	F	2,610	1,773	837	16,212	5,772	3,391	10,064	8,090	
80-	M	2,028	1,389	639	10,311	3,720	2,468	7,489	6,793	
	F	2,311	1,511	800	15,188	5,281	3,316	9,361	7,824	
85 and over	M	1,271	812	459	6,082	2,325	1,496	4,818	4,781	
	F	1,930	1,185	745	12,832	4,493	3,182	8,702	7,437	

TABLE 15—continued—London A.C., City of London, Metropolitan Boroughs

Age	Sex	London Administrative County	City of London	Battersea	Bermondsey	Bethnal Green	Camberwell	Chelsea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hammersmith & Fulham
All Ages	M	19,142	37	641	354	294	969	345	490	205	684	467	994	639	
	F	17,936	16	576	275	283	918	405	378	145	599	389	824	590	
Under 4 weeks	M	482	—	19	8	4	31	7	7	8	17	14	20	19	
4 weeks & under 3 months	F	377	2	15	4	3	20	6	3	3	21	12	18	20	
	M	71	1	2	—	—	5	—	1	—	2	3	3	1	
	F	53	—	—	1	—	2	1	—	1	4	—	2	1	
3-5 months	M	66	—	3	2	1	4	1	1	1	1	4	3	3	
6-11 months	F	42	—	—	3	1	4	1	—	2	1	2	1	1	
	M	38	—	2	1	—	3	—	1	—	—	1	2	2	
	F	31	—	—	1	1	1	—	—	1	1	—	4	1	
Total under 1 year	M	657	1	26	11	5	43	8	10	9	22	22	28	25	
	F	503	2	15	9	5	27	8	3	7	20	14	25	23	
1—	M	37	—	1	—	2	4	—	—	—	—	1	4	—	
	F	31	—	3	—	—	3	—	—	1	—	—	2	—	
2—	M	23	—	—	1	—	—	—	—	3	—	—	1	4	
	F	18	—	—	—	—	1	—	—	—	—	—	—	2	
3—	M	24	—	—	—	1	3	—	—	1	—	—	1	—	
	F	13	—	1	—	—	1	—	1	—	—	—	1	—	
4—	M	15	1	—	1	—	—	2	—	—	—	1	2	—	
	F	7	—	1	—	—	—	—	—	—	—	—	—	—	
Total under 5 years	M	756	2	27	13	8	51	8	10	13	20	25	36	27	
	F	572	2	20	9	5	32	10	4	8	27	15	29	27	
5—	M	46	—	1	1	—	3	1	1	1	—	2	3	2	
	F	29	—	2	—	—	2	—	1	—	1	1	5	—	
10—	M	33	—	—	—	—	1	—	—	1	2	2	4	1	
	F	36	—	2	—	—	4	1	2	—	2	2	1	—	
15—	M	79	1	1	4	1	3	3	2	—	2	2	6	3	
	F	34	—	3	—	—	—	—	2	—	1	2	—	—	
20—	M	112	—	2	1	3	6	1	3	1	8	6	6	7	
	F	50	—	1	—	—	1	1	1	—	3	2	2	4	
25—	M	121	—	5	—	—	3	2	1	3	3	2	4	4	
	F	70	1	4	3	2	3	—	—	1	2	3	4	3	
30—	M	149	—	9	—	1	6	4	4	3	2	5	7	5	
	F	138	—	4	3	1	8	—	4	4	4	5	6	3	
35—	M	242	—	6	5	9	14	4	4	1	9	7	15	12	
	F	183	—	8	3	1	15	3	7	1	6	4	7	7	
40—	M	384	1	14	5	3	15	4	6	—	22	10	31	17	
	F	310	3	8	3	9	10	7	4	2	11	8	20	12	
45—	M	698	1	26	11	7	32	10	32	6	26	13	28	24	
	F	471	—	14	11	6	23	5	11	3	16	13	27	14	
50—	M	1,158	3	37	23	18	61	17	31	15	45	26	72	32	
	F	620	1	21	10	11	32	10	12	3	15	12	33	31	
55—	M	1,728	6	60	35	31	72	21	45	23	69	56	99	67	
	F	933	2	22	13	15	46	14	15	12	40	21	42	37	
60—	M	2,102	3	65	45	36	108	28	40	23	88	65	119	75	
	F	1,307	1	33	16	23	69	21	17	18	38	20	70	46	
65—	M	2,573	6	84	52	45	140	32	74	32	99	52	133	84	
	F	1,828	—	59	38	32	118	36	38	11	66	33	104	57	
70—	M	2,936	9	99	66	43	160	51	79	35	116	60	158	113	
	F	2,593	3	89	48	46	144	47	63	18	91	53	119	86	
75—	M	2,797	3	88	44	43	149	64	80	19	85	56	124	87	
	F	3,004	2	85	47	47	157	64	69	27	89	76	136	93	
80—	M	2,017	2	82	27	36	91	52	54	12	53	50	101	50	
	F	2,960	—	107	34	52	140	80	70	22	98	52	122	86	
85 and over	M	1,211	—	35	21	11	54	43	24	17	35	28	48	29	
	F	2,798	1	94	34	33	114	106	58	15	90	67	97	84	

TABLE 15—continued—Metropolitan Boroughs

Age	Sex	Holborn	Islington	Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth	Westminster	Woolwich
Ages	M	156	1,228	799	1,240	1,296	603	381	593	794	336	625	679	252	2,314	497	772
	F	108	1,229	951	1,119	1,137	602	309	528	646	279	472	535	244	2,657	428	732
Under weeks & under 3 months	M	3	43	32	39	20	24	9	11	17	8	12	13	13	35	12	24
	F	1	26	26	33	18	20	5	10	15	2	14	16	8	23	6	17
	M	2	8	5	3	3	3	1	2	3	1	3	5	1	6	2	2
	F	—	4	5	2	4	2	2	—	5	1	2	4	—	3	2	4
3-5 months	M	1	3	3	5	2	2	3	1	2	3	1	5	2	6	—	2
	F	—	5	2	7	1	3	3	—	—	—	—	—	1	1	—	2
6-11 months	M	1	5	3	4	3	1	1	—	3	1	1	—	—	3	—	1
	F	1	—	3	4	2	—	—	1	1	—	3	2	—	2	1	1
Under 1 year	M	7	59	42	55	28	30	14	14	25	13	17	23	16	50	14	29
	F	2	35	36	43	25	24	10	11	22	3	20	22	9	29	9	24
1—	M	2	4	1	4	—	3	2	—	1	1	—	3	—	3	—	—
	F	—	2	3	2	1	1	—	—	1	—	2	—	—	5	—	—
2—	M	—	1	—	1	—	—	1	—	—	—	—	—	—	6	2	—
	F	—	7	2	—	2	2	—	—	—	1	1	3	—	—	—	—
3—	M	1	—	—	2	1	—	—	—	—	1	1	2	—	7	2	—
	F	—	1	1	—	—	1	—	—	—	—	—	1	—	2	—	—
4—	M	—	—	—	—	1	—	1	—	—	—	—	—	—	4	—	1
	F	—	—	1	1	1	—	—	—	—	—	—	—	—	2	—	1
Under 5 years	M	10	65	45	60	31	33	18	15	26	15	18	28	16	70	18	30
	F	2	45	41	48	29	28	10	11	23	4	23	26	9	38	9	25
5—	M	—	2	4	4	3	—	3	—	—	—	1	2	3	7	—	1
	F	2	—	—	3	2	—	—	1	—	1	—	1	—	7	—	—
10—	M	—	1	2	2	2	2	3	—	—	2	—	—	1	5	—	1
	F	—	—	—	1	2	1	—	1	—	—	1	2	—	9	1	4
15—	M	—	5	5	5	11	—	3	2	2	1	3	3	1	4	2	4
	F	2	1	2	3	3	2	—	—	—	2	1	2	—	3	2	1
20—	M	2	2	10	6	7	4	2	4	6	—	—	3	—	8	3	4
	F	1	3	2	2	6	4	1	1	2	—	—	1	2	5	1	1
25—	M	4	5	10	14	9	6	2	—	7	—	2	3	2	12	5	6
	F	1	4	1	4	2	6	3	2	2	2	3	—	—	8	—	—
30—	M	—	13	9	9	8	17	2	1	6	3	4	4	4	9	1	9
	F	1	10	5	11	12	6	3	3	8	2	4	1	1	17	4	7
35—	M	4	9	13	12	16	14	5	5	9	1	11	3	2	28	8	11
	F	1	13	10	12	7	11	4	5	4	4	1	6	1	25	5	9
40—	M	4	31	14	27	20	15	8	5	20	6	15	18	7	34	6	22
	F	2	19	11	13	21	15	5	13	13	3	12	11	6	37	11	8
45—	M	3	55	43	41	35	35	15	26	37	8	23	17	9	70	26	20
	F	3	33	25	41	28	22	8	12	13	5	11	8	8	59	12	17
50—	M	13	75	48	73	70	29	23	29	55	25	42	43	21	125	39	48
	F	3	43	34	43	34	20	14	13	21	6	15	20	10	94	17	20
55—	M	16	114	78	123	109	65	37	43	75	24	46	62	23	168	43	72
	F	9	59	39	60	60	37	18	26	39	14	24	25	13	126	33	50
60—	M	20	123	95	134	156	67	34	59	106	30	51	69	27	216	73	89
	F	8	86	80	84	89	55	26	33	52	16	23	40	16	174	41	60
65—	M	24	163	110	160	159	73	59	85	128	37	72	95	31	285	86	105
	F	12	117	102	113	124	48	39	42	68	32	42	69	26	226	43	75
70—	M	20	170	94	192	203	72	73	93	110	46	112	115	39	365	71	107
	F	18	177	118	147	152	74	49	70	106	35	63	74	46	405	69	119
75—	M	18	183	95	189	200	80	51	102	112	63	93	91	36	409	62	106
	F	14	221	147	187	176	100	48	96	122	47	81	80	31	475	60	114
80—	M	14	141	69	131	151	57	27	68	61	51	70	75	17	309	35	80
	F	24	208	161	195	189	83	49	103	80	48	75	84	42	495	64	108
85 and over	M	3	70	56	58	107	31	16	56	34	23	60	41	13	190	19	57
	F	5	190	174	153	201	90	32	96	92	58	93	74	33	454	54	114

TABLE 15—continued — County Boroughs

Age	Sex	Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Boole	Bournemouth	Bradford	Brighton	Bristol	Burnley
All Ages	M	419	464	440	928	6,484	804	1,114	1,098	445	1,040	2,010	1,139	2,586	5
	F	383	397	536	817	5,867	797	1,223	1,158	366	1,202	2,047	1,240	2,598	6
Under 4 weeks	M	10	11	10	25	192	14	14	25	23	26	48	25	49	
4 weeks & under 3 months	F	8	4	4	28	148	12	14	15	11	13	32	9	47	
	M	3	3	2	8	24	2	1	5	3	—	14	3	8	
	F	1	1	1	3	21	2	4	4	3	3	8	4	5	
3-5 months	M	2	1	2	4	24	4	4	3	2	1	12	1	6	
6-11 months	F	3	3	1	4	17	1	—	2	2	1	13	2	3	
	M	1	1	1	6	32	1	—	3	4	1	8	3	3	
	F	5	2	—	3	13	1	2	4	3	—	9	2	7	
Total under 1 year	M	16	16	15	43	272	21	19	36	32	28	82	32	66	
	F	17	10	6	38	199	16	20	25	19	17	62	17	62	
1—	M	1	—	—	3	7	2	—	5	1	1	9	3	5	
	F	4	1	2	—	7	—	1	1	1	1	3	3	2	
2—	M	—	—	—	2	5	—	—	1	1	2	3	3	2	
	F	1	—	—	—	7	1	1	3	1	—	5	1	3	
3—	M	1	—	1	3	7	1	1	1	1	—	3	1	1	
	F	1	1	—	1	5	2	—	2	2	1	—	—	—	
4—	M	—	1	—	1	3	—	—	1	—	—	—	—	2	
	F	—	—	—	2	3	1	—	1	—	4	2	—	—	
Total under 5 years	M	18	17	19	52	294	24	20	46	35	31	97	39	76	
	F	23	12	8	42	221	20	22	30	23	23	74	22	69	
5—	M	—	2	1	3	18	2	2	5	3	3	9	1	6	
	F	3	—	1	4	13	2	1	1	1	2	1	2	8	
10—	M	—	1	1	3	13	1	3	1	3	3	4	5	10	
	F	2	—	1	—	15	3	2	—	—	1	4	3	4	
15—	M	2	2	4	4	32	1	4	5	1	1	2	—	11	
	F	2	4	1	5	13	—	3	2	2	5	4	1	2	
20—	M	1	—	2	5	39	3	5	5	4	3	16	4	12	
	F	—	—	1	2	13	3	2	2	—	4	6	4	4	
25—	M	4	2	1	3	45	4	4	4	6	4	13	8	10	
	F	5	1	2	5	26	—	4	3	4	4	5	6	3	
30—	M	3	4	2	8	65	6	4	5	1	5	20	5	9	
	F	6	1	2	9	37	5	4	6	2	6	15	6	13	
35—	M	5	8	3	14	100	8	8	15	8	9	21	13	27	
	F	6	2	6	14	63	5	8	10	7	5	19	3	21	
40—	M	8	5	4	17	150	11	21	20	6	13	45	20	60	
	F	10	4	6	13	84	9	13	22	8	10	23	12	41	
45—	M	12	19	8	20	257	31	28	40	23	23	65	35	83	
	F	8	3	15	10	149	12	22	28	22	20	47	25	51	
50—	M	28	29	26	62	390	51	63	69	33	39	109	59	138	
	F	18	10	10	25	210	37	42	48	15	31	71	38	89	
55—	M	35	39	27	91	606	69	110	102	49	63	197	81	241	
	F	18	20	29	38	356	46	57	60	26	43	99	55	116	
60—	M	54	46	47	109	708	79	147	123	47	112	249	113	289	
	F	31	31	25	73	451	56	97	86	30	72	170	87	176	
65—	M	56	75	52	122	875	128	179	144	65	146	305	150	371	
	F	32	53	48	97	655	112	138	141	27	88	221	110	243	
70—	M	56	75	63	130	969	135	170	166	64	175	292	192	341	
	F	55	76	67	111	835	146	177	163	46	160	328	183	381	
75—	M	65	75	69	131	879	124	154	184	40	167	262	174	377	
	F	63	69	97	153	1,016	148	254	246	58	227	367	209	484	
80—	M	46	44	59	96	628	77	119	109	38	142	199	133	318	
	F	65	70	86	125	969	114	219	191	51	236	351	234	427	
85 and over	M	26	21	52	51	416	50	73	55	19	101	105	107	207	
	F	36	41	131	98	741	79	158	119	44	265	242	240	466	

TABLE 15—continued—County Boroughs

Age	Sex	Burton upon Trent	Bury	Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington	Derby	Dewsbury	Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester
Ages	M	394	381	152	418	334	1,298	1,461	527	889	367	523	364	397	665	439	674	413
	F	318	410	172	455	292	922	1,491	521	795	358	390	256	511	579	474	603	341
Under 4 weeks	M	7	14	4	5	10	54	22	14	27	8	14	13	7	10	11	23	3
4 weeks & under 3 months	F	—	—	—	13	7	43	17	14	15	6	12	6	2	5	—	15	9
	M	1	1	2	—	2	10	7	1	2	—	6	3	—	2	—	4	4
	F	2	6	—	—	—	4	3	2	2	2	4	—	1	1	8	7	1
3-5 months	M	—	1	1	1	1	5	2	3	8	2	5	1	—	4	—	3	2
6-11 months	F	2	—	—	2	1	7	7	2	—	—	2	1	—	—	—	1	—
	M	—	2	1	—	1	11	6	2	5	—	2	—	—	—	—	2	—
	F	1	1	—	—	1	7	4	4	1	1	1	1	—	—	—	2	1
al under 1 year	M	8	18	8	6	14	80	37	20	42	10	27	17	7	16	11	32	9
	F	13	7	2	15	9	61	26	22	18	9	19	8	4	6	10	25	11
1—	M	—	2	1	—	3	2	2	—	1	—	2	2	—	1	—	2	1
	F	—	1	1	—	—	7	1	3	3	—	—	—	—	—	1	1	1
2—	M	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	1	3
	F	—	1	1	2	—	1	1	1	—	—	1	—	1	—	—	1	2
3—	M	—	1	—	1	—	2	2	1	1	1	1	—	—	—	1	2	6
	F	—	—	—	—	—	—	1	2	—	—	—	—	—	2	—	—	1
4—	M	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
al under 5 years	M	8	21	9	7	17	86	43	21	46	11	30	19	7	19	13	37	19
	F	13	9	4	18	11	69	29	28	22	9	21	8	5	7	11	27	15
5—	M	1	—	—	2	—	5	3	1	3	—	3	1	—	1	—	2	2
	F	1	—	—	5	—	—	3	—	1	—	1	—	—	1	—	1	—
10—	M	3	1	—	2	1	10	3	1	5	—	1	2	1	1	—	1	—
	F	—	1	—	2	1	4	3	2	1	2	—	—	—	—	1	1	—
15—	M	1	1	1	1	—	7	6	2	1	1	2	2	—	2	4	—	3
	F	1	1	—	—	1	4	3	3	2	—	3	2	—	3	—	4	—
20—	M	3	2	2	1	5	9	5	5	2	—	4	1	1	4	—	4	4
	F	—	—	1	1	10	—	—	3	2	—	4	—	—	1	—	2	5
25—	M	3	1	—	1	3	13	7	3	3	—	4	2	1	3	4	3	2
	F	1	4	2	2	3	8	6	—	4	3	1	4	4	4	2	2	2
30—	M	5	1	—	3	1	15	10	7	6	1	3	2	1	8	4	8	4
	F	2	3	—	4	1	10	7	3	4	2	3	4	—	8	1	1	4
35—	M	6	4	—	4	2	17	13	8	13	7	4	2	3	5	3	7	6
	F	1	6	1	6	3	14	11	3	12	3	5	5	4	4	3	6	2
40—	M	10	7	2	11	9	34	27	18	15	10	7	12	4	10	9	10	9
	F	6	4	3	6	5	19	16	5	13	6	6	6	3	10	2	10	2
45—	M	10	10	2	14	11	66	35	22	19	7	18	21	10	21	12	24	16
	F	11	10	6	8	9	32	31	13	13	12	6	7	14	11	12	18	13
50—	M	22	22	6	30	16	100	87	37	44	26	24	20	10	44	18	51	28
	F	14	13	4	16	13	42	48	15	29	13	20	14	16	26	12	31	12
55—	M	33	31	11	34	30	130	111	44	78	37	40	41	19	62	34	69	33
	F	18	19	4	31	15	47	66	27	40	20	21	14	10	28	22	24	14
60—	M	46	48	13	59	40	174	158	58	108	35	60	44	38	67	45	80	43
	F	22	26	9	32	23	93	92	48	70	39	34	26	32	48	33	46	17
65—	M	45	52	28	65	62	177	193	65	114	56	70	36	51	103	70	77	41
	F	26	51	11	42	26	90	133	49	75	41	37	23	43	67	49	78	25
70—	M	61	59	14	51	66	175	204	88	131	57	87	50	75	112	69	97	57
	F	43	70	26	71	37	131	213	86	111	54	59	36	83	82	72	96	57
75—	M	56	62	24	58	35	153	238	58	157	55	81	60	83	93	68	89	69
	F	67	92	31	83	53	139	245	81	157	54	68	39	96	109	84	95	56
80—	M	53	43	18	56	21	82	169	60	91	46	57	37	54	82	49	78	47
	F	51	62	30	76	55	133	264	85	126	53	58	37	100	92	84	102	56
85 and over	M	28	16	20	19	15	52	142	37	50	18	28	12	39	28	35	37	30
	F	41	37	39	52	35	74	321	70	114	47	43	24	101	78	86	59	59

TABLE 15—continued—County Boroughs

Age	Sex	Great Yarmouth	Grimsby	Halifax	Hastings	Huddersfield	Ipswich	Kingston upon Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough	Newcastle upon Tyne	Northampton	Norwich	Nottingham
All Ages	M	349	556	713	451	871	588	1,757	2,924	1,572	462	4,750	4,285	949	1,815	630	646	1,757
	F	308	516	769	642	855	597	1,388	2,897	1,600	403	4,351	4,171	774	1,579	591	664	1,600
Under 4 weeks	M	8	13	11	3	15	12	59	82	30	11	165	152	43	51	11	14	
4 weeks & under 3 months	M	2	9	9	6	14	13	45	68	30	9	114	109	45	30	7	15	
	F	1	4	—	—	2	1	19	8	2	1	39	28	6	9	2	1	
	F	1	3	2	1	1	1	15	10	5	3	26	22	11	10	1	1	
3-5 months	M	1	1	2	—	2	3	5	11	4	1	24	20	8	4	—	2	
6-11 months	M	1	4	3	1	1	2	7	12	2	—	18	20	4	4	4	—	
	F	1	1	—	1	1	1	7	7	4	1	16	11	5	4	—	1	
	F	1	—	1	—	3	—	3	9	1	—	19	12	4	4	—	—	
Total under 1 year	M	11	19	13	4	20	17	91	108	40	14	244	211	62	68	13	18	
	F	5	16	15	8	19	16	70	99	38	12	177	163	44	48	12	16	
1—	M	—	2	—	1	—	1	3	6	2	—	6	9	2	2	—	1	
	F	—	1	1	—	2	—	5	3	2	—	9	7	4	3	2	2	
2—	M	—	—	—	—	—	—	4	3	4	1	9	7	—	6	—	1	
	F	1	—	—	—	—	—	2	2	3	—	5	4	1	2	—	—	
3—	M	1	1	—	—	1	3	3	3	2	—	4	3	2	1	—	—	
	F	—	2	—	—	—	1	—	3	2	—	3	6	—	—	1	3	
4—	M	—	3	—	1	1	2	2	2	2	—	6	6	—	2	—	1	
	F	—	1	—	—	—	—	2	1	1	1	5	1	2	3	—	—	
Total under 5 years	M	12	25	13	6	24	23	103	122	49	15	269	236	66	79	13	21	
	F	6	20	16	8	21	17	80	108	47	13	199	181	71	56	15	21	
5—	M	1	1	3	3	3	1	3	12	8	1	13	13	5	6	2	1	
	F	—	1	2	3	—	1	9	5	3	—	11	11	5	6	1	—	
10—	M	2	1	3	2	—	2	7	8	4	1	13	9	3	4	1	4	
	F	—	—	1	—	1	1	8	9	3	2	8	4	5	2	1	1	
15—	M	—	5	1	1	—	4	8	17	5	2	13	13	3	13	2	2	
	F	2	1	—	1	2	—	6	5	4	—	15	10	2	9	—	—	
20—	M	—	3	4	—	4	5	8	14	2	3	25	25	2	9	4	2	
	F	1	1	1	—	2	2	3	8	4	1	20	19	4	3	1	5	
25—	M	1	3	4	—	4	6	19	21	15	3	27	34	6	12	1	8	
	F	—	1	1	—	—	—	5	15	7	2	30	16	7	8	1	1	
30—	M	1	3	2	1	4	2	14	21	7	3	34	44	9	13	4	3	
	F	—	3	3	3	7	4	8	22	12	8	34	27	5	11	2	4	
35—	M	4	5	9	3	6	6	23	31	17	10	81	55	23	28	3	5	
	F	2	4	1	3	9	5	15	29	10	—	59	64	10	19	3	3	
40—	M	4	8	12	4	16	6	34	54	21	11	93	118	24	40	9	13	
	F	5	11	12	3	13	7	27	51	32	7	86	71	16	20	8	12	
45—	M	13	16	24	7	31	15	74	114	44	17	170	178	33	73	18	16	
	F	8	10	19	4	21	13	35	71	35	10	106	108	21	45	16	14	
50—	M	21	37	43	9	53	38	121	174	90	23	317	274	56	114	36	30	
	F	10	24	29	12	18	15	44	113	52	8	169	169	33	57	22	28	
55—	M	30	41	52	23	82	38	159	321	142	36	451	436	101	153	57	48	
	F	7	22	41	15	56	31	71	165	97	17	234	215	44	103	28	31	
60—	M	34	57	87	42	100	54	224	350	192	43	575	487	100	223	69	66	
	F	18	39	70	34	64	45	108	247	118	23	346	316	65	107	38	54	
65—	M	50	66	112	62	109	74	220	407	210	53	622	582	114	281	87	91	
	F	21	55	69	61	101	59	129	335	152	34	472	465	102	191	56	62	
70—	M	66	88	106	79	144	98	253	415	249	63	711	634	127	229	93	109	
	F	49	90	130	85	128	74	205	420	270	80	621	668	108	215	87	97	
75—	M	54	99	112	88	135	98	223	396	228	70	631	535	127	265	102	102	
	F	55	88	134	107	166	106	250	502	278	72	780	713	116	300	106	133	
80—	M	38	65	86	66	96	67	172	303	166	77	438	409	107	179	74	83	
	F	60	90	140	142	144	99	207	464	253	58	672	641	97	251	98	112	
85 and over	M	18	33	40	55	60	51	92	144	123	31	267	203	43	94	55	42	
	F	64	56	98	161	98	118	178	328	221	67	489	473	63	176	108	86	

TABLE 15—continued—County Boroughs

Age	Sex	Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens	Salford	Sheffield	Smethwick	Southampton	Southend-on-Sea	Southport	South Shields	Stockport
All Ages	M	863	550	1,228	1,377	736	680	634	521	662	1,132	3,164	383	1,097	1,028	636	709	939
	F	894	488	1,119	1,287	711	593	604	522	522	1,018	2,621	329	923	1,114	708	566	883
Under 4 weeks	M	22	10	33	32	36	18	22	13	25	45	73	11	36	16	14	17	22
4 weeks & under 3 months	F	6	5	25	25	12	11	8	9	13	17	46	6	21	11	2	14	11
	M	5	4	4	2	2	—	5	3	7	9	2	3	5	3	5	5	2
	F	7	4	1	1	4	—	3	2	—	4	6	3	2	—	—	3	1
3-5 months	M	2	—	3	5	4	4	3	1	6	5	9	3	2	2	1	2	3
6-11 months	F	1	—	1	5	2	—	2	—	—	3	4	—	5	4	—	2	1
	M	4	3	2	2	4	2	2	5	3	3	5	1	3	2	—	2	5
Total under 1 year	M	30	16	48	43	44	25	31	18	41	60	95	16	47	23	22	27	32
	F	21	12	33	33	23	13	15	18	18	27	58	10	31	17	2	22	18
1—	M	2	—	6	2	1	1	—	1	1	8	—	—	2	1	—	4	1
	F	—	—	—	3	—	—	—	—	—	1	2	—	1	2	2	1	—
2—	M	2	—	1	—	—	—	—	1	2	—	1	—	1	1	1	1	—
	F	—	—	—	1	—	—	1	—	2	3	4	1	4	—	1	1	1
3—	M	—	—	2	—	—	—	1	1	1	1	2	—	—	—	—	1	—
	F	1	—	1	1	1	2	1	—	—	—	5	—	1	—	1	—	1
4—	M	—	—	—	1	—	—	—	—	1	2	2	—	—	1	—	—	2
	F	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—
Total under 5 years	M	34	16	57	46	46	26	33	21	46	64	109	16	50	25	23	33	35
	F	22	12	35	39	24	16	17	18	21	31	69	11	38	20	6	25	21
5—	M	3	—	2	3	3	2	3	2	6	5	8	—	7	3	—	—	2
	F	1	1	3	2	—	—	—	1	3	3	7	—	3	1	—	—	3
10—	M	3	2	5	6	2	2	4	2	4	5	4	1	2	2	—	2	2
	F	—	—	2	—	1	1	1	4	1	2	14	2	2	—	—	1	3
15—	M	2	1	3	9	4	3	—	1	7	3	5	3	4	5	—	2	3
	F	1	4	1	3	3	3	—	2	4	5	5	—	3	2	3	—	—
20—	M	2	5	11	3	3	3	3	2	5	8	7	1	5	4	1	3	5
	F	1	1	6	3	2	2	5	2	4	—	9	2	5	—	1	2	3
25—	M	5	1	4	9	6	4	2	1	2	9	19	4	5	1	—	5	4
	F	1	2	7	4	2	2	3	3	4	1	9	1	5	2	1	1	1
30—	M	6	5	9	10	2	8	2	5	9	10	15	4	13	7	1	3	5
	F	3	1	6	14	9	5	8	2	8	7	17	—	4	4	2	8	6
35—	M	7	7	17	14	6	6	4	4	10	14	32	8	15	3	5	9	14
	F	9	2	13	12	10	5	1	5	10	11	43	3	6	8	7	8	6
40—	M	10	6	17	16	21	7	10	12	13	28	65	6	18	15	7	12	12
	F	19	3	12	15	9	7	9	5	7	19	39	9	16	8	4	7	13
45—	M	27	19	37	51	35	19	22	15	21	47	112	21	26	19	24	24	27
	F	28	10	22	24	24	16	16	13	17	32	77	7	27	21	10	14	30
50—	M	50	23	58	65	46	29	47	33	32	83	196	27	63	51	31	49	63
	F	24	18	44	35	23	15	23	9	26	36	108	17	28	45	19	19	33
55—	M	80	58	97	116	96	36	51	44	46	117	311	39	83	76	57	75	112
	F	58	21	58	64	53	32	25	26	32	45	155	24	43	47	24	33	53
60—	M	99	54	137	146	86	85	72	58	85	119	402	46	125	115	70	73	101
	F	92	32	79	101	42	34	34	37	44	82	201	31	78	67	51	53	57
65—	M	135	69	195	207	88	89	94	51	112	178	436	50	157	140	80	91	118
	F	108	46	127	125	95	42	71	32	57	137	270	34	80	123	63	69	102
70—	M	134	68	182	219	107	106	80	86	85	165	497	57	189	170	109	113	142
	F	162	68	154	171	117	81	113	53	95	162	422	58	133	159	106	104	134
75—	M	138	93	188	192	88	101	101	86	84	149	448	55	147	160	106	100	144
	F	176	86	203	230	120	118	103	77	86	220	460	46	158	212	148	82	177
80—	M	89	72	117	158	64	88	68	64	65	89	338	28	115	143	74	74	107
	F	112	78	181	231	109	106	112	57	68	133	451	45	149	205	123	83	144
85 and over	M	39	51	98	99	33	66	38	31	33	39	160	17	73	91	48	41	43
	F	77	103	166	214	68	105	63	36	38	92	265	39	145	188	140	57	97

TABLE 15—continued—County Boroughs

Age	Sex	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff	Merthyr Tydfil	Newport (Mon.)	Swansea
All Ages	M	1,625	1,047	422	382	612	677	522	496	933	434	519	957	373	639	1,529	439	662	1,923
	F	1,484	867	383	354	648	594	394	482	805	390	423	755	341	644	1,269	364	548	1,923
Under 4 weeks	M	50	52	12	8	16	19	18	11	24	31	12	26	11	10	48	11	25	3
4 weeks & under 3 months	F	46	18	11	4	17	16	5	16	18	15	6	12	3	7	30	14	19	2
	M	7	11	1	2	5	2	3	2	7	1	1	4	1	—	11	3	4	—
	F	5	5	3	1	2	3	4	1	1	4	1	3	1	—	3	3	3	—
3-5 months	M	7	2	1	1	3	3	5	3	3	8	—	4	2	3	4	—	2	—
6-11 months	F	2	3	1	1	2	3	2	1	2	3	—	—	1	—	3	2	2	—
	M	4	3	3	3	—	1	3	3	—	1	1	4	—	3	3	1	—	—
	F	4	5	2	1	3	2	4	3	—	1	6	4	—	2	2	3	—	—
Total under 1 year	M	68	68	17	14	24	29	28	20	30	47	19	38	18	16	66	15	34	4
	F	57	31	17	7	24	24	15	21	21	23	12	19	5	9	38	22	24	3
1—	M	3	2	2	—	1	2	1	—	1	1	1	1	2	—	5	1	—	—
	F	1	—	1	—	—	—	—	2	—	3	—	—	—	2	4	2	1	—
2—	M	—	2	—	1	2	—	—	—	1	1	1	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	M	—	3	1	—	—	—	—	2	1	1	—	1	—	—	3	1	—	—
	F	3	1	—	1	1	2	1	—	—	1	—	—	—	1	2	2	—	—
4—	M	—	5	1	—	—	—	2	1	—	1	1	—	—	—	5	1	1	—
	F	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Total under 5 years	M	73	78	22	15	27	31	23	33	51	22	41	21	21	16	80	18	35	5
	F	62	36	20	8	27	28	17	23	21	28	13	21	6	12	44	27	25	3
5—	M	4	3	—	1	1	1	—	—	2	—	2	1	1	3	8	2	4	1
	F	3	—	—	—	—	—	—	2	—	—	—	—	—	1	3	1	1	—
10—	M	3	4	—	4	1	2	1	1	7	3	2	5	—	2	8	1	2	—
	F	4	2	—	1	4	—	—	4	3	1	2	—	—	1	2	—	—	—
15—	M	5	6	2	3	2	4	4	5	5	2	—	6	2	1	11	3	2	—
	F	4	3	1	—	1	1	1	—	3	1	—	3	—	2	5	2	1	—
20—	M	7	3	—	1	1	5	3	3	5	5	5	4	3	2	6	4	3	—
	F	4	2	—	1	1	2	6	1	—	2	1	5	1	3	3	1	3	—
25—	M	15	9	4	2	2	6	8	6	4	2	4	6	1	2	11	3	2	—
	F	7	4	2	1	7	4	2	7	2	—	—	4	2	7	7	2	3	—
30—	M	27	10	5	1	6	4	7	6	6	7	5	11	4	5	8	4	8	—
	F	8	11	4	—	6	5	6	3	8	2	5	5	1	4	11	2	1	—
35—	M	19	18	4	4	10	8	4	7	17	5	3	15	4	3	20	10	6	1
	F	21	12	5	4	2	9	7	7	14	12	5	13	4	3	17	2	3	—
40—	M	44	23	10	11	8	16	5	9	24	6	12	11	5	10	18	4	10	1
	F	34	12	12	7	15	8	10	8	15	7	8	20	7	5	16	9	10	1
45—	M	50	45	10	13	24	18	23	20	39	16	24	25	11	16	54	10	24	2
	F	46	18	11	8	19	14	9	17	23	11	9	12	3	20	32	11	10	2
50—	M	117	52	26	18	41	46	31	27	68	26	34	63	13	36	94	30	40	6
	F	60	32	14	12	30	24	20	24	37	11	23	31	13	31	41	14	17	4
55—	M	164	116	31	34	51	65	45	49	95	38	65	103	36	47	136	33	64	10
	F	99	46	14	20	31	29	23	31	45	24	26	48	15	38	73	19	33	4
60—	M	192	99	51	46	63	85	58	64	108	30	57	104	40	87	182	49	67	15
	F	132	91	30	31	36	42	31	40	67	28	41	49	32	49	113	32	31	6
65—	M	237	128	56	45	94	89	65	69	108	57	67	123	57	89	204	58	101	16
	F	170	108	43	34	54	59	43	65	84	32	47	69	26	56	133	41	66	11
70—	M	238	156	59	73	91	93	93	72	132	54	74	136	43	98	232	61	106	15
	F	244	139	61	65	115	86	62	60	119	52	74	109	50	100	181	63	86	13
75—	M	237	147	73	52	98	98	73	48	132	58	79	138	59	108	212	63	81	17
	F	238	136	52	79	111	107	60	74	152	70	68	131	53	114	209	56	95	17
80—	M	141	96	41	37	59	71	45	56	96	52	44	108	39	73	142	49	62	11
	F	211	111	52	47	104	91	53	70	121	69	57	120	65	111	216	48	89	12
85 and over	M	52	54	28	22	33	35	26	29	54	22	20	57	32	41	103	37	45	6
	F	137	101	62	37	88	80	43	48	87	40	42	112	63	92	163	33	74	12

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Bedfordshire		Berkshire		Buckinghamshire		Cambridgeshire		Cheshire		Cornwall		Cumberland		Derbyshire	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
Under 1 year	M	1,161	627	585	1,162	1,067	1,139	460	549	3,897	1,278	1,284	941	566	833	2,159	1,885
	F	1,111	523	645	1,058	941	1,025	500	443	3,832	1,244	1,358	940	515	726	1,924	1,669
1—	M	30	15	14	25	43	35	11	17	77	31	27	25	20	20	65	46
2—	M	34	16	11	23	20	17	8	6	46	15	23	13	17	19	52	48
3—	M	5	2	2	2	4	2	—	3	13	6	4	3	1	7	5	7
4—	M	9	3	4	5	3	4	2	—	15	3	3	2	2	4	6	6
5—	M	3	3	1	5	8	—	2	—	12	5	1	2	—	4	8	4
6—	M	4	1	2	—	2	—	1	—	10	—	4	2	2	1	3	9
7—	M	2	2	1	8	2	8	1	1	7	2	1	1	—	2	7	4
8—	M	2	4	—	3	7	4	—	—	9	2	5	—	1	3	3	8
9—	M	40	23	18	40	57	45	14	21	109	44	33	34	22	33	82	61
10—	M	49	23	17	31	32	21	11	6	80	20	35	17	21	27	64	71
11—	M	1	2	1	2	1	6	1	1	4	8	1	2	2	4	3	2
12—	M	2	2	2	3	4	2	—	—	9	4	3	2	—	4	3	1
13—	M	1	—	—	2	3	—	2	—	3	1	2	1	—	—	—	—
14—	M	2	—	5	2	—	2	—	—	2	—	2	—	1	2	2	3
15—	M	—	1	—	3	1	—	—	1	2	3	3	—	1	2	1	1
16—	M	—	—	—	1	—	3	—	—	2	2	3	3	—	2	2	2
17—	M	—	1	—	1	—	2	—	—	2	1	1	—	—	1	1	3
18—	M	—	1	1	1	2	2	1	—	5	2	—	1	—	1	2	2
19—	M	46	27	19	48	65	54	17	23	120	57	40	38	25	40	87	69
20—	M	53	28	25	38	38	30	12	6	98	27	42	23	23	36	73	79
21—	M	6	2	1	11	4	3	—	1	7	3	3	3	1	4	3	15
22—	M	2	1	1	5	—	5	1	1	7	2	2	—	1	5	4	3
23—	M	1	—	—	6	7	3	1	—	4	4	4	3	3	3	10	6
24—	M	1	—	1	4	6	—	—	—	7	1	2	—	—	2	3	11
25—	M	10	5	2	10	3	8	1	4	13	5	7	5	3	6	12	16
26—	M	4	2	1	4	—	2	2	—	15	3	—	1	4	3	8	9
27—	M	5	1	6	14	6	10	3	5	7	8	3	6	4	9	7	8
28—	M	2	—	—	3	—	3	1	2	12	2	6	4	3	7	7	9
29—	M	11	5	1	6	6	5	—	4	18	9	5	7	5	7	14	13
30—	M	7	4	1	4	6	3	—	4	10	3	5	5	5	7	8	8
31—	M	5	5	1	14	6	9	1	4	17	10	9	7	3	7	17	20
32—	M	9	1	4	4	8	2	4	5	15	7	5	1	3	7	14	16
33—	M	12	3	5	14	7	15	6	5	44	20	10	8	6	7	31	27
34—	M	9	5	9	10	11	11	4	7	38	11	6	2	5	6	30	31
35—	M	19	12	13	21	12	14	13	7	69	20	13	12	14	16	35	42
36—	M	17	6	12	11	17	9	2	3	49	17	14	5	9	13	36	25
37—	M	45	18	13	41	42	33	14	11	118	41	27	32	7	26	73	68
38—	M	31	14	16	15	21	11	10	9	86	32	33	18	14	10	61	55
39—	M	71	31	24	54	78	47	26	16	260	62	56	32	42	41	126	110
40—	M	48	15	20	41	34	24	13	10	158	42	43	25	21	16	84	74
41—	M	101	55	53	90	86	81	38	50	392	77	97	60	46	50	222	152
42—	M	50	29	19	44	45	38	26	26	168	50	61	44	16	33	105	96
43—	M	133	50	59	95	108	94	44	48	417	133	128	94	66	68	202	197
44—	M	74	36	53	57	70	58	21	30	237	96	77	74	35	62	121	113
45—	M	153	84	76	145	134	147	64	52	553	154	166	112	76	105	271	236
46—	M	98	58	50	112	84	93	46	41	378	133	157	107	64	80	195	196
47—	M	170	104	74	171	148	166	56	95	629	187	193	157	81	132	306	270
48—	M	149	75	76	139	132	141	61	78	595	162	212	114	82	114	294	237
49—	M	166	76	97	162	146	178	68	88	555	208	215	140	84	141	341	265
50—	M	188	78	111	180	135	176	89	78	742	243	242	184	98	133	334	280
51—	M	118	83	73	144	124	167	67	65	445	164	165	129	63	99	258	224
52—	M	181	93	120	183	166	207	102	73	676	205	218	168	75	100	312	245
53—	M	85	65	68	116	85	105	40	68	221	116	143	96	37	72	144	147
54—	M	190	78	126	204	168	212	104	70	529	208	233	165	59	96	235	182

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Devon		Dorset		Durham		Ely, Isle of		Essex		Gloucestershire		Herefordshire		Hertfordshire	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	1,925	1,597	1,177	703	4,030	1,753	339	177	7,781	1,505	836	1,599	374	467	2,440	1,167
	F	2,166	1,544	1,119	654	3,253	1,492	356	113	7,227	1,398	886	1,485	328	434	2,334	1,188
Under 4 weeks & under 3 months	M	23	31	22	20	125	63	9	4	193	26	22	54	8	12	58	29
	F	24	26	17	9	85	31	5	3	125	21	16	32	6	10	62	20
	M	3	6	2	2	27	6	2	1	37	4	4	5	3	—	8	3
3-5 months	M	2	4	3	2	17	8	—	—	20	1	4	3	1	2	3	—
	F	3	5	2	—	24	7	—	1	21	3	3	8	1	—	8	—
	M	2	6	1	2	24	6	2	—	20	4	1	6	—	2	10	—
6-11 months	M	2	2	1	1	17	6	1	—	12	5	5	4	—	1	7	—
	F	2	1	—	2	11	5	1	—	20	1	2	—	1	2	10	—
	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Total under 1 year	M	31	44	26	23	193	82	12	6	263	38	34	71	12	13	81	31
	F	30	37	23	14	137	50	8	3	185	27	23	41	8	16	85	33
1—	M	4	3	2	—	11	3	—	2	18	10	3	2	1	1	6	—
	F	2	2	2	—	9	5	—	—	13	2	3	9	—	1	2	—
	M	1	—	—	3	6	—	—	—	10	2	—	2	1	1	2	—
2—	M	2	1	1	—	4	2	—	—	12	2	2	4	—	—	2	—
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	2	1	1	1	6	1	—	1	8	2	2	5	—	—	1	1
3—	M	2	—	1	—	—	—	—	—	6	1	1	1	—	—	1	—
	F	—	—	1	—	—	—	—	—	5	—	1	—	—	—	1	—
	M	1	—	3	—	2	2	1	—	9	1	1	—	2	1	4	—
4—	M	—	1	2	1	2	2	—	—	7	1	1	4	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total under 5 years	M	39	48	32	27	218	91	13	9	308	53	40	80	16	16	96	54
	F	36	41	29	15	157	59	8	3	223	33	30	59	9	19	94	44
5—	M	3	5	5	2	16	6	—	1	33	5	1	9	3	2	9	—
	F	4	3	1	2	12	3	1	—	22	2	—	3	—	—	5	—
	M	5	3	4	1	12	3	—	1	28	3	2	7	—	2	7	—
10—	M	1	3	2	—	10	6	—	—	13	5	3	2	—	2	7	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	M	4	11	8	7	22	15	4	1	37	11	6	9	1	3	12	—
	F	5	1	5	3	8	3	1	—	17	3	2	5	1	—	5	—
	M	5	12	4	2	38	12	1	2	40	10	4	14	—	4	25	—
20—	M	3	2	2	—	16	7	—	—	23	—	1	7	—	4	10	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	M	4	4	13	2	24	12	4	—	48	9	3	7	1	3	16	—
	F	6	4	4	2	22	8	—	2	39	2	2	10	—	2	8	—
	M	4	11	3	2	50	15	—	—	52	5	9	14	2	2	20	—
30—	M	11	3	2	4	35	13	—	1	52	8	5	10	2	—	20	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	M	9	15	8	—	61	30	3	2	73	17	7	22	2	6	30	—
	F	4	12	7	2	42	14	2	1	77	14	10	14	—	8	23	—
	M	24	23	20	8	75	41	3	1	152	16	18	29	8	8	41	—
40—	M	22	23	15	10	60	23	1	1	133	19	9	21	6	7	39	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	M	35	41	27	18	153	60	3	2	257	51	30	47	7	11	101	—
	F	29	21	21	7	87	42	5	3	225	25	17	37	6	6	55	—
	M	75	64	56	24	252	99	11	8	460	68	41	90	15	25	127	—
50—	M	58	45	44	22	120	55	8	5	296	43	32	46	9	16	83	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	M	130	96	78	42	337	136	25	18	674	75	72	102	25	43	205	—
	F	82	69	44	31	178	88	21	4	364	61	40	84	13	15	111	—
	M	177	155	104	69	416	184	35	15	842	120	79	149	38	29	230	—
60—	M	154	97	76	40	276	128	19	8	556	89	45	108	22	30	148	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	M	260	189	146	102	572	244	46	27	1,011	186	101	189	52	57	293	—
	F	208	183	108	58	393	181	28	20	701	143	80	151	32	40	201	—
	M	311	253	180	124	579	244	44	26	1,156	244	121	244	68	56	361	—
70—	M	300	232	165	101	541	236	54	11	1,006	195	111	214	46	42	300	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	M	336	252	218	119	530	248	71	28	1,138	254	116	246	52	68	374	—
	F	366	262	200	122	513	270	59	15	1,224	239	139	225	55	82	402	—
	M	288	261	153	78	427	205	45	21	858	219	113	207	46	76	280	—
80—	M	395	281	181	109	467	217	80	19	1,143	239	156	233	61	76	380	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	M	216	154	118	76	248	108	31	15	614	159	73	134	38	56	213	—
	F	482	262	213	126	316	139	69	20	1,113	278	204	256	66	85	443	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Huntingdon-shire		Kent		Lancashire		Leicester-shire		Lincolnshire, Parts of Holland		Lincolnshire, Parts of Kesteven		Lincolnshire, Parts of Lindsey		Middlesex
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	
Ages	M	211	214	7,086	2,233	11,887	2,018	875	1,117	218	372	319	505	967	925	11,475
	F	188	161	6,917	1,972	11,409	1,794	808	958	211	287	320	427	743	774	11,083
Under 4 weeks	M	4	3	154	41	282	58	29	38	2	16	4	17	27	21	259
4 weeks & un-3 months	F	2	2	133	38	217	38	24	18	3	7	5	8	19	17	163
	M	—	1	23	6	43	8	2	7	1	1	1	1	8	5	29
	F	—	2	18	5	32	5	6	3	2	2	2	—	3	—	30
3-5 months	M	1	—	12	2	25	7	5	2	1	1	1	1	7	3	20
6-11 months	F	—	—	21	2	37	5	—	—	—	—	—	—	1	4	25
	M	1	2	22	4	48	7	2	2	1	2	1	2	2	3	15
	F	—	1	14	5	31	7	2	7	1	—	—	—	3	1	20
Under 1 year	M	6	6	211	53	398	80	38	49	6	20	7	21	44	32	323
	F	2	5	186	50	317	55	33	28	6	10	7	9	26	22	238
1—	M	1	—	13	3	33	8	—	1	—	—	—	3	3	3	23
	F	—	—	14	4	17	5	4	3	—	—	—	1	4	1	16
2—	M	1	—	—	3	11	4	1	1	—	—	—	—	1	1	9
	F	—	—	6	5	8	3	—	3	—	—	—	2	1	1	8
3—	M	—	—	7	—	17	—	2	1	1	—	1	1	2	—	6
	F	—	—	—	2	15	4	—	1	—	—	—	—	—	—	6
4—	M	—	—	4	3	16	5	1	2	—	1	—	1	1	3	7
	F	—	—	5	2	12	1	—	—	—	—	—	—	—	—	4
Under 5 years	M	8	6	235	62	475	97	42	54	7	20	8	26	51	39	368
	F	2	5	217	63	369	68	38	35	6	12	7	12	31	24	272
5—	M	3	—	25	9	43	9	3	3	—	1	1	—	6	5	29
	F	1	2	14	8	21	10	2	4	2	—	3	2	2	2	13
10—	M	1	1	21	9	31	10	7	5	3	1	—	2	—	4	30
	F	1	1	17	6	18	6	—	2	—	1	1	—	2	3	20
15—	M	—	4	38	13	42	11	1	6	2	2	1	2	5	11	49
	F	1	1	12	5	19	7	1	3	—	2	1	1	6	4	24
20—	M	—	7	37	15	48	13	6	12	3	—	3	5	13	3	64
	F	1	2	18	7	30	7	2	4	—	1	2	1	5	1	31
25—	M	2	3	65	10	53	20	8	13	1	1	1	6	3	7	66
	F	2	1	23	4	48	14	4	3	—	1	—	—	—	1	54
30—	M	1	1	45	18	84	22	8	10	2	3	4	5	8	7	73
	F	2	1	29	11	70	17	5	4	2	1	1	3	3	1	57
35—	M	3	5	72	20	136	30	9	17	2	4	2	12	7	11	120
	F	2	2	63	23	115	33	9	7	6	3	7	7	12	3	120
40—	M	4	2	128	35	212	41	14	23	4	5	6	10	19	11	206
	F	1	4	105	32	151	22	16	8	2	2	3	9	14	6	182
45—	M	6	11	197	59	396	81	28	46	4	4	11	12	31	26	425
	F	7	7	168	41	293	44	13	25	8	—	9	12	21	22	293
50—	M	14	14	384	91	714	123	41	41	9	11	12	27	52	38	716
	F	7	4	242	65	426	62	19	33	4	12	10	7	22	29	465
55—	M	12	14	525	138	1,083	182	87	76	22	24	20	34	72	60	1,027
	F	7	8	326	83	616	81	37	53	7	12	11	17	46	24	612
60—	M	16	18	704	174	1,322	195	92	105	23	31	32	38	90	71	1,322
	F	10	10	441	114	978	131	67	79	17	30	18	27	45	47	801
65—	M	22	22	967	273	1,742	290	97	148	19	45	48	64	108	97	1,553
	F	22	22	666	178	1,276	205	93	98	13	21	37	36	84	85	1,122
70—	M	30	24	1,078	358	1,775	275	131	148	30	55	47	61	171	133	1,760
	F	24	23	952	257	1,836	269	122	129	34	36	49	61	97	124	1,502
75—	M	32	35	1,054	366	1,746	304	117	163	36	70	42	77	141	158	1,610
	F	28	22	1,249	336	2,166	342	149	165	35	49	57	86	120	146	1,783
80—	M	40	34	932	330	1,306	193	111	148	26	68	46	65	121	146	1,223
	F	27	27	1,200	375	1,787	283	126	157	45	50	41	67	106	117	1,849
85 and over	M	20	13	579	253	679	122	73	99	25	27	35	59	69	98	834
	F	42	19	1,175	364	1,190	193	105	149	30	43	63	78	127	131	1,883

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Norfolk		Northamptonshire		Northumberland		Nottinghamshire		Oxfordshire		Peterborough, Soke of		Rutland		Shropshire	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	407	1,894	831	746	2,173	691	2,105	914	276	648	316	49	41	70	929	754
	F	483	1,719	717	765	1,835	632	1,735	740	278	564	297	35	37	78	817	667
Under 4 weeks	M	12	45	26	19	60	14	52	36	10	24	10	4	—	1	29	26
4 weeks & under 3 months	M	11	33	18	12	45	12	49	19	5	16	9	1	2	2	18	14
	F	1	8	5	4	11	1	8	2	—	4	3	—	—	—	2	4
	F	—	7	—	2	6	—	7	2	1	3	1	—	—	1	3	2
3-5 months	M	3	2	3	2	8	2	13	3	—	4	1	—	—	1	7	2
6-11 months	M	—	5	7	2	6	2	8	6	1	3	1	—	—	1	1	2
	F	3	2	2	—	5	2	7	2	—	—	—	—	—	—	1	2
	F	1	—	2	3	6	2	6	3	1	1	—	—	—	—	3	1
Total under 1 year	M	19	57	36	25	84	19	80	43	10	34	14	4	—	2	39	35
	F	12	45	27	19	63	16	70	30	8	23	11	1	2	4	25	19
1—	M	1	4	1	1	3	—	6	5	1	3	—	—	—	—	2	4
	F	—	3	—	1	—	2	1	2	1	2	—	—	—	—	4	3
2—	M	—	3	2	—	—	—	3	—	1	1	—	—	—	—	—	2
	F	—	1	—	1	4	1	2	1	—	3	—	—	—	—	—	1
3—	M	—	3	1	—	3	1	4	1	—	1	—	—	—	—	—	1
	F	—	1	—	—	1	1	1	1	—	1	—	—	—	—	1	—
4—	M	1	1	—	—	2	2	5	2	—	—	—	—	—	—	2	—
	F	—	2	1	2	1	2	3	—	—	—	—	—	—	—	—	—
Total under 5 years	M	21	68	32	26	92	22	98	51	12	39	14	4	—	2	43	43
	F	12	52	40	23	70	22	77	34	9	29	11	1	2	4	30	23
5—	M	1	3	1	2	7	1	12	5	2	4	3	—	—	1	1	3
	F	3	2	4	2	10	—	2	2	—	—	—	—	—	—	3	2
10—	M	—	13	2	1	3	7	6	3	—	2	—	—	—	1	1	1
	F	1	1	1	1	6	3	1	2	—	2	—	—	—	—	1	—
15—	M	—	11	4	1	14	4	7	4	4	5	3	—	—	1	2	9
	F	3	3	2	3	3	6	7	2	—	1	1	—	—	—	3	1
20—	M	4	26	2	5	15	7	11	7	1	16	4	—	—	3	2	7
	F	1	2	2	2	10	—	8	4	1	4	—	—	—	—	1	—
25—	M	1	13	3	4	15	3	19	9	2	7	1	—	—	2	5	3
	F	4	5	4	3	8	2	7	4	1	3	2	—	1	—	3	2
30—	M	—	12	2	4	16	5	16	3	1	6	3	1	—	—	8	8
	F	4	5	4	4	21	—	11	8	1	—	3	2	—	—	9	7
35—	M	2	9	8	11	22	8	26	17	1	10	3	—	1	1	8	5
	F	5	15	4	5	24	3	23	12	1	4	3	1	—	—	3	4
40—	M	3	19	13	16	54	11	42	12	4	8	2	—	—	1	14	11
	F	5	20	11	8	30	11	32	12	—	14	2	1	1	—	11	11
45—	M	10	40	26	21	99	15	69	26	7	13	15	1	3	1	39	21
	F	7	36	15	13	51	7	37	21	8	10	8	1	—	3	16	18
50—	M	14	83	36	41	131	32	118	51	13	31	21	3	2	8	49	36
	F	14	42	23	19	67	22	79	23	12	22	11	—	2	1	27	24
55—	M	25	108	65	53	193	49	174	72	26	41	16	1	—	6	78	46
	F	22	70	43	40	95	25	103	44	11	20	13	3	—	4	36	23
60—	M	42	142	77	64	216	57	201	78	27	58	33	3	—	2	91	86
	F	30	116	54	38	168	52	126	58	17	29	22	2	2	3	68	50
65—	M	43	207	97	93	290	73	270	112	27	64	46	5	7	4	124	81
	F	47	151	93	73	203	56	193	79	24	58	19	3	8	7	64	65
70—	M	62	295	140	117	319	107	321	128	51	96	45	6	6	10	130	98
	F	63	244	90	127	285	112	254	100	38	75	43	5	3	10	101	83
75—	M	83	331	121	122	337	118	328	139	43	96	44	5	7	13	135	114
	F	83	298	121	149	335	103	270	127	41	91	59	7	9	8	156	107
80—	M	55	289	106	91	229	100	258	110	28	85	44	10	7	6	127	102
	F	82	323	113	133	274	111	264	106	57	100	57	2	5	21	151	133
85 and over	M	41	225	88	74	121	72	129	87	27	67	19	10	7	9	72	80
	F	97	334	101	122	175	97	241	102	57	102	43	7	4	16	134	113

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Somerset		Southampton		Staffordshire		Suffolk, East		Suffolk, West		Surrey		Sussex, East		Sussex, West	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	1,437	1,538	2,132	1,746	3,752	1,247	575	810	274	444	6,846	829	1,319	1,155	1,379	967
	F	1,671	1,530	1,874	1,777	3,217	1,091	554	674	234	393	7,370	840	1,568	1,199	1,558	853
Under 4 weeks & under 3 months	M	25	32	59	44	131	32	10	13	8	14	150	25	9	15	32	18
	F	26	25	41	28	92	30	12	7	3	8	98	17	11	14	19	8
	M	2	3	8	4	21	7	1	5	1	2	16	2	1	1	1	2
	F	2	3	6	11	12	4	3	1	1	3	11	2	2	2	3	2
3-5 months	M	—	5	4	7	12	4	4	—	1	1	18	—	2	—	5	1
	F	1	2	5	4	16	1	2	1	—	3	13	3	1	2	1	1
6-11 months	M	4	5	6	6	16	6	4	—	1	1	14	—	3	—	4	2
	F	1	3	5	4	13	4	—	1	—	—	7	2	—	—	1	3
Total under 1 year	M	31	45	77	61	180	49	19	20	11	18	198	27	15	18	42	23
	F	30	33	47	47	133	39	17	10	5	14	129	24	14	15	24	14
1—	M	4	4	2	5	11	5	—	2	1	—	13	2	1	2	2	1
	F	4	—	2	4	12	4	1	—	2	—	10	1	3	—	2	—
2—	M	1	4	7	—	6	—	3	1	—	2	5	—	—	3	2	3
	F	3	2	5	—	1	2	—	—	—	1	6	1	1	1	—	—
3—	M	—	2	4	4	7	1	1	2	1	1	5	2	1	2	1	2
	F	—	—	3	2	2	—	—	—	—	1	7	—	2	2	1	1
4—	M	1	1	3	—	3	1	—	—	—	—	6	2	—	3	—	—
	F	—	1	—	1	3	—	—	1	—	—	2	—	2	—	—	1
Total under 5 years	M	37	56	93	70	207	57	23	25	13	22	227	33	17	25	47	29
	F	37	36	67	54	151	45	18	15	5	18	154	26	22	21	28	16
5—	M	3	4	8	5	9	1	1	2	4	—	21	2	8	3	2	3
	F	4	7	4	—	7	3	—	—	—	1	18	—	1	3	2	2
10—	M	4	5	10	5	7	9	1	1	—	2	25	3	4	5	1	3
	F	2	4	4	—	12	6	—	—	—	—	13	1	1	3	—	—
15—	M	4	14	19	23	30	9	2	4	—	5	32	10	—	5	9	5
	F	1	2	3	6	15	3	3	—	1	1	14	5	3	2	1	2
20—	M	4	9	27	32	27	7	3	—	—	9	34	6	2	1	3	9
	F	3	2	6	7	15	5	1	—	1	—	19	2	6	3	—	1
25—	M	12	5	10	7	25	10	2	4	—	2	41	1	2	2	6	1
	F	3	10	6	9	14	5	2	2	—	1	30	2	3	3	3	2
30—	M	11	8	9	14	47	10	4	5	1	6	48	8	8	7	6	5
	F	8	9	11	10	20	8	2	5	—	3	43	1	8	5	6	3
35—	M	10	15	14	11	50	20	3	5	3	2	65	6	9	6	11	17
	F	13	13	17	19	33	8	5	3	2	1	60	7	6	5	6	5
40—	M	20	15	37	27	100	30	9	4	5	2	109	11	24	12	14	10
	F	17	19	33	14	56	27	3	8	1	3	97	6	16	9	17	6
45—	M	47	36	59	40	134	35	4	13	7	11	231	29	21	34	27	22
	F	36	29	56	34	85	35	8	15	2	14	167	18	27	17	32	8
50—	M	65	75	105	80	252	70	23	31	12	16	415	41	51	39	61	26
	F	63	47	69	46	131	52	17	18	4	11	254	24	35	42	42	33
55—	M	108	102	179	120	335	110	40	53	18	27	584	71	80	67	65	50
	F	78	77	80	60	178	51	17	29	10	16	357	43	59	47	61	27
60—	M	152	125	203	139	423	121	51	42	22	37	702	60	122	106	125	73
	F	101	97	110	102	241	72	29	42	11	23	496	56	102	58	99	57
65—	M	176	175	280	198	450	154	66	86	43	40	871	104	155	140	170	125
	F	155	136	192	175	338	121	58	67	28	35	683	69	145	104	143	91
70—	M	230	249	352	242	553	181	92	132	48	66	986	125	238	172	218	141
	F	238	212	240	245	503	152	88	105	36	60	979	119	204	154	204	112
75—	M	227	282	311	287	505	180	104	161	39	79	1,037	127	253	204	253	188
	F	274	270	342	325	543	183	101	104	39	59	1,264	149	277	227	292	165
80—	M	190	211	221	267	400	154	89	135	36	69	815	126	191	171	212	136
	F	310	269	293	309	495	191	103	123	46	73	1,319	155	315	224	300	151
85 and over	M	137	152	195	179	198	89	58	107	23	49	603	66	134	156	149	124
	F	328	291	341	362	380	124	98	134	46	73	1,403	157	338	272	318	172

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Warwickshire		Westmorland		Wight, Isle of		Wiltshire		Worcestershire		Yorkshire, East Riding		Yorkshire, North Riding	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	1,928	1,002	214	228	489	116	1,250	982	1,630	669	732	610	1,287	964
	F	1,687	842	219	190	526	117	1,072	831	1,494	638	762	553	1,244	863
Under 4 weeks	M	47	29	3	7	9	1	30	37	43	13	18	16	54	32
	F	37	24	3	3	4	—	26	30	31	13	8	4	23	19
	M	7	3	2	—	—	—	3	3	7	2	—	1	10	3
4 weeks & under 3 months	M	4	6	—	—	—	—	4	5	3	1	—	—	8	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-5 months	M	3	1	—	2	—	—	2	3	5	2	3	3	6	1
	F	—	—	—	—	1	—	1	1	4	5	3	4	1	1
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6-11 months	M	5	2	1	1	1	1	6	1	8	2	2	1	2	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total under 1 year	M	62	33	5	9	9	1	37	44	63	17	21	23	72	37
	F	51	32	4	4	6	1	39	37	46	21	16	9	33	28
1—	M	1	5	—	—	—	—	2	4	3	2	4	3	3	4
	F	3	—	1	—	—	1	2	2	4	1	—	2	3	4
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	M	1	2	—	1	—	—	2	—	2	1	—	1	1	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	M	6	—	—	—	—	—	—	—	1	—	—	1	2	—
	F	3	1	—	—	1	—	1	—	—	—	—	—	1	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	M	2	2	—	1	1	—	2	4	1	—	—	—	—	—
	F	1	3	—	1	—	—	—	3	1	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total under 5 years	M	72	41	5	11	10	1	43	52	69	20	26	28	78	43
	F	58	41	5	5	7	2	42	45	55	22	17	12	39	34
5—	M	4	2	1	—	3	—	4	6	8	4	1	3	3	7
	F	2	—	—	—	—	—	4	3	1	2	—	3	4	1
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	M	3	2	—	—	3	1	5	3	8	1	3	1	—	5
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	M	8	12	1	1	1	—	6	22	7	7	1	3	6	6
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	15	7	—	—	1	—	1	—	5	1	1	1	5	1
20—	M	15	12	1	—	1	—	2	20	6	8	1	7	10	12
	F	8	2	—	1	—	1	2	1	5	1	2	3	3	3
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	M	14	5	2	1	1	1	8	6	11	3	3	3	4	5
	F	3	—	—	—	—	—	4	8	3	2	3	3	10	5
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	M	29	12	1	1	1	1	12	8	14	3	4	7	10	14
	F	9	6	—	2	2	—	5	8	5	3	2	2	4	6
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	M	20	14	1	3	4	1	10	10	17	6	8	4	23	18
	F	14	9	1	4	4	—	9	5	16	2	2	3	8	4
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	M	38	21	3	4	6	—	19	16	24	12	8	12	21	14
	F	24	11	3	—	8	3	16	15	23	12	14	8	18	7
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	M	61	34	7	6	14	2	33	32	54	22	26	18	40	35
	F	38	15	2	7	4	1	27	21	47	12	24	12	26	24
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	M	105	44	12	9	29	5	56	48	86	38	32	27	78	46
	F	57	19	11	5	21	2	33	27	32	29	32	20	34	33
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	M	156	89	19	10	30	6	93	77	141	44	49	39	96	43
	F	71	37	15	12	21	3	46	39	67	26	38	24	63	36
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	M	205	96	18	21	39	9	113	85	166	52	71	47	145	82
	F	117	59	15	12	32	8	73	69	105	39	48	35	93	49
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	M	245	120	35	32	54	18	132	109	253	84	105	59	162	113
	F	150	85	21	21	49	15	100	69	159	69	96	52	135	89
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	M	286	136	26	36	67	20	181	154	224	89	114	101	183	143
	F	237	122	36	36	72	20	163	145	206	87	102	79	188	143
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	M	277	169	39	41	76	25	225	143	254	107	113	115	193	151
	F	303	156	41	29	108	17	169	140	283	109	150	96	222	138
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	M	251	125	27	32	86	16	176	107	172	106	97	74	141	126
	F	301	146	34	29	87	26	205	110	251	118	129	107	196	157
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	M	140	68	16	20	64	13	132	84	116	63	70	62	94	101
	F	285	114	35	26	108	19	170	124	220	102	102	92	191	129
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Yorkshire, West Riding		Anglesey		Brecknock- shire		Caernarvon- shire		Cardiganshire		Carmarthen- shire		Deesbighshire	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	7,560	2,397	133	235	110	262	559	397	131	278	558	725	587	598
	F	6,978	2,001	123	267	106	212	506	375	134	226	508	546	688	523
Under 4 weeks	M	210	91	1	3	1	9	10	9	1	4	10	22	9	11
4 weeks & under 3 months	F	134	74	3	4	4	1	5	5	—	1	3	13	11	7
	M	25	13	2	—	—	—	—	1	—	—	1	4	2	4
	F	26	12	2	1	—	1	1	—	—	—	1	2	2	1
3-5 months	M	25	8	1	—	—	1	1	1	—	1	1	2	2	—
6-11 months	F	23	9	1	1	—	—	—	—	—	—	1	5	1	2
	M	22	14	—	—	—	—	2	1	—	1	—	2	4	—
	F	13	12	—	1	1	—	—	—	1	—	—	3	2	1
Total under 1 year	M	282	126	4	3	1	10	13	12	1	7	12	30	17	15
	F	196	107	6	7	5	2	6	6	1	1	5	23	16	11
1—	M	16	9	—	—	—	—	3	1	—	—	1	—	—	2
	F	9	5	—	1	1	—	—	1	—	—	—	2	—	2
2—	M	6	4	—	—	—	1	—	1	—	—	1	—	—	1
	F	7	5	—	—	1	—	—	—	—	—	—	—	2	1
3—	M	3	4	—	—	—	—	2	1	—	—	—	—	—	—
	F	9	7	—	—	1	—	—	—	—	—	1	—	1	—
4—	M	6	4	—	1	—	—	—	—	—	—	—	—	—	—
	F	4	2	—	—	—	—	—	—	—	—	—	—	—	—
Total under 5 years	M	313	147	4	4	1	11	18	15	1	9	12	33	17	18
	F	225	126	6	8	8	2	6	7	1	2	8	24	19	14
5—	M	32	7	—	2	1	1	2	2	—	—	1	1	1	—
	F	16	7	—	—	1	—	—	1	—	—	—	1	1	4
10—	M	27	9	—	1	1	—	3	1	—	2	2	6	1	2
	F	15	3	—	—	1	—	—	2	—	—	2	2	2	1
15—	M	27	12	—	—	—	2	2	2	—	—	2	5	1	2
	F	11	9	—	1	1	—	—	—	—	1	—	—	1	—
20—	M	42	28	—	2	—	4	2	2	1	3	1	8	—	3
	F	18	8	1	—	—	1	—	—	—	1	1	1	1	2
25—	M	44	23	1	3	1	1	3	2	—	—	2	8	2	7
	F	26	10	—	—	—	—	2	2	—	1	1	1	2	2
30—	M	72	27	1	1	—	2	3	2	—	1	3	5	4	8
	F	39	19	1	1	—	1	2	2	1	2	4	6	4	2
35—	M	82	39	4	—	1	3	7	3	—	2	3	4	3	—
	F	65	26	1	1	3	—	4	3	—	3	6	8	3	6
40—	M	126	43	3	4	3	2	8	7	1	3	8	15	11	12
	F	114	41	4	—	2	2	6	8	2	2	9	3	8	8
45—	M	242	89	5	4	3	10	13	9	3	9	18	18	11	17
	F	171	49	5	2	3	5	9	6	2	3	9	11	15	7
50—	M	399	113	9	8	8	8	16	24	10	9	24	41	42	31
	F	250	72	7	2	1	6	16	15	1	5	24	24	23	25
55—	M	626	189	11	12	1	17	45	35	7	16	56	53	49	51
	F	382	115	8	15	5	13	34	15	2	11	16	33	29	35
60—	M	812	253	16	19	12	21	61	43	14	25	66	95	62	58
	F	610	151	8	9	8	11	35	34	11	20	41	50	45	43
65—	M	1,016	307	11	29	19	39	69	43	13	21	78	102	81	80
	F	798	218	16	24	6	23	50	34	16	31	58	70	79	56
70—	M	1,199	362	14	48	18	43	101	70	23	49	90	107	92	89
	F	1,105	287	13	55	12	34	89	54	23	23	92	79	95	75
75—	M	1,182	338	19	36	22	45	88	60	25	45	83	96	84	102
	F	1,236	349	21	48	24	42	89	80	17	41	103	97	129	90
80—	M	888	261	25	35	10	30	65	50	19	45	65	85	74	69
	F	1,132	287	16	51	18	32	80	67	28	44	82	73	114	86
85 and over	M	431	150	10	27	9	23	53	27	14	39	44	45	51	49
	F	765	224	16	50	13	40	84	45	29	36	52	63	118	67

TABLE 15—continued—Urban and Rural Aggregates of Administrative Counties

Age	Sex	Flintshire		Glamorgan-shire		Merioneth-shire		Monmouth-shire		Montgomery-shire		Pembroke-shire		Radnorshire	
		U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.	U.	R.
All Ages	M	495	433	3,670	1,399	121	138	1,909	321	93	183	270	274	46	75
	F	438	328	2,912	1,104	110	176	1,406	261	105	150	248	269	47	59
Under 4 weeks	M	14	7	114	36	—	2	68	8	3	5	8	10	—	1
4 weeks & under 3 months	F	8	13	88	25	1	2	39	7	4	1	2	9	2	2
	M	—	4	23	8	—	—	15	—	—	—	—	3	—	—
	F	2	1	17	4	1	—	4	—	—	—	2	2	—	—
3-5 months	M	2	1	13	4	1	—	8	1	—	—	—	2	—	—
6-11 months	F	—	2	11	3	—	2	6	—	—	—	2	1	—	—
	M	2	—	15	6	—	—	7	1	—	1	—	—	—	—
	F	1	—	9	4	—	—	8	—	—	—	2	2	—	—
Total under 1 year	M	18	12	165	54	1	2	98	10	4	6	10	15	—	1
	F	11	16	125	36	2	4	57	7	4	1	14	14	2	2
1—	M	—	—	8	7	—	—	3	1	—	—	—	—	—	—
	F	1	2	—	—	—	—	5	1	—	—	—	—	—	—
2—	M	—	—	7	4	—	2	4	1	1	2	—	2	—	—
	F	—	—	7	1	—	—	4	1	—	—	1	—	—	—
3—	M	—	—	4	—	—	—	—	1	—	—	—	1	—	—
	F	—	1	—	3	—	—	2	—	—	—	—	2	—	—
4—	M	1	—	4	2	—	—	1	1	—	1	—	—	—	—
	F	—	—	4	—	—	—	1	1	1	—	—	—	—	—
Total under 5 years	M	19	12	188	67	1	4	108	14	4	9	10	16	—	1
	F	12	19	143	40	2	4	67	10	6	1	15	18	2	2
5—	M	—	5	12	4	—	—	4	1	—	1	—	1	—	—
	F	1	1	8	9	—	—	5	1	—	—	—	—	—	—
10—	M	—	—	12	6	—	—	8	—	—	—	—	—	—	—
	F	2	—	6	2	1	—	1	—	—	—	—	—	—	—
15—	M	3	6	17	1	—	—	11	1	—	—	—	2	—	—
	F	—	1	15	9	—	1	4	—	—	—	—	—	—	—
20—	M	1	3	18	3	—	2	7	1	1	—	2	2	2	—
	F	—	2	17	6	1	—	10	—	1	—	—	—	—	—
25—	M	2	1	25	10	—	2	10	1	—	4	—	3	—	—
	F	2	2	22	5	1	—	7	—	—	—	1	—	1	—
30—	M	1	2	22	11	—	1	15	1	—	2	1	—	—	—
	F	3	1	22	10	1	2	10	—	—	1	4	2	—	—
35—	M	5	8	37	16	1	—	18	7	1	—	2	7	1	1
	F	3	2	33	15	—	2	13	2	—	2	3	4	—	—
40—	M	7	10	70	29	—	3	30	3	2	4	5	4	1	1
	F	9	3	44	22	3	1	27	2	1	2	6	3	1	1
45—	M	13	15	105	59	4	3	64	5	2	3	9	8	—	2
	F	14	15	87	39	—	3	33	7	2	5	6	9	2	1
50—	M	30	26	222	86	10	2	103	11	1	6	12	5	2	2
	F	8	16	116	54	1	6	53	5	1	6	10	9	—	—
55—	M	50	41	311	135	14	12	153	23	7	13	21	20	4	5
	F	22	17	183	75	6	11	81	12	5	7	13	9	3	3
60—	M	55	36	433	151	19	10	215	30	12	19	35	31	3	2
	F	26	25	228	82	7	12	139	19	5	10	20	21	5	2
65—	M	55	46	498	207	19	26	256	50	11	20	36	33	7	6
	F	51	33	324	131	7	20	143	25	9	16	22	37	4	9
70—	M	79	65	553	205	19	20	313	41	19	28	41	34	8	7
	F	67	41	423	142	23	23	230	37	16	27	33	38	6	5
75—	M	79	80	514	187	20	25	253	57	10	26	45	41	6	14
	F	81	55	498	200	24	22	223	50	15	22	40	46	7	10
80—	M	52	44	426	150	8	17	216	41	12	27	26	44	9	18
	F	65	50	426	155	19	38	206	46	21	27	40	39	5	10
85 and over	M	43	33	207	72	6	13	125	33	11	19	25	22	3	14
	F	72	45	317	108	14	29	154	45	23	25	35	34	11	12

TABLE 16—Deaths at Different Ages by Month of Occurrence,
January—December, 1957 } **England and Wales**
See note at head of Table 23

Age		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All Ages	{ M	24560	21350	23274	21072	20795	19237	18024	18095	20222	25946	23480	30691
	{ F	23220	20366	22256	19714	19400	18250	16844	16908	18761	23480	21511	27964
Under 4 weeks	{ M	590	552	585	616	599	573	557	574	542	576	540	617
	{ F	440	409	433	428	414	385	377	407	420	431	410	414
4 weeks and under 1 year	{ M	258	230	280	223	197	191	156	175	182	201	220	317
	{ F	242	197	223	160	151	175	135	147	141	167	183	256
1—	{ M	52	46	46	36	58	51	41	38	39	58	45	58
	{ F	36	35	39	35	56	40	33	28	36	42	42	47
2—	{ M	68	62	72	83	73	52	62	49	66	107	65	78
	{ F	46	52	65	63	61	49	53	40	68	66	45	67
5—	{ M	64	64	73	62	62	82	71	75	88	98	54	56
	{ F	54	50	48	40	38	44	52	37	69	66	42	38
10—	{ M	60	46	54	47	55	68	83	81	90	102	44	59
	{ F	24	31	28	35	38	34	35	35	82	102	29	45
15—	{ M	76	72	98	101	103	107	132	126	121	153	114	110
	{ F	34	53	48	53	46	33	43	43	90	90	33	61
20—	{ M	116	91	133	106	117	143	173	121	149	167	121	152
	{ F	62	44	52	57	54	49	65	71	76	107	59	70
25—	{ M	131	100	124	129	129	123	132	133	152	170	130	169
	{ F	84	75	104	72	71	75	73	91	101	143	81	96
30—	{ M	181	143	173	174	154	143	169	157	175	197	151	215
	{ F	130	133	136	103	120	115	122	119	147	178	127	138
35—	{ M	248	197	294	279	229	232	210	269	242	301	227	311
	{ F	189	191	190	192	197	192	197	180	236	251	201	245
40—	{ M	410	386	381	388	384	361	333	354	388	485	417	499
	{ F	332	320	311	291	298	305	268	271	347	343	312	327
45—	{ M	771	655	746	707	722	648	655	676	697	842	713	889
	{ F	540	475	578	494	477	447	410	434	486	592	554	557
50—	{ M	1333	1166	1280	1134	1209	1135	1111	1006	1224	1475	1244	1641
	{ F	801	713	734	687	710	658	667	701	726	878	743	879
55—	{ M	2018	1738	1910	1727	1704	1505	1611	1533	1864	2270	2008	2569
	{ F	1124	1000	1048	984	994	923	938	901	1001	1276	1047	1321
60—	{ M	2561	2255	2433	2141	2114	2004	1880	1828	2210	2987	2512	3213
	{ F	1637	1406	1562	1449	1417	1333	1255	1244	1512	1790	1584	2003
65—	{ M	3155	2872	2903	2717	2688	2456	2341	2373	2721	3819	3132	4111
	{ F	2262	2004	2253	2078	2014	1853	1683	1765	2045	2652	2311	2802
70—	{ M	3726	3218	3477	3188	3155	2883	2621	2680	3002	3909	3590	4733
	{ F	3486	2947	3203	2821	2805	2691	2483	2431	2759	3505	3161	4108
75—	{ M	3842	3191	3622	3219	3065	2892	2598	2601	2810	3587	3573	4725
	{ F	4086	3594	3937	3519	3485	3241	2953	2938	3037	3992	3732	5054
80—	{ M	2993	2636	2794	2423	2526	2235	1875	2007	2099	2687	2788	3706
	{ F	3971	3554	3779	3304	3214	3007	2652	2626	2874	3557	3593	4875
85 and over	{ M	1907	1630	1796	1572	1452	1353	1213	1239	1361	1755	1792	2463
	{ F	3640	3083	3485	2849	2740	2601	2350	2399	2508	3252	3222	4561

TABLE 17—Causes of Death at Different Age-Periods, 1957. England and Wales

- Notes: (a) Including deaths of non-civilians registered in England and Wales.
 (b) The sequence of causes of death followed in this table is that of the detailed International Statistical Classification of Diseases, Injuries and Causes of Death (Sixth Revision, 1948), including the classification by External Cause of Injury (E codes) for violent deaths. Each three-digit code is separately specified, except a few which are not applicable to primary death classification, and certain 4th-digit splits of general interest are also shown. Table 18 should be consulted for further details of violent deaths.
 (c) Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the classification numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International Classification number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus 093, Glandular fever (infectious mononucleosis), 5, 5, 15, 15, 20 denotes that three male deaths (two in age-group 5— and one in 15—) and two female deaths (one in age-group 15— and one in 20—) are assigned to this cause. A dash (—) indicates that no deaths are assigned.

(Continued on next page)

See Explanatory notes on page vi.

Causes of death	TUBERCULOSIS															
	All Causes		I 001-138 Infective and Parasitic Diseases		001-019 All forms		001-008 Respiratory system		001 Respiratory tuberculosis with mention of occupa- tional disease of lung		002 Pulmonary tuberculosis		003 Pleural tuberculosis		003.0 Pleurisy specified as tuberculous	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	266407	248463	5144	2587	3414	1370	3150	1099	215	—	2899	1085	31	11	12	1
0—	9591	7129	132	129	8	5	3	2	—	—	2	1	1	1	—	—
1—	569	470	61	60	8	14	1	2	—	—	1	2	—	—	—	—
2—	297	279	33	19	5	8	1	2	—	—	1	2	—	—	—	—
3—	281	230	16	30	4	6	—	—	—	—	—	—	—	—	—	—
4—	256	172	22	16	1	3	—	—	—	—	—	—	—	—	—	—
5—	849	577	63	54	7	10	—	2	—	—	—	2	—	—	—	—
10—	789	517	37	19	13	5	3	—	—	—	2	—	1	—	1	—
15—	1276	621	35	35	14	20	4	9	—	—	2	9	2	—	1	—
20—	1562	750	53	46	25	23	17	16	—	—	17	16	—	—	—	—
25—	1604	1057	86	134	46	98	31	85	—	—	31	83	—	—	—	—
30—	2019	1567	153	165	104	134	90	127	1	—	88	127	1	—	1	—
35—	3027	2461	219	170	164	148	145	129	2	—	141	129	1	—	1	—
40—	4780	3721	260	163	199	124	182	113	3	—	176	113	1	—	1	—
45—	8698	6031	361	148	274	96	250	87	12	—	237	87	1	—	1	—
50—	14937	8884	477	164	376	100	358	88	25	—	331	87	2	1	1	—
55—	22418	12542	625	183	474	99	446	83	40	—	405	83	1	—	—	—
60—	28068	18200	689	195	500	92	480	69	44	—	434	69	2	—	—	—
65—	35228	25711	691	219	471	109	453	79	42	—	406	76	4	3	2	—
70—	40156	36399	591	239	409	129	392	98	22	—	364	97	6	—	1	—
75—	39719	43529	339	190	200	78	188	61	18	—	164	57	5	4	2	1
80—	30781	40970	142	128	83	46	79	32	6	—	72	30	1	2	—	—
85 and over	19502	36646	59	81	29	23	27	15	—	—	25	15	2	—	—	—

Causes of death	TUBERCULOSIS															
	003.1 Pleurisy with effusion without mention of cause		004* 005 Tracheobron- chial gland/T'r tuberculosis with symptoms		006-008* 010-019 Other forms		010 Meninges and central nervous system		011 Intestines, peritoneum, & mesenteric glands		012 Bones and joints, active or unspecified		012.0 Active or unspecified tuberculosis of vertebral column		012.1;2;3 Others included under 012	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	19	10	1	1	264	271	47	63	28	27	42	49	33	39	9	10
0—	1	1	—	—	5	3	2	1	1	1	—	—	—	—	—	—
1—	—	—	—	—	7	12	4	7	1	1	1	—	—	—	—	—
2—	—	—	—	—	4	6	3	6	1	—	—	—	—	—	—	—
3—	—	—	—	—	4	6	2	6	—	—	—	—	—	—	—	—
4—	—	—	—	—	1	3	—	3	—	—	—	—	—	—	—	—
5—	—	—	—	—	7	8	6	6	—	—	—	—	—	—	—	—
10—	—	—	—	—	10	5	8	3	—	—	—	—	—	—	—	—
15—	1	—	—	—	10	11	5	4	1	—	—	1	—	1	—	—
20—	—	—	—	—	8	7	2	3	—	4	—	2	—	—	—	—
25—	—	—	—	—	15	13	—	7	3	1	1	—	—	—	1	—
30—	—	—	—	—	14	7	2	2	2	1	1	1	1	1	—	—
35—	—	—	—	—	19	19	1	2	4	1	1	5	1	3	—	2
40—	—	—	1	—	17	11	1	1	2	—	2	1	2	1	—	—
45—	—	—	—	—	24	9	3	2	1	5	2	3	2	2	—	—
50—	1	1	—	—	18	12	3	2	—	2	4	1	3	—	1	1
55—	1	—	—	—	28	16	3	3	4	1	5	4	5	3	—	1
60—	2	—	—	—	20	23	1	1	2	3	3	4	2	3	1	—
65—	2	3	—	—	18	30	1	1	3	2	4	9	4	7	—	2
70—	5	—	—	1	17	31	—	1	1	4	7	10	6	10	1	—
75—	3	3	—	—	12	17	—	1	2	1	4	6	3	5	1	1
80—	1	2	—	—	4	14	1	2	—	2	1	4	—	3	1	1
85 and over	2	—	—	—	2	8	—	—	—	2	1	1	—	—	1	1

*004, Primary tuberculosis complex with symptoms, —; 006, Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere, —; 007, Other respiratory tuberculosis, 75, 25; 008, Tuberculosis, unspecified site, 35, 40, 65, 25.

TABLE 17—continued

(d) Deaths assigned to any of the following categories as the underlying cause, but where the interval between onset of the disease and death was stated to exceed one year, are included in the totals for these causes and are also separately distinguished in footnotes, described as "late effects":—040-043, 050, 055, 056, 058, 084-087, 100-108.

Causes of death	TUBERCULOSIS															
	013		014		015		016		017		018		019		019.0;1	
	Late effects of bones and joints		Skin and subcutaneous cellular tissue		Lymphatic system		Genito-urinary system		Adrenal glands		Other organs		Disseminated tuberculosis		Acute miliary tuberculosis	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2	3	2	2	5	13	81	44	9	9	10	13	38	48	3	5
0—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	1	4	—	1
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	1	—
15—	—	—	—	—	—	—	3	2	—	—	—	1	1	3	—	1
20—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	—	—
25—	—	1	—	—	—	—	8	1	—	—	1	—	2	3	—	—
30—	—	—	—	—	2	—	7	1	—	—	—	1	—	1	—	—
35—	—	—	—	—	—	1	9	5	3	1	1	2	—	2	—	1
40—	—	—	—	—	—	—	9	6	—	—	—	—	3	3	—	—
45—	—	—	1	—	—	—	7	2	—	—	2	—	4	2	—	—
50—	1	1	—	—	—	1	8	4	—	1	1	—	1	—	—	—
55—	—	—	—	—	1	—	10	4	2	2	2	1	1	3	—	—
60—	—	—	1	2	—	1	5	5	2	2	—	1	6	4	1	—
65—	1	1	—	—	—	—	1	7	1	3	2	2	5	5	—	—
70—	—	—	—	—	1	3	5	4	—	1	—	3	3	7	1	—
75—	—	—	—	—	—	2	4	3	—	—	1	—	1	4	—	1
80—	—	—	—	—	—	1	1	—	—	1	—	2	—	—	—	—
85 and over	—	—	—	—	—	3	1	1	—	—	—	—	—	1	—	—

Causes of death	TUBERCULOSIS															
	Tuberculosis		020-029		020		021*		023		024		025		026	
	019.2 Other forms of disseminated tuberculosis		Syphilis and its sequelæ		Congenital syphilis		022 Aneurysm of aorta		Other cardiovascular syphilis		Tabes dorsalis		General paralysis of insane		Other syphilis of central nervous system	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	35	43	879	413	3	7	459	233	281	107	53	22	48	20	26	18
0—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—
15—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
25—	2	3	—	2	—	—	—	2	—	—	—	—	—	—	—	—
30—	—	1	4	1	1	—	—	—	3	1	—	—	—	—	—	—
35—	—	1	15	4	—	—	4	1	5	1	—	—	2	2	3	—
40—	3	3	21	9	—	2	6	1	11	4	—	—	4	1	—	1
45—	4	2	26	12	—	2	8	4	13	—	1	—	2	—	2	—
50—	1	—	47	21	—	—	15	6	23	5	—	1	7	4	2	4
55—	1	3	115	38	2	—	48	11	52	16	3	4	6	4	4	1
60—	5	5	145	50	—	—	75	23	47	20	11	3	8	2	3	2
65—	5	5	183	63	—	1	95	30	49	19	15	6	15	3	8	4
70—	2	7	151	65	—	1	96	36	40	17	9	5	2	3	—	2
75—	1	3	116	73	—	—	75	54	26	9	9	3	2	1	3	4
80—	1	2	38	45	—	—	25	39	9	6	4	—	—	—	—	—
85 and over	—	1	16	30	—	1	11	26	2	3	1	—	—	—	1	—

*021, Early syphilis, —.

TABLE 17—continued

Causes of death	027		028*		030-039*		040-049		040†		041		042		043, 044
	Other forms of late syphilis		Syphilis unqualified		Gonococcal infection and other venereal diseases		Infectious diseases commonly arising in intestinal tract		Typhoid fever		Paratyphoid fever		Other salmonella infections		Bacilla dysent.
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All Ages	7	4	2	2	5	1	42	40	1	7	—	2	29	20	7
0—	—	—	—	—	—	—	4	6	—	—	—	—	2	4	2
1—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
3—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	1	1	—	1	—	—	1	—	—
15—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—
20—	—	—	—	—	—	—	1	1	1	—	—	1	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
40—	—	—	—	—	1	—	3	2	—	—	—	—	1	2	—
45—	—	1	—	—	—	—	3	1	—	1	—	—	2	—	—
50—	—	—	—	—	—	—	3	2	—	—	—	—	1	—	—
55—	—	1	—	1	1	—	6	3	—	1	—	—	6	1	—
60—	1	—	—	—	1	—	3	1	—	—	—	—	2	—	—
65—	1	—	—	—	—	1	5	6	—	1	—	—	3	3	1
70—	3	1	1	—	1	—	2	5	—	1	—	1	3	3	1
75—	—	1	1	1	—	—	3	3	—	1	—	—	2	2	1
80—	—	—	—	—	1	—	—	—	—	—	—	—	1	4	1
85 and over	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—

Causes of death	046		047, 048*		050-064		050†		051		052		053		054*
	Amoebiasis		Food poisoning (infection & intoxication)		Other bacterial diseases		Scarlet fever		Streptococcal sore throat		Erysipelas		Septicæmia and pyæmia		Diphtheria
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All Ages	4	1	1	—	224	223	4	6	7	9	5	1	50	48	2
0—	—	—	—	—	87	95	—	—	—	1	—	—	21	16	—
1—	—	—	—	—	27	31	—	1	1	—	—	—	2	3	1
2—	—	—	—	—	12	3	—	—	—	—	—	—	3	1	—
3—	—	—	—	—	6	10	—	—	1	—	—	—	1	2	—
4—	—	—	—	—	9	2	—	—	—	—	—	—	—	—	1
5—	—	—	—	—	10	10	—	1	—	—	—	—	—	1	—
10—	—	—	—	—	4	—	—	—	1	—	—	—	—	—	—
15—	—	—	—	—	4	2	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	3	—	—	—	—	—	—	—	2	—	—
25—	—	—	—	—	1	2	1	—	—	—	—	—	—	1	—
30—	—	—	—	—	6	4	1	1	1	—	—	—	2	2	—
35—	—	—	—	—	1	1	—	—	—	—	1	—	—	1	—
40—	—	—	—	—	3	4	—	—	1	1	—	—	—	1	—
45—	1	—	—	—	12	5	—	—	1	1	1	—	6	3	—
50—	2	—	—	—	5	3	—	—	—	1	—	1	4	—	—
55—	—	1	—	—	5	9	—	—	—	—	—	—	1	2	—
60—	—	—	—	—	11	12	1	2	—	1	2	—	3	5	—
65—	1	—	1	—	7	9	—	—	1	1	—	—	2	2	—
70—	—	—	—	—	6	8	—	—	—	2	—	—	1	4	—
75—	—	—	—	—	2	6	1	1	—	—	—	—	1	1	—
80—	—	—	—	—	1	5	—	—	—	1	—	—	—	3	—
85 and over	—	—	—	—	2	2	—	—	—	—	1	—	1	—	—

*028, Latent syphilis, —; 030, Acute or unspecified gonorrhœa, 40, 70; 031, Chronic gonococcal infection of genito-urinary system, —; 032, Gonococcal infection of joint, —; 033, Gonococcal infection of eye, —; 034, Gonococcal infection of other sites, —; 035, Late effects of gonococcal infection, 55, 60, 80; 036, Chancroid, —; 037, Lymphogranuloma venereum, 65; 038, Granuloma inguinale, venereal, —; 039, Other and unspecified venereal diseases, —; 043, Cholera, —; 044, Brucellosis (undulant fever), —; 047, Other protozoal dysentery, —; 048, Unspecified forms of dysentery 0, 80; 054, Bacterial toxæmia, 2.

†Including the following "Late effects" (see note (d) at head of table):—040, 70, 75; 050, 25, 30, 60, 30, 60, 60, 75; 055, 65, 75.

TABLE 17—continued

Causes of death	056† Whooping cough		057 Meningococcal infections		058, 059, 060*		062*		064* 070-074 Spirochaetal diseases, except syphilis		070, 071* 072 Leptospirosis icterohaemorrhagica (Weil's disease)		073, 074* 080-096 Diseases attributable to viruses		080 Acute poliomyelitis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	33	55	94	90	23	5	4	4	18	3	17	—	494	478	143	83
0—	24	44	42	34	—	—	—	—	—	—	—	—	32	18	3	1
1—	3	6	19	21	1	—	—	—	—	—	—	—	24	15	4	3
2—	2	—	6	2	—	—	—	—	—	—	—	—	15	7	—	—
3—	2	2	2	6	—	—	—	—	—	—	—	—	5	12	—	2
4—	1	—	7	2	—	—	—	—	—	—	—	—	12	11	2	—
5—	—	2	5	5	5	1	—	—	—	—	—	—	44	32	16	13
10—	—	—	1	—	2	—	—	—	—	—	—	—	18	13	7	4
15—	—	—	2	2	—	—	—	—	—	1	—	—	13	12	5	1
20—	—	—	—	—	1	—	—	—	2	—	2	—	20	22	14	11
25—	—	—	—	1	—	—	—	—	1	—	1	—	37	31	30	23
30—	—	—	—	1	2	—	—	—	—	—	—	—	39	22	30	10
35—	—	—	—	—	—	—	—	—	1	—	1	—	33	16	14	8
40—	1	—	1	1	—	—	—	—	1	—	—	—	26	21	8	2
45—	—	—	1	1	1	—	2	—	4	—	4	—	34	27	6	1
50—	—	—	—	1	1	—	—	—	2	—	2	—	31	30	2	3
55—	—	—	3	5	1	1	—	—	2	—	2	—	20	28	—	—
60—	—	—	1	1	2	1	—	1	2	—	2	—	21	35	1	—
65—	—	—	2	4	2	—	—	1	1	1	1	—	16	24	1	—
70—	—	—	2	—	2	1	—	1	2	—	2	—	13	23	—	—
75—	—	—	—	2	—	—	—	—	—	—	—	—	14	29	—	1
80—	—	—	—	1	1	—	—	—	—	1	—	—	15	25	—	—
85 and over	—	1	—	—	—	1	—	—	—	—	—	—	12	25	—	—

Causes of death	080.0 Specified as bulbar or polio-encephalitis		080.1 With other paralysis		080.2*		081 Late effects of acute poliomyelitis		082 Acute infectious encephalitis		083 Late effects of acute infectious encephalitis		084*		086*	
					080.3 Unspecified								085† Measles		087 Chickenpox	
					M	F							M	F	M	F
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	63	30	21	16	59	37	21	8	59	50	55	50	54	41	5	9
0—	—	1	2	—	1	—	—	—	7	7	—	—	12	8	1	1
1—	2	1	—	1	2	1	—	—	1	5	—	—	14	5	1	1
2—	—	—	—	—	—	—	—	—	6	2	—	—	4	4	—	—
3—	—	1	—	—	—	1	—	—	1	1	—	—	4	6	—	2
4—	—	—	—	—	2	—	—	—	2	2	—	—	7	6	—	1
5—	9	5	2	1	5	7	5	2	2	1	—	—	9	10	—	2
10—	5	1	—	—	2	3	2	1	6	2	—	—	—	1	—	—
15—	2	—	1	1	2	—	2	—	2	3	—	—	1	—	—	—
20—	8	6	3	2	3	3	—	—	2	2	—	—	1	—	—	—
25—	11	7	4	3	15	13	—	—	2	2	1	1	—	—	—	—
30—	13	1	5	2	12	7	3	3	2	3	—	—	1	—	—	—
35—	6	5	2	3	6	—	1	—	6	1	5	2	1	—	1	—
40—	3	1	—	1	—	—	1	—	3	1	4	9	—	—	—	—
45—	2	—	1	—	3	1	3	1	5	4	10	7	—	—	—	—
50—	—	1	1	1	1	1	—	—	3	1	12	5	—	—	—	—
55—	—	—	—	—	—	—	—	—	5	4	5	6	—	—	—	—
60—	1	—	—	—	—	—	2	—	1	5	7	10	—	1	—	—
65—	1	—	—	—	—	—	1	1	2	3	6	5	—	—	—	—
70—	—	—	—	—	—	—	—	—	1	—	2	3	—	—	—	—
75—	—	—	—	1	—	—	—	—	—	1	3	2	—	—	1	—
80—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

*058, Plague, —; 059, Tularaemia, —; 060, Leprosy, —; 062, Anthrax, 60; 064, Other bacterial diseases, 60; 070, Vincent's infection, 40, 15, 80; 071, Relapsing fever, —; 073, Yaws, —; 074, Other spirochaetal and leptospiraetal infections, 65; 080.2, Specified as nonparalytic, —; 084, Smallpox, 5, 70; 086, Rubella (German measles), 20, 30.

†Including the following "late effects" (see note (d) at head of table):—056, 40; 085, 5.

TABLE 17—continued

Causes of death	088		089		090, 091*		093, 094, 095*		100-108*		110-117		110, 111*		113-117*	
	Herpes zoster		Mumps		092 Infectious hepatitis		096 Other diseases attributable to viruses		100-108 Typhus and other rickettsial diseases		Malaria		112 Falciparum malaria (malignant tertian)		120-138 Other infective and parasitic diseases	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	24	49	3	6	119	173	6	5	—	—	3	1	1	1	65	—
0—	—	—	—	—	8	—	1	1	—	—	—	—	—	—	1	—
1—	—	—	—	—	3	1	1	—	—	—	—	—	—	—	1	—
2—	—	—	—	—	3	1	1	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
4—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—
5—	—	—	1	1	8	3	—	—	—	—	—	—	—	—	2	—
10—	—	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	2	7	—	—	—	—	—	—	—	—	1	—
20—	—	—	—	—	2	8	—	—	—	—	—	—	—	—	1	—
25—	—	—	—	—	4	5	—	—	—	—	—	—	—	—	1	—
30—	—	—	—	—	3	5	—	—	—	—	—	1	—	1	—	—
35—	—	—	—	—	5	5	—	—	—	—	—	—	—	—	4	—
40—	—	—	—	1	9	7	1	1	—	—	2	—	—	—	4	—
45—	—	—	—	1	10	13	—	—	—	—	—	—	—	—	8	—
50—	1	—	—	—	13	20	—	1	—	—	1	—	1	—	12	—
55—	1	—	—	—	9	18	—	—	—	—	—	—	—	—	2	—
60—	—	—	—	—	10	19	—	—	—	—	—	—	—	—	6	—
65—	1	1	—	—	5	14	—	—	—	—	—	—	—	—	8	—
70—	1	4	—	—	9	14	—	—	—	—	—	—	—	—	7	—
75—	4	7	—	1	6	16	—	1	—	—	—	—	—	—	4	—
80—	6	19	2	1	5	5	1	—	—	—	—	—	—	—	2	—
85 and over	10	18	—	—	2	7	—	—	—	—	—	—	—	—	—	—

Causes of death	120-124*		126-131*		133*		135, 136, 137*		NEOPLASMS							
	125 Hydatid disease		132 Actinomy- cosis		134 Other fungus infections		138 Other infective and parasitic diseases		II 140-239 Neoplasms		140-205 Malignant neoplasms inc neoplasms of lymphatic & haematopoie- tic tissues		140-148 Malignant neoplasm of buccal cavity and pharynx		140 Lip	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	11	8	4	2	13	8	27	38	50792	44853	50056	43961	1259	669	83	—
0—	—	—	—	—	1	3	—	1	38	52	20	35	—	—	—	—
1—	—	—	—	—	—	—	—	—	33	27	29	23	—	—	—	—
2—	—	—	—	—	—	—	—	—	35	26	31	21	—	1	—	—
3—	—	—	—	—	1	—	—	—	55	37	49	34	1	1	—	—
4—	—	—	—	—	—	—	—	—	43	24	41	21	—	—	—	—
5—	—	—	—	—	1	1	—	—	130	101	120	89	3	1	—	—
10—	—	—	—	—	—	—	—	—	120	85	106	71	2	2	—	—
15—	—	—	—	—	—	—	1	—	147	88	140	72	5	—	—	—
20—	—	—	—	—	—	—	1	—	170	99	160	86	2	—	—	—
25—	1	—	—	—	—	—	1	—	238	177	222	160	1	2	—	—
30—	—	—	—	—	—	—	—	3	360	404	339	380	3	5	—	—
35—	1	—	1	—	—	—	1	1	600	825	575	792	6	10	—	—
40—	1	—	—	—	1	—	2	3	1135	1510	1094	1445	18	20	1	—
45—	—	—	—	—	1	—	6	7	2375	2628	2299	2548	30	29	—	—
50—	1	1	2	—	2	—	6	7	4192	3476	4105	3387	47	44	—	—
55—	—	—	—	—	—	—	—	6	6318	4481	6234	4377	88	61	2	—
60—	2	—	—	1	1	1	1	2	7292	5469	7218	5381	128	87	7	—
65—	1	4	—	—	2	—	4	2	7976	6001	7902	5898	209	98	9	—
70—	1	2	—	1	2	1	3	5	7835	6465	7776	6383	228	95	14	—
75—	2	—	1	—	1	1	—	—	6408	6068	6358	6018	232	105	20	—
80—	1	—	—	—	—	—	1	—	3730	4340	3703	4297	167	61	19	—
85 and over	—	—	—	—	—	—	—	—	1562	2470	1535	2443	89	47	11	—

*090, Dengue, —; 091, Yellow fever, —; 093, Glandular fever (infectious mononucleosis), 5, 5, 15, 15, 20; 094, Rabies, —; 095, Trachoma, —; 100, Louse-borne epidemic typhus, —; 101, Flea-borne endemic typhus (murine), —; 102, Brill's disease, not specified as louse or flea-borne typhus, —; 103, Tabardillo (Mexican typhus), not specified as louse or flea-borne, —; 104, Tick-borne typhus, —; 105, Mite-borne typhus, —; 106, Wolhynian fever (trench fever), —; 107, Typhus, unspecified, —; 108, Other rickettsial diseases, —; 110, Vivax malaria (benign tertian), 40; 111, Malariae malaria (quartan), —; 113, Ovale malaria, —; 114, Mixed malarial infections, —; 115, Blackwater fever, —; 116, Other and unspecified forms of malaria, 40; 117, Recurrent induced malaria, —; 120, Leishmaniasis, —; 121, Trypanosomiasis, 35, 45; 122, Other protozoal diseases, 1, 5, 70, 0; 123, Schistosomiasis, —; 124, Other trematode infestation, —; 126, Other cestode infestation 50, 55, 60, 60, 65, 2; 127, Filariasis, —; 128, Trichiniasis, —; 129, Ankylostomiasis, —; 130, Infestation with worms of other, mixed, and unspecified type, —; 131, Dermatophytosis, —; 133, Coccidioidomycosis, —; 135, Scabies, —; 136, Pediculosis, —; 137, Other arthropod infestation, —.

TABLE 17—continued

Causes of death	NEOPLASMS															
	141 Tongue		142 Salivary gland		143 Floor of mouth		144 Other parts of mouth and mouth unspecified		145 Oral mesopharynx		146 Nasopharynx		147 Hypopharynx		148 Pharynx, unspecified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	336	158	81	64	63	20	186	71	153	47	78	45	85	157	194	98
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	1	—	—	—	2	1	—	—	—	—
10—	—	—	1	—	—	—	—	—	—	—	1	2	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	—
20—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
25—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—
30—	1	1	—	1	1	—	—	—	—	—	—	1	—	1	1	1
35—	1	2	1	1	—	—	—	—	3	—	—	1	—	1	—	—
40—	3	4	2	3	—	1	2	—	1	—	4	1	—	6	4	3
45—	5	5	2	2	1	—	3	—	2	—	7	1	—	12	4	5
50—	8	4	4	4	2	1	4	3	10	3	8	4	3	17	8	7
55—	21	8	8	3	3	—	15	4	11	5	10	6	7	25	11	10
60—	33	15	12	9	5	4	17	15	23	7	6	5	8	16	17	16
65—	48	25	14	6	9	2	34	6	20	10	15	10	19	24	41	14
70—	73	26	11	9	15	2	21	8	23	5	10	7	20	19	41	19
75—	78	36	13	8	13	5	36	14	26	8	4	3	10	17	32	12
80—	50	12	8	8	8	3	30	13	24	6	4	1	8	8	16	6
85 and over	15	14	5	9	6	2	23	7	10	3	1	1	2	4	16	5

Causes of death	NEOPLASMS															
	150-159 Malignant neoplasm of digestive organs and peritoneum		150 Esophagus		151 Stomach		152 Small intestine including duodenum		153 Large intestine except rectum		154 Rectum		155 Biliary passages and of liver (stated to be primary site)		156 Liver (secondary and unspecified)	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	19428	17998	1312	963	7986	6009	97	75	3810	5426	3116	2291	569	833	460	425
0—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	1	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—
3—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
5—	3	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
10—	1	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—
15—	8	3	—	—	1	2	—	—	3	—	3	—	—	—	—	—
20—	11	8	1	—	2	1	1	—	1	2	1	—	1	1	1	—
25—	44	31	—	—	16	13	—	—	12	12	9	3	—	—	—	—
30—	88	54	4	1	34	20	—	1	23	10	13	9	3	4	1	3
35—	156	147	11	1	56	46	1	1	32	40	26	31	7	7	6	6
40—	355	301	13	14	145	90	3	3	88	90	36	41	12	13	13	11
45—	729	561	52	36	314	145	10	6	102	180	111	86	24	27	14	20
50—	1350	867	71	54	665	244	9	10	232	260	149	126	37	33	22	19
55—	2017	1369	127	64	939	453	14	8	310	404	248	162	64	72	59	29
60—	2478	1952	143	102	1099	621	9	11	405	558	372	255	102	104	61	54
65—	3078	2533	200	139	1288	862	14	12	562	707	503	324	89	130	83	63
70—	3378	3108	249	167	1355	1101	14	4	651	872	576	394	96	165	76	75
75—	3059	3191	235	171	1186	1146	13	12	694	980	562	357	83	146	55	69
80—	1900	2460	145	145	634	827	8	4	481	798	364	311	37	85	48	44
85 and over	770	1405	61	69	252	438	1	3	213	511	143	192	13	44	21	30

TABLE 17—continued

Causes of death	NEOPLASMS															
	157		158		159		160-165		160		161		162		163	
	Pancreas		Peritoneum		Unspecified digestive organs		Malignant neoplasm of respiratory system		Nose, nasal cavities, middle ear, & accessory sinuses		Larynx		Trachea, & of bronchus and lung specified as primary		Lung bronchus specified to whether primary or second	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1893	1722	163	230	22	24	17284	3002	114	86	661	174	12079	1966	4351	
0—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
3—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—	1
10—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	1	1	—	—	2	1	—	—	—	—	2	1	—	—
20—	1	—	2	4	—	—	11	7	—	2	1	—	9	2	—	1
25—	1	2	6	1	—	—	17	7	—	—	1	—	13	5	—	3
30—	8	2	2	4	—	—	48	23	—	1	1	2	34	18	—	12
35—	10	14	6	1	1	—	170	55	3	3	3	3	133	29	—	28
40—	38	34	7	5	—	—	383	97	7	1	6	9	301	70	—	66
45—	94	42	8	19	—	—	980	202	5	4	15	6	733	149	—	223
50—	144	98	20	21	1	2	1978	268	5	2	40	14	1461	195	—	463
55—	225	146	25	26	6	5	3058	385	12	4	74	21	2226	279	739	
60—	267	208	18	38	2	1	3325	448	16	7	93	23	2337	294	857	
65—	321	255	15	37	3	4	3061	437	17	13	111	33	2137	282	786	
70—	337	297	23	29	1	4	2327	440	20	18	116	21	1533	272	651	
75—	214	279	14	26	3	5	1275	341	13	14	105	18	799	211	354	
80—	172	233	8	12	3	1	491	212	11	12	66	19	281	115	127	
85 and over	61	111	3	5	2	2	155	79	5	5	29	5	80	44	39	

Causes of death	NEOPLASMS											
	164		165		170-181		170		171		172	
	Mediastinum		Thoracic organs (secondary)		Malignant neoplasm of breast and genito-urinary organs		Breast		Cervix uteri		Corpus uteri	
Ages at death	M	F	M	F	M	F	M	F	F	F	F	F
All Ages	57	36	22	17	6615	17253	70	8613	2474		1216	36
0—	1	—	—	—	1	2	—	1	—	—	—	—
1—	—	—	—	—	6	2	—	—	—	—	—	—
2—	—	—	—	—	2	4	—	—	—	—	—	—
3—	—	—	—	—	7	1	—	—	—	—	—	—
4—	—	—	—	—	6	3	—	—	—	—	—	—
5—	—	—	—	—	9	10	—	—	—	—	—	—
10—	—	—	—	—	1	3	—	—	—	—	—	—
15—	—	—	—	—	11	5	—	—	—	—	—	—
20—	—	—	—	2	20	18	—	5	2	—	1	1
25—	—	—	—	—	25	41	—	14	12	—	1	4
30—	—	1	1	—	28	189	—	82	60	—	5	—
35—	2	3	1	—	51	428	1	210	118	—	5	—
40—	2	5	1	—	56	809	—	421	181	—	18	—
45—	4	1	—	2	138	1449	4	812	219	—	53	4
50—	9	3	—	3	241	1798	1	948	271	—	94	4
55—	6	1	1	—	413	2088	6	1009	291	—	164	3
60—	16	5	6	3	665	2274	16	1093	321	—	201	4
65—	5	3	5	—	969	2189	17	1058	305	—	177	3
70—	5	3	2	3	1305	2149	7	1010	301	—	182	2
75—	1	3	3	2	1372	1839	10	905	206	—	178	2
80—	4	6	2	2	884	1235	4	635	126	—	100	—
85 and over	2	2	—	—	405	717	4	410	61	—	37	1

TABLE 17—continued

	NEOPLASMS											
Causes of death	175 Ovary, Fallopian tube, and broad ligament	176 Other and unspecified female genital organs	177 Prostate	178 Testis	179 Other and unspecified male genital organs	180 Kidney		181 Bladder and other urinary organs		190-199 Malignant neoplasm of other and unspecified sites		
ages at death	F	F	M	M	M	M	F	M	F	M	F	
All Ages	2874	519	3475	175	139	704	433	2052	875	2743	2875	
0—	1	—	—	—	—	1	—	—	—	7	11	
1—	—	1	—	1	—	5	1	—	—	13	5	
2—	—	—	1	—	—	1	3	—	1	10	6	
3—	—	—	—	—	—	6	1	1	—	6	9	
4—	—	—	—	—	—	5	3	1	—	12	2	
5—	4	—	—	1	—	7	6	1	—	35	33	
10—	—	—	—	1	—	—	3	—	—	32	19	
15—	3	—	1	7	—	3	—	—	1	44	32	
20—	8	—	—	16	—	—	1	4	—	39	24	
25—	8	—	—	24	—	—	2	1	—	45	27	
30—	29	1	1	17	—	7	7	3	—	73	56	
35—	81	7	1	27	2	12	1	8	4	81	82	
40—	154	8	4	11	—	14	10	27	8	134	119	
45—	303	20	11	14	2	45	14	62	17	217	180	
50—	385	24	32	6	15	85	19	102	29	262	259	
55—	438	35	99	11	10	93	47	194	74	389	272	
60—	425	57	240	8	11	124	67	266	71	304	350	
65—	372	70	498	13	21	115	55	305	120	310	353	
70—	281	91	799	7	23	82	79	387	174	271	337	
75—	214	77	902	6	27	55	59	372	180	219	329	
80—	117	84	602	4	23	37	38	214	113	161	218	
85 and over	51	44	284	1	5	7	17	104	83	79	152	

Causes of death	NEOPLASMS															
	190 Malignant melanoma of skin		191 Other malignant neoplasm of skin		192 Eye		193 Brain and other parts of nervous system		194 Thyroid gland		195 Other endocrine glands		196 Bone (including jaw bone)		197 Connective tissue	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	145	247	316	254	60	51	894	667	89	264	71	54	351	288	125	103
0—	—	—	—	—	—	1	4	3	—	—	2	7	—	—	—	—
1—	—	—	—	—	—	—	8	3	—	—	3	1	1	1	—	—
2—	—	—	—	—	—	1	5	3	—	—	3	1	1	—	—	—
3—	—	—	1	—	1	1	2	5	—	—	2	1	—	1	—	—
4—	—	—	1	—	—	—	7	—	—	—	—	1	—	1	4	—
5—	—	—	—	—	3	1	21	24	—	—	6	2	2	4	3	2
10—	—	1	—	—	—	—	15	9	—	—	2	—	9	9	3	—
15—	—	2	—	1	1	—	19	10	—	—	1	2	20	14	2	1
20—	2	7	—	—	—	—	18	12	—	1	—	—	12	3	3	—
25—	6	7	1	—	—	—	21	11	1	—	—	2	6	2	4	1
30—	11	11	1	1	—	—	38	23	2	—	3	2	9	5	5	4
35—	8	19	2	3	—	—	51	38	2	1	3	2	4	5	4	3
40—	7	21	5	4	1	4	71	49	—	3	6	1	15	6	9	6
45—	15	18	5	1	5	4	113	66	5	6	4	4	16	13	9	8
50—	14	24	7	8	6	2	128	99	4	18	10	10	23	15	8	11
55—	23	20	21	4	4	7	164	99	8	18	13	3	42	18	16	11
60—	7	17	22	18	13	3	102	109	10	40	5	3	34	29	15	16
65—	17	25	36	29	9	6	64	57	20	42	2	6	44	39	12	6
70—	15	27	55	35	10	10	31	31	17	39	2	2	32	39	10	16
75—	8	22	60	51	4	5	8	10	12	41	1	2	39	46	6	11
80—	10	19	59	49	2	4	3	4	6	34	3	—	28	22	6	3
85 and over	2	7	40	50	1	2	1	2	2	21	—	—	14	16	5	4

TABLE 17—continued

Causes of death	NEOPLASMS															
	198 Secondary & unspecified malignant neoplasm of lymph nodes		199 Other and unspecified sites		200-205 Neoplasms of lymphatic & hæmato- poietic tissues		200 Lymphosar- coma and reticulo- sarcoma		201 Hodgkin's disease		202 Other forms of lymphoma (reticulosis)		203 Multiple myeloma (plasma- cytoma)		204 Leukæmia and aleukæmia	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	37	22	655	925	2727	2164	486	381	584	288	78	76	268	314	1301	1
0—	—	—	1	—	9	20	2	3	—	—	3	5	—	—	4	1
1—	—	—	—	—	10	16	—	1	—	—	1	2	1	—	8	1
2—	—	—	1	1	17	9	1	2	—	—	3	—	—	—	13	1
3—	—	—	—	1	35	22	3	—	—	—	—	1	—	—	32	1
4—	—	—	—	—	23	15	2	2	—	—	—	—	—	—	21	1
5—	—	—	—	—	69	44	8	5	2	2	1	—	—	—	58	3
10—	—	—	3	—	70	45	13	6	15	3	—	1	—	—	42	3
15—	—	—	—	2	70	31	13	4	16	8	—	—	—	—	41	1
20—	—	—	4	1	77	29	8	4	35	9	—	1	—	—	34	1
25—	—	—	6	4	90	52	14	3	43	19	3	1	—	—	30	2
30—	—	1	4	9	99	53	10	6	42	19	2	1	2	—	42	2
35—	—	—	7	11	111	70	15	4	50	16	2	5	3	4	41	4
40—	—	—	20	25	148	99	22	12	51	21	3	2	16	5	56	7
45—	2	4	43	56	205	127	42	19	60	21	6	7	22	15	73	6
50—	1	—	61	72	227	151	56	21	56	24	14	6	24	20	76	7
55—	5	2	93	90	269	202	54	36	59	32	8	7	38	41	110	8
60—	2	1	94	114	318	270	58	55	49	31	14	10	56	66	139	10
65—	9	2	97	141	275	288	57	66	39	33	7	7	46	56	126	12
70—	8	5	91	133	267	254	56	58	31	20	3	6	31	57	145	11
75—	4	2	77	139	201	213	35	36	22	18	7	8	20	35	114	11
80—	5	4	39	77	100	111	12	23	10	12	3	4	4	11	73	8
85 and over	1	1	13	49	37	43	5	15	4	—	1	2	5	4	23	2

Causes of death	NEOPLASMS															
	204.0 Lymphatic leukæmia		204.1 Myeloid leukæmia		204.2 Monocytic leukæmia		204.3 Acute leukæmia, unspecified type		204.4 Other and unspecified leukæmia		205 Mycosis fungoides		210-229 Benign Neoplasm		210* 211 Other parts of digestive system	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	504	331	582	544	103	112	71	74	41	32	10	12	329	555	17	2
0—	1	3	2	4	—	1	1	4	—	—	—	—	11	13	1	—
1—	6	4	2	3	—	1	—	3	—	2	—	—	2	3	—	—
2—	6	2	4	5	—	—	2	—	1	—	—	—	2	3	—	—
3—	20	12	5	6	2	1	4	1	1	1	—	—	2	3	—	—
4—	13	5	5	5	—	—	2	3	1	—	—	—	—	2	—	—
5—	36	20	13	9	2	—	6	7	1	1	—	—	4	7	1	—
10—	20	10	14	19	4	1	4	5	—	—	—	—	3	6	—	—
15—	10	6	22	6	4	3	4	3	1	—	—	—	3	11	—	—
20—	9	3	15	9	6	2	3	1	1	—	—	—	5	10	—	—
25—	6	3	16	15	8	5	—	4	—	2	—	—	6	12	—	—
30—	8	4	24	15	4	5	5	3	1	—	1	—	11	12	—	—
35—	9	7	27	23	1	7	4	3	—	1	—	—	10	19	—	—
40—	11	4	35	43	4	8	4	4	2	—	—	—	15	42	—	—
45—	24	10	38	33	4	12	5	5	2	3	2	2	23	52	—	—
50—	13	18	50	46	8	8	2	6	3	1	1	1	37	58	2	—
55—	36	23	57	47	6	11	7	3	4	2	—	—	26	51	3	—
60—	50	27	64	58	13	11	6	6	6	5	2	1	31	47	3	—
65—	61	38	50	69	8	11	2	7	5	1	—	—	36	64	2	—
70—	61	42	58	53	15	8	5	2	6	5	1	3	34	55	1	—
75—	50	48	51	48	10	13	2	1	1	5	3	1	31	35	2	—
80—	40	30	22	21	3	3	3	2	5	2	—	4	20	31	2	—
85 and over	14	12	8	7	1	1	—	1	—	1	—	—	17	19	—	—

*210, Benign neoplasm of buccal cavity and pharynx, 15, 50, 80.

TABLE 17—continued

	NEOPLASMS													
Causes of death	212		213*	215	216	217, 218*		220, 221, 222*		224		225		
	Respiratory system		214			Uterine fibromyoma	Uterus	Ovary	219					223
ages at death	M	F	F	F	F	M	F	M	F	M	F	M	F	
All Ages	10	10	87	12	112	91	41	131	179	38	44	12	8	
0—	3	1	—	—	—	—	—	1	5	1	—	—	—	
1—	—	—	—	—	—	—	—	1	3	—	—	—	—	
2—	1	—	—	—	—	—	—	—	2	1	—	—	—	
3—	—	—	—	—	—	—	—	1	1	—	1	—	—	
4—	—	—	—	—	—	—	—	—	2	—	—	—	—	
5—	—	—	—	—	2	—	—	1	4	2	1	—	—	
10—	—	—	—	—	—	—	—	2	2	—	4	—	—	
15—	—	—	—	—	1	—	—	—	8	2	1	—	—	
20—	—	—	—	—	2	—	—	—	4	—	2	—	—	
25—	—	—	1	1	2	—	—	3	5	3	2	—	—	
30—	—	—	1	1	1	—	—	8	6	3	2	—	—	
35—	1	—	5	1	4	—	—	5	5	2	1	1	—	
40—	—	2	17	1	6	—	1	9	10	3	3	1	1	
45—	1	—	20	6	2	2	—	13	16	4	4	1	1	
50—	1	—	15	1	6	7	1	20	23	2	5	1	1	
55—	—	—	8	—	7	2	1	17	25	3	3	1	—	
60—	—	—	3	—	11	5	4	15	17	2	5	4	1	
65—	—	3	5	1	16	13	3	14	24	3	4	1	1	
70—	2	3	6	—	20	13	4	11	11	3	5	—	1	
75—	1	1	3	—	11	19	11	4	3	3	1	2	2	
80—	—	—	2	—	13	16	8	2	3	—	—	—	—	
85 and over	—	—	1	—	8	14	8	1	—	1	—	—	—	

Causes of death	NEOPLASMS															
	226 Lipoma		227 Muscular and connective tissue		228 Hæmangioma and lymphangioma		229 Other and unspecified organs and tissues		230-239 Neoplasm of unspecified nature		230 Unspecified nature of digestive organs		231 Unspecified nature of respiratory organs		232-235*	
															236 Unspecified nature of other genito-urinary organs	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	3	4	5	5	14	13	3	7	407	337	26	23	14	10	6	2
0—	—	—	—	1	5	2	—	3	7	4	—	—	—	—	1	—
1—	—	—	—	—	—	—	1	—	2	1	—	—	—	—	1	—
2—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—
3—	—	—	—	—	1	1	—	—	4	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	6	5	—	—	—	—	—	—
10—	—	—	—	—	1	—	—	—	11	8	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	4	5	—	—	—	—	—	—
20—	—	—	—	—	1	1	—	—	5	3	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	10	5	—	—	1	—	—	—
30—	—	—	—	—	1	—	—	—	10	12	—	—	1	—	—	—
35—	—	—	—	—	1	1	—	—	15	14	—	—	—	—	—	—
40—	—	—	1	1	1	—	—	—	26	23	—	—	—	—	—	—
45—	1	—	—	—	1	1	—	—	53	28	—	—	—	—	—	—
50—	—	1	2	—	—	2	—	1	50	31	—	1	1	1	—	—
55—	—	—	—	1	—	3	—	1	58	53	—	—	1	1	1	—
60—	—	—	—	1	1	2	—	—	43	41	1	3	2	2	—	—
65—	—	2	1	1	2	—	—	1	38	39	3	1	4	1	—	—
70—	2	—	1	—	—	—	1	1	25	27	6	5	—	3	—	2
75—	—	1	—	—	—	—	—	—	19	15	5	6	3	—	—	—
80—	—	—	—	—	—	—	—	—	7	12	4	3	1	2	1	—
85 and over	—	—	—	—	—	—	1	—	10	8	7	4	—	—	2	—

*213, Benign neoplasm of breast, —; 217, Benign neoplasm of other female genital organs, 60; 218, Benign neoplasm of male genital organs, —; 220, Benign melanoma of skin, —; 221, Pilonidal cyst, 20, 50; 222, Other benign neoplasm of skin, 60, 45, 65, 85; 232, Neoplasm of unspecified nature of breast, —; 233, Neoplasm of unspecified nature of uterus, —; 234, Neoplasm of unspecified nature of ovary, 50; 235, Neoplasm of unspecified nature of other female genital organs, —.

TABLE 17—continued

Causes of death	NEOPLASMS						III		240-245		240*		242-245*		250	
	237 Unspecified nature of brain and other parts of nervous system		238 Unspecified nature of skin and musculo-skeletal system		239 Unspecified nature of other and unspecified organs		240-289 Allergic Endocrine system, Metabolic, and Nutritional diseases		Allergic disorders	Asthma	241		250-254 Diseases of thyroid gland		Simple go	
	M	F	M	F	M	F	M	F			M	F	M	F	M	F
All Ages	344	279	5	5	12	17	2429	4246	1011	1120	1006	1114	89	590	4	
0—	4	3	—	1	2	—	34	21	3	1	3	1	2	—	1	—
1—	1	1	—	—	—	—	8	7	3	2	3	2	—	—	—	—
2—	2	1	—	—	—	1	4	11	2	8	2	8	—	—	—	—
3—	4	—	—	—	—	—	1	3	1	2	1	2	—	—	—	—
4—	2	1	—	—	—	—	4	4	1	1	1	1	—	—	—	—
5—	5	5	—	—	1	—	20	15	6	6	5	6	—	1	—	—
10—	11	7	—	—	—	1	10	16	3	7	3	7	—	—	—	—
15—	4	5	—	—	—	—	10	28	6	13	6	13	—	1	—	—
20—	5	3	—	—	—	—	25	38	11	19	10	19	—	2	—	—
25—	9	5	—	—	—	—	22	37	7	16	6	14	2	4	1	—
30—	9	10	—	1	—	1	33	46	13	24	13	24	2	5	—	—
35—	15	14	—	—	—	—	50	77	18	45	18	44	3	5	—	—
40—	24	22	—	1	2	—	81	85	47	46	47	46	6	12	1	—
45—	52	27	—	1	1	—	130	152	71	81	70	81	2	15	—	—
50—	49	26	—	—	—	2	170	239	97	118	97	118	5	30	—	—
55—	55	50	1	—	—	2	239	332	130	125	130	124	9	53	1	—
60—	38	36	2	—	—	—	314	493	159	140	159	139	14	69	—	—
65—	29	37	2	—	—	—	369	678	153	137	152	136	18	112	—	—
70—	18	15	—	—	1	2	336	718	138	128	138	128	13	113	—	—
75—	7	6	—	1	4	2	305	660	92	121	92	121	10	93	—	—
80—	1	3	—	—	—	4	195	401	38	46	38	46	2	47	—	—
85 and over	—	2	—	—	1	2	69	185	12	34	12	34	1	28	—	—

Causes of death	251		252		253		254		260		270-277		270 Disorders of pancreatic internal secretion other than diabetes mellitus		271 Diseases of parathyroid gland	
	Nontoxic nodular goitre		Thyrotoxicosis with or without goitre		Myxœdema and cretinism		Other diseases of thyroid gland		Diabetes mellitus		Diseases of other endocrine glands					
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2	22	59	314	22	223	2	9	1013	2124	112	156	4	5	2	
0—	—	—	—	—	1	—	—	—	1	—	20	17	1	—	—	—
1—	—	—	—	—	—	—	—	—	1	1	—	2	—	1	—	—
2—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	2	1	—	2	—	—	—	—
5—	—	—	—	—	—	1	—	—	5	4	3	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	2	7	3	—	—	—	—	—
15—	—	—	—	—	—	1	—	—	2	10	2	2	—	—	—	—
20—	—	—	1	—	—	—	—	—	10	10	1	3	—	—	—	—
25—	—	—	4	—	1	—	—	—	10	7	2	5	—	—	—	—
30—	—	—	2	3	—	1	—	—	15	10	2	1	—	—	—	—
35—	—	—	3	4	—	1	—	—	18	20	2	2	—	—	—	—
40—	—	1	4	9	1	1	—	—	16	10	4	11	—	—	1	—
45—	—	—	2	9	—	6	—	—	31	35	8	13	—	—	—	—
50—	—	2	3	22	2	3	—	1	45	60	9	19	—	1	1	—
55—	—	4	8	31	—	14	—	—	61	107	14	16	2	1	—	—
60—	—	2	12	42	2	21	—	1	104	238	13	23	—	—	—	—
65—	2	4	13	62	3	41	—	2	162	361	15	21	1	1	—	—
70—	—	4	7	60	5	45	1	3	157	432	8	10	—	—	—	—
75—	—	4	4	44	5	41	1	1	187	409	3	4	—	—	—	—
80—	—	1	1	12	1	33	—	—	131	287	2	1	—	—	—	—
85 and over	—	—	—	11	1	14	—	1	53	113	1	3	—	1	—	—

*240, Hay fever, —; 242, Angioneurotic œdema, 5, 20, 25, 25, 35, 60, 65; 243, Urticaria, —; 244 Allergic eczema, —; 245, Other allergic disorders, 45, 65, 25, 55.

TABLE 17—continued

Causes of death	272		273		274		275, 276*		280-289		280, 281*		283, 284, 285*		287	
	Diseases of pituitary gland		Diseases of thymus gland		Diseases of adrenal glands		277 Polyglandular dysfunction and other diseases of endocrine glands		Avitaminoses, and other metabolic diseases		282 Scurvy		286 Other avitaminoses and nutritional deficiency states		Obesity not specified as of endocrine origin	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	40	65	6	5	42	50	18	20	204	256	1	4	41	56	55	127
0—	—	2	5	3	12	11	2	1	8	3	—	—	—	—	—	—
1—	—	—	—	—	—	1	—	—	4	2	—	—	2	1	—	—
2—	—	—	—	—	—	—	—	—	2	2	—	—	—	1	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—
5—	—	—	—	—	3	—	—	—	6	4	—	—	1	1	—	—
10—	—	1	—	—	3	—	—	—	2	1	—	—	—	—	—	—
15—	2	—	—	1	—	1	—	—	—	2	—	—	—	—	—	—
20—	—	1	—	—	1	2	—	—	3	4	—	—	1	—	—	—
25—	—	2	1	—	—	1	1	2	1	5	—	—	—	1	—	1
30—	1	—	—	—	1	1	—	—	1	6	—	—	—	2	1	1
35—	—	1	—	—	—	1	—	—	9	5	—	—	1	2	—	—
40—	2	5	—	—	1	5	—	—	8	8	—	—	2	1	2	3
45—	6	12	—	1	2	4	—	2	18	8	—	—	6	3	2	5
50—	4	—	—	—	2	2	2	2	14	12	—	—	—	6	6	4
55—	7	6	—	—	3	3	2	2	25	31	—	—	5	4	7	18
60—	5	14	—	—	3	4	5	4	24	23	—	1	5	4	6	12
65—	7	—	—	—	3	8	4	4	21	47	—	2	1	7	8	32
70—	4	5	—	—	2	3	2	2	20	35	—	1	4	9	7	18
75—	—	1	—	—	3	1	—	—	13	33	—	—	5	5	4	19
80—	—	1	—	—	2	—	—	—	22	20	1	—	8	6	9	10
85 and over	—	1	—	—	1	1	—	—	2	7	—	—	—	3	1	4

Causes of death	288		289		IV 290-299		290		290.0		290.1		290.2		291	
	Gout		Other metabolic diseases		Diseases of the Blood and Blood-forming Organs		Pernicious and other hyperchromic anæmias		Pernicious anæmia		Subacute combined degeneration of spinal cord		Other hyperchromic anæmias		Iron deficiency anæmias (hypochromic anæmias)	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	17	3	87	59	729	1329	260	622	216	551	13	28	31	43	70	193
0—	—	—	8	3	13	10	—	—	—	—	—	—	—	—	—	—
1—	—	—	2	1	4	3	—	—	—	—	—	—	—	—	—	—
2—	—	—	2	1	1	2	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	5	3	8	6	—	—	—	—	—	—	—	—	—	—
10—	—	—	2	1	12	6	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	2	12	7	—	1	—	1	—	—	—	—	—	—
20—	—	—	2	4	6	9	—	—	—	—	—	—	—	—	1	—
25—	—	—	1	3	12	9	1	—	—	—	—	1	—	—	—	2
30—	—	—	—	3	4	10	—	—	—	—	—	—	—	—	—	1
35—	—	—	6	3	10	15	—	1	—	1	—	—	—	—	—	2
40—	—	—	4	2	7	25	1	3	—	2	—	1	1	—	—	2
45—	—	—	10	—	17	31	1	7	1	7	—	—	—	—	2	3
50—	1	1	6	1	29	32	4	10	3	8	—	1	1	1	—	2
55—	2	—	11	8	40	59	8	18	6	16	2	1	—	1	1	6
60—	1	—	12	5	65	97	18	31	16	27	2	1	—	3	2	12
65—	4	—	7	5	80	138	22	64	19	58	1	1	2	5	5	17
70—	5	1	4	6	117	194	54	93	44	78	2	8	8	7	13	28
75—	—	—	4	5	128	287	64	166	55	149	4	6	5	11	16	40
80—	3	—	—	3	102	219	55	128	46	114	—	5	9	9	16	46
85 and over	1	—	—	—	60	170	32	100	26	90	2	4	4	6	14	32

*275, Ovarian dysfunction, —; 276, Testicular dysfunction, —; 280, Beriberi, 65, 80, 75; 281, Pellagra, 75, 75; 283, Active rickets, —; 284, Late effects of rickets, 50, 55, 60, 65; 285, Osteomalacia, 75.

TABLE 17—continued

Causes of death	292 Other anæmias of specified type		292.4 Aplastic anæmia		292.0-3; 5-7 Others included under 292		293 Anæmia of unspecified type		294 Polycythæmia		295 Hæmophilia		296 Purpura and other hæmorrhagic conditions		297 Agranulocytosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	181	237	107	151	74	86	48	115	37	28	19	—	70	73	8	—
0—	2	3	—	—	2	3	1	4	—	—	—	—	7	1	—	—
1—	1	3	1	2	—	1	1	—	—	—	1	—	1	—	—	—
2—	—	2	—	—	—	2	—	—	—	—	1	—	—	—	—	—
3—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	3	5	3	4	—	1	—	—	—	—	1	—	3	1	—	—
10—	4	3	3	1	1	2	1	—	—	—	3	—	3	1	1	—
15—	3	3	3	4	—	1	—	—	2	—	3	—	1	1	—	—
20—	4	5	3	4	1	1	—	—	—	1	—	—	1	3	—	—
25—	6	5	6	4	—	1	—	—	2	—	1	—	1	2	—	—
30—	2	2	1	1	1	1	—	2	—	—	1	—	1	2	—	—
35—	3	5	—	3	2	2	—	1	—	1	2	—	3	2	—	—
40—	2	7	2	4	—	3	1	—	—	—	—	—	1	6	—	—
45—	5	10	2	5	3	4	1	4	5	1	—	—	3	6	—	—
50—	8	8	6	6	2	3	1	2	7	1	—	—	6	3	1	—
55—	15	22	6	13	9	9	2	4	3	1	3	—	5	4	2	—
60—	16	31	10	24	6	7	4	7	8	3	1	—	10	6	3	—
65—	29	29	11	14	18	15	3	10	7	7	1	—	6	4	1	—
70—	30	31	15	19	15	12	9	16	1	5	—	—	5	10	—	—
75—	27	31	17	21	10	10	9	28	2	7	1	—	5	10	—	—
80—	15	18	12	13	3	5	10	16	—	1	—	—	4	7	—	—
85 and over	5	12	4	9	1	3	6	20	—	—	—	—	3	4	—	—

Causes of death	298 Diseases of spleen		299 Other diseases of blood and blood-forming organs		V 300-326 Mental, Psychoneurotic and Personality Disorders		300-309 Psychoses		300 Schizophrenic disorders (dementia præcox)		301 Manic-depressive reaction		302 Involuntional melancholia		303* 304 Senile psychoses	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	26	43	10	10	347	698	259	593	27	23	9	30	5	5	161	—
0—	—	—	3	1	14	19	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	7	1	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	6	6	—	—	—	—	—	—	—	—	—	—
10—	—	1	—	1	2	3	—	—	—	—	—	—	—	—	—	—
15—	2	—	1	—	5	2	1	—	1	—	—	—	—	—	—	—
20—	—	—	—	—	7	5	2	1	2	1	—	—	—	—	—	—
25—	—	—	1	—	8	6	1	1	1	1	—	—	—	—	—	—
30—	—	3	—	—	8	5	7	2	5	2	1	—	—	—	—	—
35—	1	3	1	—	10	12	5	6	5	1	—	—	—	—	—	—
40—	2	3	—	—	6	12	4	8	2	3	1	3	—	—	—	—
45—	1	2	—	—	14	15	8	10	4	—	1	1	—	1	—	—
50—	1	3	1	1	11	21	8	18	2	5	1	4	—	1	—	—
55—	1	3	—	—	22	38	16	27	1	3	1	5	—	1	—	—
60—	3	6	—	1	27	42	24	38	2	4	1	5	1	—	2	—
65—	5	7	1	—	24	52	20	41	1	1	1	5	—	1	8	—
70—	4	7	1	2	35	79	31	74	1	—	1	2	3	—	24	—
75—	4	3	—	1	53	125	50	124	—	1	1	1	—	1	46	—
80—	1	1	1	2	52	120	51	118	—	1	—	3	1	—	50	—
85 and over	—	1	—	1	31	127	31	125	—	—	—	—	—	—	31	—

*303, Paranoia and paranoid states, 45, 75, 80.

TABLE 17—continued

Causes of death	305 Presenile psychosis		307*		310-318 Psycho-neurotic disorders		310*		312-313* 314 Neurotic-depressive reaction		315-316*		318 Psycho-neurotic disorders other, mixed and unspecified types		320-326 Disorders of character, behaviour, intelligence	
			309 Other and unspecified psychoses				311 Hysterical reaction without mention of anxiety reaction				317 Psychoneurosis with somatic symptoms (somatization reactions affecting other systems)					
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	43	61	11	27	14	36	7	23	—	8	2	—	2	2	74	69
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14	19
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2
3—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	6	1
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	6
10—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	3
15—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	4	1
20—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	5	2
25—	—	—	—	—	1	—	2	2	—	—	1	—	—	—	6	3
30—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1	2
35—	—	3	—	1	—	4	—	3	—	—	—	—	—	—	5	2
40—	1	1	—	1	1	1	—	1	—	—	—	—	—	—	1	3
45—	—	3	2	2	—	—	—	—	—	—	—	—	—	—	6	5
50—	5	5	—	3	1	2	—	1	—	1	—	—	—	—	2	1
55—	13	13	1	4	3	4	1	4	—	—	1	—	1	—	3	7
60—	14	22	2	3	—	3	—	2	—	1	—	—	—	—	3	1
65—	10	10	—	3	2	8	2	3	—	4	—	—	—	1	2	3
70—	—	3	2	5	3	4	2	1	—	2	—	—	1	1	1	1
75—	—	1	3	4	1	1	1	1	—	—	—	—	—	—	2	—
80—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	1
85 and over	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—

Causes of death	320,321*		322.0		322.1		322.2		323,324*		326*		330-334		330	
	322								325		VI					
	Alcoholism		Acute		Chronic		Unspecified		Mental deficiency		330-338 Diseases of the Nervous System and Sense Organs		Vascular lesions aff't'g central nervous system		Sub-arachnoid hæmorrhage	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	15	8	1	2	10	5	4	1	59	60	33257	45960	30537	43132	1193	1902
0—	—	—	—	—	—	—	—	—	14	19	166	112	16	8	11	4
1—	—	—	—	—	—	—	—	—	1	3	35	41	4	2	—	1
2—	—	—	—	—	—	—	—	—	3	2	19	22	—	1	—	—
3—	—	—	—	—	—	—	—	—	6	1	29	16	—	2	—	—
4—	—	—	—	—	—	—	—	—	1	3	22	14	1	1	1	—
5—	—	—	—	—	—	—	—	—	6	6	49	44	6	8	4	4
10—	—	—	—	—	—	—	—	—	2	3	65	38	16	8	13	5
15—	—	—	—	—	—	—	—	—	4	1	79	57	17	13	16	10
20—	—	—	—	—	—	—	—	—	5	2	71	57	23	23	17	9
25—	—	—	—	—	—	—	—	—	6	3	116	67	51	30	36	21
30—	—	—	—	—	—	—	—	—	1	2	158	153	72	72	45	42
35—	3	—	—	—	1	—	2	—	2	2	220	224	125	126	70	67
40—	—	1	—	—	—	1	—	—	1	2	338	384	241	273	79	98
45—	4	3	1	1	3	2	—	—	2	2	664	767	500	625	125	200
50—	2	—	—	—	2	—	—	—	—	1	1179	1353	1000	1184	143	228
55—	1	3	—	1	1	1	—	1	2	3	1972	1998	1757	1781	191	233
60—	2	1	—	—	1	1	1	—	1	—	2914	3066	2679	2806	144	220
65—	1	—	—	—	1	—	—	—	1	3	4428	4979	4123	4659	130	244
70—	1	—	—	—	1	—	—	—	—	1	5842	7702	5501	7364	78	224
75—	1	—	—	—	—	—	1	—	1	—	6577	9649	6314	9288	51	176
80—	—	—	—	—	—	—	—	—	—	1	5276	8678	5114	8456	28	78
85 and over	—	—	—	—	—	—	—	—	—	—	3038	6539	2977	6402	11	38

*307, Alcoholic psychosis, 45, 60, 60, 45, 45, 55, 60; 310, Anxiety reaction without mention of somatic symptoms, 35; 312, Phobic reaction, 40; 313, Obsessive-compulsive reaction, 50; 315, Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, —; 316, Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system, 3, 85, 85; 320, Pathological personality, —; 321, Immature personality, —; 323, Other drug addiction, 55; 324, Primary childhood behaviour disorders, —; 326, Other and unspecified character, behaviour, and intelligence disorders, —.

TABLE 17—continued

Causes of death	331		332		333*		340-345		340		340.0		340.1		340.2		340.3	
	Cerebral hemorrhage		Cerebral embolism & thrombosis		334 Other and ill-defined vascular lesions aff't'g central nervous system		Inflammatory diseases of central nervous system		Meningitis, except meningo-coccal and tuberculous		H. influenzae		Pneumococcus		Due to other specified organism		Unspecific cause	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	11970	17408	14914	20806	2459	3016	765	802	262	158	29	14	141	75	39	35	53	
0—	—	2	5	2	—	—	114	73	92	53	14	3	31	16	27	27	20	
1—	2	—	1	1	1	—	21	24	11	16	4	2	2	10	—	—	5	
2—	—	—	—	1	—	—	8	8	4	6	1	3	3	2	—	—	—	
3—	—	—	—	2	—	—	10	4	4	3	3	2	1	—	—	—	—	
4—	—	—	—	1	—	—	9	7	6	2	3	1	2	1	—	—	1	
5—	1	4	—	—	1	—	12	10	6	3	1	—	3	1	2	—	—	
10—	3	3	—	—	—	—	13	7	4	1	—	—	1	2	—	—	1	
15—	1	2	—	1	—	—	17	8	4	4	—	—	—	2	—	—	2	
20—	4	12	2	1	1	1	9	11	4	3	—	—	2	2	—	—	2	
25—	13	7	1	2	1	—	19	19	4	3	—	—	3	1	—	1	1	
30—	19	23	5	4	3	3	39	38	6	3	—	—	4	1	1	—	1	
35—	49	45	5	13	1	1	42	51	6	3	—	—	4	1	—	—	2	
40—	137	138	23	31	2	6	49	65	9	2	—	—	6	1	1	—	2	
45—	288	337	81	79	6	9	77	93	14	3	1	—	10	1	—	—	3	
50—	627	761	203	182	27	13	72	103	9	1	—	—	7	—	1	1	1	
55—	1020	1077	499	443	47	28	74	79	14	6	1	—	12	5	—	1	1	
60—	1401	1559	1017	949	117	78	60	74	18	11	—	—	14	8	1	—	3	
65—	1845	2310	1900	1918	248	187	50	66	18	11	—	1	17	7	—	1	1	
70—	2174	3167	2848	3527	401	446	42	24	14	10	1	—	10	7	1	1	2	
75—	2124	3494	3530	4905	608	713	17	28	8	8	—	—	4	—	1	1	4	
80—	1484	2772	3027	4872	575	734	7	7	5	5	—	—	3	4	1	—	1	
85 and over	778	1695	1767	3872	421	797	4	3	2	1	—	—	2	—	—	1	—	

Causes of death	341		342		343		344		345		350-357		350		351	
	Phlebitis and thrombophlebitis of intracranial venous sinuses		Intra-cranial and intra-spinal abscess		Encephalitis, myelitis & encephalomyelitis (except acute infectious)		Late effects of intracranial abscess or pyogenic infection		Multiple sclerosis		Other diseases of central nervous system		Paralysis agitans		Cerebral spastic infantile paralysis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	15	16	71	26	74	62	33	38	310	502	1774	1889	685	838	54	
0—	8	2	1	—	4	6	9	12	—	—	8	12	—	—	2	
1—	1	1	1	—	4	4	4	3	—	—	6	12	—	—	2	
2—	—	—	1	—	3	1	—	1	—	—	9	12	—	—	4	
3—	—	—	—	—	6	—	—	1	—	—	17	10	—	—	3	
4—	—	—	1	1	2	1	—	3	—	—	11	6	—	—	5	
5—	1	—	—	2	5	3	—	2	—	—	28	23	—	—	7	
10—	—	—	3	1	4	5	2	—	—	—	32	19	—	—	—	
15—	—	—	4	2	2	1	4	1	3	—	43	33	—	—	5	
20—	—	2	2	2	2	1	1	1	2	—	34	19	—	—	5	
25—	—	—	3	—	2	3	2	2	8	11	36	17	—	—	3	
30—	—	—	10	—	4	6	2	—	17	29	40	35	—	—	—	
35—	1	1	3	2	3	6	1	—	28	39	45	42	4	—	1	
40—	—	2	4	2	4	1	1	3	31	55	41	39	2	1	3	
45—	2	1	8	1	5	6	2	2	48	80	73	47	9	6	2	
50—	1	—	9	2	5	6	2	1	46	93	93	60	17	8	—	
55—	—	1	5	2	2	1	1	1	52	68	123	131	25	34	2	
60—	—	1	8	3	6	4	3	1	25	54	166	179	61	70	2	
65—	1	2	4	1	3	4	2	2	24	46	243	241	142	136	2	
70—	—	—	2	—	4	1	2	1	20	10	286	304	168	195	—	
75—	—	1	1	3	2	2	—	1	6	13	238	318	155	207	1	
80—	—	1	—	—	1	—	—	—	1	1	150	206	83	129	2	
85 and over	—	1	1	—	1	—	—	—	—	1	52	124	19	52	—	

*333, Spasm of cerebral arteries, 75.

TABLE 17—continued

Causes of death	352		353		354*		356	Motor neurone disease and muscular atrophy	356.0		356.1		356.2; 3		357	
	Other cerebral paralysis		Epilepsy		Other diseases of brain				Progressive muscular atrophy		Amyotrophic lateral sclerosis		Others included under 356		Other diseases of spinal cord	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1 Ages	199	302	374	319	115	126	317	223	197	148	44	25	76	50	30	30
0—	—	—	2	4	1	3	3	2	1	—	—	—	2	2	—	—
1—	—	—	3	4	1	2	—	1	—	—	—	—	—	1	—	—
2—	—	—	5	10	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	13	6	1	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	4	3	2	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	18	11	3	4	—	—	—	—	—	—	—	—	—	—
10—	—	—	24	14	3	2	2	1	2	—	—	—	—	1	—	—
15—	1	—	33	25	2	2	1	1	1	—	—	—	—	—	1	1
20—	—	—	28	17	—	1	1	—	1	—	—	—	—	—	—	—
25—	—	1	30	14	1	1	2	—	1	—	—	—	1	—	—	—
30—	—	—	28	31	3	—	6	2	4	2	2	—	—	—	3	—
35—	—	1	29	26	2	5	6	3	4	2	1	1	1	—	3	2
40—	1	1	24	19	2	7	8	6	4	2	—	2	4	2	1	3
45—	1	1	29	23	11	6	21	8	9	5	2	—	10	3	—	3
50—	3	2	18	23	12	9	41	17	22	10	9	2	10	5	2	—
55—	5	14	23	22	15	17	49	40	33	22	6	6	10	12	4	3
60—	17	19	20	24	15	19	48	42	27	29	8	2	13	11	3	4
65—	14	37	16	12	14	11	50	40	32	30	7	4	11	6	5	5
70—	55	51	12	14	10	7	38	29	28	22	5	4	5	3	3	5
75—	45	69	7	7	8	11	21	21	15	15	1	2	5	4	1	3
80—	38	50	4	7	7	8	13	9	7	7	3	2	3	—	3	1
85 and over	19	56	4	3	2	11	7	2	6	2	—	—	1	—	1	—

Causes of death	360-369		360*		362, 363*		365		366		367-369*		370-379*		380-384*	
	Diseases of nerves and peripheral ganglia		Trigeminal neuralgia		Polyneuritis and polyradiculitis		Erythredema polyneuritica		Other and unspecified forms of neuralgia and neuritis		Inflammatory diseases of eye		Other diseases and conditions of eye		Cataract	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	33	29	1	2	25	19	2	1	2	5	1	5	23	34	11	22
0—	2	1	—	—	—	—	2	1	—	—	—	1	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
20—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
25—	3	—	7	—	2	—	—	—	—	—	—	—	1	—	—	—
30—	1	4	—	—	1	3	—	—	—	—	—	—	—	—	—	—
35—	1	2	—	—	1	2	—	—	—	—	—	1	1	—	—	—
40—	1	2	—	—	1	2	—	—	—	—	—	—	1	—	—	—
45—	1	1	—	—	1	—	—	—	1	—	—	—	1	1	—	1
50—	3	3	—	—	3	2	—	—	—	—	—	—	1	1	1	—
55—	3	3	—	1	3	2	—	—	—	—	—	—	2	1	1	1
60—	6	1	—	—	4	—	—	1	1	—	—	—	1	1	—	—
65—	2	2	—	—	1	—	—	1	2	—	—	2	3	4	2	3
70—	6	3	—	—	6	3	—	—	—	—	—	—	4	6	3	3
75—	1	1	—	—	1	—	—	—	1	1	1	1	4	10	2	6
80—	—	3	—	1	—	2	—	—	—	—	—	—	2	5	2	5
85 and over	2	1	1	—	1	1	—	—	—	—	—	—	3	4	—	3

*354, Migraine, 0; 360, Facial paralysis, —; 362, Brachial neuritis, —; 363, Sciatica, 60, 50; 367, Other diseases of cranial nerves, —; 368, Other diseases of peripheral nerves except autonomic, 15, 30; 369, Diseases of peripheral autonomic nervous system, 25; 370, Conjunctivitis and ophthalmia, —; 371, Blepharitis, —; 372, Hordeolum (stye), —; 373, Iritis, —; 374, Keratitis, —; 375, Choroiditis, —; 376, Other inflammation of uveal tract, 75, 35, 65, 75; 377, Inflammation of optic nerve and retina, 65; 378, Inflammation of lachrymal glands and ducts, —; 379, Other inflammatory diseases of eye, 0; 380, Refractive errors, —; 381, Corneal ulcer, 75; 382, Corneal opacity, —; 383, Pterygium, —; 384, Strabismus, 3, 35.

TABLE 17—continued

Causes of death	386*		388, 389*		390*		392		393		394, 395*		397, 398*		400-402	
	387		390-398		391						396		VII			
	Glaucoma		Diseases of ear and mastoid process		Otitis media without mention of mastoiditis		Otitis media with mastoiditis		Mastoiditis without mention of otitis media		Other diseases of ear and mastoid process		Diseases of the Circulatory System		Rheumatic fever	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	3	2	124	69	95	52	6	5	21	8	1	1	95783	92847	78	
0—	—	—	26	17	24	16	—	1	2	—	—	—	7	10	—	—
1—	—	—	4	3	4	3	—	—	—	—	—	—	1	5	—	—
2—	—	—	2	1	2	1	—	—	—	—	—	—	—	1	—	—
3—	—	—	1	—	1	—	—	—	—	—	—	—	3	2	—	—
4—	—	—	1	—	—	—	1	—	—	—	—	—	6	—	2	—
5—	—	—	3	3	3	3	—	—	—	—	—	—	12	10	4	—
10—	—	—	4	4	2	4	—	—	2	—	—	—	28	27	6	—
15—	—	—	1	2	—	1	—	—	1	1	—	—	58	55	4	—
20—	—	—	5	3	3	1	—	1	2	—	—	1	83	81	3	—
25—	—	—	6	1	4	—	1	—	1	1	—	—	157	148	7	—
30—	—	—	6	4	5	3	—	1	1	—	—	—	324	209	2	—
35—	—	—	6	2	2	2	1	—	3	—	—	—	669	408	4	—
40—	—	—	6	4	3	3	1	—	2	—	—	—	1342	649	9	—
45—	—	—	12	—	8	—	—	—	3	—	1	—	2764	1108	3	—
50—	—	—	10	2	8	1	1	—	1	1	—	—	5079	1832	6	—
55—	—	—	13	3	12	1	—	1	1	1	—	—	7561	3062	6	—
60—	—	—	3	5	2	4	—	—	1	1	—	—	9643	5570	10	—
65—	—	—	7	5	5	4	—	—	1	1	—	—	12942	9105	5	—
70—	—	—	3	1	2	—	1	1	—	—	—	—	15895	14746	3	—
75—	1	2	2	3	2	2	—	—	—	—	—	—	16508	18886	2	—
80—	—	—	3	1	3	1	—	—	—	—	—	—	13607	19022	2	—
85 and over	2	—	—	5	—	2	—	—	—	2	—	—	9094	17911	—	—

Causes of death	400		401		401.0		401.1		401.2		401.3		402		402.0	
	Rheumatic fever without mention of heart involvement		Rheumatic fever with heart involvement		Active rheumatic pericarditis		Active rheumatic endocarditis		Active rheumatic myocarditis		Active rheumatic fever with other and multiple types of heart involvement		Chorea		Without mention of heart involvement	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	3	2	68	81	23	14	10	17	2	9	33	41	7	13	6	
0—	—	—	—	2	—	—	—	1	—	—	—	1	—	—	—	—
1—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	2	—	—	—	—	—	—	—	2	—	—	—	—	—
5—	—	—	4	6	—	—	1	—	—	1	3	5	—	—	—	—
10—	1	—	4	9	—	—	1	2	—	—	3	7	1	1	1	—
15—	—	—	4	6	—	—	1	2	—	—	3	4	—	—	—	—
20—	—	1	3	10	—	—	1	4	—	1	2	5	—	—	—	—
25—	—	1	6	6	—	—	2	2	1	1	3	3	1	—	1	—
30—	—	—	2	6	—	—	1	1	—	—	1	5	—	—	—	—
35—	—	—	4	5	—	—	2	1	—	—	2	4	—	—	—	—
40—	—	—	8	7	1	—	—	1	1	1	6	5	1	2	—	—
45—	1	—	1	1	—	—	—	—	—	1	1	1	1	4	1	—
50—	—	—	5	2	2	1	—	—	—	—	3	1	1	—	1	—
55—	—	—	5	2	3	1	1	—	—	1	1	—	1	2	1	—
60—	—	—	9	3	7	1	—	1	—	1	2	—	1	3	1	—
65—	—	—	5	2	4	1	—	1	—	—	1	—	—	1	—	—
70—	—	—	3	5	3	3	—	1	—	1	—	—	—	—	—	—
75—	—	—	2	5	2	4	—	—	—	—	—	1	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	1	—	1	3	1	3	—	—	—	—	—	—	—	—	—	—

*386, Detachment of retina, 65, 70, 50, 60, 65, 70, 75; 388, Other diseases of eye, 25, 45, 55, 40, 70; 389, Blindness, 85, 70, 75, 85; 390, Otitis externa, —; 394, Other inflammatory diseases of ear, —; 395, Ménière's disease, 65, 75; 397, Deaf mutism, 85; 398, Other deafness, 40.

TABLE 17—continued

Causes of death	402.1		410.416		410		411		412		413*		415		416	
	With heart involvement		Chronic rheumatic heart disease		Diseases of mitral valve		Diseases of aortic valve specified as rheumatic		Diseases of tricuspid valve		Other endocarditis specified as rheumatic		Other myocarditis specified as rheumatic		Other heart disease specified as rheumatic	
Sex at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	1	1	2989	5228	1937	3933	342	171	3	8	236	347	77	141	394	628
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	1	11	8	7	6	4	1	—	—	1	1	—	—	2	—
15—	—	—	26	24	15	16	1	1	—	—	3	3	1	—	3	4
20—	—	—	42	45	19	33	7	2	—	—	8	4	—	1	8	5
25—	—	—	63	87	35	63	8	—	—	—	11	7	—	1	9	16
30—	—	—	114	141	72	109	12	3	—	1	14	14	1	2	15	12
35—	—	—	162	249	109	209	14	5	—	—	12	12	3	3	24	20
40—	1	—	212	347	139	273	17	9	—	1	21	28	5	5	30	31
45—	—	—	295	474	193	355	35	11	—	—	24	28	5	5	38	75
50—	—	—	361	547	240	406	47	21	—	3	20	37	10	11	44	69
55—	—	—	360	595	225	451	48	11	—	—	22	37	8	13	57	83
60—	—	—	332	630	205	468	39	27	1	—	26	39	15	16	46	80
65—	—	—	344	617	225	454	41	25	1	—	23	43	9	25	45	70
70—	—	—	297	517	203	366	27	21	—	2	22	33	13	28	32	67
75—	—	—	210	457	141	340	22	19	1	—	15	36	3	13	28	49
80—	—	—	115	322	76	248	15	8	—	—	12	20	4	10	8	36
85 and over	—	—	45	168	33	136	5	7	—	1	2	5	—	8	5	11

Causes of death	420-422		420		420.0		420.1		420.2		421		421.0		421.1	
	Arterio-sclerotic and degenerative heart disease		Arterio-sclerotic heart disease, including coronary disease		Arterio-sclerotic heart disease so described		Heart disease specified as involving coronary arteries		Angina pectoris without mention of coronary disease		Chronic endocarditis not specified as rheumatic		of mitral valve specified as non-rheumatic		of aortic valve, not specified as rheumatic	
Sex at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	72113	63170	47809	28515	354	373	47175	27926	280	216	1716	1571	87	163	1296	897
0—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—
1—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
5—	2	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—
10—	4	2	—	1	—	—	—	1	—	—	2	—	—	—	—	—
15—	8	1	1	—	—	—	1	—	—	—	4	—	—	—	3	—
20—	14	4	7	1	—	—	7	1	—	—	4	1	—	—	3	1
25—	52	16	38	6	—	—	38	6	—	—	5	1	—	—	4	1
30—	138	24	116	18	—	—	116	18	—	—	17	2	—	—	15	2
35—	372	55	340	38	—	—	340	38	—	—	17	10	—	—	14	6
40—	928	147	865	114	—	—	863	114	2	—	37	11	—	—	33	6
45—	2075	385	1944	303	1	—	1937	303	6	—	63	33	1	1	51	16
50—	3942	801	3667	622	3	1	3649	617	15	4	116	53	5	—	92	33
55—	5939	1647	5384	1307	8	5	5356	1297	20	5	175	65	1	1	149	37
60—	7483	3424	6529	2611	17	13	6473	2579	39	19	224	166	3	3	183	103
65—	9843	6072	7923	4328	38	34	7836	4270	49	24	271	224	17	19	208	141
70—	11931	10203	8208	6121	70	52	8073	6017	65	52	273	289	18	43	194	157
75—	12299	13207	6901	6092	88	93	6766	5941	47	58	262	291	24	34	174	171
80—	10097	13684	4079	4364	77	82	3970	4249	32	33	146	268	14	36	94	138
85 and over	6984	13494	1807	2588	52	93	1750	2474	5	21	98	156	4	26	76	85

*413, Diseases of pulmonary valve specified as rheumatic, —.

TABLE 17—continued

Causes of death	421.2; 3*		422		422.0		422.1		422.2		430-434		430		435
	421.4		Other myocardial degeneration		Fatty degeneration		With arterio-sclerosis		Other diseases included under 422		Other diseases of heart		Acute and subacute endocarditis		
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All Ages	331	507	22588	33084	90	150	9697	13734	12801	19200	4745	5173	195	128	64
0—	—	—	—	—	—	—	—	—	—	—	4	5	—	1	—
1—	—	1	—	—	—	—	—	—	—	—	1	3	1	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
3—	—	—	—	1	—	—	—	—	—	1	2	1	2	—	—
4—	—	—	1	—	—	—	—	—	1	2	2	—	—	—	1
5—	—	—	1	1	—	—	—	—	1	1	5	1	—	1	1
10—	1	—	2	1	—	—	—	—	2	1	4	4	1	—	—
15—	1	—	3	1	—	—	—	—	3	1	8	14	4	5	1
20—	1	—	3	2	—	—	—	—	3	2	9	9	2	5	—
25—	—	—	9	9	1	2	—	—	8	7	13	12	7	6	—
30—	2	—	5	4	—	1	—	1	5	2	27	11	12	6	1
35—	2	4	15	7	2	—	2	—	11	7	35	28	15	5	2
40—	4	5	26	22	1	3	3	2	22	17	53	38	18	6	1
45—	11	16	68	49	6	2	17	6	45	41	117	48	22	12	7
50—	19	20	159	126	7	8	44	26	108	92	189	112	19	12	12
55—	25	27	380	275	11	16	110	72	259	187	342	212	23	17	6
60—	38	60	730	647	9	24	277	236	444	387	434	348	27	11	3
65—	46	62	1649	1520	19	19	693	616	937	885	646	519	16	10	9
70—	61	88	3450	3793	10	25	1595	1693	1845	2075	836	919	18	13	7
75—	64	85	5136	6824	9	21	2325	3031	2802	3772	873	1113	7	9	9
80—	38	94	5872	9052	14	22	2578	3799	3280	5231	716	992	1	6	—
85 and over	18	45	5079	10750	1	7	2053	4252	3025	6491	429	783	—	3	6

Causes of death	432 Acute pericarditis specified as non-rheumatic		433 Functional disease of heart		434 Other and unspecified diseases of heart		440-447 Hypertensive disease		440 Essential benign hypertension with heart disease		441 Essential malignant hypertension with heart disease		442 Hypertensive heart disease with arteriolar nephrosclerosis		443 Other unspecified hypertensive heart disease
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
All Ages	15	8	1000	1579	3469	3386	8792	10708	106	150	96	67	132	136	5034
0—	2	—	1	—	1	2	—	—	—	—	—	—	—	—	—
1—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
10—	—	—	—	—	4	4	—	2	—	—	—	—	—	—	—
15—	—	1	2	—	1	7	4	2	—	—	—	—	—	—	2
20—	—	—	—	1	7	2	6	2	—	—	—	—	—	—	—
25—	—	—	—	1	6	5	10	—	—	—	1	—	1	—	—
30—	—	—	3	1	11	4	28	9	—	—	1	—	—	—	3
35—	—	—	4	2	14	18	57	30	—	—	9	3	—	—	12
40—	—	—	7	5	27	24	96	53	—	—	4	2	—	2	26
45—	—	—	17	7	71	26	168	103	3	—	11	7	1	—	61
50—	1	—	28	36	129	59	388	224	4	2	25	10	4	4	165
55—	2	1	58	66	253	123	645	392	6	7	19	10	3	4	322
60—	2	—	77	106	325	224	902	784	9	14	12	7	11	6	525
65—	3	1	154	186	464	315	1337	1272	16	24	4	5	12	10	794
70—	1	1	180	274	630	623	1691	1996	25	29	3	10	28	13	1055
75—	1	1	208	368	648	722	1634	2421	24	28	6	6	24	33	1007
80—	2	1	168	293	545	685	1262	2046	13	26	1	5	34	38	766
85 and over	1	2	93	231	329	542	564	1371	6	20	—	2	14	26	296

*421.2, Of tricuspid valve, specified as non-rheumatic, 35, 70; 421.3, of pulmonary valve, not specified as rheumatic, 25, 65, 65, 75.

TABLE 17—continued

Uses of path	444 Essential benign hypertension without mention of heart		445 Essential malignant hypertension without mention of heart		446 Hypertension with arteriolar nephro- sclerosis without mention of heart		447 Other hypertensive disease without mention of heart		450-456 Diseases of arteries		450 General arterio- sclerosis		450.0 Without mention of gangrene		450.1 With gangrene	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	1857	2184	345	178	395	396	827	1036	5954	6842	4756	5926	4286	5435	470	491
0—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
0—	—	—	—	2	—	—	—	2	3	1	—	—	—	—	—	—
5—	1	—	1	1	—	—	—	—	4	6	—	—	—	—	—	—
0—	—	—	5	1	1	—	—	—	5	7	—	—	—	—	—	—
5—	3	—	5	—	—	—	—	—	9	13	—	—	—	—	—	—
0—	5	1	16	4	3	1	—	—	10	9	—	—	—	—	—	—
5—	16	7	14	15	32	18	3	1	22	22	4	1	4	1	—	—
0—	16	14	42	16	4	1	4	1	31	23	5	4	5	4	—	—
5—	32	19	54	24	5	4	1	5	54	43	6	7	6	7	—	—
0—	94	50	63	34	11	5	22	12	108	57	38	15	35	15	3	—
5—	177	111	64	30	16	8	38	16	188	88	74	36	69	31	5	5
0—	214	185	37	18	32	18	62	44	343	185	187	102	168	95	19	7
5—	307	304	33	10	40	39	131	93	588	384	360	265	333	250	27	15
0—	337	399	9	12	53	58	181	173	936	819	719	674	642	626	77	48
5—	318	477	1	8	95	93	159	255	1321	1425	1157	1261	1049	1147	108	114
0—	233	352	1	2	71	83	143	250	1293	1784	1201	1663	1079	1522	122	141
5 and over	104	265	—	1	61	86	83	184	1037	1976	1004	1898	895	1737	109	161

Uses of path	451 Aortic aneurysm specified as nonsyphilitic, & dissecting aneurysm		452 Other aneurysm, except of heart and aorta		453 Peripheral vascular disease		453.0 Raynaud's disease		453.1 Thrombo- angiitis obliterans		453.2; 3 Others included under 453		454 Arterial embolism & thrombosis		455 Gangrene of unspecified cause	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages	926	679	40	31	59	12	3	5	39	1	17	6	36	40	12	12
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—
0—	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	8	4	2	2	3	—	—	—	3	—	—	—	—	—	—	—
0—	10	4	5	1	1	—	—	—	1	—	—	—	—	—	—	—
5—	22	14	2	4	3	—	—	—	3	—	—	—	—	1	—	—
0—	51	26	2	2	4	—	—	—	3	—	—	—	—	—	1	—
5—	77	29	7	4	7	1	—	1	7	—	—	—	1	4	—	1
0—	124	67	7	1	10	1	1	1	6	—	3	—	2	5	2	1
5—	189	91	2	3	13	2	2	1	8	1	3	—	7	6	2	4
0—	192	127	6	5	7	1	1	1	4	—	3	—	6	1	1	2
5—	141	142	3	2	7	3	—	1	3	—	4	2	7	8	3	3
0—	74	104	2	4	2	2	—	—	1	—	1	2	8	8	3	—
5 and over	26	67	1	2	2	2	—	—	—	—	2	2	4	6	—	—

TABLE 17—continued

Causes of death	456 Other diseases of arteries		460-468 Diseases of veins and other diseases of circulatory system		460 Varicose veins of lower extremities		461 Hæmorrhoids		462 Varicose veins of other specified sites		463 Phlebitis and thrombo-phlebitis of lower extremities		464 Phlebitis and thrombo-phlebitis of other sites		465 Pulmonary embolism infarction	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	125	142	1112	1630	53	172	19	8	27	26	132	254	14	24	486	5
0—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	1	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
10—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	6	4	2	—	—	—	—	—	—	—	—	—	—	—	3
20—	3	7	4	3	—	1	—	—	—	—	—	—	1	—	1	1
25—	7	10	3	13	—	—	—	—	—	1	—	2	—	—	1	1
30—	4	8	5	9	1	—	—	—	—	—	—	2	—	—	3	3
35—	5	15	17	19	—	1	1	1	1	1	—	3	—	—	8	8
40—	10	12	13	32	1	4	—	—	1	1	2	8	—	—	5	5
45—	21	17	52	50	1	9	—	1	1	1	15	12	—	1	20	20
50—	11	13	85	89	8	9	1	—	4	—	12	15	2	—	30	30
55—	22	13	81	124	4	17	1	1	3	2	6	14	2	4	35	35
60—	11	8	139	193	5	22	2	1	2	4	16	42	1	4	67	67
65—	15	13	179	238	7	24	2	—	6	1	17	45	4	2	73	73
70—	5	9	201	287	6	35	3	2	4	5	23	39	3	5	103	103
75—	3	6	169	258	10	24	3	—	1	3	24	40	1	4	72	72
80—	3	3	122	191	8	13	3	—	4	2	11	24	—	2	49	49
85 and over	—	1	35	119	2	13	3	2	—	6	5	7	—	—	15	15

Causes of death	466 Other venous embolism & thrombosis		467 Other diseases of circulatory system		468 Certain diseases of lymph nodes and lymph channels		VIII 470-527 Diseases of the Respiratory System		470-475 Acute upper respiratory infections		470 Acute nasopharyngitis (common cold)		471 Acute sinusitis		472 Acute pharyngitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	359	545	19	26	3	10	37625	23734	68	72	6	8	2	1	7	—
0—	1	—	—	—	—	1	1072	846	12	13	—	2	—	—	1	—
1—	—	—	—	—	—	—	164	128	4	5	—	—	—	—	—	—
2—	—	—	—	—	—	—	68	80	3	5	—	—	—	—	—	—
3—	—	—	—	—	—	—	49	54	4	3	—	—	—	—	1	—
4—	—	—	—	—	—	—	44	38	1	2	—	—	—	—	—	—
5—	—	—	—	—	1	1	123	115	7	2	—	—	—	—	—	—
10—	—	—	—	—	—	—	122	161	2	—	—	—	—	—	—	—
15—	—	1	1	—	—	—	143	124	—	2	—	—	—	—	—	—
20—	1	—	1	—	—	1	114	126	1	1	—	—	—	—	—	—
25—	2	4	—	—	—	—	108	138	2	1	—	—	—	—	—	—
30—	1	3	—	—	—	—	167	165	1	3	—	—	1	—	—	—
35—	6	3	—	—	—	1	255	191	1	1	—	—	—	—	—	—
40—	3	9	1	1	—	—	451	303	3	—	—	—	—	—	—	—
45—	15	12	—	—	—	—	876	418	—	1	—	—	—	—	—	—
50—	28	28	—	—	—	—	1950	646	2	2	—	—	—	1	1	—
55—	27	32	3	3	—	—	3419	996	3	3	—	—	—	—	—	—
60—	41	62	4	2	1	2	4636	1557	2	2	—	—	—	—	1	—
65—	68	86	2	6	—	—	5871	2334	6	5	—	1	1	—	1	—
70—	59	92	—	3	—	2	6045	3330	1	5	—	1	—	—	—	—
75—	51	88	6	4	1	—	5508	3975	6	4	2	—	—	—	2	—
80—	47	81	—	4	—	1	3882	3835	5	5	2	—	—	—	—	—
85 and over	9	44	1	3	—	—	2558	4174	2	7	—	4	—	—	—	—

TABLE 17—continued

Causes of death	473 Acute tonsillitis		474 Acute laryngitis and tracheitis		475 Acute upper respiratory infection of multiple or unspecified sites		480-483 Influenza		480 Influenza with pneumonia		481 Influenza with other respiratory manifest'ns, & influenza unqualified		481 (a) Influenza without mention of respiratory complications		481 (b) Influenza with mention of respiratory complications	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	17	14	24	29	12	13	3553	3163	2516	2236	1009	892	454	532	555	360
0—	—	1	6	7	5	3	42	35	33	28	6	6	5	6	1	—
1—	—	1	2	3	2	1	14	9	13	7	1	1	—	1	1	—
2—	—	1	—	3	1	—	14	9	9	7	4	1	1	1	3	—
3—	—	1	3	1	—	—	14	12	12	8	2	4	2	4	—	—
4—	1	1	—	1	—	—	12	6	9	4	3	2	2	2	1	—
5—	4	1	3	1	—	—	41	46	32	37	7	4	5	3	2	1
10—	1	—	1	—	—	—	64	96	49	89	10	4	7	1	3	3
15—	—	2	—	—	—	—	81	80	62	77	15	3	10	3	5	—
20—	1	—	—	—	—	—	45	68	37	61	8	7	7	5	1	2
25—	1	—	—	1	1	—	42	57	36	52	5	4	5	3	—	1
30—	—	1	—	1	—	—	50	58	41	49	9	8	5	4	4	4
35—	1	—	—	—	—	1	64	68	51	56	13	12	6	8	7	4
40—	—	—	2	—	1	—	90	93	74	73	16	20	9	14	7	6
45—	—	—	—	1	—	—	137	116	104	89	33	26	11	20	22	6
50—	1	—	—	1	—	—	236	144	187	113	47	31	20	17	27	14
55—	2	—	1	2	—	—	377	202	289	146	88	52	31	28	57	24
60—	—	1	1	1	—	—	490	270	366	194	122	74	42	41	80	33
65—	1	1	2	—	1	1	578	384	402	271	172	111	63	62	109	49
70—	1	2	—	2	—	—	446	402	301	274	145	125	61	74	84	51
75—	1	—	—	2	1	2	357	357	201	219	155	137	80	76	75	61
80—	1	1	2	1	—	3	193	318	122	199	69	116	31	68	38	48
85 and over	1	—	1	1	—	2	166	333	86	183	79	144	51	91	28	53

Causes of death	482 Influenza with digestive manifest'ns, but without respiratory symptoms		483 Influenza with nervous manifest'ns, but without digestive or respiratory symptoms		490-493 Pneumonia		490 Lobar pneumonia		491 Broncho-pneumonia		492 Primary atypical pneumonia		493 Pneumonia, other and unspecified		500-502 Bronchitis	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	9	18	19	17	11616	11188	1884	1352	8884	9144	145	115	703	577	18962	7973
0—	1	—	2	1	818	646	27	35	699	537	26	27	66	47	168	123
1—	—	1	—	—	114	94	10	3	88	81	5	2	11	8	25	15
2—	—	—	1	1	35	52	3	2	31	42	—	3	1	5	14	14
3—	—	—	—	—	20	30	—	2	16	26	2	—	2	2	7	7
4—	—	—	—	—	22	20	2	3	19	15	—	—	1	2	6	8
5—	—	—	2	5	52	46	6	5	42	35	1	2	3	4	9	11
10—	—	—	5	3	39	47	6	12	26	31	3	—	4	4	8	11
15—	—	—	4	—	42	29	10	7	23	17	5	2	4	3	8	6
20—	—	—	—	—	50	42	16	4	25	28	1	2	8	8	3	8
25—	—	1	1	—	33	57	7	14	20	34	2	3	4	6	11	10
30—	—	—	—	1	66	52	14	16	37	28	4	3	11	5	22	25
35—	—	—	—	—	80	69	26	16	43	44	3	7	8	2	64	31
40—	—	—	—	—	130	103	29	24	87	67	5	5	9	7	140	66
45—	—	—	—	1	224	158	67	39	137	104	6	2	14	13	364	101
50—	—	—	2	—	445	228	122	46	274	157	8	8	41	17	993	204
55—	—	1	—	3	648	372	208	67	392	280	11	7	37	18	1926	330
60—	1	1	1	1	973	601	212	107	666	445	21	8	74	41	2674	575
65—	3	1	1	—	1370	875	278	158	986	672	12	5	94	40	3352	921
70—	—	3	—	—	1644	1496	271	209	1264	1204	8	9	101	74	3437	1297
75—	1	1	—	—	1874	1956	261	240	1512	1607	10	10	91	99	2910	1506
80—	2	3	—	—	1688	1963	192	185	1421	1677	6	6	69	95	1795	1376
85 and over	1	6	—	—	1249	2252	117	158	1076	2013	6	4	50	77	1026	1328

TABLE 17—continued

Causes of death	500 Acute bronchitis		501 Bronchitis unqualified		502 Chronic bronchitis		502.0 Bronchitis with emphysema		502.1 Others included under 502		510-527 Other diseases of respiratory system		510 Hypertrophy of tonsils and adenoids		511 Peritonsillar abscess (quins)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1397	1423	884	828	16681	5722	8532	1531	8149	4191	3426	1338	17	5	5	5
0—	125	81	37	35	6	7	1	—	5	7	32	29	1	—	—	—
1—	16	10	8	5	1	—	—	—	1	—	7	5	—	1	—	—
2—	13	11	1	2	—	1	—	—	—	1	2	—	—	—	—	—
3—	5	6	1	1	1	—	1	—	—	—	4	2	—	—	—	—
4—	5	5	1	2	—	1	—	1	—	—	3	2	1	—	—	—
5—	5	7	3	3	1	1	1	—	—	1	14	10	10	1	—	—
10—	5	8	3	1	—	2	—	—	—	2	9	7	2	1	—	—
15—	6	5	1	—	1	1	—	1	1	—	12	7	1	—	—	—
20—	2	5	—	1	2	2	1	1	—	1	15	7	—	1	1	—
25—	4	4	—	3	7	3	1	1	6	2	20	13	—	—	—	—
30—	6	7	2	4	14	14	9	5	5	9	28	27	—	—	—	—
35—	7	8	7	2	50	21	23	2	27	19	46	22	—	—	—	1
40—	14	12	8	3	118	51	67	22	51	29	88	41	—	—	—	—
45—	14	17	7	8	343	76	215	33	128	43	151	42	1	—	1	—
50—	47	27	26	10	920	167	591	77	329	90	274	68	—	—	1	—
55—	71	34	43	15	1812	281	1113	89	699	192	465	89	1	—	—	—
60—	106	58	65	40	2503	477	1561	173	942	304	497	109	—	1	—	—
65—	131	101	123	62	3098	758	1737	232	1361	526	565	149	—	—	—	—
70—	195	159	136	94	3106	1044	1501	305	1605	739	517	130	—	—	—	1
75—	241	232	158	152	2511	1122	1015	283	1496	839	361	152	—	—	—	—
80—	205	286	130	155	1460	935	482	179	978	756	201	173	—	—	—	—
85 and over	174	340	124	230	728	758	213	127	515	631	115	254	—	—	—	—

Causes of death	512 Chronic pharyngitis and nasopharyngitis		513 Chronic sinusitis		514* Nasal polyp		516* Other diseases of upper respiratory tract		518 Empyema		519 Pleurisy		520 Spontaneous pneumothorax		521 Abscess lung	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2	2	28	11	3	2	23	19	72	35	30	24	5	2	58	—
0—	1	—	1	—	—	—	3	1	2	2	1	1	—	—	1	—
1—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
3—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	1
10—	—	—	4	1	—	—	—	—	—	3	—	—	—	—	—	—
15—	—	—	4	3	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	1
25—	—	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—
30—	—	—	1	—	—	—	2	—	1	—	—	—	—	—	—	—
35—	—	—	3	—	—	—	—	1	—	1	1	—	—	—	—	1
40—	—	—	—	—	1	—	—	1	2	—	—	2	—	—	—	4
45—	—	—	1	—	—	—	—	—	3	3	1	—	1	—	—	3
50—	—	—	3	2	1	1	1	2	6	3	2	—	1	1	—	4
55—	—	—	3	1	1	—	—	1	10	1	6	1	—	—	—	7
60—	—	1	1	1	—	—	3	1	13	3	4	2	—	—	—	7
65—	—	—	1	1	—	—	3	1	15	7	3	3	1	—	12	—
70—	—	1	1	—	—	—	1	2	10	7	6	4	1	1	11	—
75—	—	—	—	—	—	—	2	2	9	3	3	5	—	—	5	—
80—	—	—	1	—	—	—	—	2	—	—	1	4	—	—	—	—
85 and over	1	—	—	—	—	1	—	2	1	1	2	2	—	—	—	—

*514, Deflected nasal septum, 30; 516, Chronic Laryngitis, 50, 75.

TABLE 17—continued

Causes of death	522		523		524 Other specified pneumoconiosis & pulmonary fibrosis of occupational origin		525 Other chronic interstitial pneumonia		526 Bronchiectasis		527 Other diseases of lung and pleural cavity		IX 530-587 Diseases of the Digestive System		530-539 Diseases of buccal cavity and esophagus	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	167	339	760	7	16	3	175	93	1008	523	1056	233	8330	7005	119	124
0—	—	2	—	—	—	—	6	3	—	1	16	15	373	240	10	2
1—	—	—	—	—	—	—	—	—	1	2	1	3	50	32	1	—
2—	—	—	—	—	—	—	—	—	—	—	1	—	20	21	—	1
3—	—	—	—	—	—	—	—	—	1	1	1	—	18	13	—	—
4—	1	—	—	—	—	—	—	—	—	2	1	—	9	6	—	1
5—	—	—	—	—	—	—	—	—	1	6	1	—	44	24	—	1
10—	—	—	—	—	—	—	1	—	2	2	—	—	26	20	—	—
15—	—	—	—	—	—	—	—	—	6	4	1	—	29	28	—	1
20—	—	—	—	—	—	—	—	—	11	4	—	1	36	25	3	1
25—	—	—	—	—	—	—	1	—	10	8	7	—	49	32	1	1
30—	—	—	—	—	—	—	2	1	16	21	5	3	83	58	1	—
35—	—	—	4	—	—	—	2	2	25	14	9	3	134	73	2	—
40—	—	—	6	—	—	—	5	4	46	31	24	2	190	114	—	3
45—	1	—	30	—	1	1	7	2	61	21	41	15	369	168	2	3
50—	1	—	72	1	1	1	14	6	82	39	84	9	529	325	6	5
55—	—	2	123	—	3	—	28	13	135	56	148	12	790	431	11	2
60—	2	1	139	3	3	1	27	11	134	58	164	22	899	419	6	7
65—	2	2	152	2	6	—	29	19	161	72	180	35	1091	868	11	7
70—	7	15	128	1	3	—	26	12	146	56	176	28	1284	1123	21	14
75—	23	30	76	—	—	—	17	11	107	59	118	38	1122	1174	14	20
80—	63	89	28	—	—	—	8	6	42	40	58	27	797	999	24	21
85 and over	66	198	2	—	—	—	3	2	21	27	19	20	388	612	6	31

Causes of death	530, 531*		533		534, 535*		537		538		539		540-545		540	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	8	3	8	8	3	2	25	56	3	4	70	50	3693	1547	1665	960
0—	—	—	2	—	—	1	2	—	1	—	5	1	4	2	3	—
1—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	1
2—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	1
15—	—	—	—	1	—	—	—	—	—	—	—	3	2	2	—	—
20—	—	1	1	—	—	—	—	—	—	—	2	—	9	3	1	1
25—	1	—	—	1	—	—	—	—	—	—	—	—	17	1	9	—
30—	—	—	—	—	—	—	—	—	—	—	1	—	33	8	10	5
35—	1	—	—	2	—	—	—	—	—	—	1	—	44	10	19	5
40—	—	1	—	1	—	—	—	—	—	—	—	1	73	25	24	15
45—	1	—	—	—	—	—	—	—	—	—	1	3	165	25	67	12
50—	2	—	1	—	—	—	1	—	—	—	2	5	268	63	108	33
55—	—	—	1	—	1	—	—	—	—	—	9	1	389	86	175	56
60—	—	—	—	2	—	1	1	—	—	—	5	4	442	114	200	58
65—	1	—	—	—	—	—	1	—	1	—	8	5	516	183	233	106
70—	1	—	—	—	—	—	5	4	—	1	13	9	660	279	292	173
75—	1	—	—	—	1	—	6	11	—	1	6	8	556	298	250	204
80—	—	—	—	—	2	—	8	14	1	1	13	6	346	276	170	190
85 and over	—	1	—	—	—	—	2	25	—	—	4	5	163	169	101	100

*530, Dental caries, —; 531, Abscesses of supporting structures of teeth, 60, 70, 35; 534, Toothache from unspecified cause, —; 535, Other diseases of teeth and supporting structures, —;

TABLE 17—continued

Causes of death	540.0 Without mention of perforation		540.1 With perforation		541 Ulcer of duodenum		541.0 Without mention of perforation		541.1 With perforation		542 Gastrojejunal ulcer		542.0 Without mention of perforation		542.1 With perforation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1214	725	451	235	1903	501	1194	304	709	197	33	7	24	5	9	
0—	1	—	2	—	—	1	—	—	—	1	—	—	—	—	—	—
1—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
10—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	2	—	1	2	—	1	1	1	—	—	—	—	—	—
20—	—	1	1	—	8	2	3	2	5	1	—	—	—	—	—	—
25—	7	—	2	—	6	—	5	—	—	—	1	1	1	1	—	—
30—	5	2	5	3	20	2	13	1	7	1	1	—	1	—	—	—
35—	10	2	9	3	24	5	15	5	9	—	—	—	—	—	—	—
40—	18	10	6	5	43	9	29	6	14	3	1	—	—	—	—	1
45—	47	7	20	5	92	10	59	4	33	6	1	—	—	—	—	1
50—	73	21	35	12	146	27	96	16	50	11	3	—	2	—	1	1
55—	124	40	51	16	194	24	121	16	73	8	4	1	3	1	1	1
60—	153	42	47	16	226	49	137	26	89	23	7	—	6	—	1	1
65—	163	78	70	28	270	63	164	33	106	30	4	1	3	1	1	1
70—	214	131	78	42	349	94	215	58	134	36	7	1	6	—	1	1
75—	186	169	64	35	293	82	187	50	106	32	4	2	2	2	2	2
80—	131	143	39	47	169	74	109	42	60	32	—	1	—	—	—	—
85 and over	82	78	19	22	61	57	41	44	20	13	—	—	—	—	—	—

Causes of death	543 Gastritis and duodenitis		544 Disorders of function of stomach		545 Other diseases of stomach and duodenum		550-553 Appendicitis		550 Acute appendicitis		550.0 Without mention of peritonitis		550.1 With peritonitis		551 Appendicitis unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	34	38	9	6	49	35	497	302	415	252	74	30	341	222	79	
0—	—	1	1	—	—	—	1	1	1	1	1	—	—	1	—	—
1—	1	—	—	—	—	—	3	—	3	—	—	—	3	—	—	—
2—	—	—	—	—	—	—	5	3	5	3	2	—	3	3	—	—
3—	—	—	—	—	—	—	4	3	3	3	—	1	3	2	1	—
4—	—	—	—	—	—	—	2	1	2	1	—	—	2	1	—	—
5—	1	1	—	—	—	—	15	7	14	7	3	—	11	7	1	1
10—	1	—	—	—	—	—	15	9	14	9	—	—	14	9	1	1
15—	—	—	—	—	—	—	12	8	11	7	1	1	10	6	1	1
20—	—	—	—	—	—	—	12	2	10	1	2	—	8	1	2	—
25—	1	—	—	—	—	—	13	3	12	3	3	—	9	3	1	1
30—	1	1	—	—	1	—	12	8	11	6	1	1	10	5	1	1
35—	—	—	—	—	1	—	10	7	9	7	1	—	8	7	1	—
40—	4	—	—	—	1	1	23	7	18	5	2	1	16	4	4	4
45—	—	—	—	—	5	3	25	15	18	13	2	2	16	11	7	7
50—	3	1	1	—	7	2	30	15	21	9	3	—	18	9	9	9
55—	5	—	2	1	9	4	48	18	38	15	8	1	30	14	10	10
60—	3	3	—	—	6	4	54	32	45	28	7	6	38	22	9	9
65—	5	4	—	2	4	7	66	40	50	33	11	4	39	29	15	15
70—	3	4	1	—	8	7	60	36	54	33	11	4	43	29	6	6
75—	2	5	3	1	4	4	42	39	37	31	9	5	28	26	5	5
80—	3	8	1	1	3	2	28	30	24	24	5	3	19	21	3	3
85 and over	1	10	—	1	—	1	17	18	15	13	2	1	13	12	2	2

TABLE 17—continued

Causes of death	552		553		560-561		560 Hernia of abdominal cavity without mention of obstruction		561 Hernia of abdominal cavity with obstruction		570-578 Other diseases of intestines and peritoneum		570 Intestinal obstruction without mention of hernia		570.0 Intus-susception	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2	—	1	1	769	806	210	158	559	648	1806	2207	673	658	30	27
0—	—	—	—	—	80	25	64	22	16	3	219	155	37	33	15	19
1—	—	—	—	—	6	1	2	1	4	—	33	20	6	1	6	1
2—	—	—	—	—	—	1	—	1	—	—	11	12	1	2	1	—
3—	—	—	—	—	5	—	4	—	1	—	6	2	2	1	2	—
4—	—	—	—	—	—	—	—	—	—	—	4	4	—	1	—	—
5—	—	—	—	—	—	—	—	—	—	—	14	6	6	2	2	1
10—	—	—	—	—	—	—	—	—	—	—	4	8	1	1	—	—
15—	—	—	—	—	—	—	—	—	—	—	9	13	6	1	—	—
20—	—	—	—	—	—	—	—	—	—	—	10	13	3	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	14	18	4	3	1	—
30—	—	—	—	—	2	1	—	—	2	1	19	28	2	6	—	—
35—	—	—	—	—	2	2	—	—	2	2	44	22	10	2	—	—
40—	—	—	—	—	3	2	—	—	3	2	33	38	13	7	—	—
45—	—	—	1	—	15	8	7	2	8	6	81	61	28	19	—	—
50—	—	—	—	1	19	27	4	4	15	23	101	83	45	19	—	—
55—	—	—	—	—	53	45	16	6	37	39	126	126	40	32	—	—
60—	—	—	—	—	61	73	21	16	40	57	152	171	60	59	1	—
65—	1	—	—	—	95	102	21	27	74	75	209	256	95	86	1	1
70—	—	—	—	—	127	138	23	27	104	111	238	320	109	111	—	—
75—	—	—	—	—	120	163	23	20	97	143	227	343	90	102	—	—
80—	1	—	—	—	110	140	9	21	101	119	170	318	84	106	1	2
85 and over	—	—	—	—	71	78	16	11	55	67	82	190	31	64	—	—

Causes of death	570.1		570.2		570.3		570.4		570.5		571 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		572 Chronic enteritis and ulcerative colitis		572.0 Regional enteritis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	6	10	186	240	201	147	24	53	226	181	355	397	526	867	39	32
0—	—	1	1	1	13	8	6	2	2	2	168	115	2	1	—	—
1—	—	—	—	—	—	—	—	—	—	—	27	16	—	—	—	—
2—	—	—	—	—	—	2	—	—	—	—	10	10	—	—	—	—
3—	—	1	—	—	—	—	—	—	—	—	4	1	—	—	—	—
4—	—	—	—	—	—	1	—	—	—	—	4	2	—	—	—	—
5—	—	—	—	—	1	1	—	—	3	—	5	3	—	1	—	1
10—	—	—	—	—	—	—	—	—	1	—	2	1	—	4	—	—
15—	—	—	—	—	5	—	—	1	1	—	1	1	1	11	—	—
20—	—	—	1	—	2	—	—	—	—	—	—	1	7	10	—	2
25—	—	—	1	—	1	1	—	—	1	2	—	4	9	11	2	2
30—	1	—	—	2	—	1	—	—	1	3	4	2	11	16	3	1
35—	—	—	4	—	3	1	—	—	3	1	5	—	25	16	4	1
40—	—	—	2	2	3	4	1	1	7	—	1	3	14	25	4	4
45—	—	—	13	8	8	4	—	1	7	6	8	5	36	33	4	5
50—	1	—	17	7	15	7	—	—	12	5	6	4	37	42	2	4
55—	1	—	18	16	7	5	—	4	14	7	8	15	59	58	7	4
60—	—	2	19	24	17	12	2	1	21	20	8	13	61	71	2	2
65—	—	1	28	47	33	11	2	8	31	18	24	22	57	109	3	2
70—	1	2	28	53	32	23	4	8	44	25	24	34	64	130	4	2
75—	—	2	22	32	29	29	7	9	32	30	20	50	69	146	3	—
80—	1	—	26	31	23	24	2	12	31	36	14	53	50	119	1	2
85 and over	1	—	6	17	9	13	—	6	15	26	12	42	24	64	—	—

TABLE 17—continued

Causes of death	572.1		572.2		572.3		573		574*		576		577		578	
	Diverticulitis		Ulcerative colitis		Others included under 572		Functional disorders of intestines		Abscess of anal and rectal regions		Peritonitis		Peritoneal adhesion		Other diseases of intestines and peritoneum	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	302	542	176	280	9	13	10	15	20	11	56	57	5	4	158	1
0—	—	1	1	—	1	—	—	—	—	—	6	6	—	—	6	—
1—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—
10—	—	—	—	4	—	—	—	—	—	—	—	1	—	—	1	—
15—	—	—	1	11	—	—	—	—	—	—	1	—	—	—	—	—
20—	—	—	7	8	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	7	9	—	—	—	—	—	—	—	—	—	—	1	—
30—	—	1	8	14	—	—	—	—	—	1	—	1	1	—	1	—
35—	1	—	20	15	—	—	—	—	—	—	1	1	—	—	3	—
40—	3	3	7	18	—	—	1	—	—	—	—	—	—	—	4	—
45—	12	5	20	22	—	1	—	—	1	—	1	—	—	—	7	—
50—	20	14	15	24	—	—	—	1	1	—	2	6	—	—	10	—
55—	34	31	18	23	—	—	—	—	2	1	4	2	1	—	12	—
60—	34	41	23	28	2	—	1	1	3	2	3	6	—	—	16	—
65—	43	75	11	31	—	1	1	1	4	—	11	8	2	—	13	—
70—	41	105	18	23	1	—	1	—	3	4	13	10	1	2	22	—
75—	56	118	10	24	—	4	4	2	4	2	4	9	—	—	36	—
80—	38	94	7	19	4	—	4	1	7	—	1	—	—	—	17	—
85 and over	20	54	3	7	1	3	1	3	2	—	4	3	—	—	8	—

Causes of death	580-587 Diseases of liver, gallbladder and pancreas		580 Acute and subacute yellow atrophy of liver		581 Cirrhosis of liver		582 Suppurative hepatitis and liver abscess		583 Other diseases of liver		584 Cholelithiasis		585 Cholecystitis without mention of calculi		586 Other diseases of gallbladder and biliary ducts	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1446	2019	45	66	667	539	9	10	24	36	246	581	183	386	29	—
0—	59	55	—	2	8	4	—	1	5	1	—	—	1	1	—	—
1—	6	10	—	2	—	1	—	—	—	—	—	—	—	—	—	—
2—	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	3	8	—	—	—	1	—	—	1	—	—	—	—	—	—	—
4—	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5—	13	9	1	3	3	1	—	—	1	1	—	—	—	—	—	—
10—	5	2	1	—	—	1	1	—	—	—	—	—	—	—	—	—
15—	5	4	1	2	3	1	—	1	—	—	—	—	—	—	—	—
20—	2	6	—	—	1	3	—	—	1	1	—	—	—	—	—	—
25—	4	9	—	—	4	3	—	—	—	1	—	—	—	—	—	—
30—	16	13	2	3	8	3	—	1	—	1	1	3	—	—	—	—
35—	32	29	3	4	22	12	—	—	—	2	1	2	2	2	—	—
40—	58	39	2	4	43	19	—	—	—	1	5	9	1	2	1	—
45—	81	56	5	6	48	29	2	—	2	—	6	8	8	6	1	—
50—	105	132	6	6	65	67	—	1	1	4	9	25	10	10	1	—
55—	163	154	3	4	102	69	2	—	4	2	15	37	13	17	1	—
60—	184	222	6	8	101	72	—	2	—	—	25	53	22	45	4	—
65—	194	280	5	6	93	88	—	—	4	4	34	92	20	37	2	—
70—	178	336	2	5	83	91	2	3	1	7	33	102	27	64	6	—
75—	163	311	3	7	38	48	—	1	2	5	62	117	36	76	6	—
80—	119	214	5	4	35	19	—	—	1	3	35	90	28	71	4	—
85 and over	49	126	—	—	9	7	—	—	—	3	20	43	15	55	3	—

*574, Anal fissure and fistula, 65, 65, 70, 50.

TABLE 17—continued

Causes of death	587		X 590-637		590-594		590		591		592		593		594	
	Diseases of pancreas		Diseases of the Genito-Urinary System		Nephritis and nephrosis		Acute nephritis		Nephritis with oedema, including nephrosis		Chronic nephritis		Nephritis not specified as acute or chronic		Other renal sclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	243	342	7431	3733	2345	2014	89	68	196	143	1791	1614	258	178	11	11
0—	45	46	31	16	8	6	5	3	—	1	2	1	1	1	—	—
1—	6	7	5	6	2	2	1	—	1	—	—	—	—	—	—	1
2—	4	4	6	2	2	2	—	1	2	1	—	—	—	—	—	—
3—	2	7	2	5	2	3	—	—	2	2	—	1	—	—	—	—
4—	2	—	4	2	4	2	—	—	4	2	—	—	—	—	—	—
5—	8	4	23	12	19	8	3	2	8	—	8	5	—	1	—	—
10—	3	1	32	24	28	18	5	4	6	1	16	10	1	—	—	2
15—	1	—	47	39	43	30	3	4	10	3	30	22	—	1	—	—
20—	—	2	75	52	66	44	7	3	8	3	47	35	4	2	—	1
25—	—	5	78	50	70	39	8	3	7	6	53	28	2	1	—	1
30—	5	1	86	62	73	45	3	1	7	1	60	39	3	4	—	—
35—	4	6	132	105	109	71	3	5	11	10	84	52	11	4	—	—
40—	6	4	161	136	129	81	8	6	10	5	98	62	12	8	1	—
45—	9	4	181	142	136	80	6	—	12	5	102	68	15	6	1	11
50—	13	17	287	184	200	111	7	4	17	15	145	83	31	9	—	—
55—	23	21	336	278	207	169	6	3	19	12	152	144	30	9	—	11
60—	25	33	539	379	242	215	9	3	17	18	186	172	30	22	—	—
65—	34	49	781	441	247	212	6	8	23	14	190	169	27	21	1	—
70—	24	50	1077	547	225	283	2	5	13	21	184	226	24	30	2	1
75—	16	47	1375	510	230	243	3	6	9	10	187	206	27	19	4	2
80—	11	18	1285	433	183	205	4	5	7	9	153	165	19	25	—	1
85 and over	2	16	888	308	120	145	—	2	3	4	94	125	21	14	2	—

Causes of death	600-609		600		601		602		603		604		605		606	
	Other diseases of urinary system		Infections of kidney		Hydro-nephrosis		Calculi of kidney and ureter		Other diseases of kidney and ureter		Calculi of other parts of urinary system		Cystitis		Other diseases of bladder	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	1335	1519	716	995	71	80	139	154	44	38	36	14	119	179	78	27
0—	21	10	13	6	3	1	—	—	3	2	—	—	—	1	1	—
1—	3	3	2	2	—	—	1	—	—	—	—	—	—	—	—	1
2—	4	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—
3—	—	2	—	1	—	—	—	—	—	—	—	—	—	1	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	4	4	—	2	1	—	—	—	—	1	—	—	1	—	2	—
10—	4	6	—	4	2	—	—	—	—	—	—	—	—	—	2	—
15—	4	7	2	2	—	2	1	1	—	1	—	—	1	—	—	—
20—	9	7	5	6	—	1	4	—	—	—	—	—	—	—	—	—
25—	8	9	4	6	1	—	—	2	3	—	—	—	—	—	—	1
30—	13	12	7	9	3	—	3	2	—	—	—	1	—	—	—	—
35—	23	25	11	18	2	1	6	3	2	2	—	—	—	1	1	—
40—	30	42	14	24	1	1	7	10	—	4	1	1	1	—	2	11
45—	40	46	22	27	2	2	10	8	3	5	—	1	1	3	1	—
50—	62	58	33	36	5	4	12	9	4	4	—	—	2	3	4	2
55—	70	97	30	57	9	4	11	18	3	2	1	2	4	10	4	2
60—	124	138	67	96	7	8	22	13	4	3	2	1	5	11	9	6
65—	181	198	93	140	11	9	16	28	10	4	1	—	14	13	13	2
70—	208	243	115	157	8	12	15	28	3	5	7	2	22	33	9	1
75—	230	247	129	177	11	14	13	9	3	2	8	2	29	35	12	5
80—	189	208	114	133	3	11	15	16	5	—	9	4	16	35	8	3
85 and over	108	157	53	92	2	8	2	7	—	3	7	—	23	33	10	3

TABLE 17—continued

Causes of death	607*		609' Other diseases of urethra		610-617 Diseases of male genital organs	610 Hyperplasia of prostate	611 Prostatitis	612 Other diseases of prostate	613 Hydrocele	614*	
	608 Stricture of urethra									615 Redundant prepuce and phimosis	
Ages at death	M	F	M	F	M	M	M	M	M	M	M
All Ages	94	1	35	30	3751	3645	72	14	2		3
0—	—	—	1	—	2	—	—	—	—	—	1
1—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	1	—	—	—	—	—	—	—
10—	—	—	—	1	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—
35—	1	—	—	—	—	—	—	—	—	—	—
40—	4	—	—	1	2	1	1	—	—	—	—
45—	1	—	—	—	5	3	1	—	—	—	—
50—	2	—	—	—	25	23	2	—	—	—	—
55—	4	—	3	2	59	51	5	1	—	—	—
60—	4	—	4	—	173	163	5	2	1	—	—
65—	16	—	6	2	353	342	7	3	—	—	—
70—	24	—	5	3	644	627	11	2	—	—	—
75—	22	—	2	3	915	888	23	3	—	—	—
80—	11	—	8	6	913	897	10	2	—	—	2
85 and over	5	1	6	9	660	650	7	1	1	—	—

Causes of death	616*	620-626 Diseases of breast, ovary, Fallopian tube, and parametrium	620, 621, 622, 623*	625 Other diseases of ovary and Fallopian tube	626 Diseases of parametrium and pelvic peritoneum (female)	630-637 Diseases of uterus and other female genital organs	630 Infective disease of uterus, vagina, and vulva	631 Uterovaginal prolapse
	617 Other diseases of male genital organs		624 Salpingitis and oophoritis unqualified					
Ages at death	M	F	F	F	F	F	F	F
All Ages	11	41	18	2	10	159	8	106
0—	1	—	—	—	—	—	—	—
1—	—	—	—	—	—	1	1	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	2	1	—	—	—	—	—
20—	—	1	—	—	—	—	—	—
25—	—	2	2	—	—	—	—	—
30—	—	2	1	—	—	3	—	1
35—	—	4	2	—	—	5	—	1
40—	—	4	2	—	1	9	1	3
45—	—	5	4	—	—	11	—	3
50—	—	2	1	—	1	13	1	6
55—	1	1	—	—	1	11	—	7
60—	1	7	3	1	1	19	1	15
65—	1	3	1	1	—	28	—	23
70—	3	3	1	—	1	18	1	16
75—	1	2	—	—	2	18	1	12
80—	2	2	—	—	2	18	2	15
85 and over	1	1	—	—	1	5	—	4

*607, Urethritis (non-venereal), 55, 65, 75, 85; 614, Orchitis and epididymitis, 45, 55, 60, 70; 616, Sterility, male, —; 620, Chronic cystic disease of breast, —; 621, Other diseases of breast, 60, 65, 70; 622, Acute salpingitis and oophoritis, 15, 30, 35, 40, 60; 623, Chronic salpingitis and oophoritis, 20, 35, 45.

TABLE 17—continued

Causes of death	632*	634 Disorders of menstruation	635, 636*	XI 640-689 Deliveries, & Complications of Pregnancy, Childbirth, and the Puerperium	640-649 Complications of pregnancy	640 Pyelitis and pyelonephritis of pregnancy	641*	643*
	633 Other diseases of uterus		637 Other diseases of female genital organs				642 Toxæmias of pregnancy	644 Other hæmorrhage of pregnancy
Ages at death	F	F	F	F	F	F	F	F
All Ages	30	12	2	349†	127	1	83	7
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	1	—	—	—	—
15—	—	—	—	10	6	—	4	1
20—	—	—	—	51	18	—	11	3
25—	—	—	—	73	19	—	13	—
30—	2	—	—	80	28	—	19	1
35—	2	2	—	83	29	—	18	—
40—	3	2	—	36	19	1	11	2
45—	5	3	—	8	3	—	3	—
50—	3	3	—	2	1	—	1	—
55—	1	2	—	1	1	—	1	—
60—	3	—	—	1	1	—	—	—
65—	4	—	1	—	—	—	—	—
70—	1	—	—	2	2	—	2	—
75—	4	—	1	—	—	—	—	—
80—	1	—	—	1	—	—	—	—
85 and over	1	—	—	—	—	—	—	—

Causes of death	645 Ectopic pregnancy	646, 647*	650-652 Abortion	650 Abortion, without mention of sepsis or toxæmia	651 Abortion, with sepsis	652 Abortion, with toxæmia, without mention of sepsis	660 Delivery, without complication	670-678 Delivery, with specified complication
		648 Other complications arising from pregnancy						
Ages at Death	F	F	F	F	F	F	F	F
All Ages	22	9	61	24	33	4	7	94
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	1	—
15—	—	1	1	—	1	—	—	1
20—	3	1	13	6	7	—	1	9
25—	2	2	16	6	7	3	1	23
30—	6	1	13	3	10	—	3	21
35—	6	4	14	7	6	1	1	26
40—	4	—	3	1	2	—	—	10
45—	—	—	1	1	—	—	—	3
50—	—	—	—	—	—	—	—	1
55—	—	—	—	—	—	—	—	—
60—	1	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—

*632, Malposition of uterus, —; 635, Menopausal symptoms, 55; 636, Sterility, female, —; 641, Other infections of genito-urinary tract during pregnancy, 25, 35; 643, Placenta prævia, —; 646, Anaemia of pregnancy, 25, 30, 40; 647, Pregnancy with malposition of foetus in uterus, —.

†640-689, Including 16 cases in which it was stated that death followed the maternal condition after an interval of more than 12 months at ages as follows:—640, 40; 642, 30, 35, 40, 40, 40, 45, 45, 50, 55, 70, 70; 645, 60; 672, 45; 670, 50; 682, 80.

TABLE 17—continued

Causes of death	670 Delivery complicated by placenta prævia or antepartum hæmorrhage	671 Delivery complicated by retained placenta	672 Delivery complicated by other postpartum hæmorrhage	673* 674 Delivery complicated by disproportion or malposition of fœtus	675 Delivery complicated by prolonged labour of other origin	676* 677 Delivery with other trauma	678 Delivery with other complications of childbirth	680-689 Complications of the puerperium
Ages at death	F	F	F	F	F	F	F	F
All Ages	21	5	18	10	16	14	9	60
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—
15—	—	—	1	—	—	—	—	2
20—	—	—	3	1	5	—	—	10
25—	6	2	5	3	2	3	2	14
30—	4	3	2	1	4	5	2	15
35—	6	—	4	5	1	5	4	13
40—	4	—	1	—	3	1	1	4
45—	—	—	2	—	1	—	—	1
50—	1	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	1

Causes of death	680* 681 Sepsis of childbirth and the puerperium	682 Puerperal phlebitis and thrombosis	683* 684 Puerperal pulmonary embolism	685 Puerperal eclampsia	686* 687 Cerebral hæmorrhage in the puerperium	688, 689* XII 690-716 Diseases of the Skin and Cellular Tissue		690-698 Infections of skin and subcutaneous tissue		690 Boil and carbuncle	
Ages at death	F	F	F	F	F	M	F	M	F	M	F
All Ages	16	25	8	5	4	194	247	74	74	25	—
0—	—	—	—	—	—	14	6	9	4	—	—
1—	—	—	—	—	—	2	—	1	—	—	—
2—	—	—	—	—	—	1	1	1	1	—	—
3—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	1	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—
15—	—	1	—	1	—	3	2	—	2	—	—
20—	7	3	—	—	—	2	—	1	—	—	—
25—	1	5	4	2	1	2	2	2	—	1	—
30—	1	8	2	2	2	4	5	4	3	2	—
35—	5	5	1	—	1	1	5	—	3	—	—
40—	2	2	—	—	—	3	8	—	1	—	—
45—	—	—	1	—	—	8	9	4	5	1	—
50—	—	—	—	—	—	11	14	6	3	3	—
55—	—	—	—	—	—	19	19	9	5	3	—
60—	—	—	—	—	—	15	15	4	5	1	—
65—	—	—	—	—	—	20	21	6	6	4	—
70—	—	—	—	—	—	32	33	12	9	6	—
75—	—	—	—	—	—	20	43	6	14	2	—
80—	—	1	—	—	—	18	25	6	5	1	—
85 and over	—	—	—	—	—	19	38	3	8	1	—

*673, Delivery complicated by abnormality of bony pelvis, 35; 676, Delivery with laceration of perineum, without mention of other laceration, —; 680, Puerperal urinary infection without other sepsis, —; 683, Pyrexia of unknown origin during the puerperium, —; 686, Other forms of puerperal toxæmia, —; 688, Other and unspecified complications of the puerperium, 25, 35; 689, Mastitis and other disorders of lactation, —.

TABLE 17—continued

Causes of death	691		692 Other cellulitis and abscess without mention of lymphangitis		693-697*		700-716		700		701		702*		704	
	Cellulitis of finger and toe				698 Other local infections of skin and subcutaneous tissue		Other diseases of skin and subcutaneous tissue		Seborrhœic dermatitis		Eczema		703 Other dermatitis		Pemphigus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2	1	38	43	9	6	120	173	—	—	7	6	1	4	27	40
0—	—	—	6	4	3	—	5	2	—	—	2	1	1	—	1	—
1—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
2—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
20—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—
25—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—
30—	1	—	1	2	—	—	—	2	—	—	—	—	—	—	—	—
35—	—	—	—	1	—	—	1	2	—	—	1	—	—	—	—	—
40—	—	—	—	1	—	—	3	7	—	—	—	—	—	—	1	—
45—	—	—	2	2	1	—	4	4	—	—	—	—	—	—	—	—
50—	—	1	3	2	—	—	5	11	—	—	—	—	—	—	2	1
55—	—	—	6	2	—	—	10	14	—	—	—	—	—	1	1	4
60—	—	—	3	4	—	1	11	10	—	—	—	—	—	—	2	2
65—	—	—	2	3	—	1	14	15	—	—	—	—	—	—	2	5
70—	1	—	5	5	—	1	20	24	—	—	1	1	—	—	5	9
75—	—	—	3	8	1	3	14	29	—	—	—	2	—	3	5	10
80—	—	—	3	4	2	—	12	20	—	—	2	2	—	—	4	5
85 and over	—	—	1	5	1	—	16	30	—	—	—	—	—	—	4	4

Causes of death	705		706		707-709*		711-714*		716*		720-727 Arthritis and rheumatism, except rheumatic fever		720 Acute arthritis due to pyogenic organisms		721*	
	Erythematous conditions		Psoriasis and similar disorders		710 Other hypertrophic and atrophic conditions of skin		715 Chronic ulcer of skin		XIII 720-749 Diseases of the Bones and Organs of Movement						722 Rheumatoid arthritis and allied conditions	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	29	24	3	2	22	38	23	58	584	1225	309	941	10	11	183	705
0—	1	1	—	—	—	—	—	—	13	18	—	1	—	1	—	—
1—	—	—	—	—	—	—	—	—	6	2	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—
3—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
5—	—	—	—	—	—	1	—	—	3	4	—	2	—	—	—	1
10—	—	—	—	—	—	—	—	—	10	2	—	—	—	—	—	—
15—	—	—	—	—	1	—	—	—	28	3	1	—	1	—	—	—
20—	2	—	—	—	—	—	—	—	9	4	—	1	—	—	—	1
25—	—	1	—	—	—	1	—	—	6	6	2	1	—	—	2	1
30—	—	—	—	—	—	2	—	—	6	8	1	4	—	—	1	3
35—	1	3	—	—	—	1	—	—	9	9	1	4	—	1	1	3
40—	—	2	1	—	—	3	—	1	9	14	3	7	—	—	1	6
45—	1	2	—	—	3	2	—	—	17	13	10	8	—	—	8	6
50—	—	4	—	—	3	5	—	—	31	40	16	31	1	1	10	25
55—	4	4	1	—	4	4	—	1	32	58	19	42	—	1	10	36
60—	3	2	—	—	4	5	—	1	68	94	44	73	2	1	31	63
65—	9	3	—	—	2	6	1	1	62	145	39	109	3	3	25	91
70—	4	1	1	1	3	3	4	9	70	204	43	167	2	2	33	134
75—	2	2	—	1	2	2	3	9	92	242	55	195	—	1	27	141
80—	1	—	—	—	—	3	5	10	77	217	52	177	—	—	25	128
85 and over	1	—	—	—	—	—	10	26	32	140	22	119	1	—	8	66

*693, Other cellulitis and abscess with lymphangitis, 2, 35, 80; 694, Acute lymphadenitis, —; 695, Impetigo, 15; 696, Infectious warts, —; 697, Molluscum contagiosum, —; 702, Occupational dermatitis, —; 707, Lichen planus, —; 708, Pruritus and related conditions, 50; 709, Corns and callosities, 70; 711, Other dermatoses, 60, 70; 712, Diseases of nail, 75; 713, Diseases of hair and hair follicles, 75; 714, Diseases of sweat and sebaceous glands, 15, 85; 716, Other diseases of skin, 60; 721, Acute nonpyogenic arthritis, —.

TABLE 17—continued

Causes of death	723 Osteo-arthritis (arthrosis) and allied conditions		724*		726 Muscular rheumatism		727 Rheumatism unspecified		727 a, b, 727 c, d, e*		730 Osteomyelitis and periostitis		731 Osteitis deformans		732*	
			725						730-738						733	
			Arthritis (unspecified)						Osteomyelitis and other diseases of bone and joint						Other diseases of bone	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	107	208	—	3	6	8	2	3	157	187	43	35	76	87	18	5
0—	—	—	—	—	—	—	—	—	6	6	6	2	—	—	—	—
1—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—
4—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—
5—	—	—	—	—	—	1	—	—	1	2	1	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	2	1	2	1	—	—	—	—
20—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	1	2	1	2	—	—	—	—
30—	—	—	—	—	—	—	1	—	4	1	4	1	—	—	—	—
35—	—	—	—	—	—	—	—	—	1	2	1	1	—	—	—	—
40—	1	1	—	—	1	—	—	—	3	1	—	—	—	—	—	—
45—	1	—	—	—	1	2	—	—	3	2	2	1	—	—	—	—
50—	3	3	—	—	1	1	—	1	6	4	2	3	—	—	1	—
55—	8	5	—	—	1	—	—	—	6	11	2	4	1	—	—	—
60—	10	9	—	—	1	—	—	—	16	13	2	2	7	8	—	—
65—	11	14	—	1	—	—	—	—	17	23	6	6	9	13	2	1
70—	7	29	—	—	—	1	1	1	21	24	3	1	15	17	1	—
75—	27	49	—	2	—	1	1	1	30	37	3	6	22	18	5	1
80—	26	45	—	—	1	1	—	1	23	36	2	2	17	20	3	1
85 and over	13	53	—	—	—	—	—	—	10	20	—	1	5	11	4	—

Causes of death	734*		736, 737, 738*		740*		742, 743*		745		746, 747, 748*		XIV		750	
	735		740-749		741 Synovitis, bursitis and tenosynovitis without mention of occupational origin		744 Other diseases of muscle, tendon, and fascia				749		750-759			
Displacement of intervertebral disc	Other diseases of musculo-skeletal system								Curvature of spine		Other deformities		Congenital mal-formations		Monstrosity	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	15	6	118	97	—	1	92	57	22	31	2	4	2589	2341	57	9
0—	—	—	7	11	—	—	6	7	—	4	—	—	1758	1590	56	9
1—	—	—	4	2	—	—	3	2	—	—	—	—	98	80	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	34	29	—	—
3—	—	—	1	—	—	—	1	—	—	—	—	—	26	24	1	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	19	20	—	—
5—	—	—	2	—	—	—	2	—	—	—	—	—	68	45	—	—
10—	—	—	8	2	—	—	8	1	—	1	—	—	47	39	—	—
15—	—	—	25	2	—	—	23	1	2	1	—	—	44	32	—	—
20—	—	—	8	3	—	—	8	3	—	—	—	—	31	20	—	—
25—	—	—	3	3	—	—	2	2	1	1	—	—	35	34	—	—
30—	—	—	1	3	—	—	1	2	—	1	—	—	33	29	—	—
35—	—	1	7	3	—	—	7	2	—	1	—	—	43	38	—	—
40—	2	1	3	6	—	—	2	5	1	1	—	—	44	37	—	—
45—	1	1	4	3	—	—	2	3	2	—	—	—	62	58	—	—
50—	3	—	9	5	—	—	6	2	2	2	1	1	58	66	—	—
55—	2	3	7	5	—	—	4	3	3	1	—	—	57	65	—	—
60—	5	—	8	8	—	—	4	6	3	1	1	1	36	40	—	—
65—	—	—	6	13	—	1	4	5	2	4	—	—	38	37	—	—
70—	1	—	6	13	—	—	3	10	3	3	—	—	29	25	—	—
75—	—	—	7	10	—	—	5	2	2	6	—	1	14	20	—	—
80—	1	—	2	4	—	—	1	1	1	3	—	—	11	12	—	—
85 and over	—	—	—	1	—	—	—	—	—	1	—	—	4	1	—	—

*724, Other specified forms of arthritis, 50, 70, 80, 80; 727a, Rheumatism acute, not further specified, —; 727b, Rheumatism subacute, not further specified, —; 727c, d, e, Others included under 727, 70, 75, 50, 75, 80; 732, Osteochondrosis, —; 734, Internal derangement of knee joint, 70; 736, Affection of sacro-iliac joint, —; 737, Ankylosis of joint, 70, 5; 738, Other diseases of joint, 40, 55, 60, 85, 55, 55, 80; 740, Bunion, —; 742, Synovitis, bursitis and tenosynovitis of occupational origin, —; 743, Infective myositis and other inflammatory diseases of tendon and fascia, 1; 746, Flat foot, —; 747, Hallux valgus and varus, 55, 65; 748, Clubfoot, 0, 65, 75.

TABLE 17—continued

Causes of death	751 Spina bifida and meningocele		752 Congenital hydrocephalus		753 Other congenital malformations of nervous system and sense organs		754 Congenital malformations of circulatory system		755 Cleft palate and harelip		756 Congenital malformations of digestive system		756.0 Congenital hypertrophic pyloric stenosis		756.1 Imperforatus	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	416	585	113	100	83	74	1126	911	12	10	294	173	27	7	30	11
0—	394	540	66	75	38	39	725	553	11	10	216	134	26	7	30	10
1—	13	17	17	9	8	9	42	32	1	—	7	9	—	—	—	1
2—	1	5	7	5	7	2	10	13	—	—	6	—	—	—	—	—
3—	2	6	5	1	4	3	8	8	—	—	1	3	—	—	—	—
4—	—	3	2	1	2	3	11	7	—	—	2	2	—	—	—	—
5—	—	4	7	2	10	2	34	28	—	—	5	—	—	—	—	—
10—	1	2	1	1	1	3	34	27	—	—	2	1	—	—	—	—
15—	—	2	2	1	1	2	24	20	—	—	3	2	—	—	—	—
20—	—	1	2	—	3	2	20	11	—	—	2	—	—	—	—	—
25—	—	2	1	—	1	2	27	24	—	—	—	—	—	—	—	—
30—	1	—	—	—	1	—	21	20	—	—	1	—	—	—	—	—
35—	—	—	—	1	2	4	30	22	—	—	—	1	—	—	—	—
40—	1	—	2	1	1	—	18	18	—	—	3	—	—	—	—	—
45—	—	—	—	2	2	1	25	23	—	—	3	1	—	—	—	—
50—	—	1	—	—	—	1	22	28	—	—	8	3	1	—	—	—
55—	2	—	1	1	—	1	32	29	—	—	3	1	—	—	—	—
60—	—	—	—	—	—	—	15	15	—	—	4	2	—	—	—	—
65—	1	1	—	—	1	—	17	16	—	—	3	—	—	—	—	—
70—	—	—	—	—	—	—	6	10	—	—	10	6	—	—	—	—
75—	—	1	—	—	—	—	3	5	—	—	8	6	—	—	—	—
80—	—	—	—	—	1	—	2	2	—	—	3	2	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—

Causes of death	756.2 Others included in 756		757 Congenital malformations of genito-urinary system		757.1 Polycystic disease of kidney		757.0; 2; 3 Others included under 757		758 Congenital malformations of bone and joint		759 Other and unspecified congenital malformations, not elsewhere classified		XV 760-776* Certain diseases of Early Infancy		760-769 Birth injuries, asphyxia, and infections of newborn	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	237	155	274	223	130	170	144	53	32	39	182	130	5618	3817	3394	2209
0—	160	117	110	35	25	11	85	24	19	23	123	85	5609	3814	3391	2209
1—	7	8	5	—	—	—	5	—	—	1	5	3	4	1	1	—
2—	6	—	2	1	—	—	2	1	—	1	1	2	3	1	2	—
3—	1	3	1	2	—	1	1	1	2	1	2	—	—	—	—	—
4—	2	2	2	2	—	—	2	2	—	—	—	2	2	—	—	—
5—	5	—	9	3	—	—	9	3	—	2	3	4	—	—	—	—
10—	2	1	6	4	1	2	5	2	2	—	—	1	—	—	—	—
15—	3	2	10	1	1	—	9	1	1	2	3	2	—	—	—	—
20—	2	—	2	5	—	1	2	4	—	—	2	1	—	—	—	—
25—	—	—	6	4	4	2	2	2	—	—	—	2	—	—	—	—
30—	1	—	6	6	3	2	3	4	1	1	2	2	—	—	—	—
35—	—	1	8	6	6	6	3	—	—	—	3	4	—	—	—	—
40—	3	—	14	16	11	16	3	—	2	—	—	3	—	—	—	—
45—	3	1	24	28	18	25	6	3	1	1	6	2	—	—	—	—
50—	7	3	20	27	19	26	1	1	1	—	7	6	—	—	—	—
55—	3	1	10	30	8	30	2	—	—	—	9	3	—	—	—	—
60—	4	—	10	16	9	14	1	—	1	3	6	4	—	—	—	—
65—	3	—	12	16	11	14	1	2	—	—	4	4	—	—	—	—
70—	10	6	11	8	9	8	2	—	—	1	2	1	—	—	—	—
75—	8	6	2	6	2	5	—	1	—	1	1	1	—	—	—	—
80—	3	2	4	6	3	6	1	—	1	2	—	—	—	—	—	—
85 and over	4	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—

*Note: The group 760-776 relates particularly to the causes of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages.

TABLE 17—continued

Causes of death	760		761		762		763		764		765*		767		768	
	Intracranial and spinal injury at birth		Other birth injury		Postnatal asphyxia and atelectasis		Pneumonia of newborn		Diarrhœa of newborn		Pemphigus neonatorum		Umbilical sepsis		Other sepsis of newborn	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	899	556	255	159	1698	1114	429	285	22	13	4	4	17	11	10	
0—	899	556	255	159	1695	1114	429	285	22	13	4	4	17	11	10	
1—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of death	769		770-776		770		771		772		773		774		776	
	Neonatal disorders arising from maternal toxæmia		Other diseases peculiar to early infancy		Hæmolytic disease of newborn (erythroblastosis)		Hæmorrhagic disease of newborn		Nutritional maladjustment		Ill-defined diseases peculiar to early infancy		Immaturity with mention of any other subsidiary condition		Immaturity unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	60	54	2224	1608	203	175	120	64	6	1	85	68	81	48	1729	125
0—	60	54	2218	1605	199	172	120	64	6	1	85	68	79	48	1729	125
1—	—	—	3	1	2	1	—	—	—	—	—	—	1	—	—	—
2—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
4—	—	—	2	—	1	—	—	—	—	—	—	—	1	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

*765, Ophthalmia neonatorum, —.

TABLE 17—continued

Causes of death	XVI 780-795 Symptoms, Senility, and Ill-defined Conditions		780-789 Symptoms referable to systems or organs		780 Certain symptoms referable to nervous system and special senses		780.2 Convulsions		780.0; 1; 3; 4; 5; 6; 7; 8; 9, 781*		782 Symptoms referable to cardiovascular and lymphatic system		782.4 Acute heart failure, undefined		782.0; 1; 2; 3; 5; 6; 7; 8; 9		783 Symptoms referable to respiratory system	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	2697	4789	60	61	7	4	5	3	36	42	31	37	5	5	2	—	—	—
0—	33	16	7	3	4	2	4	2	—	—	—	—	—	—	—	—	—	—
1—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	1	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—
20—	3	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—
25—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	7	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
35—	2	2	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—
40—	2	2	—	2	—	1	—	1	—	1	1	1	1	—	—	—	—	—
45—	5	5	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—
50—	8	7	5	2	1	—	1	—	4	2	3	2	1	—	—	—	—	—
55—	2	8	1	6	1	1	—	—	—	4	—	2	—	—	2	—	—	—
60—	7	10	4	4	—	—	—	—	3	4	3	4	—	—	—	—	—	—
65—	22	17	5	2	—	—	—	—	4	1	3	1	—	—	—	—	—	—
70—	130	138	7	6	—	—	—	—	5	6	5	5	1	—	1	—	—	—
75—	389	588	7	11	—	—	—	—	5	9	4	9	1	—	—	—	—	—
80—	902	1364	13	13	—	—	—	—	10	8	8	7	2	—	1	—	—	—
85 and over	1179	2628	6	8	—	—	—	—	3	3	3	3	—	—	—	—	—	—

Causes of death	784 Symptoms referable to upper gastro-intestinal tract		785 Symptoms referable to abdomen and lower gastro-intestinal system		786 Symptoms referable to genito-urinary system		787, 788, 789* 790-795 Senility and ill-defined diseases		790, 791* 792 Uremia unqualified		793* 794 Senility without mention of psychosis		795 Ill-defined & unknown causes of mortality		XVII E800-E999 Accidents, Poisonings, and Violence (External Cause)	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	5	8	3	4	4	—	2637	4728	12	15	2566	4675	59	38	12858	8703
0—	—	—	—	—	—	—	26	13	—	—	—	—	26	13	284	230
1—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	97	73
2—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	68	62
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	72	42
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	78	45
5—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	298	140
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	278	76
15—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	636	110
20—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	876	136
25—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	685	144
30—	—	—	—	—	—	—	6	—	2	—	—	—	4	—	593	168
35—	—	—	—	—	—	—	1	1	—	—	—	—	1	1	673	224
40—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	751	243
45—	—	—	—	—	—	—	3	4	—	2	—	—	3	2	855	361
50—	—	—	1	—	—	—	3	5	—	2	—	—	3	3	926	483
55—	—	1	—	—	—	—	1	2	1	1	—	—	—	1	986	533
60—	1	—	—	—	—	—	3	6	1	1	—	1	2	4	924	553
65—	1	1	—	—	—	—	17	15	1	1	12	11	4	3	833	676
70—	—	—	1	—	1	—	123	132	3	2	119	124	1	6	838	854
75—	1	1	—	1	1	—	382	577	1	1	379	574	2	2	881	1112
80—	1	2	1	2	—	—	889	1351	1	2	886	1348	2	1	705	1176
85 and over	1	3	—	1	2	—	1173	2620	2	3	1170	2617	1	—	521	1262

*780.0; 1; 3; 4; 5; 6; 7; 8; 9, Others included under 780, 5, 55, 55; 781, Other symptoms referable to nervous system and special senses, —; 787, Symptoms referable to limbs and back, —; 788, Other general symptoms, 0, 0, 0, 0, 80, 85; 789, Abnormal urinary constituents of unspecified cause, —; 790, Nervousness and debility, —; 791, Headache, —; 793, Observation, without need for further medical care, —.

TABLE 17—continued

Causes of death	RAILWAY ACCIDENTS								MOTOR VEHICLE TRAFFIC ACCIDENTS							
	E800-E802		E800		E801		E802		E810-E825		E810		E811*		E813	
	Railway accidents		involving railroad employee		involving passenger		involving other and unspecified person		Motor vehicle traffic accidents		involving collision with railway train		to pedestrian		to pedal cyclist	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	288	21	162	1	19	3	107	17	3608	1219	13	2	1219	753	428	
0—	—	—	—	—	—	—	—	—	2	3	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	19	12	—	—	12	10	—	—
2—	—	1	—	—	—	—	—	1	19	24	—	—	18	21	1	—
3—	2	—	—	—	1	—	1	—	28	10	—	—	22	9	1	—
4—	2	—	—	—	—	—	2	—	36	22	—	—	32	19	2	—
5—	5	—	—	—	1	—	4	—	149	65	—	—	123	57	17	—
10—	6	2	—	—	3	—	3	2	101	36	—	—	32	19	57	—
15—	16	—	7	—	—	—	9	—	351	58	4	—	18	8	49	—
20—	10	—	4	—	1	—	5	—	507	64	1	—	31	10	18	—
25—	8	1	4	—	2	—	2	—	293	36	1	1	26	5	14	—
30—	19	1	13	—	—	1	6	—	192	38	1	—	23	7	15	—
35—	22	2	12	—	1	—	9	2	200	33	2	—	25	8	17	—
40—	31	1	18	—	2	—	11	1	198	38	1	—	36	10	22	—
45—	31	3	20	—	1	—	10	3	202	64	1	1	45	21	26	—
50—	28	1	22	—	—	—	6	1	186	56	—	—	52	27	28	—
55—	38	2	28	1	1	—	9	1	192	72	—	—	74	38	42	—
60—	44	1	27	—	4	1	13	—	171	89	1	—	75	58	31	—
65—	10	1	6	—	—	—	4	1	178	119	1	—	110	86	32	—
70—	7	3	1	—	—	1	6	2	180	116	—	—	124	100	29	—
75—	6	1	—	—	1	—	5	1	196	142	—	—	157	125	18	—
80—	2	1	—	—	1	—	1	1	141	88	—	—	119	83	8	—
85 and over	1	1	—	—	—	—	1	1	67	34	—	—	65	32	1	—

MOTOR VEHICLE TRAFFIC ACCIDENTS																
Causes of death	E814		E815		E816		E817, E818*		E820		E821		E822		E823	
	to rider or passenger of motorcycle in collision with non-motor vehicle or object		to rider or passenger of motorcycle, in collision with other motor vehicle		Other motor vehicle traffic accident involving two or more motor vehicles		E819		while boarding and alighting		to rider of motorcycle not involving collision		involving overturning in roadway		involving running on roadway	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	62	4	730	60	370	171	10	—	24	10	387	32	53	16	231	—
0—	—	—	1	—	1	3	—	—	—	—	—	—	—	—	—	—
1—	—	—	2	—	3	1	—	—	—	—	—	1	—	—	2	—
2—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	1	—
4—	—	—	—	—	1	3	—	—	—	—	—	—	1	—	—	—
5—	—	—	1	—	4	3	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	1	4	1	—	—	1	—	—	2	—	—	—	1
15—	9	1	147	12	14	14	1	—	—	—	71	8	5	2	25	—
20—	18	—	210	12	46	18	—	—	—	1	121	7	11	—	46	—
25—	8	2	113	6	35	9	1	—	—	—	59	1	7	—	23	—
30—	5	—	53	6	30	11	2	—	—	—	32	2	2	—	23	—
35—	5	—	47	3	36	7	1	—	1	—	31	3	7	1	25	—
40—	2	1	39	5	44	7	2	—	1	—	20	—	8	1	18	—
45—	5	—	41	6	30	20	1	—	—	—	25	2	3	2	17	—
50—	1	—	28	2	39	12	1	—	3	—	19	4	2	1	10	—
55—	1	—	24	1	26	18	—	—	1	—	5	2	2	3	12	—
60—	6	—	11	4	20	9	1	—	3	1	2	—	3	2	13	—
65—	1	—	7	—	13	17	—	—	1	2	1	—	2	3	7	—
70—	1	—	2	—	7	8	—	—	5	—	1	—	—	—	6	—
75—	—	—	4	—	11	6	—	—	4	4	—	—	—	1	1	—
80—	—	—	—	—	4	3	—	—	1	1	—	—	—	—	1	—
85 and over	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—

*E811, Motor vehicle traffic accident involving collision with street car, 55; E817, Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle, —; E818, Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle, 10, 65.

TABLE 17—continued

Causes of death	M. V. TRAFFIC ACC.				MOTOR VEHICLE NON-TRAFFIC ACCIDENTS												E840-E845 Other road vehicle accidents		E840 Street car accident to pedestrian	
	E824 Other non-collision motor vehicle traffic accident		E825 of unspecified nature		E830-E835 Motor vehicle non-traffic accidents		E830 to pedestrian		E831* E832 to rider or passenger of motorcycle		E833, E834* E835 of other and unspecified nature									
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F				
All Ages	62	32	17	13	65	6	40	6	5	—	16	—	170	50	—	1				
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
1—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—				
2—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—				
3—	2	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—				
4—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—				
5—	4	1	—	1	—	1	—	1	—	—	—	—	4	2	—	1				
10—	5	1	—	—	2	2	1	2	—	—	1	—	12	3	—	—				
15—	2	—	6	1	4	—	—	—	1	—	3	—	20	5	—	—				
20—	3	—	2	2	7	—	3	—	1	—	2	—	8	1	—	—				
25—	4	2	2	1	8	—	4	—	2	—	1	—	8	4	—	—				
30—	4	—	2	—	4	—	2	—	—	—	2	—	7	1	—	—				
35—	2	1	1	2	1	1	1	1	—	—	—	—	6	2	—	—				
40—	5	3	—	—	6	—	4	—	—	—	2	—	7	4	—	—				
45—	6	2	—	1	3	—	3	—	—	—	—	—	7	1	—	—				
50—	2	4	1	—	3	—	2	—	—	—	1	—	14	3	—	—				
55—	4	3	—	1	6	—	4	—	1	—	1	—	8	4	—	—				
60—	5	5	—	2	6	—	5	—	—	—	1	—	13	2	—	—				
65—	2	4	1	1	4	—	3	—	—	—	1	—	16	6	—	—				
70—	3	1	2	1	5	—	3	—	—	—	1	—	15	4	—	—				
75—	1	4	—	—	3	—	3	—	—	—	—	—	10	1	—	—				
80—	8	—	—	—	—	—	—	—	—	—	—	—	6	5	—	—				
85 and over	—	1	—	—	—	—	—	—	—	—	—	—	8	1	—	—				

Causes of death	E841*		E843 Accident to rider of pedal cycle not involving collision with motor vehicle		E844* E845 Other non-motor road vehicle accidents		E850-E858 Water transport accidents		E850 Submersion of occupant of small boat		E851 Other water transport injury by submersion		E852 Fall on stairs and ladders in water transport		E853 Other falls from one level to another in water transport	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	38	21	126	21	6	7	156	5	62	4	41	—	3	—	15	—
0—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—
4—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	2	—	1	1	5	—	5	—	—	—	—	—	—	—
10—	—	—	12	2	—	1	6	1	5	1	1	—	—	—	—	—
15—	—	—	20	2	—	3	24	1	20	1	3	—	—	—	—	—
20—	—	—	7	1	1	—	16	1	8	1	6	—	—	—	1	—
25—	—	—	8	4	—	—	18	1	8	1	6	—	—	—	2	—
30—	—	—	7	1	—	—	13	—	1	—	5	—	1	—	1	—
35—	—	—	4	2	2	—	9	—	2	—	3	—	—	—	2	—
40—	1	—	6	4	—	—	14	—	2	—	5	—	—	—	2	—
45—	—	—	7	—	—	1	11	—	—	—	5	—	—	—	1	—
50—	3	1	11	1	—	1	17	—	6	—	4	—	—	—	3	—
55—	3	2	5	2	—	—	6	—	1	—	2	—	—	—	—	—
60—	4	1	7	1	2	—	6	—	1	—	—	—	1	—	1	—
65—	3	6	13	—	—	—	7	—	1	—	1	—	—	—	—	—
70—	7	4	8	—	—	—	2	—	—	—	—	—	—	—	1	—
75—	7	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	2	5	4	—	—	—	1	—	1	—	—	—	—	—	—	—
85 and over	7	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—

*E831, Motor vehicle non-traffic accident to pedal cyclist, 4, 25; E833, Other motor vehicle non-traffic accident involving two or more motor vehicles, 20; E834, Motor vehicle non-traffic accident while boarding and alighting, 70; E841, Other street car accident, except collision with motor vehicle, —; E844, Accident to pedestrian caused by other non-motor road vehicle, —.

TABLE 17—continued

Causes of death	E854, E855*		E857		E858*		E860		E861		E862*		E864		E865	
	E856		Other specified accidents in water transport		E860-E866		Accident to personnel in military aircraft		Injury to occupant by accident to commercial "transport" aircraft		Injury to occupant by accident to other aircraft		Aircraft accident at airfield to person not in aircraft		Aircraft accident elsewhere person not in aircraft	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	7	—	23	1	145	12	81	—	49	7	6	1	1	—	2	—
0—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
3—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
15—	—	—	1	—	18	1	10	—	8	—	—	1	—	—	—	—
20—	—	—	1	—	39	1	25	—	12	1	—	—	1	—	1	—
25—	1	—	1	—	29	1	20	—	5	1	2	—	—	—	—	—
30—	—	—	4	—	21	1	13	—	6	1	1	—	—	—	—	—
35—	—	—	1	—	23	2	13	—	7	1	1	—	—	—	—	—
40—	1	—	3	—	3	2	—	—	1	1	1	—	—	—	—	—
45—	2	—	2	—	3	—	—	—	3	—	—	—	—	—	—	—
50—	1	—	3	—	5	1	—	—	4	—	1	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	1	—	2	—	1	2	—	—	1	1	—	—	—	—	—	—
65—	—	—	5	—	1	—	—	—	1	—	—	—	—	—	—	—
70—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of death	ACCIDENTAL POISONING																	
	E866 Other and unspecified aircraft accidents		E870-E888 Accidental poisoning by solid and liquid substances				E870* E871 by barbituric acid and derivatives		E872 by aspirin and salicylates		E873* E874 by other analgesic and soporific drugs		E875, E876, E877* E878 by other and unspecified drugs		E879* E880 by alcohol		E881, E882 E883 by corrosive aromatic acids, and caustic alkalis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	6	1	176	177	96	112	18	26	10	14	16	7	15	5	4			
0—	—	—	1	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—
1—	—	—	3	4	—	—	—	1	—	—	—	1	—	—	—	—	—	—
2—	—	—	5	1	—	—	2	1	—	—	1	—	—	—	—	—	1	—
3—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
5—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
15—	—	—	5	2	3	2	1	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	3	2	—	1	1	—	1	—	—	—	—	—	—	—	—	—
25—	2	—	5	5	2	2	—	1	2	1	—	1	—	—	—	—	—	—
30—	1	—	13	8	5	5	1	2	2	1	2	—	2	—	2	—	—	—
35—	2	—	10	13	8	7	—	1	1	1	3	—	—	—	1	—	—	—
40—	1	1	16	15	10	7	—	2	1	4	—	—	1	—	2	1	1	—
45—	—	—	16	23	11	16	—	2	2	—	2	1	1	1	1	2	1	—
50—	—	—	19	29	11	21	3	4	—	1	—	2	1	3	1	—	—	—
55—	—	—	19	13	14	11	3	2	1	—	—	—	—	—	1	—	—	—
60—	—	—	19	17	11	12	2	3	—	1	—	1	—	3	—	—	—	—
65—	—	—	16	17	12	15	1	2	—	—	—	1	—	2	—	—	—	—
70—	—	—	11	9	5	6	—	1	1	1	—	3	—	—	—	—	—	—
75—	—	—	9	8	3	5	1	1	1	1	—	3	—	—	—	—	1	—
80—	—	—	1	3	1	—	—	2	—	—	—	—	1	—	—	—	—	—
85 and over	—	—	2	4	—	2	—	—	—	—	—	1	—	—	—	—	—	—

*E854, Falls on same level in water transport, 30, 40, 55; E855, Unspecified falls in water transport, 45; E858, Water transport accident of unspecified cause, 35; E862, Other injury in commercial "transport" aircraft, —; E870, Accidental poisoning by morphine and other opium derivatives, 60, 85; E873, Accidental poisoning by bromides, 35; E875, Accidental poisoning by sulphonamides, —; E876, Accidental poisoning by strychnine, 1, 2; E877, Accidental poisoning by belladonna, hyosine and atropine, —; E879, Accidental poisoning by noxious foodstuffs, 70; E881, Accidental poisoning by petroleum products, 0; E882, Accidental poisoning by industrial solvents, 20, 20, 25, 30.

TABLE 17—continued

Causes of death	ACCIDENTAL POISONING												E900-E904		E900	
	E884-E887*		E890-E895		E890		E891		E892		E893-E895*					
	E888 by other and unspecified solid and liquid substances		E890-E895 Accidental poisoning by gases and vapours		E890 by utility (illuminating) gas		E891 by motor vehicle exhaust gas		E892 by other carbon monoxide gas		E894 by other specified gases and vapours		E900 Accidental falls		Fall on stairs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	10	3	369	464	309	448	9	1	27	14	22	1	1991	3305	371	545
0—	—	—	—	2	—	1	—	—	—	—	—	1	10	7	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	10	7	2	—
2—	2	2	—	—	—	—	—	—	—	—	—	—	6	5	1	—
3—	—	—	2	—	1	—	1	—	—	—	—	—	2	2	—	1
4—	—	—	—	1	—	1	—	—	—	—	—	—	5	2	2	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	20	8	—	—
10—	—	—	5	—	5	—	—	—	—	—	—	—	23	4	1	—
15—	1	—	7	4	4	3	—	1	—	—	3	—	28	1	1	—
20—	—	—	11	3	8	3	—	—	2	—	1	—	28	3	2	2
25—	—	—	10	5	8	4	—	—	1	1	1	—	34	4	3	—
30—	—	—	12	3	8	2	1	—	—	1	3	—	37	3	7	—
35—	—	—	6	7	2	7	1	—	1	—	2	—	47	6	8	2
40—	2	—	18	6	12	4	—	—	3	2	3	—	44	9	9	—
45—	1	—	23	18	16	17	1	—	3	1	3	—	73	19	19	6
50—	—	1	25	23	21	22	1	—	1	1	2	—	76	26	20	6
55—	—	—	27	26	18	26	2	—	5	—	1	—	80	41	18	13
60—	1	—	24	32	18	31	1	—	4	1	1	—	97	70	28	18
65—	—	—	37	42	33	40	—	—	2	2	1	—	133	147	33	38
70—	2	—	33	53	30	51	—	—	3	2	—	—	233	356	54	84
75—	—	—	49	97	47	97	1	—	1	—	—	—	318	648	69	131
80—	—	—	51	85	50	82	—	—	1	3	—	—	348	867	42	126
85 and over	1	—	29	57	28	57	—	—	—	—	1	—	339	1070	52	116

Causes of death	E901		E902		E903		E904		E910-E936		E910		E911		E912	
	Fall from ladders		Other falls from one level to another		Fall on same level		Unspecified falls		Other accidents		Blow from falling object		Accident caused by vehicle		Accident caused by machinery	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	74	9	450	246	498	1100	598	1405	2414	1100	299	7	83	—	245	3
0—	—	—	8	5	—	1	2	1	251	200	1	—	—	—	—	—
1—	—	—	8	6	—	—	—	1	61	46	—	—	—	—	1	1
2—	—	—	4	4	1	—	—	1	32	22	1	1	—	—	1	—
3—	—	—	1	1	—	—	1	—	32	24	1	—	—	—	1	1
4—	—	—	1	1	1	1	1	—	30	17	1	2	—	—	2	—
5—	—	—	17	5	2	2	1	1	105	51	5	2	—	—	—	—
10—	—	—	18	2	1	1	3	1	114	18	3	—	—	—	6	—
15—	2	—	24	1	1	—	—	—	121	17	9	—	5	—	12	—
20—	2	—	21	1	—	—	3	—	150	12	21	—	2	—	22	—
25—	1	—	25	2	1	1	4	1	126	13	26	—	5	—	15	—
30—	3	—	22	1	2	—	3	2	111	25	20	—	4	—	20	—
35—	4	—	33	3	—	1	2	—	140	25	35	—	8	—	21	—
40—	3	—	21	4	6	1	5	2	173	22	44	—	4	—	29	—
45—	4	—	24	4	15	4	11	5	150	28	32	1	10	—	28	—
50—	10	—	30	3	8	8	8	9	171	56	40	1	9	—	29	—
55—	7	1	26	3	12	8	17	16	151	59	25	—	17	—	22	1
60—	11	1	27	6	17	24	14	21	143	56	23	—	16	—	21	—
65—	6	3	24	13	36	38	34	55	86	71	4	—	3	—	9	—
70—	11	—	27	28	62	107	79	137	88	94	4	—	—	—	6	—
75—	9	1	18	34	101	208	121	274	82	90	2	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 and over	1	2	41	48	124	313	140	378	64	75	2	—	—	—	—	—
	—	1	30	71	108	382	149	500	33	79	—	—	—	—	—	—

*E884, Accidental poisoning by mercury and its compounds, —; E885, Accidental poisoning by lead and its compounds, —; E886, Accidental poisoning by arsenic and antimony and their compounds, —; E887, Accidental poisoning by fluorides, —; E893, Accidental poisoning by cyanide gas, 65; E895, Accidental poisoning by unspecified gases and vapours, 55.

TABLE 17—continued

Causes of death	E913 Accident caused by cutting and piercing instruments		E914 Accident caused by electric current		E915 Accident caused by explosion of pressure vessel		E916† Accident caused by fire and explosion of combustible material		E917† Accident caused by hot substance, corrosive liquid, and steam		E918* E919 Accident caused by firearm		E920* E921 Inhalation and ingestion of food causing obstruction or suffocation		E922 Inhalation and ingestion of other object causing obstruction or suffocation	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	13	6	106	19	8	1	232	398	52	54	74	7	230	157	18	
0—	—	—	1	—	—	—	3	3	1	2	—	—	114	74	7	
1—	—	—	6	1	—	—	6	9	10	6	—	—	10	10	3	
2—	—	—	2	—	—	—	2	8	4	1	—	—	4	1	—	
3—	—	—	—	—	—	1	5	11	3	2	—	—	2	1	—	
4—	—	—	1	—	—	—	5	13	—	—	—	—	2	—	—	
5—	2	1	7	—	—	—	9	26	1	—	—	1	1	4	—	
10—	3	1	9	—	—	—	3	5	—	—	13	—	4	2	—	
15—	—	1	9	2	1	—	6	8	—	—	13	—	1	—	—	
20—	1	—	10	1	—	—	6	6	2	—	12	—	3	—	1	
25—	1	—	12	2	1	—	6	3	2	—	3	1	3	1	1	
30—	1	—	11	3	1	—	7	9	2	2	5	1	6	4	1	
35—	—	—	10	—	—	—	10	4	2	—	3	1	4	2	2	
40—	—	—	12	—	1	—	16	4	3	—	7	1	9	2	—	
45—	—	—	8	1	2	—	11	8	5	1	6	—	5	3	1	
50—	—	1	4	4	1	—	10	18	1	2	5	—	10	5	—	
55—	1	1	2	1	1	—	15	19	—	3	3	1	7	7	—	
60—	—	—	1	2	—	—	11	24	3	1	1	—	8	6	2	
65—	—	1	—	—	—	—	9	25	2	6	—	—	10	8	—	
70—	2	—	1	1	—	—	17	45	3	5	3	—	10	12	—	
75—	2	—	—	1	—	—	26	56	2	4	—	1	11	9	—	
80—	—	—	—	—	—	—	28	52	5	8	—	—	4	3	—	
85 and over	—	—	—	—	—	—	21	42	1	11	—	—	2	3	—	

Causes of death	E923 Foreign body entering other orifice		E924† Accidental mechanical suffocation in bed and cradle		E925 Accidental mechanical suffocation in other and unspecified circumstances		E926 Lack of care of infants under 1 year of age		E927 Accidents caused by bites and stings of venomous animals and insects		E928 Other accidents caused by animals		E929 Accidental drowning and submersion		E930* E931 Excessive heat and insolation	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	7	5	93	74	39	5	26	34	3	3	14	5	703	227	1	
0—	—	—	85	68	6	3	26	34	—	—	—	—	1	2	—	
1—	2	—	3	3	1	—	—	—	—	—	—	—	19	9	—	
2—	1	—	—	—	—	—	—	—	—	—	—	—	15	11	—	
3—	1	—	—	—	—	—	—	—	—	—	—	—	18	8	—	
4—	—	—	—	—	—	—	—	—	—	—	—	—	18	2	—	
5—	—	1	—	—	3	—	—	—	—	—	—	—	72	11	—	
10—	—	—	1	—	4	—	—	—	—	—	2	—	55	9	—	
15—	—	—	—	—	1	—	—	—	—	—	—	—	55	6	—	
20—	—	—	—	—	1	—	—	—	—	—	—	—	51	5	—	
25—	—	—	1	1	5	—	—	—	1	—	1	—	30	5	—	
30—	2	—	—	1	3	—	—	—	—	—	—	—	24	4	—	
35—	—	1	—	—	6	—	—	—	1	—	—	1	27	14	—	
40—	—	—	2	—	1	1	—	—	—	—	3	—	33	12	—	
45—	—	—	1	—	2	1	—	—	—	—	—	—	29	9	—	
50—	—	—	—	—	1	—	—	—	—	3	2	1	50	18	—	
55—	—	1	—	1	3	—	—	—	—	—	—	1	41	20	1	
60—	—	1	—	—	1	—	—	—	—	—	1	1	38	17	—	
65—	—	—	—	—	1	—	—	—	—	—	3	—	38	23	—	
70—	—	—	—	—	—	—	—	—	—	—	1	—	37	20	—	
75—	—	—	—	—	—	—	—	—	—	—	1	1	32	9	—	
80—	—	—	—	—	—	—	—	—	1	—	—	—	15	7	—	
85 and over	1	1	—	—	—	—	—	—	—	—	—	—	5	6	—	

*E918, Accident caused by radiation, —; E920, Foreign body entering eye and adnexa, 60; E930, High and low air pressure, —.

†E916, E917, E924. See footnotes to these causes in Table 18A.

TABLE 17—continued

Causes of death	E932 Excessive cold		E933 Hunger, thirst, and exposure		E934 Cataclysm		E935 Lightning		E936 Other and unspecified accidents		E940-E946* E940-E946 Complications due to non-therapeutic medical and surgical procedures		E950-E959 Therapeutic misadventure and late complications of therapeutic procedures		E950 Therapeutic misadventure in surgical treatment	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	4	3	14	12	—	1	7	—	143	62	6	7	23	28	17	20
0—	—	—	—	—	—	—	—	—	6	8	2	2	—	1	—	—
1—	—	—	—	—	—	—	—	—	2	5	—	1	—	—	—	—
2—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1
3—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	5	4	—	—	—	1	—	—
10—	—	—	—	—	—	—	1	—	10	1	2	—	—	1	—	—
15—	—	—	—	—	—	—	—	—	9	—	—	1	—	1	—	—
20—	—	—	1	—	—	—	3	—	14	—	—	—	1	1	—	1
25—	—	—	—	—	—	—	—	—	13	—	1	1	—	—	—	—
30—	—	—	—	—	—	—	—	—	4	1	—	—	—	1	—	1
35—	1	—	—	—	—	—	2	—	8	2	—	1	—	1	—	1
40—	—	—	1	—	—	—	—	—	8	1	—	—	—	—	—	—
45—	1	1	—	—	—	—	—	—	9	2	1	—	—	2	—	1
50—	—	—	—	1	—	—	1	—	8	2	—	—	2	3	1	2
55—	—	—	2	1	—	—	—	—	11	2	—	1	1	1	—	—
60—	2	—	2	2	—	—	—	—	13	1	—	—	3	—	3	—
65—	—	1	2	4	—	—	—	—	5	3	—	—	7	3	5	3
70—	—	—	2	1	—	—	—	—	2	10	—	—	4	4	2	4
75—	—	—	2	1	—	—	—	—	4	7	—	—	1	4	1	3
80—	—	—	2	—	—	—	—	—	7	3	—	—	3	3	3	3
85 and over	1	—	—	2	—	1	—	—	3	10	—	—	2	—	2	—

Causes of death	E951-E959* E960-E965 Late effects of injury and poisoning		E960 Late effect of motor vehicle accident		E961* E962 Late effect of other accidental injury		E963, E964* E965 Late effects of injuries due to war operations		E970-E979 Suicide and self-inflicted injury		E970 Suicide and self-inflicted poisoning by analgesic and soporific substances		E971 Suicide and self-inflicted poisoning by other solid and liquid substances		E972 Suicide and self-inflicted poisoning by gases in domestic use	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	159	37	10	2	48	32	100	2	3170	2145	294	401	85	55	1399	1202
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	3	1
15—	1	—	—	—	1	—	—	—	37	16	—	1	1	—	23	13
20—	1	1	—	1	1	—	—	—	81	41	4	6	3	—	38	28
25—	5	—	2	—	3	—	—	—	134	69	9	12	5	3	61	31
30—	4	1	1	—	2	1	1	—	150	75	17	14	3	4	68	38
35—	10	2	1	—	4	1	5	1	195	118	25	24	9	4	94	65
40—	9	1	3	—	5	1	1	—	226	139	33	28	10	4	105	69
45—	12	—	—	—	5	—	6	—	315	196	29	38	10	6	139	102
50—	4	—	1	—	2	—	1	—	367	279	38	49	13	4	163	164
55—	21	1	1	—	3	1	17	—	428	308	42	59	8	5	180	188
60—	44	2	1	1	7	1	36	—	350	280	30	59	8	6	144	153
65—	21	6	—	—	5	5	16	—	316	257	32	42	7	12	128	147
70—	12	4	—	—	3	3	9	1	248	205	21	39	1	5	109	108
75—	10	6	—	—	3	6	7	—	197	112	13	22	4	—	89	71
80—	2	7	—	—	1	7	1	—	86	39	1	8	3	2	42	18
85 and over	3	5	—	—	3	5	—	—	37	10	—	—	—	—	13	6

*E940, Generalized vaccinia following vaccination, 45, 0, 1; E942, Other complications of smallpox vaccination, 0, 0; E943, Post-immunization jaundice and hepatitis, 55; E944, Other complications of prophylactic inoculation, 10, 10, 25, 25; E945, complications of anaesthesia for non-therapeutic purpose, —; E946, Other complications due to nontherapeutic medical and surgical procedures, 15, 35; E951, Therapeutic misadventure in infusion or transfusion, 70, 0, 45, 55; E952, Therapeutic misadventure in local applications, —; E953, Therapeutic misadventure in administration of drugs or biologicals, 65, 70, 5, 75; E954, Therapeutic misadventure in anaesthesia, 10, 15; E955, Other and unspecified therapeutic misadventure, 50, 65; E956, Late complication of surgical operation, 50; E957, Late complication of amputation stump, —; E958, Late complication of irradiation, —; E959, Late complication of other forms of treatment, 55; E961, Late effect of accidental poisoning, 45; E963, Late effect of self-inflicted injury, 65; E964, Late effect of injury purposely inflicted by another person (not in war), —.

TABLE 17—continued

Causes of death	E973		E974		E975		E976		E977		E978		E979		E980-E983	
	Suicide and self-inflicted poisoning by other gases		Suicide and self-inflicted injury by hanging and strangulation		Suicide and self-inflicted injury by submersion (drowning)		Suicide and self-inflicted injury by firearms and explosives		Suicide and self-inflicted injury by cutting and piercing instruments		Suicide and self-inflicted injury by jumping from high place		Suicide and self-inflicted injury by other and unspecified means		Homicide and injury purposely inflicted by other persons (not in war)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	67	5	553	132	264	211	189	14	130	30	70	58	119	37	116	12
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18	3
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1
2—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	2
3—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
4—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	3
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—
15—	1	—	6	—	1	1	3	—	1	—	—	—	1	1	1	4
20—	3	—	14	1	3	2	8	2	3	—	1	1	4	1	15	—
25—	5	—	26	3	6	6	13	2	1	2	2	4	6	6	5	—
30—	7	—	26	2	5	8	10	2	3	—	4	2	7	5	9	1
35—	5	—	25	8	7	7	12	1	4	—	6	4	8	5	4	—
40—	14	—	28	10	11	11	11	1	5	1	1	4	8	5	6	—
45—	10	—	55	15	18	22	23	3	8	4	5	3	18	3	8	—
50—	7	2	56	16	25	34	25	—	16	3	9	4	15	3	9	—
55—	3	1	91	14	41	28	24	1	13	4	7	5	19	3	9	—
60—	6	—	70	20	41	30	19	—	13	6	8	5	11	1	3	—
65—	2	—	58	19	30	23	20	1	21	3	7	9	11	1	1	—
70—	2	1	45	13	31	22	11	—	17	5	7	10	4	2	—	—
75—	2	—	35	8	26	6	4	1	12	1	9	3	3	—	—	—
80—	—	1	13	1	14	5	2	—	6	—	1	3	4	1	—	—
85 and over	—	—	5	2	5	—	4	—	7	1	3	1	—	—	—	—

Causes of death	E980 Non-accidental poisoning by another person		E981 Assault by firearm and explosive		E982 Assault by cutting and piercing instruments		E983 Assault by other means		E984, E985, E990-E999*	
	M	F	M	F	M	F	M	F	M	F
All Ages	24	29	14	13	17	19	59	66	2	—
0—	7	4	—	—	—	1	11	7	—	—
1—	1	1	—	—	—	—	2	2	—	—
2—	5	5	—	—	—	—	—	—	—	—
3—	2	2	—	1	—	—	—	1	—	—
4—	1	1	—	—	—	—	1	2	—	—
5—	4	6	2	1	—	—	4	4	—	—
10—	—	4	1	1	—	—	2	2	—	—
15—	1	1	1	—	—	1	2	1	—	—
20—	—	1	3	1	4	2	6	2	—	—
25—	—	1	—	—	3	2	2	2	1	—
30—	—	—	2	—	2	3	5	8	1	—
35—	—	—	—	3	1	3	3	5	—	—
40—	—	—	1	1	3	1	2	4	—	—
45—	—	—	2	1	—	1	6	5	—	—
50—	1	1	1	2	3	1	4	2	—	—
55—	2	—	1	—	1	1	5	4	—	—
60—	—	1	—	—	—	—	3	1	—	—
65—	—	—	—	2	—	1	1	4	—	—
70—	—	—	—	—	—	1	—	5	—	—
75—	—	—	—	—	—	1	—	2	—	—
80—	—	1	—	—	—	—	—	2	—	—
85 and over	—	—	—	—	—	—	—	1	—	—

*E984, Injury by intervention of police, —; E985, Execution, 20, 20; E990, Injury due to war operations by gas and chemicals, —; E991, Injury due to war operations by gunshot, —; E992, Injury due to war operations by grenade and land mine, —; E993, Injury due to war operations by bomb, —; E994, Injury due to war operations by marine mine, depth charge and torpedo, —; E995, Injury due to war operations by explosion of artillery shell, —; E996, Injury due to war operations by explosion of undetermined origin, —; E997, Injury due to war operations by aircraft destruction, —; E998, Injury due to war operations by other and unspecified means, —; E999, Injury due to war operations, but occurring after cessation of hostilities, 25, 30.

TABLE 18A—Accidental Poisoning and other Non-Transport Accidents } England and Wales
by Place of Occurrence, Age and Sex, 1957

(E870-E936)

Note: The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners. "Open Verdicts" are normally included with accidental deaths.

Deaths from poisoning will be analysed periodically in the Statistical Review, Part III, Commentary, to distinguish individual poisons stated to be responsible. These details can be obtained on request from the General Register Office.

See Explanatory notes on page vi.

Age-groups	Total		At Work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 870. Accidental poisoning by morphine and other opium derivatives.																
All Ages	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
E 871. Accidental poisoning by barbituric acid and derivatives.																
All Ages	96	112	—	—	65	86	—	—	2	—	1	1	5	1	23	24
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	28	24	—	—	17	18	—	—	—	—	—	—	4	—	7	6
45—	47	60	—	—	33	45	—	—	2	—	1	—	1	—	10	15
65 & over	21	28	—	—	15	23	—	—	—	—	—	1	—	1	6	3
E 872. Accidental poisoning by aspirin and salicylates.																
All Ages	18	26	—	—	12	11	—	—	—	—	—	1	—	—	6	14
0—	4	2	—	—	3	2	—	—	—	—	—	—	—	—	1	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	3	7	—	—	2	3	—	—	—	—	—	—	—	—	1	4
45—	9	11	—	—	6	2	—	—	—	—	—	—	—	—	3	9
65 & over	2	6	—	—	1	4	—	—	—	—	—	1	—	—	1	1
E 873.*																
E 874. Accidental poisoning by other analgesic and soporific drugs.																
All Ages	10	14	—	—	5	11	—	—	1	—	2	—	—	1	2	2
0—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	6	9	—	—	3	7	—	—	1	—	—	—	—	1	1	1
45—	1	4	—	—	—	3	—	—	—	—	1	—	—	—	—	1
65 & over	2	1	—	—	1	1	—	—	—	—	—	—	—	—	1	—
E 875, E876, E877.*																
E 878. Accidental poisoning by other and unspecified drugs.																
All Ages	16	7	—	—	9	5	—	—	1	—	2	1	1	—	3	1
0—	1	2	—	—	1	2	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
15—	2	2	—	—	—	1	—	—	—	—	1	1	1	—	—	—
45—	4	2	—	—	2	1	—	—	—	—	1	—	—	—	1	1
65 & over	8	1	—	—	5	1	—	—	1	—	—	—	—	—	2	—
E 879.*																
E 880. Accidental poisoning by alcohol.																
All Ages	15	5	2	—	7	4	—	—	1	—	—	—	4	1	3	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	5	2	2	—	1	2	—	—	—	—	—	—	3	—	1	—
45—	8	3	—	—	4	2	—	—	1	—	—	—	1	1	2	—
65 & over	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—

*E 873. Accidental poisoning by bromides:- 1F, 15-44 yrs., "Place not specified"; E 875. Accidental poisoning by sulphonamides:- Nil; E 876. Accidental poisoning by strychnine:- 1M, 0-4 yrs., "Home"; 1M, 0-4 yrs., "Place not specified"; E 877. Accidental poisoning by belladonna, hyoscine and atropine:- Nil; E 879. Accidental poisoning by noxious foodstuffs:- 1F, 65 yrs. and over, "Home".

TABLE 18A—continued

Age-groups	Total		At Work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 881. Accidental poisoning by petroleum products.																
All Ages	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
0—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 882. Accidental poisoning by industrial solvents.																
All Ages	4	—	3	—	—	—	2	—	—	—	—	—	2	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	4	—	3	—	—	—	2	—	—	—	—	—	2	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E 883. Accidental poisoning by corrosive aromatics, acids and caustic alkalis.																
All Ages	4	6	—	—	4	5	—	—	—	—	—	—	—	—	—	1
0—	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
5—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
45—	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
65 & over	1	3	—	—	1	2	—	—	—	—	—	—	—	—	—	1
E 884, E 885, E 886, E 887*.																
E 888. Accidental poisoning by other and unspecified solid and liquid substances.																
All Ages	10	3	—	—	8	2	—	—	1	—	—	—	—	—	1	—
0—	2	2	—	—	2	1	—	—	—	—	—	—	—	—	—	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	3	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—
45—	2	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—
65 & over	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
E 890. Accidental poisoning by utility (illuminating) gas.																
All Ages	309	448	5	—	290	429	1	—	4	4	1	2	1	—	12	13
0—	1	2	—	—	1	2	—	—	—	—	—	—	—	—	1	—
5—	5	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—
15—	42	23	1	—	37	18	—	—	—	3	1	—	1	—	3	2
45—	73	96	4	—	65	93	1	—	2	—	—	—	—	—	5	3
65 & over	188	327	—	—	183	316	—	—	2	1	—	2	—	—	3	8
E 891. Accidental poisoning by motor vehicle exhaust gas.																
All Ages	9	1	—	—	9	1	—	—	—	—	—	—	—	—	—	—
0—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	2	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—
45—	5	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—
65 & over	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
E 892. Accidental poisoning by other carbon monoxide gas.																
All Ages	27	14	6	—	15	13	5	—	—	—	1	—	5	—	1	1
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	7	4	1	—	3	3	—	—	—	—	—	—	3	—	1	1
45—	13	3	5	—	5	3	5	—	—	—	1	—	2	—	—	—
65 & over	7	7	—	—	7	7	—	—	—	—	—	—	—	—	—	—

*E 884. Accidental poisoning by mercury and its compounds:- Nil; E 885. Accidental poisoning by lead and its compounds:- Nil; E 886. Accidental poisoning by arsenic and antimony and their compounds:- Nil; E 887. Accidental poisoning by fluorides:- Nil.

TABLE 18A—continued

Age-groups	Total		At Work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 893.*																
E 894. Accidental poisoning by other specified gases and vapours.																
All Ages	22	1	17	—	5	—	10	—	—	—	1	1	5	—	1	—
0—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	13	—	9	—	5	—	4	—	—	—	1	—	3	—	—	—
45—	7	—	7	—	—	—	5	—	—	—	—	—	2	—	—	—
65 & over	2	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—
E 895.*																
	Total		At Work		Home		Industrial place and premises		Street and highway		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 900. Fall on stairs.																
All Ages	371	545	16	3	312	492	4	2	—	7	12	23	38	16	5	5
0—	5	1	—	—	5	1	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
15—	30	6	—	1	19	5	—	1	—	—	—	—	10	—	1	—
45—	85	43	7	—	70	35	2	—	—	4	—	2	13	2	—	—
65 & over	250	495	9	2	217	451	2	1	—	3	12	21	15	14	4	5
E 901. Fall from ladders.																
All Ages	74	9	50	—	34	8	20	—	—	4	—	—	12	1	2	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	15	—	14	—	3	—	8	—	—	—	—	—	4	—	—	—
45—	32	2	23	—	13	1	9	—	—	4	—	—	3	1	2	—
65 & over	27	7	13	—	18	7	3	—	—	—	1	—	5	—	—	—
E 902. Other falls from one level to another.																
All Ages	450	246	185	3	135	142	123	2	19	3	34	73	131	16	8	10
0—	22	17	—	—	18	16	—	—	1	—	—	—	3	1	—	—
5—	35	7	—	—	4	2	5	1	2	—	—	—	24	4	—	—
15—	146	12	97	1	19	5	65	1	4	—	2	2	52	3	4	1
45—	107	16	74	2	14	9	43	—	4	1	3	3	39	3	4	—
65 & over	140	194	14	—	80	110	10	—	8	2	29	68	13	5	—	9
E 903. Fall on same level.																
All Ages	498	1100	15	4	204	674	8	1	154	135	113	273	17	11	2	6
0—	2	2	—	—	—	1	—	—	2	1	—	—	—	—	—	—
5—	3	3	—	—	—	—	—	—	2	1	—	—	1	2	—	—
15—	10	3	2	—	—	2	—	—	5	1	2	—	3	—	—	—
45—	52	44	11	2	11	23	7	1	21	13	7	6	5	1	1	—
65 & over	431	1048	2	2	193	648	1	—	124	119	104	267	8	8	1	6
E 904. Unspecified falls.																
All Ages	598	1405	20	1	351	1006	12	—	—	—	90	187	30	18	115	194
0—	4	3	—	—	3	3	—	—	—	—	—	—	1	—	—	—
5—	4	2	—	—	1	1	—	—	—	—	1	—	1	—	1	1
15—	17	5	4	1	2	4	3	—	—	—	3	—	4	1	5	—
45—	50	51	10	—	18	32	5	—	—	—	6	9	9	2	12	8
65 & over	523	1344	6	—	327	966	4	—	—	—	80	178	15	15	97	185

E 893. Accidental poisoning by cyanide gas:- 1M, 65 yrs. and over, "Industrial place and premises," ("At work")

E 895. Accidental poisoning by unspecified gases and vapours:- 1M, 45-64 yrs., "Other specified places," ("At work").

TABLE 18A—continued

Age-groups	Total		At Work		Home		Mine and quarry		Industrial place and premises		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 910. Blow from falling object.																
All Ages	299	7	275	—	11	4	170	—	83	—	4	1	30	2	1	—
0—	4	3	—	—	4	2	—	—	—	—	1	—	—	—	—	—
5—	8	2	—	—	1	1	2	—	1	—	—	—	4	1	—	—
15—	155	—	153	—	3	—	94	—	45	—	—	—	13	—	—	—
45—	120	2	116	—	3	1	73	—	34	—	1	—	9	1	—	—
65 & over	12	—	6	—	—	—	1	—	3	—	3	—	4	—	1	—

	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 911. Accident caused by vehicle.																
All Ages	83	—	83	—	—	—	—	—	74	—	9	—	—	—	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	28	—	28	—	—	—	—	—	27	—	1	—	—	—	—	—
45—	52	—	52	—	—	—	—	—	44	—	8	—	—	—	—	—
65 & over	3	—	3	—	—	—	—	—	3	—	—	—	—	—	—	—

E 912. Accident caused by machinery.																
All Ages	245	3	227	1	3	—	59	2	46	—	102	—	32	—	3	1
0—	5	2	—	—	—	—	3	2	—	—	—	—	2	—	—	—
5—	6	—	1	—	—	—	4	—	—	—	—	—	—	—	—	—
15—	119	—	113	—	1	—	31	—	19	—	52	—	15	—	1	—
45—	100	1	99	1	1	—	18	—	25	—	44	—	10	—	2	1
65 & over	15	—	14	—	1	—	3	—	2	—	6	—	3	—	—	—

E 913. Accident caused by cutting and piercing instruments.																
All Ages	13	6	1	—	6	2	—	—	—	—	1	—	5	3	1	1
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	5	2	—	—	1	—	—	—	—	—	1	—	3	2	—	—
15—	3	1	—	—	1	1	—	—	—	—	—	—	1	—	1	—
45—	1	2	—	—	1	—	—	—	—	—	—	—	—	1	—	1
65 & over	4	1	1	—	3	1	—	—	—	—	—	—	1	—	—	—

E 914. Accident caused by electric current.																
All Ages	106	19	54	—	37	19	5	—	3	—	34	—	26	—	1	—
0—	10	1	—	—	8	1	—	—	—	—	—	—	2	—	—	—
5—	16	—	—	—	6	—	—	—	—	—	3	—	7	—	—	—
15—	64	8	41	—	20	8	4	—	1	—	25	—	13	—	1	—
45—	15	8	12	—	3	8	1	—	2	—	6	—	3	—	—	—
65 & over	1	2	1	—	—	2	—	—	—	—	—	—	1	—	—	—

E 915. Accident caused by explosion of pressure vessel.																
All Ages	8	1	8	—	—	—	1	—	—	—	6	—	1	1	—	—
0—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	4	—	4	—	—	—	—	—	—	—	4	—	—	—	—	—
45—	4	—	4	—	—	—	1	—	—	—	2	—	1	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 18A—continued

Age-groups	Total		At Work		Home		Mine and quarry		Industrial place and premises		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 916. Accident caused by fire and explosion of combustible material.																
All Ages	232†	398†	57	5	161	387	29	—	21	4	8	4	9	3	4	—
0—	21	44	—	—	20	42	—	—	—	—	—	—	1	2	—	—
5—	12	31	—	—	12	31	—	—	—	—	—	—	—	—	—	—
15—	51	34	33	2	15	32	20	—	11	2	1	—	3	—	1	—
45—	47	69	21	3	25	65	8	—	8	2	2	1	3	1	1	—
65 & over	101	220	3	—	89	217	1	—	2	—	5	3	2	—	2	—

E 917. Accident caused by hot substance, corrosive liquid, and steam.																
All Ages	52†	54†	18	—	30	47	1	—	14	—	3	4	3	1	1	2
0—	18	11	—	—	17	11	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
15—	11	2	9	—	1	1	—	—	8	—	1	1	1	—	—	—
45—	9	7	8	—	—	6	1	—	6	—	1	—	1	—	—	1
65 & over	13	34	1	—	11	29	—	—	—	—	1	3	1	1	—	1

E 918.*

	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 919. Accident caused by firearm.																
All Ages	74	7	24	3	15	2	15	—	6	—	1	3	36	—	1	2
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	13	1	—	—	4	—	3	—	—	—	—	—	6	—	—	1
15—	43	4	16	2	7	2	8	—	1	—	1	2	25	—	1	—
45—	15	1	7	1	3	—	3	—	5	—	—	1	4	—	—	—
65 & over	3	1	1	—	1	—	1	—	—	—	—	—	1	—	—	1

E 920.*

	Total		At Work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 921. Inhalation and ingestion of food causing obstruction or suffocation.																
All Ages	230	157	2	1	158	116	—	1	7	—	28	19	16	6	21	15
0—	132	86	—	—	116	78	—	—	—	—	4	2	2	1	10	5
5—	5	6	—	—	1	4	—	—	1	—	—	1	3	—	—	1
15—	26	9	1	—	13	6	—	—	1	—	6	1	4	1	2	1
45—	30	21	—	1	13	9	—	1	2	—	9	7	4	3	2	1
65 & over	37	35	1	—	15	19	—	—	3	—	9	8	3	1	7	7

E 922. Inhalation and ingestion of other object causing obstruction or suffocation.																
All Ages	18	12	—	—	10	7	—	—	—	—	4	1	2	1	2	3
0—	10	6	—	—	9	3	—	—	—	—	—	—	1	—	—	3
5—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
15—	5	1	—	—	—	—	—	—	—	—	2	—	1	1	2	—
45—	3	1	—	—	1	1	—	—	—	—	2	—	—	—	—	—
65 & over	—	3	—	—	—	2	—	—	—	—	—	1	—	—	—	—

*E 916. Including burns by clothing:— domestic fire M10, F101, gas fire M4, F42, electric fire M5, F44, other M33, F74. Burns by falling into fire:— Open fire M21, F19, gas fire M2, F1, electric fire M2, F5, other M3, F4. Conflagration M60, F74. Other and unspecified means, M92, F34.

†E 917. Including scalds, M33, F37.

*E 918. Accident caused by radiation:— Nil; E 920. Foreign body entering eye and adnexa:— 1F, 45-64 yrs., "Residential institution."

TABLE 18A—continued

Age-groups	Total		At Work		Home		Industrial place and premises		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 923. Foreign body entering other orifice.																
All Ages	7	5	—	—	5	—	—	—	—	—	1	—	—	—	1	5
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
15—	2	1	—	—	1	—	—	—	—	—	1	—	—	—	—	1
45—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1

E 924. Accidental mechanical suffocation in bed and cradle.																
All Ages	93†	74†	—	—	90	72	—	—	1	—	1	2	1	—	—	—
0—	88	71	—	—	86	70	—	—	—	—	1	1	—	—	—	—
5—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
15—	3	2	—	—	2	1	—	—	1	—	—	1	—	—	—	—
45—	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

E 925. Accidental mechanical suffocation in other and unspecified circumstances.																
All Ages	39	5	19	—	6	2	7	—	1	—	—	1	—	2	3	—
0—	7	3	—	—	3	2	1	—	—	—	—	1	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	17	1	14	—	2	—	5	—	—	—	—	—	6	—	—	—
45—	7	1	5	—	1	—	1	—	—	—	—	—	10	1	—	—
65 & over	1	—	—	—	—	—	—	—	1	—	—	—	5	1	—	—

	Total		At Work		Home		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 926. Lack of care of infants under 1 year of age.																
All Ages	26	34	—	—	19	16	—	—	—	2	—	2	5	11	2	3
0—	26	34	—	—	19	16	—	—	—	2	—	2	5	11	2	3
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

	Total		At Work		Home		Farm		Place for recreation and sport		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 927.*																
E 928. Other accidents caused by animals.																
All Ages	14	5	11	1	1	1	10	2	—	—	—	1	3	1	—	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
15—	4	1	4	1	—	—	2	1	—	—	—	—	2	—	—	—
45—	3	3	3	—	—	—	3	1	—	—	—	1	—	—	—	—
65 & over	5	1	4	—	—	1	5	—	—	—	—	—	—	—	—	—

	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E 929. Accidental drowning and submersion.																
All Ages	703	227	23	1	31	40	12	—	10	—	21	2	622	183	7	2
0—	71	32	—	—	15	15	5	—	—	—	2	1	48	16	—	—
5—	127	20	—	—	1	—	1	—	7	—	3	—	115	20	1	—
15—	220	46	12	—	2	3	1	—	2	—	9	1	205	41	1	1
45—	158	64	10	—	4	9	4	—	—	—	6	—	141	54	3	1
65 & over	127	65	1	1	9	13	1	—	1	—	1	—	113	52	2	—

†E 924. Including accidental mechanical suffocation:— In bed, M33, F29; In cot, cradle, etc. M60, F45.

*E 927. Accidents caused by bites and stings of venomous animals and insects:— 1M, 15-44 yrs., "Place not specified," ("At work"), 1M, 15-44 yrs., "Home," 1M, 65 yrs. and over, "Home," 2F, 45-64 yrs., "Home," 1F, 45-64 yrs., "Industrial place and premises." ("At work").

TABLE 18A—continued

Age-groups	Total		At Work		Home		Farm		Industrial place and premises		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F

E 930.*

E 931. Excessive heat and insolation.

Ages	1	4	—	—	—	2	—	—	—	—	—	—	1	—	—	2
0—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	1
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5 & over	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	1

E 932. Excessive cold.

Ages	4	3	—	—	—	1	—	—	—	—	—	—	3	2	1	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
5—	3	1	—	—	—	—	—	—	—	—	—	—	3	1	—	—
5 & over	—	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—

E 933. Hunger, thirst, and exposure.

Ages	14	12	—	—	3	3	—	1	—	—	1	—	8	5	2	3
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
5—	4	4	—	—	2	2	—	—	—	—	—	—	2	2	—	—
5 & over	8	8	—	—	1	1	—	1	—	—	—	—	5	3	2	3

	Total		At Work		Home		Industrial place and premises		Place for recreation and sport		Street and highway		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F

E 934.*

E 935. Lightning.

Ages	7	—	4	—	—	—	—	—	—	—	—	—	6	—	1	—
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5—	5	—	3	—	—	—	—	—	—	—	—	—	4	—	1	—
5—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
5 & over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

E 936. Other and unspecified accidents.

Ages	143	62	18	—	45	23	8	—	15	—	6	4	31	14	38	21
0—	10	13	—	—	6	9	—	—	—	—	1	1	2	1	—	2
5—	15	5	—	—	10	2	—	—	2	—	—	—	3	1	—	2
5—	56	4	9	—	17	—	2	—	11	—	2	—	11	2	13	2
5—	41	7	8	—	9	2	6	—	2	—	1	—	8	1	15	4
5 & over	21	33	1	—	3	10	—	—	—	—	2	3	7	9	9	11

E 870—E 936. Non-transport accidents.—Total.

	Total		At Work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
ges	4950	5046	1146	24	2100	3638	136	7	391	—	493	16	71	13	211	157	121	43	319	610	832	229	276	333

E 930. High and low air pressure:— Nil; E 934. Cataclysm:— 1F, 65 yrs. and over, "Street and highway."

TABLE 18B—Deaths from Violent Causes according to Nature
of Injury, Sex and Age, 1957England and
Wales

(N 800 — N 999)

Notes :—(a) Headings to which no deaths were assigned during the year have been omitted
from the table.

(b) See note at head of Table 18A.

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over	
N800—N999	TOTAL	M F	12858 8703	224 230	315 222	576 216	1512 246	1278 312	1424 467	1781 844	1910 1086	1671 1530	1586 2288	521 1262
N800—N809	Fracture of skull, spine, and trunk	M F	75 22	— —	2 5	8 1	20 1	7 —	10 2	6 2	6 1	7 3	7 6	2 1
N 800	Fracture of vault of skull	M F	555 171	1 2	17 9	50 23	125 16	91 8	52 14	72 25	60 38	48 21	36 6	3 6
N 801	Fracture of base of skull	M F	26 11	— —	— —	— —	3 1	6 —	6 1	3 1	2 1	1 2	4 3	— 1
N 802	Fracture of face bones	M F	1688 482	11 6	56 41	123 34	348 46	234 36	215 32	252 49	178 58	146 78	98 77	27 25
N 803	Other and unqualified skull fractures	M F	720 217	— 1	10 11	35 14	145 11	103 3	114 16	79 19	93 42	75 42	53 48	13 10
N 804	Multiple fractures involving skull or face with other bones	M F	195 104	— —	— 2	10 3	22 3	20 5	30 4	22 4	34 10	29 31	19 35	9 7
N 805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	M F	91 29	— —	— —	1 —	8 1	10 1	15 1	20 4	16 1	13 9	5 7	3 5
N 806	Fracture and fracture dislocation of vertebral column with spinal cord lesion	M F	150 80	— 1	— 2	1 —	6 —	7 —	12 21	21 20	28 14	45 34	9 13	— 13
N 807	Fracture of rib(s) and sternum	M F	139 87	— —	2 —	7 —	13 —	12 2	12 —	16 2	16 2	22 16	25 36	14 29
N 808	Fracture of pelvis	M F	207 106	— —	4 —	5 —	14 2	13 2	22 3	25 6	42 13	35 34	38 36	9 8
N 809	Multiple, and ill-defined fractures of trunk	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N810—N819	Fracture of upper limb	M F	5 10	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	2 6	1 2
N 810	Fracture of clavicle	M F	41 80	— —	— —	— —	— —	— —	2 —	— 3	— 9	— 20	7 38	2 24
N 812	Fracture of humerus	M F	4 12	— —	— —	— 3	— —	— —	1 —	1 —	— 1	— 4	— 1	— 3
N 813	Fracture of radius and ulna	M F	15 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 814	Fracture of carpal bone(s)	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 815	Fracture of metacarpal bone(s)	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 816	Fracture of one or more phalanges of hand	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 818	Other, multiple, and ill-defined fractures of upper limb	M F	17 17	— —	— —	— —	2 —	1 —	— —	— —	— —	— —	2 6	— 2
N 819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N820—N829	Fracture of lower limb	M F	415 1123	— —	— —	— —	— —	1 3	1 4	3 11	17 20	58 103	215 221	120 117
N 820	Fracture of neck of femur	M F	1103 8	— —	1 —	— —	— —	— —	1 —	3 —	19 2	138 4	557 2	383 2
N 821	Fracture of other and unspecified parts of femur	M F	5 77	— —	— —	— 1	— 3	— 7	— 12	— 13	— 30	— 5	— 8	— 2
N 822	Fracture of patella	M F	59 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 823	Fracture of tibia and fibula	M F	21 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 824	Fracture of ankle	M F	26 21	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 825	Fracture of one or more tarsal and metatarsal bones	M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 827	Other, multiple, and ill-defined fractures of lower limb	M F	26 21	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	M F	76 107	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 829	Fracture of unspecified bones	M F	33 12	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N830—N839	Dislocation without fracture	M F	4 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 831	Dislocation of shoulder	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 835	Dislocation of hip	M F	3 39	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 839	Other, multiple, and ill-defined dislocations	M F	14 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

TABLE 18B—continued

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over	
N840-N848	Sprains and strains of joints and adjacent muscles													
N 844	Sprains and strains of knee and leg	{M F	2 1	—	—	—	—	—	—	1 1	1	—	—	
N 845	Sprains and strains of ankle and foot	{M F	1 1	—	—	—	—	—	1	—	—	—	—	
N 848	Other and ill-defined sprains and strains	{M F	— 1	—	—	—	—	—	—	—	—	1	—	
N850-N856	Head injury (excluding skull fracture)													
N 850	Open wound of scalp	{M F	38 26	—	—	1 —	1 —	— 2	4 1	3 —	8 1	4 5	12 9	5 8
N 851	Contusion and hæmatoma of scalp	{M F	4 26	1 —	—	—	—	—	—	—	—	—	1 2	
N 852	Concussion	{M F	49 37	—	1 —	2 1	12 2	2 2	5 —	6 2	6 2	5 9	11 12	8 7
N 853	Cerebral laceration and contusion	{M F	282 96	3 1	6 1	20 9	52 10	33 5	30 2	35 11	41 6	36 21	20 21	6 9
N 854	Subarachnoid, subdural, and extradural hæmorrhage following injury (without mention of cerebral laceration or contusion)	{M F	97 101	4 3	1 —	— 2	10 1	3 1	3 1	10 2	16 10	23 18	20 42	7 21
N 855	Other and unspecified intracranial hæmorrhage following injury (without mention of cerebral laceration or contusion)	{M F	92 56	1 2	7 5	2 3	23 4	9 1	12 1	4 3	9 5	10 14	11 16	4 2
N 856	Head injury of other and unspecified nature	{M F	334 104	— 1	8 6	16 8	57 6	33 7	35 7	59 12	50 7	46 17	27 22	3 11
N860-N869	Internal injury of chest, abdomen, and pelvis													
N 860	Traumatic pneumothorax and hæmothorax	{M F	84 12	—	—	3 —	14 2	11 1	8 —	9 2	13 1	11 4	11 2	4 —
N 861	Injury to heart and lung	{M F	226 42	—	4 1	5 2	46 4	26 3	25 4	41 7	37 5	23 6	13 4	6 4
N 862	Injury to other and unspecified intrathoracic organs	{M F	239 36	—	4 —	8 —	41 3	32 6	48 3	42 7	35 6	15 5	12 4	2 2
N 863	Injury to gastro-intestinal tract	{M F	41 6	—	3 1	3 1	5 —	1 —	3 —	8 —	10 1	6 2	2 —	— 1
N 864	Injury to liver	{M F	64 17	2 —	5 3	8 2	11 4	11 1	9 1	4 1	9 1	3 —	1 —	— 1
N 865	Injury to spleen	{M F	29 11	—	—	3 3	5 1	6 —	4 1	3 —	2 2	5 1	1 —	— 1
N 866	Injury to kidney	{M F	10 8	—	—	—	2 1	—	2 —	2 1	—	1 2	4 2	— —
N 867	Injury to pelvic organs	{M F	12 —	—	—	—	—	1 —	2 —	2 3	3 —	1 —	—	—
N 868	Injury to other and unspecified intra-abdominal organs	{M F	83 13	—	2 —	6 —	17 2	17 1	4 3	14 —	10 1	10 3	3 —	— —
N 869	Internal injury unspecified or involving intrathoracic with intra-abdominal organs	{M F	149 41	—	5 3	6 4	31 6	16 3	33 6	19 1	24 6	10 7	3 4	2 1
N870-N879	Laceration and open wound of face, neck, and trunk													
N 870	Open wound of eye and orbit	{M F	1 —	—	—	—	—	—	—	1 —	—	—	—	—
N 873	Other and unspecified laceration of face	{M F	12 3	—	—	—	1 —	—	2 —	3 —	1 —	3 —	—	2 1
N 874	Open wound of neck	{M F	145 40	—	—	3 1	9 1	12 4	15 6	25 11	32 9	28 9	16 —	5 1
N 875	Open wound of chest	{M F	22 5	—	—	1 —	6 1	2 —	5 —	1 —	3 —	3 —	1 —	—
N 876	Open wound of back	{M F	2 —	—	1 —	—	1 —	—	—	—	—	—	1 —	—
N 877	Open wound of buttock	{M F	2 1	—	—	—	—	—	—	—	1 —	1 —	—	—
N 878	Open wound of genital organs, including traumatic amputation	{M F	— 1	—	—	—	—	—	—	—	—	1 —	—	—
N 879	Multiple and unspecified open wounds of face, neck, and trunk	{M F	23 7	—	—	3 1	4 1	4 1	3 2	4 —	2 —	1 —	2 —	— 1

TABLE 18B—continued

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
N880-N888	Laceration and open wound of upper limb												
N 880	Open wound of shoulder and upper arm	M 2 F 1	—	—	—	—	—	1	1	—	—	—	—
N 881	Open wound of elbow and forearm, and wrist not involving tendons	M 13 F 2	—	—	—	—	—	—	2	1	7	2	1
N 883	Open wound of hand, except finger(s)	M 2 F 2	—	—	1	—	—	—	1	1	—	—	—
N 884	Open wound of finger(s)	M 3 F —	—	—	—	—	1	1	—	—	1	—	—
N 885	Multiple and unspecified open wounds of one upper limb ..	M 2 F 2	—	—	—	—	—	—	1	1	—	—	—
N 888	Traumatic amputation of arm and hand	M 1 F —	—	—	1	—	—	—	—	—	—	—	—
N890-N898	Laceration and open wound of lower limb												
N 890	Open wound of hip and thigh ..	M 2 F 1	—	—	—	—	—	—	1	1	—	—	—
N 891	Open wound of knee, leg (except thigh), and ankle not involving tendons	M 12 F 6	—	—	—	1	1	1	4	1	4	—	—
N 893	Open wound of foot, except toe(s)	M 2 F 1	—	—	1	1	—	—	—	—	—	—	—
N 895	Multiple and unspecified open wounds of one lower limb ..	M 3 F 2	—	—	1	—	—	—	1	1	—	1	—
N 896	Traumatic amputation of toe(s) ..	M 1 F —	—	—	—	1	—	—	—	—	—	—	—
N 898	Traumatic amputation of leg ..	M 11 F 2	—	—	—	3	1	—	2	5	—	—	—
N900-N908	Laceration and open wounds of multiple location												
N 900	Multiple open wounds of both upper limbs ..	M 5 F —	—	—	—	—	—	—	2	2	—	1	—
N 901	Multiple open wounds of both lower limbs ..	M 1 F —	—	—	—	—	1	—	—	—	—	—	—
N 904	Multiple open wounds of both head and limb ..	M 3 F 1	—	—	1	—	—	—	—	—	—	—	2
N 905	Multiple open wounds of both head and trunk ..	M — F —	—	—	—	—	1	—	—	—	—	—	—
N 906	Multiple open wounds of both trunk and limb ..	M 11 F 2	—	—	—	1	1	2	2	2	2	1	—
N 907	Multiple open wounds of face with other sites ..	M 2 F 1	—	1	—	—	—	1	—	—	—	—	—
N 908	Multiple open wounds of unspecified location ..	M 11 F 17	—	—	5	13	16	18	16	25	12	4	2
N910-N918	Superficial Injury												
N 910	Superficial injury of face and neck ..	M 1 F —	—	—	—	—	—	—	—	1	—	—	—
N 913	Superficial injury of elbow, forearm, and wrist ..	M 1 F —	—	—	—	—	—	—	—	—	—	1	—
N 916	Superficial injury of hip, thigh, leg, and ankle ..	M 3 F 1	—	—	1	1	—	—	—	1	—	—	—
N 918	Superficial injury of other, multiple, and unspecified sites ..	M 6 F 5	—	—	—	—	1	—	—	2	—	2	1
N920-N929	Contusion and crushing with intact skin surface												
N 920	Contusion of face and neck, except eye(s) ..	M 4 F 6	—	—	—	—	1	—	—	—	2	—	1
N 921	Contusion of eye and orbit ..	M 1 F —	—	—	—	—	—	—	—	1	—	—	—
N 922	Contusion of trunk ..	M 11 F 13	—	—	—	—	1	2	—	1	1	4	6
N 923	Contusion of shoulder and upper arm ..	M 1 F —	—	—	—	—	—	—	—	—	—	1	—
N 924	Contusion of elbow, forearm, and wrist ..	M 1 F —	—	—	—	—	—	—	—	—	—	1	—
N 925	Contusion of hand(s), except fingers ..	M 1 F —	—	—	—	—	—	1	—	—	—	—	—
N 927	Contusion of hip, thigh, leg, and ankle ..	M 6 F 11	—	—	—	—	—	—	2	2	5	2	2
N 928	Contusion of foot and toe(s) ..	M 1 F —	—	—	—	—	—	—	—	—	—	—	—
N 929	Contusion of other, multiple, and unspecified sites ..	M 13 F 19	—	1	—	—	—	1	—	1	3	10	6

TABLE 18B—continued

International Classification Number	Nature of Injury	All Ages	0	1	5	15	25	35	45	55	65	75	85 and over
N930-N936	Effects of foreign body entering through orifice												
N 933	Foreign body in pharynx and larynx ..	M 248 F 165	119 78	20 12	5 7	6 —	9 5	16 12	17 10	17 14	21 17	16 13	2 4
N 934	Foreign body in bronchus and lung ..	M 2 F 2	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 935	Foreign body in digestive tract ..	M 9 F 9	— —	— —	1 —	— —	— —	4 1	— —	— 2	— 3	— 1	1 1
N940-N949	Burns												
N 941	Burn confined to face, head, and neck ..	M 9 F 12	1 —	— —	— —	— —	1 —	— 1	— —	— —	1 4	6 4	— 1
N 942	Burn confined to trunk ..	M 11 F 21	— —	1 —	— —	— —	1 —	— —	1 2	— 1	2 5	5 8	— 4
N 943	Burn confined to upper limb(s), except wrist and hand ..	M 6 F 2	— —	1 —	— —	— —	1 —	— —	— —	— —	1 —	4 —	— 1
N 944	Burn confined to wrist(s) and hand(s) ..	M 1 F 1	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 945	Burn confined to lower limb(s) ..	M 13 F 13	2 —	— —	— —	— —	— —	1 2	2 —	1 —	2 3	4 5	4 2
N 946	Burn involving face, head, and neck, with limb(s) ..	M 18 F 15	— —	2 1	1 —	1 —	1 1	2 2	2 2	2 2	2 2	3 4	2 3
N 947	Burn involving trunk with limb(s) ..	M 44 F 111	1 1	10 13	2 8	1 7	3 5	1 2	4 7	5 9	7 24	6 22	4 13
N 948	Burn involving face, head, and neck, with trunk and limb(s) ..	M 101 F 132	— 2	7 14	3 11	22 3	11 4	10 3	10 7	10 18	14 23	10 36	4 11
N 949	Burn involving other and unspecified parts ..	M 69 F 100	— —	7 13	2 9	4 4	7 2	14 1	7 9	7 11	5 14	12 27	4 10
N950-N959	Injury to nerves and spinal cord without bone injury												
N 958	Spinal cord lesion without evidence of spinal bone injury ..	M 28 F 11	— —	— —	3 —	2 —	3 3	3 2	8 1	4 —	3 4	1 1	1 —
N960-N979	Effects of poisons												
N 960	Poisoning by noxious food-stuffs ..	M 1 F 17	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 961	Poisoning by alcohol ..	M 5 F 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 962	Poisoning by petroleum products ..	M 2 F 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 963	Poisoning by industrial solvents ..	M 6 F 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 964	Poisoning by corrosive aromatics, acids, and caustic alkalis ..	M 37 F 46	— —	1 1	— —	1 —	2 5	6 2	9 6	11 10	2 17	5 3	— 1
N 965	Poisoning by mercury and its compounds ..	M 1 F 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 967	Poisoning by arsenic and antimony, and their compounds ..	M 1 F 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 968	Poisoning by carbon monoxide ..	M 1856 F 1732	5 6	15 13	14 12	81 49	158 79	238 149	366 313	386 403	310 357	239 284	44 67
N 969	Poisoning by other gases and vapours ..	M 91 F 20	1 2	4 4	3 3	4 —	7 —	8 —	2 —	3 —	16 —	5 —	1 3
N 970	Poisoning by morphine and other opium derivatives ..	M 7 F 4	— —	— —	— —	— —	1 —	2 —	1 —	2 —	— —	1 —	— 1
N 971	Poisoning by barbituric acid and derivatives ..	M 311 F 401	— —	— —	1 —	4 —	26 10	57 26	71 50	79 101	60 84	13 27	— 2
N 972	Poisoning by aspirin and salicylates ..	M 84 F 125	1 —	3 —	— —	4 —	7 8	15 17	19 25	19 41	12 20	4 11	— —
N 973	Poisoning by bromides ..	M 1 F 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 974	Poisoning by other analgesic and soporific drugs ..	M 27 F 24	— —	1 —	— —	— —	7 3	5 —	4 8	4 3	2 —	2 —	— 1
N 976	Poisoning by strychnine ..	M 5 F 5	— —	2 —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —
N 977	Poisoning by belladonna, hyoscine and atropine ..	M 2 F 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
N 978	Poisoning by venom ..	M 3 F 3	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —
N 979	Poisoning by other and unspecified substances ..	M 58 F 26	— 1	3 3	— —	4 1	6 —	14 7	13 6	5 2	6 —	5 1	2 —

TABLE 18B—continued

International Classification Number	Nature of Injury	All Ages	0—	1—	5—	15—	25—	35—	45—	55—	65—	75—	85 and over
N980-N989	Effects of weather, exposure, and related conditions												
N 980	Effects of reduced temperature..	M 5 F 3	—	—	—	—	—	1	1	2	—	—	—
N 981	Effects of heat and insolation ..	M 1 F 4	—	—	—	—	—	—	1	—	1	—	—
N 984	Effects of lightning ..	M 6 F 4	1	1	—	—	—	—	—	—	—	1	—
N 985	Effects of hunger ..	M 3 F 3	—	—	1	3	—	2	—	—	—	—	—
N 987	Effects of exposure, not else- where classified ..	M 14 F 10	—	—	—	1	—	1	—	1	2	4	6
N 989	Motion (travel) sickness..	M 1 F 1	—	1	—	—	—	—	—	—	—	—	—
N990-N999	Other and unspecified injuries and reactions												
N 990	Drowning ..	M 1094 F 453	4	71	143	154	89	91	139	166	139	88	88
N 991	Asphyxia and strangulation ..	M 717 F 257	100	4	20	30	72	62	115	163	101	46	27
N 992	Electrocution ..	M 111 F 20	1	9	16	21	23	23	13	3	2	—	9
N 994	Other general effects of external causes ..	M 21 F 27	21	—	—	—	—	—	—	—	—	—	—
N 995	Certain early complications of trauma ..	M 1 F 3	—	—	1	—	—	—	—	—	—	—	—
N 996	Injury of other and unspecified nature ..	M 409 F 186	—	8	13	62	57	46	66	63	39	36	41
N 997	Reactions and complications due to nontherapeutic medi- cal and surgical procedures	M 6 F 7	2	1	2	—	1	—	1	—	—	—	—
N 998	Adverse reactions to injections, infusions and transfusions for therapeutic purposes	M 1 F 3	—	—	—	—	—	—	—	1	1	—	—
N 999	Adverse reaction to other thera- peutic procedure ..	M 22 F 25	—	—	—	—	—	—	2	4	10	4	7

TABLE 18C—Deaths from Violent Causes—Nature of Injury according to External Cause, 1957—England and Wales
(AE 138-AE 150 ; AN 138-AN 150)

(See Note at head of Table 18A)

External Cause of Injury (Intermediate List)														
Nature of Injury (Intermediate List)	Total	AE 138	AE 139	AE 140	AE 141	AE 142	AE 143	AE 144	AE 145	AE 146	AE 147	AE 148	AE 149	AE 150
		Motor vehicle accidents	Other transport accidents	Accidental poisoning	Accidental falls	Accident caused by machinery	Accident caused by fire and explosion of combustible material	Accident caused by hot substance, corrosive liquid, steam, & radiation	Accident caused by fire-arm	Accidental drowning and submersion	All other accidental causes	Suicide and self-inflicted injury	Homicide & injury possibly inflicted by other persons (not in war)	Injury resulting from operations of war
Total	M { 12,858 F { 8,703	3,673 1,225	759 88	545 641	1,991 3,305	245 3	232 398	52 54	74 7	703 227	1,196 480	3,170 2,146	116 127	102 2
AN 138 Fracture of skull	M { 3,664 F { 903	1,958 576	286 48	—	503 212	71 2	1 —	—	4 —	—	149 10	59 37	31 18	2
AN 139 Fracture of spine and trunk	M { 782 F { 406	372 155	39 1	—	232 —	30 1	—	—	3 —	—	86 3	28 14	3 —	4
AN 140 Fracture of limbs	M { 1,205 F { 2,574	192 94	35 2	—	933 2,448	11 —	1 1	—	—	—	28 44	4 —	1 —	1
AN 141 Dislocation without fracture	M { 12 F { 75	12 6	—	—	12 16	—	—	—	—	—	9 1	8 2	—	—
AN 142 Sprains and strains of joints and adjacent muscles	M { 3 F { 896	—	—	—	2 —	—	—	—	—	—	1 2	—	—	—
AN 143 Head injury (excluding fracture)	M { 3 F { 446	417 149	57 11	—	140 237	11 —	—	—	26 1	—	92 21	129 13	10 14	14
AN 144 Internal injury of chest, abdomen and pelvis	M { 937 F { 186	472 139	75 4	—	68 20	78 16	5 3	—	22 2	—	153 6	40 10	17 5	7
AN 145 Laceration and open wounds	M { 395 F { 96	49 13	45 5	—	19 14	—	—	—	17 1	—	17 6	196 40	16 17	17
AN 146 Superficial injury, contusion and crushing with intact skin surface	M { 48 F { 265	11 6	2 1	—	23 47	2 —	—	—	—	—	10 4	—	—	—
AN 147 Effects of foreign body entering through orifice	M { 176 F { 176	—	—	—	3 2	3 —	—	—	—	—	256 174	—	1 —	—
AN 148 Burns	M { 272 F { 406	7 2	29 —	—	—	—	180 345	52 54	—	—	2 5	2 5	—	—
AN 149 Effects of poisons	M { 2,509 F { 2,391	1 1	4 1	545 641	—	—	41 52	—	—	—	—	1,845 1,664	23 29	45
AN 150 All other and unspecified effects of external causes	M { 2,439 F { 1,013	181 84	185 11	—	72 76	23 —	—	—	2 3	703 227	388 206	858 361	14 44	13 1

TABLE 19—Causes of Death by Sex, at Different Periods of Life, 1957
Classified in accordance with the International Abbreviated List,
with certain sub-divisions.

(See notes at foot of this page and page 192)

Abbreviated List No.	Causes of Death	England and Wales										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							
					1—	5—	15—	25—	45—	65—	75 & over	
	ALL CAUSES	M 266407 F 248463	6953 4951	2638 2178	1403 1151	1638 1094	2838 1371	11430 8806	74121 45657	75384 62110	90000 121145	
B1	Tuberculosis of respiratory system	M 3150 F 1099	1 1	2 1	2 4	3 2	21 25	448 454	1534 327	845 177	294 108	
B2	Tuberculosis, other forms	M 264 F 271	— 3	5 27	16 27	17 13	18 18	65 60	90 61	35 61	18 39	
B3	Syphilis and its sequelæ	M 879 F 413	— —	— —	— —	1 —	1 —	40 16	333 121	334 128	170 148	
B4	Typhoid fever	M 1 F (27)	— —	— —	— 1	— 1	— —	— —	— 2	— (1)2	— (1)1	
B5	Cholera	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B6	Dysentery, all forms	M 11 F 11	— —	2 2	1 1	— 1	— —	— —	4 3	2 2	12 2	
B7	Scarlet fever and streptococcal sore throat	M (3)11 F (4)15	— —	— 1	2 1	1 1	— —	(2)4 (1)2	(1)2 (2)5	1 3	1 (1)2	
B8	Diphtheria	M 2 F (2)4	— —	— —	— —	— —	— —	— 1	— 1	— (1)1	— (1)1	
B9	Whooping cough	M (1)33 F 55	1 1	23 43	8 8	— 2	— —	(1)1 —	— —	— —	— —	
B10	Meningococcal infections	M 94 F 90	— 6	41 28	34 31	6 5	2 2	1 3	5 8	4 4	— 3	
B11	Plague	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B12	Acute poliomyelitis	M 143 F 83	— —	3 1	6 5	23 17	19 12	82 43	9 4	1 —	— 1	
B13	Smallpox	M 1 F 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —	
B14	Measles	M (1)54 F 41	— —	12 8	29 21	(1)9 11	2 —	2 —	— 1	— —	— —	
B15	Typhus and other rickettsial diseases	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
B16	Malaria	M 3 F 1	— —	— —	— —	— —	— —	2 1	1 —	— —	— —	
B17	All other diseases classified as infective and parasitic	M 498 F 496	15 13	26 21	32 26	39 20	24 24	73 62	174 158	60 79	55 93	
B18	Malignant neoplasm : (140-205)	M 50056 F 43961	2 4	18 31	150 99	226 160	300 158	2230 2777	19856 15693	15678 12281	11596 12758	
	stomach (151)	M 7986 F 6009	— —	— —	— —	— —	3 —	251 169	3017 1463	2643 1963	2072 2411	
	trachea, bronchus and lung (162, 163)	M 16430 F 2689	— —	— —	1 —	1 —	12 4	590 154	9039 1204	5107 783	1680 544	
	breast (170)	M 70 F 8613	— 1	— —	— —	— —	— 5	1 727	27 3862	24 2068	18 1950	
	uterus (171-174)	M 3939 F —	— —	— —	— —	— —	5 420	727 1722	3862 1028	2068 1028	1950 764	
	Leukæmia and aleukæmia (204)	M 1301 F 1093	— —	4 12	74 54	100 72	75 33	169 156	398 335	271 236	210 195	
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	M 24269 F 21618	2 3	14 19	75 45	125 88	210 108	1219 1151	7375 7107	7633 6203	7616 6894	
B19	Benign and unspecified neoplasms	M 736 F 892	10 5	8 12	16 15	24 26	17 29	103 139	321 361	133 185	104 120	
B20	Diabetes mellitus	M 1013 F 2124	— —	1 —	3 4	7 11	12 20	59 47	241 440	319 793	371 809	
B21	Anæmias	M 559 F 1167	— —	3 7	3 5	8 8	8 11	16 37	87 174	165 288	269 637	
B22	Vascular lesions affecting central nervous system	M 30537 F 43132	6 —	10 8	5 6	22 16	40 36	489 501	5936 6396	9624 12023	14405 24146	
B23	Nonmeningococcal meningitis	M 262 F 158	24 26	68 27	25 27	10 4	8 7	25 11	55 21	32 21	15 14	
B24	Rheumatic fever	M 78 F 96	— —	— 2	2 1	10 16	7 17	22 27	25 17	8 8	4 8	
B25	Chronic rheumatic heart disease	M 2989 F 5228	— —	— —	— —	11 8	68 69	551 824	1348 2246	641 1134	370 947	

Note :—The figures shown throughout this table for B40 (Complications of pregnancy, childbirth and puerperium) include some cases where the interval between maternal condition and death was stated to exceed 1 year. These deaths are also shown separately at the foot of the page where they occur.

England and Wales, Standard Regions, Wales, Conurbations, Urban
and Rural Aggregates outside conurbations.

Abbreviated List No.	Causes of Death		England and Wales—continued										
			Age										
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							
				1—	5—	15—	25—	45—	65—	75 & over			
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	47809	—	—	—	8	1359	17524	16131	12787		
		F	28515	—	1	—	1	176	4843	10449	13044		
		M	24304	—	—	2	6	14	131	1915	5643	16593	
		F	34655	—	—	2	2	4	66	1414	5826	27341	
B27	Other diseases of heart	M	4745	3	1	5	9	17	128	1082	1482	2018	
		F	5173	1	4	5	5	23	89	720	1438	2888	
B28	Hypertension with heart disease	M	5368	—	—	—	—	2	57	1181	1937	2191	
		F	6914	—	—	—	—	1	31	920	2180	3782	
B29	Hypertension without mention of heart	M	3424	—	—	—	8	134	922	1091	1269		
		F	3794	—	—	—	3	3	61	583	1088	2056	
B46 (Pt.)	Other circulatory diseases (450–468)	M	7066	1	2	1	4	17	110	1050	1904	3977	
		F	8472	—	2	—	2	18	140	829	1728	5753	
B30	Influenza	M	3553	5	37	54	105	126	246	1240	1024	716	
		F	3163	4	31	36	142	148	276	732	786	1008	
B31	Pneumonia	M	11616	—	818	191	91	92	309	2290	3014	4811	
		F	11188	—	646	196	93	71	281	1359	2371	6171	
B32	Bronchitis	M	18962	11	157	52	17	11	237	5957	6789	5731	
		F	7973	16	107	44	22	14	132	1210	2218	4210	
B46 (Pt.)	Other diseases of respiratory system (470–475, 510–527)	M	3494	11	33	28	32	28	189	1394	1089	690	
		F	1410	10	32	24	19	17	108	316	289	595	
B33	Ulcer of stomach and duodenum	M	3568	1	2	—	2	12	155	1208	1144	1044	
		F	1461	1	—	1	1	5	41	269	436	707	
B34	Appendicitis	M	497	—	1	14	30	24	58	157	126	87	
		F	302	1	—	7	16	10	25	80	76	87	
B35	Intestinal obstruction and hernia	M	1442	83	34	20	7	9	36	321	426	506	
		F	1464	31	27	7	3	1	23	282	437	653	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	915	—	170	46	9	9	75	234	177	195	
		F	1302	2	115	29	10	23	78	245	303	497	
B37	Cirrhosis of liver	M	667	—	8	1	3	4	77	316	176	82	
		F	539	—	4	2	2	4	37	237	179	74	
B38	Nephritis and nephrosis	M	2345	—	8	10	47	109	381	785	472	533	
		F	2014	—	6	9	26	74	236	575	495	593	
B39	Hyperplasia of prostate	M	3645	—	—	—	—	—	1	240	969	2435	
B40	Complications of pregnancy, childbirth & puerperium	F	349	—	—	—	1	61	272	12	2	1	
B41	Congenital malformations	M	2589	1101	657	177	115	75	155	213	67	29	
		F	2341	948	642	153	84	52	138	229	62	33	
B42	Birth injuries, postnatal asphyxia & atelectasis	M	2852	2827	22	3	—	—	—	—	—	—	
		F	1829	1802	27	—	—	—	—	—	—	—	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765–768)	M	22	22	—	—	—	—	—	—	—	—	
		F	13	13	—	—	—	—	—	—	—	—	
		M	460	455	5	—	—	—	—	—	—	—	
		F	313	306	7	—	—	—	—	—	—	—	
B44	Other dis. of early infancy & immaturity unqualified	M	2284	2247	31	6	—	—	—	—	—		
		F	1662	1640	19	3	—	—	—	—	—		
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	2697	17	16	1	2	4	13	22	152	2470	
		F	4789	11	5	2	—	2	4	30	155	4580	
B46 (Rem.)	All other diseases (Remainder 001–795)	M	7851	57	182	141	165	209	664	2358	2018	2057	
		F	10780	49	138	127	124	165	818	2804	2871	3684	
BE47	Motor vehicle accidents	M	3673	—	2	105	252	869	902	769	367	407	
		F	1225	—	3	70	104	122	146	281	235	264	
BE48	All other accidents	M	5797	46	218	198	308	506	1062	1373	714	1372	
		F	5203	55	160	137	93	58	198	566	818	3118	
BE49	Suicide and self-inflicted injury	M	3170	—	—	—	3	118	705	1460	564	320	
		F	2146	—	—	—	1	57	401	1063	463	161	
BE50	Homicide and operations of war	M	218	6	12	12	13	19	33	89	26	8	
		F	129	5	7	15	18	9	34	20	14	7	
BN47	Fractures, head injuries and internal injuries	M	6884	5	19	139	327	1057	1470	1633	832	1402	
		F	4535	2	15	92	124	132	194	452	745	2779	
BN48	Burns	M	272	—	4	28	8	28	52	49	30	73	
		F	406	—	3	43	28	14	21	70	76	151	
BN49	Effects of poisons	M	2509	—	7	29	18	101	569	1047	415	323	
		F	2391	1	9	23	16	61	362	1032	482	405	
BN50	All other injuries	M	3193	47	202	119	223	326	611	962	394	309	
		F	1371	57	143	64	48	39	202	376	227	215	

"Delayed" maternal deaths
(see page 190)

16 — — — — — 6 7 2 1

TABLE 19—continued

Abbreviated List No.	Causes of Death	Northern Region									
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age						
					Years						
					1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M 19734 F 17107	646 432	256 219	117 108	121 106	244 122	999 694	5578 3338	5460 4662	6313 7426
B1	Tuberculosis of respiratory system	{ M 259 F 101	—	1 1	1 —	—	2 4	43 46	122 24	68 18	22 8
B2	Tuberculosis, other forms	{ M 22 F 23	—	—	1 1	1 2	2 —	4 7	10 7	4 3	— 3
B3	Syphilis and its sequelæ	{ M 61 F 37	—	—	—	—	—	3 2	29 12	21 13	8 10
B4	Typhoid fever	{ M — F 2	—	—	—	—	—	—	—	—	—
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M — F 1	—	—	—	—	—	—	1	—	—
B7	Scarlet fever and streptococcal sore throat	{ M — F 1	—	—	—	—	—	1	—	—	—
B8	Diphtheria	{ M — F 1	—	—	1	—	—	—	—	—	—
B9	Whooping cough	{ M 3 F 3	—	3 1	—	1	—	—	—	—	—
B10	Meningococcal infections	{ M 14 F 8	—	5 2	5 4	1	1	—	3 1	—	—
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M 3 F 4	—	1	1 2	—	1	1	—	—	—
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—
B14	Measles	{ M 2 F 3	—	1 1	—	1	—	—	—	—	—
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—
B16	Malaria	{ M — F —	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	{ M 36 F 32	2 2	3 2	2 1	7 4	1 4	2 —	13 9	3 4	3 6
B18	Malignant neoplasm : (140-205)	{ M 3446 F 2808	—	1 2	14 4	11 11	22 13	194 187	1367 1059	1060 808	777 724
	stomach (151)	{ M 656 F 491	—	—	—	—	—	23 20	252 134	218 169	163 166
	trachea, bronchus and lung (162, 163)	{ M 1016 F 174	—	—	—	—	1	64 6	573 72	294 65	84 30
	breast (170)	{ M 4 F 483	—	—	—	—	—	—	1 233	1 119	2 84
	uterus (171-174)	{ M — F 269	—	—	—	—	—	31	122	73	43
	Leukæmia and aleukæmia (204)	{ M 90 F 65	—	1 1	7 3	4 8	9 10	11 19	27 19	20 14	11 6
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M 1680 F 1326	—	—	7 1	7 3	12 6	96 73	514 479	527 368	517 395
	Benign and unspecified neoplasms	{ M 53 F 56	2 —	— 1	— 2	— 3	3 6	12 5	21 20	9 12	6 7
	Diabetes mellitus	{ M 71 F 157	—	—	—	2 1	1 2	6 6	20 32	25 75	17 41
	Anæmias	{ M 34 F 84	—	1	1	1	4	1 4	3 13	13 19	15 41
B22	Vascular lesions affecting central nervous system	{ M 2602 F 3170	1	3 1	—	3 3	7 6	46 39	458 493	821 971	1263 1637
B23	Nonmeningococcal meningitis	{ M 21 F 17	—	5 5	2 6	1 1	1 —	1 1	6 1	4 1	1 —
B24	Rheumatic fever	{ M 4 F 10	—	—	1	—	—	3 3	1 1	—	—
B25	Chronic rheumatic heart disease	{ M 220 F 351	—	—	—	1	7 6	46 87	103 150	45 75	18 32

Note:—Epidemic diseases. The deaths assigned in this table to the following categories of the International Statistical Classification include some where the interval between onset of the disease and death was stated to exceed 12 months:— 040-043, 050, 055, 056, 058, 084-087, 100-108.

Where any such deaths occur in this table they are distinguished separately, in brackets and in italics, alongside the figures in which they are included.

TABLE 19—continued

Abbreviated List No.	Causes of Death		Northern Region—continued									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
						1-	5-	15-	25-	45-	65-	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	3755	—	—	—	—	2	130	1440	1243	940
		F	2200	—	—	—	—	—	12	460	894	834
		M	1736	—	—	1	—	3	9	127	436	1160
		F	2278	—	—	1	—	—	5	116	445	1711
B27	Other diseases of heart	M	348	—	—	—	1	3	8	83	98	155
		F	397	—	1	1	1	3	5	51	131	204
B28	Hypertension with heart disease	M	351	—	—	—	—	—	6	80	132	133
		F	458	—	—	—	—	—	1	86	153	218
B29	Hypertension without mention of heart	M	210	—	—	—	—	—	9	43	72	86
		F	211	—	—	—	—	—	2	40	70	99
B46 (Pt.)	Other circulatory diseases (450-468)	M	493	—	—	—	—	1	7	63	119	303
		F	554	—	—	—	—	1	14	54	115	370
B30	Influenza	M	243	1	5	2	11	9	28	96	55	36
		F	231	1	2	3	14	15	26	61	57	52
B31	Pneumonia	M	770	—	82	13	6	10	22	173	190	274
		F	686	—	70	19	5	7	21	103	153	308
B32	Bronchitis	M	1263	—	15	4	—	—	17	480	439	308
		F	464	—	8	3	3	1	15	77	149	208
B46(Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	208	—	2	3	1	1	17	104	51	29
		F	97	—	5	2	—	—	5	17	19	49
B33	Ulcer of stomach and duodenum	M	250	—	—	—	1	—	16	86	95	52
		F	80	1	—	—	1	—	3	14	32	29
B34	Appendicitis	M	36	—	—	2	—	4	4	13	8	5
		F	14	—	—	—	1	—	—	4	5	4
B35	Intestinal obstruction and hernia	M	94	9	4	2	—	2	—	24	31	22
		F	90	3	1	—	1	—	2	17	26	40
B36	Gastritis, enteritis and diarrhoea except	M	66	—	23	—	1	1	6	12	14	9
	diarrhoea of newborn	F	87	—	16	1	—	4	3	17	26	20
B37	Cirrhosis of liver	M	54	—	1	—	—	—	5	22	22	4
		F	45	—	—	—	—	—	1	18	20	6
B38	Nephritis and nephrosis	M	165	—	1	—	1	10	28	54	36	35
		F	165	—	—	—	7	7	26	40	45	40
B39	Hyperplasia of prostate	M	227	—	—	—	—	—	—	9	69	149
B40	Complications of pregnancy, childbirth & puerperium	F	28	—	—	—	—	3	24	1	—	—
B41	Congenital malformations	M	204	104	54	9	8	2	9	14	4	—
		F	202	97	55	14	5	4	16	8	2	1
B42	Birth injuries, postnatal asphyxia & atelectasis	M	221	218	2	1	—	—	—	—	—	—
		F	139	137	2	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	4	4	—	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—
		M	52	52	—	—	—	—	—	—	—	—
B43	Other infections of newborn (763, 765-768)	F	27	26	1	—	—	—	—	—	—	—
		M	27	26	1	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	244	241	2	1	—	—	—	—	—	—
		F	153	151	2	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	214	1	1	1	—	—	—	3	17	191
		F	315	1	—	—	—	—	1	3	15	295
B46 (Rem.)	All other diseases (Remainder 001-795)	M	569	5	10	17	14	21	53	195	139	115
		F	723	2	10	10	10	12	63	220	201	195
BE47	Motor vehicle accidents	M	293	—	—	17	23	65	79	52	28	29
		F	96	—	—	12	15	9	16	16	18	10
BE48	All other accidents	M	573	5	31	16	25	45	137	146	48	120
		F	368	6	27	16	11	7	11	37	60	193
BE49	Suicide and self-inflicted injury	M	216	—	—	—	—	16	44	95	35	26
		F	120	—	—	—	—	2	32	52	25	9
BE50	Homicide and operations of war	M	22	1	—	1	—	2	3	7	6	2
		F	9	—	1	1	—	2	1	2	1	1
BN47	Fractures, head injuries and internal injuries	M	616	—	—	19	25	90	150	156	54	122
		F	320	—	—	13	19	11	18	29	55	177
BN48	Burns	M	30	—	1	1	1	3	9	5	3	7
		F	32	—	—	5	2	2	—	7	7	9
BN49	Effects of poisons	M	170	—	—	3	—	9	38	69	27	24
		F	119	1	1	3	—	—	29	50	25	10
BN50	All other injuries	M	288	6	30	11	22	26	66	70	33	24
		F	120	5	27	8	5	7	13	21	17	17
	"Delayed" maternal deaths (see page 190)		2	—	—	—	—	—	2	—	—	—

TABLE 19—continued

Abbreviated List No.	Causes of Death		Tyneside Conurbation									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
1-	5-	15-				25-	45-	65-	75 & over			
	ALL CAUSES	{ M 5296 F 4575	160	64 55	35 21	26 20	54 29	274 194	1611 935	1468 1242	1604 1969	
B1	Tuberculosis of respiratory system	{ M 72 F 33	—	—	—	—	—	18 16	33 7	13 6	8 3	
B2	Tuberculosis, other forms	{ M 3 F 6	—	—	—	1	—	1	1	2	1	
B3	Syphilis and its sequelæ	{ M 20 F 10	—	—	—	—	—	2 1	9 4	5 2	4 3	
B4	Typhoid fever	{ M F 1	—	—	—	—	—	—	1	—	—	
B5	Cholera	{ M F	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M F	—	—	—	—	—	—	—	—	—	
B7	Scarlet fever and streptococcal sore throat	{ M F	—	—	—	—	—	—	—	—	—	
B8	Diphtheria	{ M F	—	—	—	—	—	—	—	—	—	
B9	Whooping cough	{ M F	—	—	—	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 5 F 3	—	3 1	2 1	—	—	—	1	—	—	
B11	Plague	{ M F	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M F	—	—	—	—	—	—	—	—	—	
B13	Smallpox	{ M F	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 1 F 1	—	1 1	—	—	—	—	—	—	—	
B15	Typhus and other rickettsial diseases	{ M F	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M F	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 8 F 7	1	1	—	2 1	1	1	4 2	—	1 1	
B18	Malignant neoplasm : (140-205)	{ M 1014 F 815	—	—	2 1	2 4	6 3	57 50	423 316	313 232	211 209	
	stomach (151)	{ M 188 F 120	—	—	—	—	—	6 1	73 27	73 48	36 38	
	trachea, bronchus and lung (162, 163)	{ M 341 F 47	—	—	—	—	—	24 1	193 23	96 15	28 8	
	breast (170)	{ M F 150	—	—	—	—	—	13 8	72 32	38 19	27 16	
	uterus (171-174)	{ M F 75	—	—	—	—	—	—	—	—	—	
	Leukæmia and aleukæmia (204)	{ M 22 F 16	—	—	1 4	1 —	3 —	2 1	7 7	6 3	2 1	
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M 463 F 407	—	—	1 1	1 —	3 2	25 21	150 155	138 109	145 119	
B19	Benign and unspecified neoplasms	{ M 14 F 16	2	1	1	—	1	5 2	5 4	2 5	— 2	
B20	Diabetes mellitus	{ M 21 F 34	—	—	—	—	—	2 1	5 7	9 15	5 9	
B21	Anæmias	{ M 9 F 24	—	—	—	—	—	— 1	2 3	3 7	4 11	
B22	Vascular lesions affecting central nervous system	{ M 673 F 803	—	1 1	—	1 —	4 3	9 13	147 127	210 232	301 427	
B23	Nonmeningococcal meningitis	{ M 8 F 6	—	4 1	2 2	—	—	1 —	1 —	1 —	—	
B24	Rheumatic fever	{ M 1 F 1	—	—	—	—	—	1	—	—	—	
B25	Chronic rheumatic heart disease	{ M 68 F 116	—	—	—	1	—	19 2	26 29	16 28	6 5	

TABLE 19—continued

Abbreviated List No.		Causes of Death		Tyneside Conurbation—continued									
				Age									
				All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
1—	5—	15—	25—				45—	65—	75 & over				
B26	{	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	978	—	—	—	—	29	398	326	225	
			{ F	538	—	—	—	3	114	221	200		
			{ M	388	—	—	1	4	18	96	268		
			{ F	556	—	—	—	1	32	116	407		
B27		Other diseases of heart	{ M	71	—	—	—	2	17	23	29		
			{ F	100	—	—	—	2	11	36	51		
B28		Hypertension with heart disease	{ M	90	—	—	—	2	20	31	37		
			{ F	144	—	—	—	—	25	51	68		
B29		Hypertension without mention of heart	{ M	71	—	—	—	3	15	21	32		
			{ F	61	—	—	—	—	10	20	31		
B46 (Pt.)	{	Other circulatory diseases (450-468)	{ M	152	—	—	—	1	2	16	30	103	
			{ F	173	—	—	—	1	3	22	23	124	
B30		Influenza	{ M	55	—	1	1	7	23	11	10		
			{ F	61	—	2	1	3	8	13	18		
B31		Pneumonia	{ M	196	—	15	—	7	42	61	70		
			{ F	193	—	10	4	2	23	44	106		
B32		Bronchitis	{ M	427	—	6	2	—	4	175	146	94	
			{ F	157	—	3	1	1	4	31	54	63	
B46 (Pt.)	{	Other diseases of respiratory system (470-475, 510-527)	{ M	56	—	2	1	—	3	27	12	10	
			{ F	32	—	3	1	—	2	5	8	13	
B33		Ulcer of stomach and duodenum	{ M	75	—	—	—	—	4	24	32	15	
			{ F	17	—	—	—	—	1	3	10	3	
B34		Appendicitis	{ M	8	—	—	—	1	1	4	1	1	
			{ F	3	—	—	—	—	—	3	—	—	
B35		Intestinal obstruction and hernia	{ M	26	3	1	1	—	—	6	5	10	
			{ F	24	1	—	—	—	—	7	4	12	
B36		Gastritis, enteritis and diarrhoea except diarrhoea of newborn	{ M	20	—	6	—	—	3	4	2	5	
			{ F	24	—	5	—	1	—	6	8	4	
B37		Cirrhosis of liver	{ M	16	—	1	—	—	1	6	7	1	
			{ F	19	—	—	—	—	1	4	12	2	
B38		Nephritis and nephrosis	{ M	40	—	—	—	—	5	16	7	12	
			{ F	47	—	—	1	2	11	11	10	12	
B39		Hyperplasia of prostate	M	49	—	—	—	—	—	2	13	34	
B40		Complications of pregnancy, childbirth & puerperium	F	7	—	—	—	—	7	—	—	—	
B41		Congenital malformations	{ M	57	36	9	3	4	1	2	1	—	
			{ F	47	27	9	2	3	—	5	1	—	
B42		Birth injuries, postnatal asphyxia & atelectasis	{ M	44	43	—	1	—	—	—	—	—	
			{ F	25	25	—	—	—	—	—	—	—	
B43	{	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	{ M	—	—	—	—	—	—	—	—	—	
			{ F	1	1	—	—	—	—	—	—	—	
			{ M	6	6	—	—	—	—	—	—	—	
			{ F	5	4	1	—	—	—	—	—	—	
B44		Other dis. of early infancy & immaturity unqualified	{ M	67	67	—	—	—	—	—	—		
			{ F	48	47	1	—	—	—	—	—		
B45		Senility without mention of psychosis, ill-defined and unknown causes	{ M	44	—	—	—	—	—	2	1	41	
			{ F	92	—	—	—	—	—	2	5	85	
B46 (Rem.)	{	All other diseases (Remainder 001-795)	{ M	172	2	2	5	6	6	15	61	41	
			{ F	175	1	3	2	2	1	14	54	50	
BE47		Motor vehicle accidents	M	62	—	—	9	4	11	15	10	3	
			F	20	—	—	2	3	4	1	5	3	
BE48	{	All other accidents	{ M	140	1	12	5	4	14	40	33	15	
			{ F	88	2	11	2	1	2	5	10	10	
BE49		Suicide and self-inflicted injury	{ M	64	—	—	—	—	7	12	29	9	
			{ F	39	—	—	—	—	—	5	17	14	
BE50	{	Homicide and operations of war	{ M	5	—	—	—	—	—	—	3	2	
			{ F	3	—	1	1	—	—	—	—	—	
BN47		Fractures, head injuries and internal injuries	{ M	134	—	—	9	3	23	34	33	9	
			{ F	68	—	—	2	3	5	3	8	9	
BN48	{	Burns	{ M	8	—	—	—	—	—	4	2	1	
			{ F	12	—	—	—	—	1	—	2	4	
BN49		Effects of poisons	{ M	53	—	—	2	—	4	11	22	9	
			{ F	39	—	—	—	—	—	7	17	12	
BN50	{	All other injuries	{ M	76	1	12	3	5	5	18	18	10	
			{ F	31	2	12	3	1	—	1	5	2	

TABLE 19—continued

Abbreviated List No.	Causes of Death	East and West Ridings Region										
			Age									75 & over
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1-	5-	15-	25-	45-	65-	
	ALL CAUSES	{ M F	25589 23382	686 480	277 250	130 109	165 122	230 123	1125 867	7505 4667	7383 6113	8088 10651
B1	Tuberculosis of respiratory system	{ M F	309 96	—	1	—	2	4	50	141	89	22
B2	Tuberculosis, other forms	{ M F	27 31	—	—	1 6	2 2	2 2	4 4	33 8	10 7	7
B3	Syphilis and its sequelæ	{ M F	76 31	—	—	—	—	1	4	28	31	12
B4	Typhoid fever	{ M F	— —	—	—	—	—	—	2	6	17	6
B5	Cholera	{ M F	— —	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M F	— 3	—	—	1	—	—	—	—	2	—
B7	Scarlet fever and streptococcal sore throat	{ M F	(1)3 (2)3	—	—	—	—	—	(1)2	1	—	—
B8	Diphtheria	{ M F	— —	—	—	—	—	—	—	(2)2	1	—
B9	Whooping cough	{ M F	(1)5 6	—	3	1	—	—	(1)1	—	—	—
B10	Meningococcal infections	{ M F	9 14	— 1	2 1	6 8	1 1	— 1	—	— 1	— 1	— 1
B11	Plague	{ M F	— —	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M F	7 7	—	—	2	1 1	1 4	3 2	—	—	—
B13	Smallpox	{ M F	— —	—	—	—	—	—	—	—	—	—
B14	Measles	{ M F	10 3	—	2	4	2 3	1	1	—	—	—
B15	Typhus and other rickettsial diseases	{ M F	— —	—	—	—	—	—	—	—	—	—
B16	Malaria	{ M F	— —	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	{ M F	54 51	2 2	2 2	2 6	5 1	5 1	8 4	19 18	5 6	6 11
B18	Malignant neoplasm: (140-205)	{ M F	4650 3842	—	3 2	14 12	27 15	24 11	214 267	1963 1477	1427 1065	978 993
	stomach (151)	{ M F	759 587	—	—	—	—	—	33 21	310 159	235 187	181 220
	trachea, bronchus and lung (162, 163)	{ M F	1509 199	—	—	—	—	1	56 19	867 93	445 53	140 34
	breast (170)	{ M F	7 743	—	—	—	—	—	— 55	3 363	2 163	7 162
	uterus (171-174)	{ M F	— 406	—	—	—	—	—	— 48	— 206	— 99	— 53
	Leukæmia and aleukæmia (204)	{ M F	126 98	—	—	10 8	12 7	2 4	15 13	43 23	28 30	16 12
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M F	2249 1809	—	3 1	4 4	15 8	21 7	110 111	740 633	717 533	639 512
	Benign and unspecified neoplasms	{ M F	84 72	3 —	1 2	— 2	1 3	1 3	12 13	44 29	16 17	6 3
	Diabetes mellitus	{ M F	104 187	—	—	1	1 4	— 1	6 4	19 44	38 71	39 63
	Anæmias	{ M F	59 119	—	— 2	—	— 1	1 —	2 3	11 15	16 32	29 66
B22	Vascular lesions affecting central nervous system	{ M F	3221 4353	1	1	1	— 2	2	45 58	608 689	1051 1241	1512 2363
B23	Nonmeningococcal meningitis	{ M F	24 17	6 5	2 2	1 2	—	3 1	2 2	5 2	4 2	1 1
B24	Rheumatic fever	{ M F	7 10	—	—	—	1 1	1 1	2 3	1 3	2 1	— 1
B25	Chronic rheumatic heart disease	{ M F	300 571	—	—	—	5 1	11 9	45 114	159 273	58 96	22 78

TABLE 19—continued

Abbreviated List No.		Causes of Death		East and West Ridings Region—continued									
				Age									75 & over
				All Ages	Under 4 weeks	4 wks. and under 1 yr.	1-	5-	15-	25-	45-	65-	
26	{	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	4825	—	—	—	—	1	131	1882	1641	1170
		Degenerative heart disease (421, 422)	F	2964	—	—	—	—	22	558	1149	1235	
			M	2145	—	—	—	1	14	214	540	1375	
			F	2971	—	—	—	—	1	9	162	580	2219
27	{	Other diseases of heart	M	401	1	—	—	1	12	105	116	166	
			F	456	—	—	1	—	6	78	130	240	
28	{	Hypertension with heart disease	M	498	—	—	—	—	2	108	179	209	
			F	695	—	—	—	—	2	96	230	367	
29	{	Hypertension without mention of heart	M	261	—	—	—	—	11	62	101	86	
			F	336	—	—	—	—	5	48	105	177	
46 (Pt.)	{	Other circulatory diseases (450-468)	M	647	1	—	1	—	3	8	84	164	386
			F	806	—	1	—	—	2	7	68	160	568
30	{	Influenza	M	309	—	3	6	8	9	26	124	94	39
			F	255	—	4	3	13	16	27	59	69	64
31	{	Pneumonia	M	1072	—	91	24	6	5	32	223	275	416
			F	1072	—	94	22	14	5	33	146	227	531
32	{	Bronchitis	M	2162	3	20	6	3	—	44	705	769	612
			F	863	2	11	5	5	4	16	159	251	410
46 (Pt.)	{	Other diseases of respiratory system (470-475, 510-527)	M	285	3	8	2	3	3	27	108	78	53
			F	116	3	5	1	1	3	8	35	19	41
33	{	Ulcer of stomach and duodenum	M	299	—	—	—	—	2	14	106	106	71
			F	96	—	—	—	—	5	24	30	37	
34	{	Appendicitis	M	37	—	—	—	4	3	4	11	12	3
			F	24	—	—	1	2	1	—	6	5	9
35	{	Intestinal obstruction and hernia	M	104	7	4	2	2	—	6	20	23	40
			F	120	2	1	—	—	2	26	41	48	
36	{	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	85	—	30	5	1	—	6	21	10	12
			F	97	—	16	1	1	2	3	11	24	39
37	{	Cirrhosis of liver	M	64	—	—	—	—	—	4	30	17	13
			F	44	—	—	—	1	—	2	13	25	3
38	{	Nephritis and nephrosis	M	236	—	—	1	5	8	36	73	61	52
			F	240	—	1	1	4	11	29	74	50	70
39	{	Hyperplasia of prostate	M	302	—	—	—	—	—	—	20	95	187
			F	30	—	—	—	1	7	18	4	—	—
40	{	Complications of pregnancy, childbirth & puerperium	M	302	—	—	—	—	—	—	20	95	187
			F	30	—	—	—	1	7	18	4	—	—
41	{	Congenital malformations	M	227	104	58	12	11	6	9	18	8	1
			F	196	81	58	10	9	2	9	20	4	3
42	{	Birth injuries, postnatal asphyxia & atelectasis	M	274	270	4	—	—	—	—	—	—	—
			F	177	172	5	—	—	—	—	—	—	—
43	{	Diarrhoea of newborn (764)	M	4	4	—	—	—	—	—	—	—	—
		Other infections of newborn (763, 765-768)	F	34	34	—	—	—	—	—	—	—	—
			M	23	23	—	—	—	—	—	—	—	—
			F	23	23	—	—	—	—	—	—	—	—
44	{	Other dis. of early infancy & immaturity unqualified	M	235	233	2	—	—	—	—	—	—	—
			F	172	171	1	—	—	—	—	—	—	—
45	{	Senility without mention of psychosis, ill-defined and unknown causes	M	221	3	2	—	1	1	—	22	191	336
			F	352	—	1	—	—	—	3	12	—	—
46 (Rem.)	{	All other diseases (Remainder 001-795)	M	687	7	19	7	22	12	64	208	172	176
			F	963	8	21	8	13	13	80	282	255	283
E47	{	Motor vehicle accidents	M	312	—	—	11	20	60	87	69	35	30
			F	125	—	1	8	8	7	13	30	27	31
E48	{	All other accidents	M	580	4	19	20	26	40	109	145	75	142
			F	551	10	12	9	8	4	18	58	99	333
E49	{	Suicide and self-inflicted injury	M	312	—	—	—	—	16	73	144	49	30
			F	203	—	—	—	1	6	29	106	50	11
E50	{	Homicide and operations of war	M	22	—	—	—	3	2	1	13	3	—
			F	19	—	1	2	6	1	4	1	2	—
N47	{	Fractures, head injuries and internal injuries	M	642	1	3	16	26	82	144	157	84	129
			F	483	—	3	9	12	7	14	50	87	301
			M	28	—	—	3	1	2	6	5	2	9
N48	{	Burns	F	49	—	2	5	3	3	2	8	11	15
			M	251	—	1	—	3	9	63	117	31	27
			F	242	—	—	1	6	6	24	104	56	45
N49	{	Effects of poisons	M	305	3	15	12	19	25	57	92	45	37
			F	124	10	9	4	2	2	24	33	24	16
			M	124	10	9	4	2	2	24	33	24	16

"Delayed" maternal deaths
(see page 190)

TABLE 19—continued

Abbreviated List No.	Causes of Death		West Yorkshire Conurbation									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
						1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M 11062 F 11057	252	101	45	72	84	469	3403	3237	3399	
B1	Tuberculosis of respiratory system	{ M 111 F 39	—	—	—	1	2	22	49	27	10	
B2	Tuberculosis, other forms	{ M 11 F 10	—	—	1	—	1	16	13	5	4	
B3	Syphilis and its sequelæ	{ M 44 F 17	—	—	—	—	1	2	16	20	5	
B4	Typhoid fever	{ M F	—	—	—	—	—	1	5	7	4	
B5	Cholera	{ M F	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M F	—	—	—	—	—	—	—	—	—	
B7	Scarlet fever and streptococcal sore throat	{ M 1 F (2)2	—	—	—	—	—	—	1	—	—	
B8	Diphtheria	{ M F	—	—	—	—	—	—	(2)2	—	—	
B9	Whooping cough	{ M (1)1 F 1	—	—	—	—	—	(1)1	—	—	—	
B10	Meningococcal infections	{ M 4 F 4	—	—	2	2	—	—	—	—	—	
B11	Plague	{ M F	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 4 F 2	—	—	—	—	1	1	2	—	—	
B13	Smallpox	{ M F	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 3 F	—	—	—	2	1	—	—	—	—	
B15	Typhus and other rickettsial diseases	{ M F	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M F	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 29 F 24	—	2	1	3	1	5	12	3	2	
	Malignant neoplasm : (140-205)	{ M 1947 F 1796	—	2	2	10	7	85	867	591	383	
	stomach (151)	{ M 322 F 286	—	1	4	3	5	114	694	495	480	
	trachea, bronchus and lung (162, 163)	{ M 649 F 87	—	—	—	—	—	21	381	190	57	
B18	breast (170)	{ M 2 F 340	—	—	—	—	—	9	42	22	14	
	uterus (171-174)	{ M 205 F	—	—	—	—	—	27	170	68	75	
	Leukæmia and aleukæmia (204)	{ M 50 F 47	—	—	2	6	1	5	17	15	4	
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	{ M 924 F 831	—	2	1	4	6	40	329	300	243	
B19	Benign and unspecified neoplasms	{ M 35 F 24	1	—	—	—	—	6	19	8	1	
B20	Diabetes mellitus	{ M 53 F 97	—	—	—	—	—	5	10	17	21	
B21	Anæmias	{ M 29 F 51	—	1	—	—	1	2	5	5	16	
B22	Vascular lesions affecting central nervous system	{ M 1425 F 2069	—	—	1	—	1	18	285	459	661	
B23	Nonmeningococcal meningitis	{ M 11 F 7	3	2	—	—	1	2	4	1	1	
B24	Rheumatic fever	{ M 2 F 6	—	—	—	—	—	—	1	1	—	
B25	Chronic rheumatic heart disease	{ M 125 F 288	—	—	—	3	6	17	65	23	11	
						1	5	59	129	51	43	

TABLE 19—continued

Abbreviated List No.	Causes of Death	West Yorkshire Conurbation—continued										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							
					1—	5—	15—	25—	45—	65—	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2189	—	—	—	—	1	67	901	744	476
		F	1470	—	—	—	—	11	302	610	547	
		M	918	—	—	—	1	1	7	100	238	571
		F	1352	—	—	—	—	—	4	75	263	1010
B27	Other diseases of heart	M	205	—	—	—	—	6	64	61	7	
		F	232	—	—	—	—	2	47	66	116	
B28	Hypertension with heart disease	M	238	—	—	1	—	—	54	82	102	
		F	354	—	—	—	—	2	43	130	179	
B29	Hypertension without mention of heart	M	97	—	—	—	—	1	6	21	37	
		F	152	—	—	—	—	1	27	43	81	
B46 (Pt.)	Other circulatory diseases (450-468)	M	250	1	—	1	—	2	2	39	68	137
		F	332	—	—	—	2	3	29	65	233	
B30	Influenza	M	113	—	1	—	4	1	8	54	33	
		F	106	—	—	1	5	3	8	29	27	
B31	Pneumonia	M	516	—	34	14	2	16	110	127	211	
		F	611	—	51	6	7	21	70	125	331	
B32	Bronchitis	M	957	2	2	1	—	18	316	362	256	
		F	428	—	4	1	2	8	75	142	195	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	106	1	2	1	2	1	9	44	30	16
		F	53	1	—	—	2	5	21	8	16	
B33	Ulcer of stomach and duodenum	M	114	—	—	—	—	5	43	40	25	
		F	43	—	—	—	—	4	14	12	13	
B34	Appendicitis	M	17	—	—	—	2	3	3	5	2	
		F	12	—	—	—	—	—	3	3	6	
B35	Intestinal obstruction and hernia	M	45	2	2	1	2	4	8	11	15	
		F	51	1	—	—	—	1	9	16	24	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	33	—	8	2	—	1	10	7	5	
		F	39	—	6	1	1	1	5	6	18	
B37	Cirrhosis of liver	M	31	—	—	—	—	2	12	7	10	
		F	20	—	—	—	—	—	5	12	3	
B38	Nephritis and nephrosis	M	91	—	—	1	2	15	27	29	17	
		F	106	—	—	—	1	3	13	27	33	
B39	Hyperplasia of prostate	M	115	—	—	—	—	—	6	37	72	
B40	Complications of pregnancy, childbirth & puerperium	F	8	—	—	—	—	7	1	—	—	
B41	Congenital malformations	M	81	39	19	3	7	3	1	6	3	
		F	82	31	25	2	4	2	13	2	1	
B42	Birth injuries, postnatal asphyxia & atelectasis	M	99	99	—	—	—	—	—	—	—	
		F	79	75	4	—	—	—	—	—	—	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	1	1	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	
		M	15	15	—	—	—	—	—	—	—	
		F	10	10	—	—	—	—	—	—		
B44	Other dis. of early infancy & immaturity unqualified	M	83	82	1	—	—	—	—	—	—	
		F	74	73	1	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	111	1	2	—	1	1	—	15	91	
		F	160	—	—	—	—	—	2	6	152	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	308	4	11	10	4	24	86	78	91	
		F	445	3	8	3	2	4	36	128	122	139
BE47	Motor vehicle accidents	M	136	—	—	4	11	22	39	34	19	
		F	59	—	—	5	2	7	18	11	7	
BE48	All other accidents	M	210	1	13	8	9	14	35	52	25	
		F	247	2	5	5	5	1	7	32	40	
BE49	Suicide and self-inflicted injury	M	140	—	—	—	—	6	31	69	22	
		F	91	—	—	—	—	1	9	48	30	
BE50	Homicide and operations of war	M	8	—	—	—	—	—	7	1	—	
		F	4	—	1	1	—	—	1	—	1	
BN47	Fractures, head injuries and internal injuries	M	243	—	2	6	11	28	52	64	36	
		F	214	—	1	6	4	—	7	29	34	
BN48	Burns	M	9	—	—	—	1	1	1	1	3	
		F	18	—	—	3	1	1	2	1	5	
BN49	Effects of poisons	M	114	—	1	—	—	5	24	56	15	
		F	123	—	—	—	—	1	9	51	36	
BN50	All other injuries	M	128	1	10	6	8	8	28	41	14	
		F	46	2	5	2	2	—	5	18	6	

TABLE 19—continued

Abbreviated List No.	Causes of Death		North Western Region									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
					1—	5—	15—	25—	45—	65—	75 & over	
	ALL CAUSES	{ M 41995 F 40233	1158 750	489 411	237 182	245 150	341 227	1847 1498	12728 7765	12284 10791	12666 18459	
B1	Tuberculosis of respiratory system	{ M 569 F 189	—	—	—	—	5 3	78 90	298 63	142 25	46 8	
B2	Tuberculosis, other forms	{ M 37 F 43	—	1	3 5	3 1	1 3	8 13	13 9	4 7	4 5	
B3	Syphilis and its sequelæ	{ M 127 F 70	—	—	—	—	—	6 6	53 23	52 19	16 22	
B4	Typhoid fever	{ M F 1	—	—	—	1	—	—	—	—	—	
B5	Cholera	{ M F	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M 4 F 2	—	2 2	—	—	—	—	—	1	1	
B7	Scarlet fever and streptococcal sore throat	{ M 1 F (1)4	—	—	1	—	—	(1)1	2	—	1	
B8	Diphtheria	{ M F	—	—	—	—	—	—	—	—	—	
B9	Whooping cough	{ M 7 F 5	—	4 3	3 1	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 17 F 16	—	7 5	8 7	1 1	—	1	—	—	1	
B11	Plague	{ M F	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 8 F 6	—	—	—	2	1 1	3 5	—	1	—	
B13	Smallpox	{ M F	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 8 F 6	—	2 2	6 3	—	1	—	—	—	—	
B15	Typhus and other rickettsial diseases	{ M F	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M F	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 74 F 97	2 4	7 8	5 5	6 2	3 4	11 10	27 34	8 12	5 18	
	Malignant neoplasm: (140-205)	{ M 7624 F 6528	—	3 2	18 16	33 18	38 29	347 420	3179 2350	2460 1901	1546 1792	
	stomach (151)	{ M 1316 F 989	—	—	—	—	—	36 21	505 254	468 334	307 380	
B18	trachea, bronchus and lung (162, 163)	{ M 2687 F 444	—	—	—	—	—	3 1	113 37	1497 181	858 130	
	breast (170)	{ M 9 F 1180	—	—	—	—	—	—	4 103	3 539	2 301	
	uterus (171-174)	{ M 610 F	—	—	—	—	1	69	276	138	126	
	Leukæmia and aleukæmia (204)	{ M 163 F 157	—	1 —	9 10	12 8	9 8	23 18	54 48	30 36	25 29	
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M 3449 F 3148	—	2 2	9 6	21 10	26 17	175 172	1119 1052	1101 962	996 927	
B19	Benign and unspecified neoplasms	{ M 107 F 112	1 1	2 3	4 1	2 2	3 6	11 19	51 42	22 26	11 12	
B20	Diabetes mellitus	{ M 150 F 326	—	1	1 1	1 1	1 2	9 5	44 84	40 117	53 116	
B21	Anæmias	{ M 92 F 261	—	—	2	1	—	4 9	14 43	27 69	44 138	
B22	Vascular lesions affecting central nervous system	{ M 4993 F 7168	1 —	2 2	—	4 5	5 6	76 88	1078 1111	1684 2182	2143 3774	
B23	Nonmeningococcal meningitis	{ M 40 F 25	5 6	16 4	3	2 2	1 3	4 2	4 2	3 4	2 2	
B24	Rheumatic fever	{ M 11 F 13	—	—	1	2 1	1 3	2 3	5 3	— 2	— 2	
B25	Chronic rheumatic heart disease	{ M 487 F 989	—	—	—	2 3	10 20	90 168	243 457	96 179	46 162	

TABLE 19—continued

Abbreviated List No.	Causes of Death		North Western Region—continued									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
						1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	7355	—	—	—	—	—	216	3026	2506	1607
	Degenerative heart disease (421, 422)	F	4333	—	—	1	1	31	807	1740	1753	
		M	3900	—	—	—	2	3	25	383	1000	2487
		F	5503	—	—	—	—	1	14	282	1074	4132
B27	Other diseases of heart	M	790	1	—	—	—	1	23	194	280	291
		F	948	—	1	—	—	5	27	150	290	475
B28	Hypertension with heart disease	M	795	—	—	—	—	—	11	202	306	276
		F	1090	—	—	—	—	—	10	162	388	530
B29	Hypertension without mention of heart	M	431	—	—	—	—	2	25	118	140	146
		F	458	—	—	—	—	—	9	83	144	222
B46 (Pt.)	Other circulatory diseases (450-468)	M	1113	—	—	—	1	3	16	145	314	634
		F	1425	—	—	—	—	2	14	123	300	986
B30	Influenza	M	674	1	11	9	16	14	46	285	194	98
		F	599	1	3	6	20	24	60	153	162	170
B31	Pneumonia	M	1827	—	166	32	11	12	70	406	480	650
		F	1889	—	154	36	12	15	50	255	461	906
B32	Bronchitis	M	3455	1	19	8	3	1	49	1253	1282	839
		F	1666	3	18	6	1	1	30	323	522	762
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	477	2	3	3	4	6	31	221	126	81
		F	220	3	7	6	4	2	26	58	53	61
B33	Ulcer of stomach and duodenum	M	543	1	1	—	—	3	39	203	159	137
		F	203	—	—	—	—	—	4	53	61	85
B34	Appendicitis	M	74	—	—	5	7	1	10	21	18	12
		F	56	—	—	3	4	1	4	20	13	11
B35	Intestinal obstruction and hernia	M	203	14	5	3	2	—	6	51	56	66
		F	244	4	5	3	—	—	4	54	77	97
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	142	—	27	8	—	1	13	40	25	28
		F	208	—	19	6	1	3	20	40	41	78
B37	Cirrhosis of liver	M	101	—	—	—	—	2	16	51	21	11
		F	108	—	—	—	—	1	8	56	31	12
B38	Nephritis and nephrosis	M	332	—	1	—	5	20	61	117	65	63
		F	326	—	2	1	2	12	46	102	74	87
B39	Hyperplasia of prostate	M	473	—	—	—	—	—	—	49	134	290
B40	Complications of pregnancy, childbirth & puerperium	F	55	—	—	—	—	11	42	1	1	—
B41	Congenital malformations	M	432	203	122	31	13	9	16	27	7	4
		F	356	147	116	20	10	7	16	29	7	4
B42	Birth injuries, postnatal asphyxia & atelectasis	M	450	447	3	—	—	—	—	—	—	—
		F	254	247	7	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	3	3	—	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	69	69	—	—	—	—	—	—	—	—
		F	48	48	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	395	388	6	1	—	—	—	—	—	—
		F	269	264	5	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	474	1	6	—	—	1	3	1	27	435
		F	887	—	—	—	—	1	1	10	35	840
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1170	8	24	26	25	37	124	367	312	247
		F	1757	9	23	18	14	24	118	457	486	608
BE47	Motor vehicle accidents	M	513	—	1	17	42	92	137	103	53	68
		F	195	—	—	9	17	16	24	45	38	46
BE48	All other accidents	M	882	8	42	34	53	39	145	194	146	221
		F	876	5	19	24	20	12	30	90	163	513
BE49	Suicide and self-inflicted injury	M	512	—	—	—	—	23	108	240	85	56
		F	373	—	—	—	—	6	66	188	84	29
BE50	Homicide and operations of war	M	54	2	5	3	3	2	7	22	8	2
		F	23	3	—	4	5	1	5	1	3	1
BN47	Fractures, head injuries and internal injuries	M	1013	2	6	22	58	103	223	231	143	225
		F	722	1	—	13	19	17	26	65	139	442
BN48	Burns	M	50	—	—	4	3	2	6	9	11	15
		F	77	—	1	7	9	3	1	11	17	28
BN49	Effects of poisons	M	455	—	2	8	3	22	95	187	73	65
		F	464	—	1	8	7	9	67	199	96	77
BN50	All other injuries	M	443	8	40	20	34	29	73	132	63	42
		F	204	7	17	9	7	6	31	49	36	42
"Delayed" maternal deaths (see page 190)			4	—	—	—	—	—	2	1	1	—

TABLE 19—continued

Abbreviated List No.	Causes of Death	South East Lancashire Conurbation										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							75 & over
					1-	5-	15-	25-	45-	65-		
	ALL CAUSES	{ M 15604 F 15266	428 276	168 162	89 61	90 53	116 81	707 544	4859 3034	4543 4168	4604 6887	
B1	Tuberculosis of respiratory system	{ M 194 F 63	—	—	—	—	3 2	27 26	109 23	45 9	10 3	
B2	Tuberculosis, other forms	{ M 13 F 15	—	1 —	1 2	—	— 1	1 6	8 4	1 1	1 1	
B3	Syphilis and its sequelæ	{ M 49 F 30	—	—	—	—	—	2 2	24 11	18 8	5 9	
B4	Typhoid fever	{ M — F —	—	—	—	—	—	—	—	—	—	
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M 2 F 1	—	1 1	—	—	—	—	—	1	—	
B7	Scarlet fever and streptococcal sore throat	{ M — F —	—	—	—	—	—	—	—	—	—	
B8	Diphtheria	{ M — F —	(1)3	—	—	—	—	(1)1	1	—	1	
B9	Whooping cough	{ M 2 F 2	—	1 —	1 1	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 5 F 8	—	2 5	2 2	1 1	—	—	—	—	—	
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 3 F 2	—	—	1 —	—	1 1	1 1	—	—	—	
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 3 F 5	—	1 2	2 2	1 —	—	—	—	—	—	
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M — F —	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 23 F 32	—	2 3	— 1	2 —	1 2	4 2	10 11	3 6	1 6	
B18	Malignant neoplasm : (140-205)	{ M 2871 F 2572	—	— 1	5 6	9 6	12 7	137 163	1219 957	930 742	559 690	
	stomach (151)	{ M 494 F 383	—	—	—	—	—	13 9	184 113	188 109	109 152	
	trachea, bronchus and lung (162, 163)	{ M 1078 F 183	—	—	—	—	2 1	55 13	593 82	342 49	86 38	
	breast (170)	{ M 3 F 486	—	—	—	—	— 1	— 39	2 235	1 124	— 89	
	uterus (171-174)	{ M — F 231	—	—	—	—	— 25	— 98	— 54	— 54	— 54	
	Leukæmia and aleukæmia (204)	{ M 49 F 51	—	—	1 2	3 3	3 1	5 7	15 13	10 11	12 14	
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M 1247 F 1236	—	— 1	4 4	6 3	7 4	64 70	425 416	389 395	352 343	
	Benign and unspecified neoplasms	{ M 36 F 38	—	— 1	2 —	—	2 4	3 6	19 13	6 8	4 4	
	Diabetes mellitus	{ M 54 F 123	—	—	1 —	—	1 1	6 1	15 32	16 51	15 38	
	Anæmias	{ M 34 F 113	—	—	1 —	—	— 1	1 6	4 15	12 25	16 66	
B22	Vascular lesions affecting central nervous system	{ M 1849 F 2697	—	1 1	—	2 2	3 1	28 24	420 394	618 833	777 1442	
B23	Nonmeningococcal meningitis	{ M 16 F 7	—	6 1	1 —	—	1 2	1 —	4 —	1 —	2 1	
B24	Rheumatic fever	{ M 6 F 6	—	—	—	1 —	1 —	1 2	3 4	— 2	— 1	
B25	Chronic rheumatic heart disease	{ M 190 F 409	—	—	—	—	1 6	35 75	90 196	36 69	22 62	

TABLE 19—continued

Abbreviated List No.	Causes of Death		South East Lancashire Conurbation—continued									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{ M	2534	—	—	—	—	—	89	1078	827	540
		{ F	1483	—	—	—	1	—	8	271	602	601
		{ M	1441	—	—	—	—	1	10	135	373	922
		{ F	2086	—	—	—	—	1	8	114	434	1529
B27	Other diseases of heart	{ M	299	1	—	—	—	—	7	71	107	113
		{ F	358	—	—	—	—	2	12	65	97	182
B28	Hypertension with heart disease	{ M	296	—	—	—	—	—	3	80	117	96
		{ F	381	—	—	—	—	—	4	58	148	171
B29	Hypertension without mention of heart	{ M	164	—	—	—	—	1	12	48	53	50
		{ F	167	—	—	—	—	—	4	30	52	81
B46 (Pt.)	Other circulatory diseases (450-468)	{ M	457	—	—	—	—	2	9	51	132	263
		{ F	629	—	—	—	—	1	7	49	138	434
B30	Influenza	{ M	274	—	4	4	7	7	18	124	83	27
		{ F	250	—	2	4	8	8	31	70	66	61
B31	Pneumonia	{ M	654	—	58	11	4	3	25	165	167	221
		{ F	678	—	68	12	4	3	18	87	177	309
B32	Bronchitis	{ M	1484	—	1	4	1	—	25	552	544	357
		{ F	802	—	5	1	1	1	14	151	247	382
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	{ M	143	—	1	—	2	2	12	68	33	25
		{ F	88	—	1	—	2	1	9	20	24	31
B33	Ulcer of stomach and duodenum	{ M	209	1	—	—	—	2	16	75	62	53
		{ F	76	—	—	—	—	1	1	23	25	27
B34	Appendicitis	{ M	24	—	—	1	5	1	3	7	3	4
		{ F	19	—	—	—	1	—	1	10	4	3
B35	Intestinal obstruction and hernia	{ M	84	6	3	2	1	—	2	24	24	22
		{ F	108	1	1	2	—	—	1	31	33	39
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	{ M	59	—	12	1	—	—	8	20	9	9
		{ F	82	—	5	4	—	—	7	15	22	29
B37	Cirrhosis of liver	{ M	48	—	—	—	—	—	7	27	9	5
		{ F	38	—	—	—	—	1	4	17	12	4
B38	Nephritis and nephrosis	{ M	96	—	—	—	1	9	16	31	24	15
		{ F	87	—	2	—	1	3	14	25	22	20
B39	Hyperplasia of prostate	M	172	—	—	—	—	—	—	18	57	97
E40	Complications of pregnancy, childbirth & puerperium	F	20	—	—	—	—	9	11	—	—	—
B41	Congenital malformations	{ M	164	75	41	15	5	3	10	11	3	1
		{ F	132	56	43	7	5	3	6	9	1	2
B42	Birth injuries, postnatal asphyxia & atelectasis	{ M	173	172	1	—	—	—	—	—	—	—
		{ F	95	91	4	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	{ M	1	1	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
		{ M	24	24	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	{ F	25	25	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	{ M	140	137	2	1	—	—	—	—	—	—
		{ F	93	92	1	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	{ M	138	1	1	—	—	—	1	1	6	128
		{ F	292	—	—	—	—	—	—	7	6	279
B46 (Rem.)	All other diseases (Remainder 001-795)	{ M	445	3	9	15	8	11	41	137	117	104
		{ F	617	2	7	6	4	10	32	192	190	174
BE47	Motor vehicle accidents	{ M	175	—	—	5	12	24	52	36	20	26
		{ F	72	—	—	2	4	2	6	17	18	23
BE48	All other accidents	{ M	331	4	18	11	25	14	47	65	57	90
		{ F	306	4	7	7	9	3	6	34	59	177
BE49	Suicide and self-inflicted injury	{ M	202	—	—	—	—	6	44	102	27	23
		{ F	148	—	—	—	—	3	23	79	37	6
BE50	Homicide and operations of war	{ M	21	1	2	1	3	—	3	8	2	1
		{ F	8	1	—	2	1	—	2	1	1	—
BN47	Fractures, head injuries and internal injuries	{ M	375	1	4	7	20	32	80	80	56	95
		{ F	257	1	—	5	5	3	6	23	55	159
BN48	Burns	{ M	13	—	—	—	1	—	1	3	4	4
		{ F	25	—	—	3	2	1	—	3	5	11
BN49	Effects of poisons	{ M	178	—	—	3	2	6	39	78	22	28
		{ F	185	—	—	1	2	4	26	84	43	25
BN50	All other injuries	{ M	163	4	16	7	17	6	26	50	24	13
		{ F	67	4	7	2	5	—	5	21	12	11
	"Delayed" maternal deaths (see page 190)		1	—	—	—	—	—	1	—	—	—

TABLE 19—continued

Abbreviated List No.	Causes of Death	Merseyside Conurbation									
		Age									75 & over
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	
	ALL CAUSES	8309 7719	275 207	128 104	49 45	47 32	72 56	393 358	2613 1493	2353 1921	2379 3503
B1	Tuberculosis of respiratory system	M 162 F 50	—	—	—	—	—	26 33	76 13	45 2	15 1
B2	Tuberculosis, other forms	M 6 F 9	—	—	2 2	1 —	—	2 3	— 1	1 1	— 2
B3	Syphilis and its sequelæ	M 21 F 10	—	—	—	—	—	2 —	6 4	9 3	4 3
B4	Typhoid fever	M — F —	—	—	—	—	—	—	—	—	—
B5	Cholera	M — F —	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M — F —	—	1 1	—	—	—	—	—	—	—
B7	Scarlet fever and streptococcal sore throat	M — F —	—	—	—	—	—	—	—	—	—
B8	Diphtheria	M — F —	—	—	—	—	—	—	—	—	—
B9	Whooping cough	M 2 F 2	—	1 2	1 —	—	—	—	—	—	—
B10	Meningococcal infections	M — F 3	—	—	1 2	—	—	—	—	—	—
B11	Plague	M — F —	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M 2 F 1	—	—	1 —	—	—	— 1	—	1 —	—
B13	Smallpox	M — F —	—	—	—	—	—	—	—	—	—
B14	Measles	M — F 2	—	1 —	1 —	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	M — F —	—	—	—	—	—	—	—	—	—
B16	Malaria	M — F —	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M 14 F 18	1 1	1 1	2 1	—	1 1	1 3	7 7	— 1	1 3
B18	Malignant neoplasm : (140-205)	M 1602 F 1301	—	1 —	2 4	4 5	8 9	81 106	704 465	496 366	306 346
	stomach (151)	M 247 F 185	—	—	—	—	—	11 7	106 46	74 68	56 64
	trachea, bronchus and lung (162, 163)	M 632 F 109	—	—	—	—	—	25 13	361 40	192 30	54 26
	breast (170)	M 2 F 224	—	—	—	—	—	— 1	— 1	— 1	— —
	uterus (171-174)	M — F 108	—	—	—	—	1 —	26 14	100 50	58 22	39 22
	Leukæmia and aleukæmia (204)	M 29 F 35	—	—	1 4	2 1	2 2	4 6	10 7	8 6	2 9
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M 692 F 640	—	1 —	1 4	2 6	6 6	41 40	226 222	221 182	194 186
	Benign and unspecified neoplasms	M 20 F 25	—	1 1	1 —	1 1	—	2 3	8 11	4 6	3 3
	Diabetes mellitus	M 22 F 59	—	—	1 —	—	— 1	— —	8 7	4 23	10 27
	Anæmias	M 12 F 38	—	—	—	—	—	1 2	6 9	3 9	— 17
B22	Vascular lesions affecting central nervous system	M 872 F 1241	—	—	—	2 1	1 1	17 17	191 206	280 368	381 648
B23	Nonmeningococcal meningitis	M 12 F 9	—	6 1	2 1	1 —	—	—	— 2	— 1	— 1
B24	Rheumatic fever	M 3 F 4	—	—	—	1 —	1 —	—	1 —	—	—
B25	Chronic rheumatic heart disease	M 113 F 202	—	—	—	—	3 11	23 41	59 97	20 32	8 19

TABLE 19—continued

Abbreviated List No.	Causes of Death	Merseyside Conurbation—continued									
		Years									
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age						
					1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	1466	—	—	—	—	39	626	491	310
		F	983	—	—	—	—	11	174	371	427
		M	654	—	—	—	2	6	72	161	413
		F	732	—	—	—	—	3	36	103	590
B27	Other diseases of heart	M	179	—	—	—	—	3	56	55	65
		F	188	—	1	—	—	—	—	62	97
B28	Hypertension with heart disease	M	172	—	—	—	—	3	34	58	77
		F	255	—	—	—	—	1	27	73	154
B29	Hypertension without mention of heart	M	80	—	—	—	1	4	23	25	27
		F	102	—	—	—	—	5	13	27	57
B46 (Pt.)	Other circulatory diseases (450-468)	M	171	—	—	—	—	3	26	53	89
		F	174	—	—	—	—	1	21	34	118
B30	Influenza	M	131	—	3	1	3	2	8	61	17
		F	98	—	1	—	4	5	13	22	30
B31	Pneumonia	M	515	—	52	4	3	16	98	124	218
		F	540	—	37	9	1	7	57	121	307
B32	Bronchitis	M	715	1	11	1	—	10	287	240	165
		F	309	1	8	1	—	8	71	87	133
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	93	1	—	2	1	1	6	29	34
		F	51	1	4	1	—	5	13	10	16
B33	Ulcer of stomach and duodenum	M	107	—	1	—	—	1	9	37	22
		F	41	—	—	—	—	2	7	12	20
B34	Appendicitis	M	12	—	—	—	2	—	1	2	6
		F	16	—	—	2	2	1	2	4	1
B35	Intestinal obstruction and hernia	M	42	4	1	—	—	1	11	9	16
		F	47	2	1	—	—	—	8	15	21
B36	Gastritis, enteritis and diarrhoea except	M	22	—	6	2	—	1	5	4	4
	diarrhoea of newborn	F	38	—	4	1	—	2	4	6	3
B37	Cirrhosis of liver	M	14	—	—	—	—	1	4	4	1
		F	19	—	—	—	—	1	11	4	3
B38	Nephritis and nephrosis	M	58	—	—	—	1	5	15	15	11
		F	76	—	—	—	1	6	14	25	11
B39	Hyperplasia of prostate	M	82	—	—	—	—	—	7	20	55
B40	Complications of pregnancy, childbirth & puerperium	F	11	—	—	—	—	10	1	—	—
B41	Congenital malformations	M	91	48	24	7	2	—	1	7	2
		F	83	42	25	2	—	2	5	5	1
B42	Birth injuries, postnatal asphyxia & atelectasis	M	125	124	1	—	—	—	—	—	—
		F	82	80	2	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	1	1	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—
		M	20	20	—	—	—	—	—	—	—
		F	6	6	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	71	70	1	—	—	—	—	—	—
		F	64	63	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	50	—	2	—	—	1	—	3	44
		F	117	—	—	—	—	—	—	2	114
B46 (Rem.)	All other diseases (Remainder 001-795)	M	202	2	3	4	5	22	53	64	44
		F	430	3	8	6	5	4	24	87	107
BE47	Motor vehicle accidents	M	112	—	1	7	13	22	19	13	11
		F	47	—	—	4	4	8	13	5	9
BE48	All other accidents	M	175	1	10	8	10	35	40	27	34
		F	170	—	5	9	4	2	9	17	25
BE49	Suicide and self-inflicted injury	M	76	—	—	—	—	4	23	32	13
		F	63	—	—	—	—	12	30	12	9
BE50	Homicide and operations of war	M	6	1	—	—	—	1	1	3	—
		F	2	2	—	—	—	—	—	—	—
BN47	Fractures, head injuries and internal injuries	M	211	1	1	8	15	22	51	44	36
		F	145	—	—	3	4	2	10	17	20
BN48	Burns	M	13	—	—	3	1	—	2	2	3
		F	13	—	—	3	2	—	—	1	5
BN49	Effects of poisons	M	74	—	—	1	1	5	21	29	10
		F	87	—	1	3	1	1	15	35	16
BN50	All other injuries	M	71	1	10	3	6	10	11	19	8
		F	37	2	4	4	1	3	4	7	3
"Delayed" maternal deaths (see page 190)			2	—	—	—	—	—	1	1	—

TABLE 19—continued

Abbreviated List No.	Causes of Death	North Midland Region										
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
						1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M F	19765 17609	545 404	210 170	100 92	145 92	228 125	893 669	5256 3271	5407 4501	6981 8285
B1	Tuberculosis of respiratory system	{ M F	185 69	— —	— —	— —	— —	— 1	32 35	85 20	56 10	12 3
B2	Tuberculosis, other forms	{ M F	19 17	— —	1 —	2 —	2 —	2 —	4 4	6 5	4 1	— —
B3	Syphilis and its sequelæ	{ M F	68 23	— —	— —	— —	— —	— —	4 —	24 9	28 7	12 7
B4	Typhoid fever	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B8	Diphtheria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B9	Whooping cough	{ M F	1 5	1 1	— 2	— 2	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	8 3	— —	2 1	3 1	1 —	— —	— —	— 1	2 —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	11 7	— —	1 1	— —	2 —	— —	9 4	1 —	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	3 5	— —	2 1	1 2	— —	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	37 29	2 —	2 —	3 —	1 3	2 3	3 4	10 4	9 5	7 8
B18	Malignant neoplasm : (140-205)	{ M F	3561 3102	— —	— 3	8 8	12 13	13 16	159 209	1386 1152	1094 884	889 817
	stomach (151)	{ M F	549 411	— —	— —	— —	— —	— —	20 11	208 85	172 128	149 187
	trachea, bronchus and lung (162, 163)	{ M F	1055 169	— —	— —	— —	— —	— 2	41 11	604 84	310 48	100 24
	breast (170)	{ M F	6 628	— —	— —	— —	— —	— —	1 56	3 294	1 162	1 116
	uterus (171-174)	{ M F	305	—	—	—	—	2	37	121	102	43
	Leukæmia and aleukæmia (204)	{ M F	96 67	— —	— 2	5 5	2 4	5 1	11 12	35 20	21 13	17 10
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M F	1855 1522	— —	— 1	3 3	10 9	8 11	86 82	536 548	590 431	622 437
	Benign and unspecified neoplasms	{ M F	57 79	1 —	— —	4 1	2 4	1 2	11 14	17 33	11 15	10 10
	Diabetes mellitus	{ M F	85 154	— —	— —	— —	2 —	2 3	5 2	19 30	29 57	28 62
	Anæmias	{ M F	57 78	— —	1 —	— —	— —	— 1	— 4	15 13	18 18	24 41
B22	Vascular lesions affecting central nervous system	{ M F	2397 3173	— —	— 1	— 1	3 1	2 6	47 36	440 483	732 921	1173 1724
B23	Nonmeningococcal meningitis	{ M F	16 10	2 —	3 2	1 2	1 —	— 1	— —	5 2	2 —	2 1
B24	Rheumatic fever	{ M F	8 4	— —	— —	— 1	— 2	— —	3 —	4 1	— —	— —
B25	Chronic rheumatic heart disease	{ M F	204 360	— —	— —	— —	— —	1 5	47 59	87 158	39 79	30 59

TABLE 19—continued

Abbreviated List No.	Causes of Death	North Midland Region—continued										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr	Years							
				1—	5—	15—	25—	45—	65—	75 & over		
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	{M	3278	—	—	—	—	90	1163	1107	918	
		{F	1833	—	—	—	—	18	311	717	787	
		{M	1988	—	—	—	1	11	163	463	1350	
		{F	2496	—	—	—	—	6	117	453	1920	
B27	Other diseases of heart	{M	387	—	—	1	1	5	14	92	162	
		{F	380	—	—	—	—	1	5	58	220	
B28	Hypertension with heart disease	{M	411	—	—	—	—	2	88	147	174	
		{F	486	—	—	—	—	3	61	174	248	
B29	Hypertension without mention of heart	{M	286	—	—	—	—	14	79	94	99	
		{F	292	—	—	—	—	5	56	71	160	
B46 (Pt.)	Other circulatory diseases (450–468)	{M	614	—	—	—	2	8	75	161	370	
		{F	646	—	—	—	—	15	52	118	459	
B30	Influenza	{M	279	—	5	4	8	13	20	87	69	
		{F	248	—	3	5	10	11	28	47	73	
B31	Pneumonia	{M	802	—	69	9	12	6	26	161	308	
		{F	685	—	44	9	7	9	26	80	357	
B32	Bronchitis	{M	1318	4	19	6	2	—	21	425	453	
		{F	511	2	12	4	3	3	7	72	154	
B46 (Pt.)	Other diseases of respiratory system (470–475, 510–527)	{M	237	1	5	2	4	—	22	81	68	
		{F	114	2	6	1	4	3	12	28	17	
B33	Ulcer of stomach and duodenum	{M	231	—	—	—	—	2	16	72	63	
		{F	109	—	—	—	—	6	15	31	57	
B34	Appendicitis	{M	35	—	—	2	2	2	1	11	9	
		{F	18	—	—	—	1	1	2	3	6	
B35	Intestinal obstruction and hernia	{M	125	3	4	—	1	1	3	29	33	
		{F	86	3	3	—	—	—	1	12	30	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	{M	74	—	16	1	2	—	9	17	14	
		{F	66	—	6	2	1	1	4	16	13	
B37	Cirrhosis of liver	{M	44	—	1	—	—	—	7	23	10	
		{F	46	—	1	—	—	—	4	24	13	
B38	Nephritis and nephrosis	{M	201	—	—	1	7	9	36	73	34	
		{F	133	—	—	2	2	8	12	36	40	
B39	Hyperplasia of prostate	M	269	—	—	—	—	—	—	20	63	
B40	Complications of pregnancy, childbirth & puerperium	F	24	—	—	—	—	5	17	2	—	
B41	Congenital malformations	{M	200	93	49	18	10	2	11	12	3	
		{F	198	79	52	18	9	2	10	24	3	
B42	Birth injuries, postnatal asphyxia & atelectasis	{M	245	244	—	1	—	—	—	—	—	
		{F	147	143	4	—	—	—	—	—	—	
B43	Diarrhoea of newborn (764)	{M	3	3	—	—	—	—	—	—	—	
		{F	—	—	—	—	—	—	—	—	—	
	Other infections of newborn (763, 765–768)	{M	40	40	—	—	—	—	—	—	—	
		{F	26	26	—	—	—	—	—	—	—	
B44	Other dis. of early infancy & immaturity unqualified	{M	148	145	3	—	—	—	—	—	—	
		{F	143	141	1	1	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	{M	222	1	1	—	—	—	—	8	212	
		{F	379	1	—	1	—	—	4	15	358	
B46 (Rem.)	All other diseases (Remainder 001–795)	{M	572	2	12	9	15	21	46	191	137	
		{F	771	2	8	7	10	19	58	192	217	
BE47	Motor vehicle accidents	{M	324	—	—	9	26	84	77	73	31	
		{F	91	—	—	9	6	10	10	20	17	
BE48	All other accidents	{M	482	2	17	15	27	48	91	119	45	
		{F	398	4	15	15	9	6	19	45	67	
BE49	Suicide and self-inflicted injury	{M	217	—	—	—	—	9	38	101	46	
		{F	156	—	—	—	—	3	27	82	29	
BE50	Homicide and operations of war	{M	16	1	1	2	2	2	5	2	1	
		{F	9	—	—	—	1	1	3	3	—	
BN47	Fractures, head injuries and internal injuries	{M	597	1	—	11	32	104	127	148	68	
		{F	357	1	2	13	7	9	14	33	66	
BN48	Burns	{M	22	—	1	3	—	3	7	3	1	
		{F	32	—	—	4	4	2	4	6	4	
BN49	Effects of poisons	{M	158	—	1	1	1	9	25	64	29	
		{F	145	—	—	—	—	5	25	69	30	
BN50	All other injuries	{M	262	2	16	11	22	27	52	80	25	
		{F	120	3	13	7	5	4	16	42	14	

"Delayed" maternal deaths
(see page 190)

TABLE 19—continued

Abbreviated List No.	Causes of Death	Midland Region										
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
						1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M	25803	764	305	127	139	318	1356	7605	7093	8096
		{ F	22563	579	228	108	121	148	884	4340	5571	10584
B1	Tuberculosis of respiratory system	{ M	374	1	—	—	—	4	43	204	95	27
		{ F	92	—	—	—	—	3	36	31	15	7
B2	Tuberculosis, other forms	{ M	29	—	2	5	—	3	8	9	1	1
		{ F	26	—	—	3	—	4	10	2	4	3
B3	Syphilis and its sequelæ	{ M	62	—	—	—	—	—	6	28	21	7
		{ F	38	—	—	—	—	—	2	10	12	14
B4	Typhoid fever	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M	1	—	—	—	—	—	—	1	—	—
		{ F	2	—	—	—	1	—	—	—	—	1
B7	Scarlet fever and streptococcal sore throat	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	2	—	1	—	1	—	—	—	—	—
B8	Diphtheria	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	1	—	—	—	—	—	1	—	—	—
B9	Whooping cough	{ M	3	—	3	—	—	—	—	—	—	—
		{ F	11	—	10	1	—	—	—	—	—	—
B10	Meningococcal infections	{ M	11	—	5	4	—	—	—	1	1	—
		{ F	12	2	5	2	—	—	—	2	1	—
B11	Plague	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M	24	—	1	—	5	6	10	2	—	—
		{ F	6	—	—	—	1	2	2	—	—	1
B13	Smallpox	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B14	Measles	{ M	4	—	1	3	—	—	—	—	—	—
		{ F	5	—	3	2	—	—	—	—	—	—
B15	Typhus and other rickettsial diseases	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	{ M	—	—	—	—	—	—	—	—	—	—
		{ F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	{ M	50	1	2	4	3	3	8	17	4	8
		{ F	49	—	2	4	2	—	13	18	5	5
	Malignant neoplasm : (140-205)	{ M	4802	—	5	13	28	32	276	1997	1448	1003
		{ F	4062	1	4	7	15	17	276	1437	1149	1156
	stomach (151)	{ M	782	—	—	—	—	—	34	309	258	181
		{ F	595	—	—	—	—	—	21	153	198	223
	trachea, bronchus and lung (162, 163)	{ M	1553	—	—	1	1	—	86	901	443	121
		{ F	213	—	—	—	—	—	14	90	75	34
B18	breast (170)	{ M	5	—	—	—	—	—	—	2	2	1
		{ F	846	—	—	—	—	1	77	369	189	210
	uterus (171-174)	{ M	359	—	—	—	—	—	33	178	82	66
	Leukæmia and aleukæmia (204)	{ M	137	—	2	6	15	8	21	44	24	17
		{ F	91	—	2	2	7	3	18	28	20	11
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{ M	2325	—	3	6	12	24	135	741	721	683
		{ F	1958	1	2	5	8	13	113	619	585	612
B19	Benign and unspecified neoplasms	{ M	71	—	2	1	1	2	13	34	7	11
		{ F	72	1	—	1	1	3	10	36	9	11
B20	Diabetes mellitus	{ M	99	—	—	—	—	2	7	21	32	37
		{ F	232	—	—	—	1	2	6	54	83	86
B21	Anæmias	{ M	55	—	1	—	—	1	—	10	15	28
		{ F	114	—	1	—	2	2	5	14	28	62
B22	Vascular lesions affecting central nervous system	{ M	2980	—	1	1	1	7	65	636	958	1311
		{ F	3721	—	—	—	3	3	46	608	1057	2004
B23	Nonmeningococcal meningitis	{ M	31	2	10	2	2	—	4	5	5	1
		{ F	15	4	2	4	1	1	—	2	1	—
B24	Rheumatic fever	{ M	16	—	—	—	2	1	5	6	2	—
		{ F	12	—	—	—	2	—	5	3	1	—
B25	Chronic Rheumatic heart disease	{ M	326	—	—	—	1	8	88	139	61	29
		{ F	526	—	—	—	1	6	95	223	121	80

TABLE 19—continued

Abbreviated List No.	Causes of Death		Midland Region—continued									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age						
						Years						
						1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	3997	—	—	—	—	3	136	1588	1289	981
		F	2256	—	—	—	—	15	422	821	998	
		M	2337	—	—	1	—	2	14	187	584	1549
		F	3158	—	—	1	1	2	5	129	561	2459
B27	Other diseases of heart	M	444	—	—	—	—	2	20	110	128	18
		F	492	—	—	1	1	4	9	73	120	284
B28	Hypertension with heart disease	M	588	—	—	—	—	1	8	143	220	216
		F	691	—	—	—	—	3	107	225	356	
B29	Hypertension without mention of heart	M	329	—	—	—	—	16	95	95	123	
		F	308	—	—	—	1	4	50	81	172	
B46 (Pt.)	Other circulatory diseases (450-468)	M	542	—	1	—	—	11	108	147	275	
		F	623	—	—	—	—	9	84	121	408	
B30	Influenza	M	459	—	7	2	9	19	46	169	135	72
		F	346	—	7	2	21	18	25	82	90	101
B31	Pneumonia	M	1071	—	74	16	6	12	43	266	272	382
		F	960	—	56	14	12	11	33	145	206	483
B32	Bronchitis	M	2020	1	16	1	—	3	32	629	697	641
		F	802	2	9	4	2	1	13	131	228	412
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	387	1	1	4	1	3	26	166	111	74
		F	153	—	—	4	—	3	14	33	27	72
B33	Ulcer of stomach and duodenum	M	393	—	—	—	—	1	14	157	126	95
		F	140	—	—	1	—	1	4	35	42	57
B34	Appendicitis	M	47	—	—	1	—	—	9	16	13	8
		F	29	—	—	2	1	1	4	8	7	6
B35	Intestinal obstruction and hernia	M	148	10	5	5	—	1	4	31	41	51
		F	146	4	4	3	—	—	4	37	40	54
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	86	—	15	6	—	—	7	25	14	19
		F	113	—	10	4	—	2	7	21	30	39
B37	Cirrhosis of liver	M	83	—	2	—	—	—	9	48	16	8
		F	37	—	1	—	—	1	—	23	6	6
B38	Nephritis and nephrosis	M	247	—	3	1	5	18	53	91	38	38
		F	196	—	1	—	4	6	30	68	50	37
B39	Hyperplasia of prostate	M	340	—	—	—	—	—	1	23	94	222
B40	Complications of pregnancy, childbirth & puerperium	F	38	—	—	—	—	6	31	—	1	—
B41	Congenital malformations	M	293	113	99	12	12	10	13	30	2	2
		F	265	119	76	14	10	5	16	17	8	—
B42	Birth injuries, postnatal asphyxia & atelectasis	M	350	344	6	—	—	—	—	—	—	—
		F	229	229	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	1	1	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
		M	71	70	1	—	—	—	—	—	—	—
		F	45	44	1	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	207	207	—	—	—	—	—	—	—	
		F	157	156	1	—	—	—	—	—	—	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	324	1	—	—	—	—	—	—	22	301
		F	548	1	—	1	—	—	—	1	19	526
B46 (Rem.)	All other diseases (Remainder 001-795)	M	739	5	19	14	16	22	62	218	205	178
		F	932	4	15	11	9	15	82	242	264	290
BE47	Motor vehicle accidents	M	422	—	—	8	18	103	126	79	49	39
		F	135	—	1	8	12	16	18	32	24	24
BE48	All other accidents	M	544	7	20	20	29	41	84	139	70	134
		F	556	9	16	12	13	4	19	59	72	352
BE49	Suicide and self-inflicted injury	M	365	—	—	—	—	5	85	162	74	39
		F	190	—	—	—	—	7	27	98	42	16
BE50	Homicide and operations of war	M	31	—	3	3	—	3	4	15	1	2
		F	18	1	2	2	3	1	5	3	—	1
BN47	Fractures, head injuries and internal injuries	M	734	1	1	11	22	118	168	177	98	138
		F	503	—	2	10	16	16	19	53	75	312
BN48	Burns	M	22	—	—	2	1	—	1	5	3	10
		F	38	—	—	6	3	—	4	6	5	14
BN49	Effects of poisons	M	295	—	2	5	—	7	67	115	59	39
		F	207	—	3	3	1	7	24	91	37	41
BN50	All other injuries	M	311	6	20	13	23	27	63	98	34	27
		F	151	10	14	3	8	5	22	42	21	26

"Delayed" maternal deaths
(see page 190)

TABLE 19—continued

Abbreviated List No.	Causes of Death	West Midlands Conurbation										
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
					1-	5-	15-	25-	45-	65-	75 & over	
	ALL CAUSES	{M F	12828 11208	365 289	161 115	52 45	66 65	154 66	718 453	3992 2218	3550 2827	3770 5130
B1	Tuberculosis of respiratory system	{M F	220 41	— —	— —	— —	— —	2 2	24 18	123 18	58 2	13 1
B2	Tuberculosis, other forms	{M F	17 17	— —	2 —	4 3	— —	3 4	6 6	1 1	1 3	— —
B3	Syphilis and its sequelæ	{M F	30 23	— —	— —	— —	— —	— —	2 2	13 6	12 8	3 7
B4	Typhoid fever	{M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B5	Cholera	{M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{M F	1 2	— —	— —	— —	1 —	— —	— —	1 —	— —	— 1
B7	Scarlet fever and streptococcal sore throat	{M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B8	Diphtheria	{M F	— 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —
B9	Whooping cough	{M F	3 6	— —	3 6	— —	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{M F	7 7	— 1	5 1	2 2	— —	— —	— —	2 —	1 —	— —
B11	Plague	{M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{M F	3 —	— —	1 —	— —	— —	2 —	— —	— —	— —	— —
B13	Smallpox	{M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{M F	3 3	— —	1 3	2 —	— —	— —	— —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{M F	28 27	1 —	1 2	3 —	2 1	— —	5 10	10 9	3 3	3 2
B18	Malignant neoplasm: (140-205) stomach (151)	{M F	2495 2107	— 1	1 2	4 2	17 10	23 5	157 150	1087 766	752 595	454 576
		{M F	393 330	— —	— —	— —	— —	— —	18 12	166 89	133 113	76 116
		{M F	869 130	— —	— —	1 —	1 —	— —	54 9	504 59	246 46	63 16
		{M F	3 442	— —	— —	— —	— —	— —	— 37	1 203	2 92	— 110
	trachea, bronchus and lung (162, 163) breast (170)	{M F	186 —	— —	— —	— —	— —	— —	21 88	88 45	45 —	32 —
		{M F	78 48	— —	— 1	2 1	10 5	5 7	15 7	25 18	11 10	10 6
	Other malign. and lymphatic neoplasms (Rem. of 140-205)	{M F	1152 971	— 1	1 1	1 1	6 5	18 5	70 64	391 309	360 289	305 296
		{M F	42 36	— 1	1 —	1 —	— 1	2 1	6 5	20 21	5 5	7 2
B19	Benign and unspecified neoplasms	{M F	53 107	— —	— —	— —	— —	— —	7 3	12 20	16 39	18 45
B20	Diabetes mellitus	{M F	27 65	— —	1 —	— —	— —	— —	— —	6 7	7 17	13 37
B21	Anæmias	{M F	1441 1832	— —	1 —	— —	— —	6 2	29 17	324 305	467 528	614 978
B22	Vascular lesions affecting central nervous system	{M F	19 7	1 1	9 1	1 3	2 1	2 1	3 —	4 —	— —	1 —
B23	Nonmeningococcal meningitis	{M F	7 4	— —	— —	— —	2 —	1 —	3 1	1 1	— —	— —
B24	Rheumatic fever	{M F	152 265	— —	— —	— —	— 1	5 6	43 45	64 115	30 63	10 35
B25	Chronic rheumatic heart disease	{M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

TABLE 19—continued

Abbreviated List No.	Causes of Death	West Midlands Conurbation—continued										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							
1—	5—				15—	25—	45—	65—	75 & over			
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	1899	—	—	—	—	70	793	606	430	
		F	1053	—	—	—	—	7	197	400	449	
		M	1009	—	—	—	1	11	95	244	658	
		F	1471	—	—	—	1	3	63	267	1137	
B27	Other diseases of heart	M	217	—	—	—	1	7	54	74	81	
B28	Hypertension with heart disease	F	242	—	—	1	1	5	39	63	132	
		M	294	—	—	—	1	4	83	103	103	
		F	366	—	—	—	—	2	58	114	192	
		M	189	—	—	—	—	9	46	58	76	
B29	Hypertension without mention of heart	F	135	—	—	—	—	1	23	33	78	
B46 (Pt.)	Other circulatory diseases (450-468)	M	228	—	—	—	—	5	48	63	112	
		F	277	—	—	—	—	6	38	56	177	
B30	Influenza	M	232	—	3	1	5	8	27	86	64	
B31	Pneumonia	F	169	—	4	—	9	7	16	40	46	47
		M	543	—	32	6	1	2	30	144	143	185
		F	474	—	29	3	5	5	15	70	102	245
		M	1204	—	10	—	—	2	19	401	402	370
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	462	1	4	2	2	—	5	78	137	233
		M	169	—	—	—	—	1	12	79	48	29
		F	88	—	—	2	—	2	9	17	14	44
		M	198	—	—	—	—	—	8	77	65	48
B34	Appendicitis	F	86	—	—	—	—	—	2	20	27	37
		M	27	—	—	—	—	—	5	11	6	5
		F	17	—	—	2	1	—	3	5	3	3
		M	65	4	1	2	—	1	1	11	22	23
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	77	1	2	1	—	—	2	16	22	33
		M	40	—	6	2	—	—	4	14	8	6
	Cirrhosis of liver	F	58	—	6	1	—	1	3	10	17	20
		M	48	—	—	—	—	—	3	29	9	7
B38	Nephritis and nephrosis	F	19	—	—	—	—	—	—	14	2	3
		M	123	—	3	1	3	13	34	42	15	12
		F	97	—	1	—	1	4	16	37	23	15
		M	177	—	—	—	—	—	1	15	57	104
B40	Complications of pregnancy, childbirth & puerperium	F	21	—	—	—	—	3	18	—	—	—
B41	Congenital malformations	M	150	59	50	4	6	6	5	17	2	1
		F	130	60	37	5	7	3	6	9	3	—
		M	175	170	5	—	—	—	—	—	—	—
B42	Birth injuries, postnatal asphyxia & atelectasis	F	122	122	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—
		M	37	36	1	—	—	—	—	—	—	—
		F	13	13	—	—	—	—	—	—	—	—
		M	84	84	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	F	81	80	1	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	151	1	—	—	—	—	—	—	12	138
		F	255	1	—	1	—	—	—	—	11	242
		M	367	4	11	7	6	11	30	110	102	86
B46 (Rem.)	All other diseases (Remainder 001-795)	F	479	1	8	6	4	5	36	119	146	154
BE47	Motor vehicle accidents	M	200	—	—	4	9	37	66	32	25	27
BE48	All other accidents	F	71	—	—	2	8	6	9	17	13	16
		M	256	5	12	8	15	21	35	52	33	75
		F	282	4	7	7	6	2	10	28	41	177
		M	182	—	—	—	—	2	45	79	37	19
BE50	Suicide and self-inflicted injury	F	98	—	—	—	—	3	16	47	22	10
		M	16	—	1	—	—	3	2	8	1	1
	Homicide and operations of war	F	14	1	1	2	2	1	4	2	—	—
		M	349	—	—	5	12	49	87	66	47	83
BN47	Fractures, head injuries and internal injuries	F	255	—	—	4	9	6	8	29	38	161
BN48	Burns	M	12	—	—	1	1	—	1	2	1	6
		F	18	—	—	1	2	—	3	2	4	6
BN49	Effects of poisons	M	161	—	—	2	—	5	33	66	33	22
BN50	All other injuries	F	122	—	2	3	1	3	17	44	25	27
		M	132	5	13	4	11	9	27	37	15	11
		F	70	5	6	3	4	3	11	19	9	10

TABLE 19—continued

Abbreviated List No.	Causes of Death	Eastern Region										
			Age								75 & over	
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—		65—
	ALL CAUSES	{ M 18976 F 17904	460 348	179 145	137 82	124 80	243 86	711 565	4561 2998	5256 4212	7305 9388	
B1	Tuberculosis of respiratory system	{ M 135 F 67	1	—	—	—	1	20	65	33	16	
B2	Tuberculosis, other forms	{ M 17 F 20	—	1	—	1	—	5	15	14	7	
B3	Syphilis and its sequelæ	{ M 69 F 24	—	—	—	1	—	2	19	28	19	
B4	Typhoid fever	{ M — F —	—	—	—	—	—	1	5	8	10	
B5	Cholera	{ M — F —	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M — F 2	—	—	—	—	—	—	—	—	1	
B7	Scarlet fever and streptococcal sore throat	{ M (1)2 F —	—	—	—	—	—	1	(1)1	—	—	
B8	Diphtheria	{ M — F —	—	—	—	1	—	—	—	—	—	
B9	Whooping cough	{ M 3 F 6	—	3	—	—	—	—	—	—	—	
B10	Meningococcal infections	{ M 4 F 1	—	—	4	—	—	—	—	—	—	
B11	Plague	{ M — F —	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M 19 F 13	—	—	—	1	3	14	1	—	—	
B13	Smallpox	{ M — F —	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M 4 F 1	—	—	—	2	1	—	1	—	—	
B15	Typhus and other rickettsial diseases	{ M — F —	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M — F 1	—	—	—	—	—	1	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M 42 F 35	1	2	4	3	7	14	6	5	7	
B18	Malignant neoplasm : (140-205)	{ M 3574 F 3291	—	5	18	17	22	117	1276	1152	972	
	stomach (151)	{ M 527 F 385	—	—	10	16	9	197	1156	863	1035	
	trachea, bronchus and lung (162, 163)	{ M 1116 F 167	—	—	—	—	1	23	611	370	111	
	breast (170)	{ M 5 F 660	—	—	—	—	—	51	316	139	154	
	uterus (171-174)	{ M 272 F —	—	—	—	—	—	28	95	80	69	
	Leukæmia and aleukæmia (204)	{ M 88 F 86	—	2	10	7	7	9	26	14	15	
	Other malign. & lymphatic neoplasms (Rem. of 140-205)	{ M 1838 F 1721	—	3	8	10	14	73	474	580	679	
B19	Benign and unspecified neoplasms	{ M 49 F 92	—	2	1	3	3	6	20	6	8	
B20	Diabetes mellitus	{ M 79 F 183	—	—	—	—	3	3	17	28	28	
B21	Anæmias	{ M 36 F 57	—	—	—	—	—	3	4	11	18	
B22	Vascular lesions affecting central nervous system	{ M 2279 F 3178	—	1	—	—	1	34	382	678	1183	
B23	Nonmeningococcal meningitis	{ M 21 F 6	2	8	2	1	1	4	412	848	1886	
B24	Rheumatic fever	{ M 8 F 7	—	—	—	1	2	4	—	—	1	
B25	Chronic rheumatic heart disease	{ M 180 F 292	—	—	—	—	—	3	29	85	21	
								4	48	103	70	

TABLE 19—continued

Abbreviated List No.	Causes of Death		Eastern Region—continued									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	3407	—	—	—	—	1	76	1110	1165	1055
		F	2120	—	—	—	—	—	10	286	742	1082
		M	1892	—	—	—	—	—	8	121	393	1370
		F	2485	—	—	—	—	—	6	78	368	2033
B27	Other diseases of heart	M	398	—	—	—	1	2	12	72	133	178
		F	405	—	1	—	2	2	2	45	102	251
B28	Hypertension with heart disease	M	345	—	—	—	—	—	4	62	116	163
		F	455	—	—	—	—	1	3	51	127	273
B29	Hypertension without mention of heart	M	231	—	—	—	—	—	5	55	72	99
		F	275	—	—	—	—	—	3	37	85	150
B46 (Pt.)	Other circulatory diseases (450-468)	M	509	—	—	—	—	1	7	64	124	313
		F	628	—	1	—	—	1	6	60	129	431
B30	Influenza	M	233	1	1	2	6	12	9	65	65	72
		F	201	1	1	1	11	3	10	58	57	59
B31	Pneumonia	M	912	—	47	17	5	3	15	155	246	424
		F	842	—	35	13	3	4	22	80	154	531
B32	Bronchitis	M	997	—	8	5	2	—	12	263	348	359
		F	398	—	4	—	2	—	1	48	96	245
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	184	—	3	2	6	4	9	63	60	37
		F	87	—	2	2	2	—	2	23	20	36
B33	Ulcer of stomach and duodenum	M	237	—	—	—	—	—	8	75	71	83
		F	113	—	—	—	—	1	4	16	33	59
B34	Appendicitis	M	41	—	—	1	2	4	3	12	10	9
		F	18	—	—	—	—	1	3	5	4	5
B35	Intestinal obstruction and hernia	M	114	3	3	2	—	—	1	23	38	44
		F	93	3	—	1	—	—	—	19	28	42
B36	Gastritis, enteritis and diarrhea except	M	64	—	8	5	2	1	4	15	15	14
	diarrhea of newborn	M	98	—	5	9	—	3	5	17	18	41
B37	Cirrhosis of liver	M	33	—	—	1	—	—	5	16	6	5
		F	46	—	—	1	—	1	5	12	13	14
B38	Nephritis and nephrosis	M	156	—	1	—	4	7	21	53	30	40
		F	124	—	2	1	2	7	7	42	31	32
B39	Hyperplasia of prostate	M	294	—	—	—	—	—	—	12	81	201
B40	Complications of pregnancy, childbirth & puerperium	F	26	—	—	—	—	2	23	1	—	—
B41	Congenital malformations	M	194	68	55	25	10	7	11	8	7	3
		F	160	56	49	10	7	6	4	19	3	6
B42	Birth injuries, postnatal asphyxia & atelectasis	M	177	176	1	—	—	—	—	—	—	—
		F	122	120	2	—	—	—	—	—	—	—
B43	Diarrhea of newborn (764)	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M	27	26	1	—	—	—	—	—	—	—
		F	27	26	1	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	174	173	—	1	—	—	—	—	—	—
		F	136	132	3	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	221	2	1	—	—	—	3	1	7	207
		F	371	—	2	—	—	—	—	1	12	356
B46 (Rem.)	All other diseases (Remainder 001-795)	M	618	6	18	11	12	18	47	151	152	203
		F	764	3	10	11	12	11	55	191	186	285
BE47	Motor vehicle accidents	M	303	—	—	6	17	93	70	68	26	23
		F	84	—	—	6	6	9	8	22	15	18
BE48	All other accidents	M	433	1	15	24	24	44	80	90	49	106
		F	389	2	8	10	5	1	13	27	48	275
BE49	Suicide and self-inflicted injury	M	245	—	—	—	2	9	49	112	53	20
		F	159	—	—	—	—	5	32	71	34	17
BE50	Homicide and operations of war	M	13	1	—	2	1	—	4	4	—	1
		F	3	—	—	—	—	—	2	—	1	—
BN47	Fractures, head injuries and internal injuries	M	529	—	—	8	19	104	114	124	58	102
		F	349	—	—	7	6	11	9	31	43	242
BN48	Burns	M	23	—	1	3	1	—	6	4	1	7
		F	19	—	—	2	1	—	1	3	6	6
BN49	Effects of poisons	M	149	—	—	4	2	4	31	56	34	18
		F	155	—	—	—	—	4	23	60	33	35
BN50	All other injuries	M	293	2	14	17	22	38	52	90	35	23
		F	112	2	8	7	4	—	22	26	16	27
"Delayed" maternal deaths (see page 190)			1	—	—	—	—	—	—	1	—	—

TABLE 19—continued

Abbreviated List No.	Causes of Death	London and South Eastern Region										
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age						
						Years						
						1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	M F	62299 61114	1371 1007	449 376	274 222	352 227	601 286	2574 2106	17390 10938	17736 14423	21552 31529
B1	Tuberculosis of respiratory system	M F	750 263	—	—	1 2	— 1	3 5	103 86	332 78	213 50	98 41
B2	Tuberculosis, other forms	M F	63 63	—	1	4 4	3 5	6 2	16 3	19 13	10 16	4 20
B3	Syphilis and its sequelæ	M F	260 117	—	—	—	—	—	9 2	89 27	103 38	59 50
B4	Typhoid fever	M F	1 1	—	—	—	—	1	—	—	1	—
B5	Cholera	M F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	M F	3 2	—	—	1	—	—	—	1 2	1	—
B7	Scarlet fever and streptococcal sore throat	M F	(I)1 3	—	—	1	—	—	(I)1	1	1	—
B8	Diphtheria	M F	(I)2	—	—	—	—	—	—	1	(I)1	—
B9	Whooping cough	M F	3 6	—	2 5	1 1	—	—	—	—	—	—
B10	Meningococcal infections	M F	15 16	1	9 4	1 4	2 1	1 1	— 1	— 2	1 1	— 2
B11	Plague	M F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	M F	52 21	—	—	1	12 6	6 1	30 12	4 1	—	—
B13	Smallpox	M F	1 1	—	—	—	1	—	—	—	—	—
B14	Measles	M F	(I)15 11	—	2	10 9	(I)2 1	1	—	— 1	—	—
B15	Typhus and other rickettsial diseases	M F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	M F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	M F	94 110	3 2	5 2	5 4	6 2	5 6	16 15	34 38	11 25	9 16
B18	Malignant neoplasm : (140-205)	M F	13261 11938	2 1	3 8	40 22	53 39	88 37	582 744	5294 4190	4105 3267	3094 3630
	stomach (151)	M F	1783 1355	—	—	—	—	1	59 38	676 304	575 421	472 592
	trachea, bronchus and lung (162, 163)	M F	4869 927	—	—	—	—	3	129 37	2580 406	1541 269	616 215
	breast (170)	M F	21 2387	—	—	—	—	—	— 1	8 1038	5 569	8 569
	uterus (171-174)	M F	931	—	—	—	—	1	101	376	251	202
	Leukæmia and aleukæmia (204)	M F	363 321	—	—	15 13	25 20	26 7	51 53	97 104	81 56	68 67
	Other malig. and lymphatic neoplasms (Rem. of 140-205)	M F	6225 6017	2 1	3 7	25 9	28 19	58 28	343 305	1933 1962	1903 1701	1930 1985
	Benign and unspecified neoplasms	M F	200 239	3 1	1 4	2 3	11 7	2 4	24 34	84 98	44 49	29 39
	Diabetes mellitus	M F	227 483	—	—	—	1 1	1 3	15 9	49 90	77 166	84 214
	Anæmias	M F	113 213	—	—	1 3	3 2	3 2	6 5	17 32	36 50	47 119
B22	Vascular lesions affecting central nervous system	M F	5919 9564	1	—	1 3	6 7	8	92 111	1161 1341	1831 2407	2820 5691
B23	Nonmeningococcal meningitis	M F	63 39	4 4	12 8	6 8	1	—	6 1	18 6	11 4	5 5
B24	Rheumatic fever	M F	10 18	—	—	—	—	1 5	1 5	3 4	3 1	2 3
B25	Chronic rheumatic heart disease	M F	710 1330	—	—	—	2	14 8	114 155	309 549	158 328	113 290

TABLE 19—continued

Abbreviated List No.	Causes of Death	London and South Eastern Region—continued									
		Age									
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
					1—	5—	15—	25—	45—	65—	75 & over
6	Arteriosclerotic heart dis. incl. coronary dis. (420)	M 11645	—	—	—	—	1	342	4085	3880	3337
	Degenerative heart disease (421, 422)	F 7160	—	1	—	—	—	41	1054	2427	3637
		M 4903	—	—	—	2	1	26	314	1027	3533
		F 8155	—	—	—	1	—	11	233	1054	6856
7	Other diseases of heart	M 1086	1	—	1	1	3	25	236	324	495
		F 1211	1	—	2	1	3	19	126	346	713
8	Hypertension with heart disease	M 1243	—	—	—	—	—	11	225	446	561
		F 1743	—	—	—	—	—	5	177	465	1096
9	Hypertension without mention of heart	M 1018	—	—	—	—	4	34	286	313	381
46 (Pt.)	Other circulatory diseases (450-468)	F 1188	—	—	—	2	1	23	167	336	659
		M 1666	—	1	—	2	4	32	278	488	861
		F 2133	—	—	—	1	7	49	237	455	1384
30	Influenza	M 660	1	2	15	24	25	36	210	194	153
		F 676	—	6	6	33	39	54	151	124	263
31	Pneumonia	M 3169	—	130	48	22	18	65	571	853	1462
		F 3118	—	95	38	20	11	57	346	625	1926
32	Bronchitis	M 4678	—	47	10	5	3	34	1334	1648	1597
		F 2115	4	29	10	5	2	34	264	513	1254
46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M 710	—	7	7	7	7	28	239	241	174
		F 330	—	2	4	4	—	21	65	63	171
33	Ulcer of stomach and duodenum	M 940	—	1	—	—	2	30	281	316	310
		F 459	—	—	—	—	1	8	65	128	257
34	Appendicitis	M 122	—	—	1	8	8	19	35	30	21
		F 85	1	—	—	4	2	6	21	21	30
35	Intestinal obstruction and hernia	M 361	21	4	2	1	4	7	80	119	123
		F 431	6	6	—	1	—	7	76	118	217
36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M 225	—	22	9	1	4	23	57	53	56
		F 373	—	15	4	1	2	19	64	97	171
37	Cirrhosis of liver	M 150	—	—	—	2	1	19	64	43	21
		F 118	—	2	1	—	1	7	49	40	18
38	Nephritis and nephrosis	M 512	—	1	3	9	22	74	173	107	123
		F 407	—	—	1	4	13	42	108	101	138
39	Hyperplasia of prostate	M 813	—	—	—	—	—	—	51	205	557
40	Complications of pregnancy, childbirth & puerperium	F 78	—	—	—	—	15	61	1	—	1
41	Congenital malformations	M 551	198	109	42	29	22	51	61	24	15
		F 497	165	122	32	22	14	43	65	21	13
42	Birth injuries, postnatal asphyxia & atelectasis	M 570	567	3	—	—	—	—	—	—	—
		F 387	384	3	—	—	—	—	—	—	—
43	Diarrhoea of newborn (764)	M 2	2	—	—	—	—	—	—	—	—
		F 3	3	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M 71	70	1	—	—	—	—	—	—	—
		F 58	57	1	—	—	—	—	—	—	—
44	Other dis. of early infancy & immaturity unqualified	M 482	470	10	2	—	—	—	—	—	—
		F 350	346	4	—	—	—	—	—	—	—
45	Senility without mention of psychosis, ill-defined and unknown causes	M 423	4	1	—	—	1	2	10	22	383
		F 835	5	1	—	—	—	2	4	28	795
46 (Rem.)	All other diseases (Remainder 001-795)	M 1862	13	41	29	31	38	157	551	446	556
		F 2752	14	24	29	29	30	202	686	706	1032
47	Motor vehicle accidents	M 768	—	1	8	48	167	158	180	89	117
		F 285	—	—	5	21	32	25	67	57	78
48	All other accidents	M 1134	9	31	23	55	96	196	277	159	288
		F 1095	12	28	21	11	12	45	142	170	654
49	Suicide and self-inflicted injury	M 744	—	—	—	—	27	185	368	101	63
		F 599	—	—	—	—	16	130	291	118	44
50	Homicide and operations of war	M 30	1	2	1	2	4	5	10	4	1
		F 33	1	3	4	2	2	10	5	4	2
47	Fractures, head injuries and internal injuries	M 1372	—	5	14	64	198	257	321	188	325
		F 971	—	4	11	23	34	46	114	156	583
48	Burns	M 32	—	—	3	—	2	4	11	2	10
		F 83	—	—	4	3	—	5	14	19	38
49	Effects of poisons	M 680	—	—	4	4	27	162	308	98	77
		F 698	—	2	4	1	21	115	301	126	128
50	All other injuries	M 592	10	29	11	37	67	121	195	65	57
		F 260	13	25	11	7	7	44	76	48	29

"Delayed" maternal deaths
(see page 190)

3 | — | — | — | — | — | 1 | 1 | — | 1

TABLE 19—continued

Abbreviated List No.	Causes of Death	Greater London										
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years					75 over	
					1—	5—	15—	25—	45—	65—		
	ALL CAUSES	{ M F	45233 43532	1030 763	337 273	199 155	241 155	435 205	1976 1635	13530 8235	12885 10386	146 217
B1	Tuberculosis of respiratory system	{ M F	586 212	—	—	—	—	3 4	74 71	255 63	170 34	—
B2	Tuberculosis, other forms	{ M F	50 42	—	1	3 2	2 2	4 1	11 3	19 9	8 11	—
B3	Syphilis and its sequelæ	{ M F	204 86	—	—	—	—	—	8 2	73 19	77 24	—
B4	Typhoid fever	{ M F	1 1	—	—	—	—	1	—	—	—	1
B5	Cholera	{ M F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M F	2 1	—	—	—	—	—	—	1 1	1	—
B7	Scarlet fever and streptococcal sore throat	{ M F	(D)1 2	—	—	1	—	—	(D)1	—	—	1
B8	Diphtheria	{ M F	(D)2	—	—	—	—	—	—	1	(D)1	—
B9	Whooping cough	{ M F	1 2	—	2	1	—	—	—	—	—	—
B10	Meningococcal infections	{ M F	9 13	—	7 3	1 3	1 1	— 1	— 1	— 2	— 1	—
B11	Plague	{ M F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M F	33 14	—	—	1	8 5	4	17 7	4 1	—	—
B13	Smallpox	{ M F	1 1	—	—	—	1	—	—	—	—	1
B14	Measles	{ M F	(D)13 6	—	2	8 4	(D)2 1	1	—	—	1	—
B15	Typhus and other rickettsial diseases	{ M F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	{ M F	—	—	—	—	—	—	—	—	—	—
B17	All other diseases classified as infective and parasitic	{ M F	72 83	3 2	5 1	4 3	4 1	5 4	13 11	27 32	6 17	—
B18	Malignant neoplasm : (140-205)	{ M F	10004 8785	2 1	3 7	30 16	39 30	68 26	459 567	4162 3218	3063 2367	2 2
	stomach (151)	{ M F	1347 1029	—	—	—	—	1 —	52 33	526 243	435 319	—
	trachea, bronchus and lung (162, 163)	{ M F	3816 741	—	—	—	—	2	98 32	2060 324	1188 217	—
	breast (170)	{ M F	17 1724	—	—	—	—	—	—	6 783	5 405	—
	uterus (171-174)	{ M F	664	—	—	—	—	1	160 75	783 288	405 167	—
	Leukæmia and aleukæmia (204)	{ M F	272 238	—	—	14 9	19 15	17 6	40 42	72 77	60 36	—
	Other malign. & lymphatic neoplasms (Rem. of 140-205)	{ M F	4552 4389	2 1	3 6	16 7	20 15	48 18	269 225	1498 1503	1375 1223	—
	Benign and unspecified neoplasms	{ M F	144 171	2 —	1 4	2 3	6 4	2 2	23 29	58 68	30 36	—
	Diabetes mellitus	{ M F	163 359	—	—	—	1 1	1 2	12 7	40 65	57 122	—
	Anæmias	{ M F	80 144	—	—	1 3	3 1	3 2	6 4	10 23	26 32	—
B22	Vascular lesions affecting central nervous system	{ M F	3888 6450	1	—	—	5	6	74 83	841 949	1224 1664	—
B23	Nonmeningococcal meningitis	{ M F	49 25	3 4	9 3	4 4	—	—	5 2	16 4	7 4	—
B24	Rheumatic fever	{ M F	9 16	—	—	—	—	1 4	1 5	3 3	2 1	—
B25	Chronic rheumatic heart disease	{ M F	582 1080	—	—	—	2	13 6	96 138	259 451	126 266	—

TABLE 19—continued

Abbreviated List No.		Causes of Death	Greater London—continued										
			Age										
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							75 & over
1—	5—	15—				25—	45—	65—					
(Pt.)	{	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	8543	—	—	—	—	1	284	3237	2797	2224
		F	5141	—	—	—	—	35	791	1793	2522		
		Degenerative heart disease (421, 422)	M	3012	—	—	—	1	16	223	647	2125	
		F	5145	—	—	—	—	9	155	670	4311		
	{	Other diseases of heart	M	774	1	—	1	—	2	17	186	220	347
		F	866	1	—	1	1	1	14	91	232	525	
	{	Hypertension with heart disease	M	907	—	—	—	—	10	168	325	404	—
		F	1306	—	—	—	—	5	133	339	829	—	
	{	Hypertension without mention of heart	M	790	—	—	—	—	4	27	232	244	283
		F	918	—	—	—	2	1	21	141	261	492	—
{	Other circulatory diseases (450-468)	M	1161	—	1	—	1	3	23	206	347	580	
	F	1548	—	—	—	1	7	38	176	326	1000	—	
{	Influenza	M	459	1	2	10	14	19	26	149	141	97	
	F	464	—	3	3	19	26	38	116	84	175	—	
{	Pneumonia	M	2322	—	104	32	13	11	47	437	620	1058	
	F	2382	—	70	31	17	6	42	250	465	1501	—	
{	Bronchitis	M	3808	—	34	6	4	3	29	1106	1331	1295	
	F	1726	3	23	6	3	2	25	215	421	1028	—	
(Pt.)	{	Other diseases of respiratory system (470-475, 510-527)	M	524	—	6	6	3	6	17	178	174	134
		F	244	—	1	2	2	—	18	47	50	124	
{	{	Ulcer of stomach and duodenum	M	706	—	—	—	—	1	26	220	234	225
		F	346	—	—	—	—	—	6	50	94	196	
{	{	Appendicitis	M	89	—	—	—	7	7	14	27	19	15
		F	61	—	—	—	3	—	6	17	14	21	—
{	{	Intestinal obstruction and hernia	M	273	18	3	1	1	2	5	63	87	93
		F	315	4	5	—	1	—	5	50	92	158	—
{	{	Gastritis, enteritis and diarrhoea except	M	154	—	14	6	—	3	17	42	34	38
		F	265	—	11	2	1	2	9	50	75	115	—
{	{	diarrhoea of newborn	M	113	—	—	—	—	—	—	—	—	—
		F	89	—	2	1	—	1	4	40	30	16	11
{	{	Cirrhosis of liver	M	354	—	1	1	8	15	58	127	75	69
		F	264	—	—	1	3	11	32	74	64	79	—
{	{	Nephritis and nephrosis	M	580	—	—	—	—	—	—	37	153	390
		F	60	—	—	—	—	—	—	—	—	—	—
{	{	Hyperplasia of prostate	M	580	—	—	—	—	—	—	37	153	390
		F	60	—	—	—	—	—	—	—	—	—	—
{	{	Complications of pregnancy, childbirth & puerperium	M	404	139	84	31	20	15	37	45	20	13
		F	374	121	90	24	18	11	35	48	18	9	—
{	{	Congenital malformations	M	454	451	3	—	—	—	—	—	—	—
		F	305	302	3	—	—	—	—	—	—	—	—
{	{	Birth injuries, postnatal asphyxia & atelectasis	M	2	2	—	—	—	—	—	—	—	—
		F	3	3	—	—	—	—	—	—	—	—	—
{	{	Diarrhoea of newborn (764)	M	48	47	1	—	—	—	—	—	—	—
		F	46	45	1	—	—	—	—	—	—	—	—
{	{	Other infections of newborn (763, 765-768)	M	350	343	6	1	—	—	—	—	—	—
		F	259	256	3	—	—	—	—	—	—	—	—
{	{	Other dis. of early infancy & immaturity unqualified	M	273	2	—	—	—	—	—	5	15	251
		F	513	4	1	—	—	—	2	4	19	483	—
(Rem.)	{	Senility without mention of psychosis, ill-defined and unknown causes	M	1294	8	31	25	19	29	101	403	315	363
		F	1957	10	17	20	15	18	147	509	497	724	—
{	{	All other diseases (Remainder 001-795)	M	567	—	1	5	39	112	121	133	67	89
		F	213	—	—	3	13	23	20	50	46	58	—
{	{	Motor vehicle accidents	M	787	6	17	19	34	66	133	202	112	198
		F	744	6	20	14	8	10	32	99	125	430	—
{	{	All other accidents	M	572	—	—	—	—	21	149	281	77	44
		F	456	—	—	—	—	15	106	215	84	36	—
{	{	Suicide and self-inflicted injury	M	21	1	1	1	1	3	5	6	2	1
		F	27	1	2	3	1	2	9	3	4	2	—
{	{	Homicide and operations of war	M	966	—	3	10	49	127	184	230	137	226
		F	657	—	4	8	14	24	34	79	115	379	—
{	{	Fractures, head injuries and internal injuries	M	25	—	—	3	—	2	3	9	1	7
		F	65	—	—	3	2	—	5	12	15	28	—
{	{	Burns	M	543	—	—	3	2	24	133	246	75	60
		F	542	—	1	4	1	20	97	223	95	101	—
{	{	Effects of poisons	M	413	7	16	9	23	49	88	137	45	39
		F	176	7	17	5	5	6	31	53	34	18	—
{	{	All other injuries	M	543	—	—	3	2	24	133	246	75	60
		F	542	—	1	4	1	20	97	223	95	101	—
{	{	All other diseases (Remainder 001-795)	M	1294	8	31	25	19	29	101	403	315	363
		F	1957	10	17	20	15	18	147	509	497	724	—

"Delayed" maternal deaths
(see page 190)

TABLE 19—continued

Abbreviated List No.	Causes of Death		Southern Region									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M F	15984 15071	428 266	132 120	79 85	120 53	254 86	563 457	3926 2373	4507 3456	597 817
B1	Tuberculosis of respiratory system	{ M F	133 57	—	—	— 1	—	— 1	18 23	71 20	33 7	—
B2	Tuberculosis, other forms	{ M F	15 13	—	—	— 1	— 1	— 1	5 3	6 2	1 5	—
B3	Syphilis and its sequelæ	{ M F	64 28	—	—	—	—	—	3 11	20 11	20 6	—
B4	Typhoid fever	{ M F	(2)2	—	—	—	—	—	—	—	(1)1	(1)
B5	Cholera	{ M F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M F	1	—	—	—	—	—	—	1	—	—
B7	Scarlet fever and streptococcal sore throat	{ M F	2 (1)1	—	—	—	—	—	—	—	1	(1)
B8	Diphtheria	{ M F	—	—	—	—	—	—	—	—	—	—
B9	Whooping cough	{ M F	3 3	—	3 3	—	—	—	—	—	—	—
B10	Meningococcal infections	{ M F	5 7	—	2 1	2 3	1	—	— 2	—	1	—
B11	Plague	{ M F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M F	7 7	—	—	—	1 2	1 1	4 4	1	—	—
B13	Smallpox	{ M F	—	—	—	—	—	—	—	—	—	—
B14	Measles	{ M F	3	—	1	1	1	—	—	—	—	—
B15	Typhus and other rickettsial diseases	{ M F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	{ M F	1	—	—	—	—	—	1	—	—	—
B17	All other diseases classified as infective and parasitic	{ M F	36 27	1	3	2 2	1	3 1	5 4	12 8	3 5	—
B18	Malignant neoplasm : (140-205)	{ M F	3013 2490	— 1	1 1	6 10	18 10	29 10	107 151	1101 867	983 728	76 91
	stomach (151)	{ M F	405 293	—	—	—	—	—	10 7	142 59	147 100	12 12
	trachea, bronchus and lung (162, 163)	{ M F	938 163	—	—	—	—	2	30 10	496 67	307 48	10 3
	breast (170)	{ M F	6	—	—	—	—	—	—	4	2	—
	uterus (171-174)	{ M F	575 232	—	—	—	—	1 19	49 19	227 99	144 58	15 5
	Leukæmia and aleukæmia (204)	{ M F	87 74	—	— 1	4 3	9 4	3 3	9 4	22 26	23 15	1 1
	Other malign. & lymphatic neoplasms (Rem. 140-205)	{ M F	1577 1353	— 1	— 1	2 7	9 6	24 6	58 62	437 389	504 363	54 51
	Benign and unspecified neoplasms	{ M F	37 56	—	—	1 2	— 1	1 1	6 9	15 17	7 15	—
	Diabetes mellitus	{ M F	60 119	—	—	1	— 1	— 1	1 3	13 17	47 43	2 2
	Anæmias	{ M F	33 53	—	1 1	—	2	1	—	2 9	8 8	1 3
B22	Vascular lesions affecting central nervous system	{ M F	1878 2557	1	1	— 1	1	3	32 22	311 321	568 635	96 157
B23	Nonmeningococcal meningitis	{ M F	11 11	— 4	— 3	— 2	—	—	— 1	2 3	1 1	—
B24	Rheumatic fever	{ M F	2 4	—	—	—	—	—	—	—	1	—
B25	Chronic rheumatic heart disease	{ M F	154 248	—	—	—	— 2	— 5	— 19	— 58	— 38	— 3

TABLE 19—continued

Abbreviated List No.	Causes of Death	Southern Region—continued									
		Age									
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
6	Arteriosclerotic heart dis. incl. coronary dis. (420)	M 2987 F 1871	—	—	—	—	—	56	946	1039	946
	Degenerative heart disease (421, 422)	M 1440 F 2239	—	—	—	1	1	5	109	318	1006
			—	—	—	—	—	2	75	341	1821
7	Other diseases of heart	M 291 F 275	—	1	1	1	—	6	49	93	140
8	Hypertension with heart disease	M 301 F 371	—	—	—	—	—	5	35	71	163
			—	—	—	—	—	2	68	105	126
			—	—	—	—	—	—	41	97	233
9	Hypertension without mention of heart	M 197 F 230	—	—	—	—	1	4	53	57	82
16 (Pt.)	Other circulatory diseases (450-468)	M 425 F 469	—	—	—	—	1	4	82	117	221
			—	—	—	—	1	7	43	88	330
10	Influenza	M 203 F 196	—	1	4	10	8	16	54	64	46
11	Pneumonia	M 739 F 766	—	35	2	8	5	16	36	49	80
			—	31	9	5	12	16	112	174	376
			—	—	14	6	3	15	74	151	472
12	Bronchitis	M 840 F 339	1	2	2	—	2	5	228	292	308
16 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M 191 F 102	2	1	3	4	1	8	64	63	45
			—	3	1	—	1	9	15	31	42
13	Ulcer of stomach and duodenum	M 237 F 94	—	—	—	1	1	1	69	72	93
14	Appendicitis	M 29 F 20	—	—	—	2	2	1	10	21	60
			—	—	—	1	2	2	8	8	7
15	Intestinal obstruction and hernia	M 112 F 106	5	3	2	—	1	3	20	32	46
16	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M 58 F 91	—	7	6	1	2	3	13	14	12
			—	9	1	1	3	7	17	23	30
17	Cirrhosis of liver	M 44 F 30	—	1	—	1	—	2	18	16	6
			—	—	—	—	—	2	11	11	6
18	Nephritis and nephrosis	M 157 F 110	—	1	2	3	4	17	48	33	49
			—	—	1	—	2	16	29	21	41
19	Hyperplasia of prostate	M 287	—	—	—	—	—	—	15	72	200
20	Complications of pregnancy, childbirth & puerperium	F 21	—	—	—	—	4	16	1	—	—
21	Congenital malformations	M 159 F 145	67	38	10	7	6	15	10	5	1
			58	42	10	3	2	9	12	7	2
22	Birth injuries, postnatal asphyxia & atelectasis	M 182 F 99	181	1	—	—	—	—	—	—	—
			98	1	—	—	—	—	—	—	—
23	Diarrhoea of newborn (764)	M 3 F 1	3	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765-768)	M 35 F 17	35	2	—	—	—	—	—	—	—
			15	2	—	—	—	—	—	—	—
24	Other dis. of early infancy & immaturity unqualified	M 120 F 83	120	1	1	—	—	—	—	—	—
			81	1	1	—	—	—	—	—	—
25	Senility without mention of psychosis, ill-defined and unknown causes	M 132 F 303	2	2	—	1	—	1	3	2	121
			1	—	—	—	1	—	1	6	294
26 (Rem.)	All other diseases (Remainder 001-795)	M 530 F 665	6	8	7	13	18	28	149	150	151
			1	8	12	9	12	44	134	181	264
E47	Motor vehicle accidents	M 260 F 94	—	—	3	12	78	68	50	27	22
			—	1	5	4	14	18	17	20	15
E48	All other accidents	M 374 F 339	4	15	15	31	64	58	65	32	90
			2	10	12	3	7	15	41	48	201
E49	Suicide and self-inflicted injury	M 181 F 108	—	—	—	—	9	39	73	40	20
			—	—	—	—	5	19	54	21	9
E50	Homicide and operations of war	M 12 F 4	—	1	—	1	1	2	6	1	—
			—	—	1	—	—	1	1	1	—
N47	Fractures, head injuries and internal injuries	M 449 F 294	—	1	7	20	105	93	91	48	84
			—	2	8	4	16	19	28	46	171
N48	Burns	M 18 F 28	—	—	4	—	6	3	—	2	3
			—	—	3	—	2	1	7	2	13
N49	Effects of poisons	M 141 F 133	—	1	1	2	7	30	52	22	26
			—	—	1	1	5	22	57	26	21
N50	All other injuries	M 219 F 90	4	14	6	22	34	41	51	28	19
			2	9	6	2	3	11	21	16	20
	"Delayed" maternal deaths (see page 190)	1	—	—	—	—	—	—	1	—	—

TABLE 19—continued

Abbreviated List No.	Causes of Death	South Western Region										
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M F	18495 18551	412 334	141 110	104 85	109 74	215 69	663 521	4575 3051	5143 4510	713 975
B 1	Tuberculosis of respiratory system	{ M F	194 72	—	—	—	1	1	25	88	57	—
B 2	Tuberculosis, other forms	{ M F	20 17	—	—	1 2	2	—	4	7	3	—
B 3	Syphilis and its sequelæ	{ M F	43 26	—	—	—	—	—	—	18	14	—
B 4	Typhoid fever	{ M F	— 1	—	—	—	1	—	—	10	4	—
B 5	Cholera	{ M F	— —	—	—	—	—	—	—	—	—	—
B 6	Dysentery, all forms	{ M F	— —	—	—	—	—	—	—	—	—	—
B 7	Scarlet fever and streptococcal sore throat	{ M F	— 1	—	—	—	—	—	—	—	1	—
B 8	Diphtheria	{ M F	— (1)1	—	—	—	—	—	—	—	—	(1)
B 9	Whooping cough	{ M F	3 5	—	1	2	—	—	—	—	—	—
B 10	Meningococcal infections	{ M F	4 3	—	3	—	—	—	—	1	—	—
B 11	Plague	{ M F	— —	—	—	—	—	—	—	—	—	—
B 12	Acute poliomyelitis	{ M F	6 8	—	—	1	2	1	5	4	—	—
B 13	Smallpox	{ M F	— —	—	—	—	—	—	—	—	—	—
B 14	Measles	{ M F	4 2	—	1	2 1	2	—	—	—	—	—
B 15	Typhus and other rickettsial diseases	{ M F	— —	—	—	—	—	—	—	—	—	—
B 16	Malaria	{ M F	1 1	—	—	—	—	—	1	1	—	—
B 17	All other diseases classified as infective and parasitic	{ M F	35 41	—	1	2 3	3	1 3	6 5	13 9	6 6	—
B 18	Malignant neoplasm : (140-205)	{ M F	3173 3212	—	1 2	12 3	10 16	19 7	139 176	1135 1096	1000 895	8 10
	stomach (151)	{ M F	521 440	—	—	—	—	1	15	191	163	1
	trachea, bronchus and lung (162, 163)	{ M F	896 156	—	—	—	—	1	28	483	281	1
	breast (170)	{ M F	6 6	—	—	—	—	—	—	2	2	—
	uterus (171-174)	{ M F	670 292	1	—	—	—	—	50	284	165	1
	Luekæmia and aleukæmia (204)	{ M F	71 82	—	1	4	6	4	11	18	13	—
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M F	1679 1572	—	1	8 3	4 11	13 5	85 72	441 480	541 443	5 5
	Benign and unspecified neoplasms	{ M F	32 65	—	—	1	2	1	4	16	3	—
	Diabetes mellitus	{ M F	72 159	—	—	1	2	2	2	17	17	—
	Anæmias	{ M F	33 87	—	—	—	—	2	—	4	8	—
B 22	Vascular lesions affecting central nervous system	{ M F	2178 3306	1	—	1	2	4	22	436	655	10
B 23	Nonmeningococcal meningitis	{ M F	17 11	1 1	5 1	3	—	1	5	2	4	19
B 24	Rheumatic fever	{ M F	4 8	—	—	—	—	1	—	3	—	—
B 25	Chronic rheumatic heart disease	{ M F	179 272	—	—	—	—	1	1	25	74	54

TABLE 19—continued

Abbreviated list No.		Causes of Death	South Western Region—continued											
			Age											
			All Ages	Under 4 weeks	4 wks and under 1 yr.	Years								
1—	5—	15—				25—	45—	65—	75 & over					
6	{	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	3385	—	—	—	—	90	1102	1174	1019		
			F	2059	—	—	—	11	316	712	1020			
			M	2294	—	—	—	9	146	484	1653			
			F	3286	—	—	—	4	101	545	2636			
7	{	Other diseases of heart	M	340	—	1	2	6	77	97	157			
			F	338	—	1	—	6	40	81	208			
8	{	Hypertension with heart disease	M	427	—	—	—	6	97	140	184			
			F	515	—	—	—	3	78	164	270			
9 (Pt.)	{	Hypertension without mention of heart Other circulatory diseases (450–468)	M	226	—	—	—	6	65	71	84			
			F	240	—	—	—	5	37	70	128			
			M	557	—	—	1	8	81	144	323			
			F	683	—	—	1	11	59	141	471			
0	{	Influenza	M	264	1	—	6	5	10	9	81	76		
			F	228	—	4	5	4	12	14	41	57	91	
1	{	Pneumonia	M	725	—	51	13	11	9	14	110	179	338	
			F	751	—	29	20	7	3	10	67	164	451	
2 (Pt.)	{	Bronchitis Other diseases of respiratory system (470–475, 510–527)	M	888	—	1	3	1	1	10	233	344	295	
			F	392	—	4	3	—	1	6	32	107	239	
			M	279	—	2	1	1	2	4	117	97	55	
			F	105	2	—	—	2	—	5	21	25	50	
3	{	Ulcer of stomach and duodenum Appendicitis	M	241	—	—	—	—	1	11	75	73	81	
			F	100	—	—	—	—	—	1	18	38	43	
			M	43	—	—	1	3	2	1	13	13	10	
			F	25	—	—	—	1	1	1	8	9	5	
4	{	Intestinal obstruction and hernia Gastritis, enteritis and diarrhoea except diarrhoea of newborn Cirrhosis of liver	M	107	4	2	2	—	—	3	23	28	45	
			F	84	2	3	—	—	—	1	17	27	34	
			M	52	—	6	2	—	—	1	15	11	17	
			F	94	1	2	1	2	2	5	21	24	36	
5	{	Cirrhosis of liver	M	48	—	—	—	—	1	5	23	12	7	
			F	37	—	—	—	1	—	4	16	13	3	
6	{	Nephritis and nephrosis	M	147	—	—	2	3	6	16	48	31	41	
			F	157	—	—	2	—	3	11	31	48	62	
7	{	Hyperplasia of prostate	M	332	—	—	—	—	—	—	24	70	238	
			F	20	—	—	—	—	3	16	1	—	—	
8	{	Complications of pregnancy, childbirth & puerperium	M	164	71	35	12	7	5	10	18	5	1	
			F	158	70	30	20	6	2	7	17	4	2	
9	{	Birth injuries, postnatal asphyxia & atelectasis	M	184	184	—	—	—	—	—	—	—	—	
			F	140	138	2	—	—	—	—	—	—	—	
0	{	Diarrhoea of newborn (764) Other infections of newborn (763, 765–768) Other dis. of early infancy & immaturity unqualified	M	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—
			M	32	31	1	—	—	—	—	—	—	—	—
			F	19	19	—	—	—	—	—	—	—	—	—
1	{	Other dis. of early infancy & immaturity unqualified	M	118	115	2	1	—	—	—	—	—	—	
			F	94	93	1	—	—	—	—	—	—	—	—
2 (Rem.)	{	Senility without mention of psychosis, ill-defined and unknown causes All other diseases (Remainder 001–795)	M	203	—	1	—	—	—	2	3	14	183	
			F	392	1	—	—	—	—	—	3	7	381	
			M	578	2	17	10	8	11	42	179	157	152	
			F	756	2	10	10	9	11	51	205	185	273	
3	{	Motor vehicle accidents	M	272	—	—	12	24	85	51	55	15	30	
			F	62	—	—	3	7	4	9	17	7	15	
4	{	All other accidents	M	358	2	13	14	20	44	63	78	45	79	
			F	357	3	12	8	4	2	16	40	52	220	
5	{	Suicide and self-inflicted injury	M	226	—	—	—	—	2	58	94	46	26	
			F	152	—	—	—	—	1	27	77	40	7	
6	{	Homicide and operations of war	M	7	—	—	—	—	2	1	3	—	—	
			F	9	—	—	1	1	1	2	3	1	—	
7	{	Fractures, head injuries and internal injuries	M	486	—	2	15	33	94	90	114	47	91	
			F	294	—	2	2	8	5	19	24	37	197	
			M	19	—	1	1	1	9	1	1	2	3	
8	{	Burns	F	26	—	—	3	1	2	1	4	4	11	
			M	118	—	—	2	1	3	35	43	22	12	
			F	162	—	1	1	—	1	22	72	41	24	
9	{	Effects of poisons	M	240	2	10	8	10	27	47	72	35	29	
			F	98	3	9	6	3	—	12	37	18	10	

"Delayed" maternal deaths
(see page 190)

TABLE 19—continued

Abbreviated List No.	Causes of Death	Wales I (South East)										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						75 & over	
1-	5-				15-	25-	45-	65-				
	ALL CAUSES	{M 12721 F 10157}	385 265	157 111	77 58	90 51	120 84	510 392	3689 2076	3703 2651	3990 4469	
B1	Tuberculosis of respiratory system	{M 151 F 64}	—	—	—	—	1	20	81	41	8	
B2	Tuberculosis, other forms	{M 11 F 12}	—	1	1	—	1	31	15	11	5	
B3	Syphilis and its sequelæ	{M 34 F 17}	—	—	—	—	—	2	15	13	4	
B4	Typhoid fever	{M — F —}	—	—	—	—	—	—	8	3	6	
B5	Cholera	{M — F —}	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{M — F —}	—	—	—	—	—	—	—	—	—	
B7	Scarlet fever and streptococcal sore throat	{M 1 F —}	—	—	—	1	—	—	—	—	—	
B8	Diphtheria	{M — F —}	—	—	—	—	—	—	—	—	—	
B9	Whooping cough	{M 2 F 5}	—	1	1	—	—	—	—	—	—	
B10	Meningococcal infections	{M 6 F 9}	—	5	1	—	—	—	—	—	—	
B11	Plague	{M — F —}	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{M 5 F 2}	—	—	1	1	1	2	1	—	—	
B13	Smallpox	{M — F —}	—	—	—	—	—	—	—	—	—	
B14	Measles	{M 1 F 4}	—	1	1	3	—	—	—	—	—	
B15	Typhus and other rickettsial diseases	{M — F —}	—	—	—	—	—	—	—	—	—	
B16	Malaria	{M — F —}	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{M 30 F 16}	1	2	3	3	1	5	12	3	—	
B18	Malignant neoplasm : (140-205) stomach (151)	{M 2049 F 1631}	—	1	5	14	8	65	840	657	459	
		{M 450 F 294}	—	—	—	—	1	4	175	150	120	
		{M — F —}	—	—	—	—	1	7	86	82	118	
		{M 590 F 48}	—	—	—	—	—	13	328	194	55	
	trachea, bronchus and lung (162, 163) breast (170)	{M — F —}	—	—	—	—	—	4	29	12	3	
		{M 283 F 190}	—	—	—	—	—	18	133	70	62	
		{M — F —}	—	—	—	—	—	18	92	55	24	
		{M — F —}	—	—	—	—	—	—	—	—	—	
	Leukæmia and aleukæmia (204) Other malign. & lymphatic neoplasms (Rem. of 140-205)	{M 54 F 37}	—	—	2	7	2	7	19	12	5	
		{M 955 F 779}	—	1	3	7	5	41	318	301	279	
B19	Benign and unspecified neoplasms	{M 36 F 31}	—	—	2	1	—	4	15	6	9	
B20	Diabetes mellitus	{M 38 F 93}	—	—	—	—	1	2	16	9	10	
B21	Anæmias	{M 33 F 64}	—	1	1	—	—	2	6	9	18	
B22	Vascular lesions affecting central nervous system	{M 1394 F 1891}	—	1	—	2	1	20	273	440	657	
B23	Nonmeningococcal meningitis	{M 12 F 6}	2	4	2	1	—	—	2	1	1	
B24	Rheumatic fever	{M 7 F 9}	—	—	—	1	2	2	2	—	—	
B25	Chronic rheumatic heart disease	{M 177 F 221}	—	—	—	1	4	38	72	37	23	

TABLE 19—continued

		Wales I (South East)—continued											
Abbreviated List No.	Causes of Death		Age										
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							75 & over
						1—	5—	15—	25—	45—	65—		
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	2333	—	—	—	—	67	879	820	567		
		F	1257	—	—	—	6	266	495	490			
		M	1144	—	—	—	7	112	274	751			
		F	1390	—	—	—	4	93	280	1013			
B27	Other diseases of heart	M	169	—	—	1	—	2	54	61	50		
B28	Hypertension with heart disease	F	168	—	—	—	—	4	42	47	78		
		M	289	—	—	—	1	4	81	107	96		
		F	276	—	—	—	—	1	42	107	126		
B29	Hypertension without mention of heart	M	170	—	—	—	—	8	53	44	65		
B46 (Pt.)	Other circulatory diseases (450-468)	F	186	—	—	—	1	1	27	54	103		
		M	340	—	—	—	1	8	54	81	194		
		F	345	—	—	—	1	4	32	66	242		
B30	Influenza	M	181	—	2	4	6	9	53	60	41		
		F	131	1	1	2	5	12	38	37	29		
B31	Pneumonia	M	386	—	53	7	5	4	83	97	132		
		F	304	—	26	6	6	3	56	58	137		
B32	Bronchitis	M	1082	1	8	6	—	1	10	436	290		
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	304	1	6	4	—	6	50	82	154		
		M	451	1	1	1	—	11	200	173	63		
		F	64	—	—	3	2	4	15	14	23		
B33	Ulcer of stomach and duodenum	M	139	—	—	—	—	3	64	45	27		
	Appendicitis	F	52	—	—	—	—	4	15	13	20		
B34		M	22	—	1	—	2	2	12	3	2		
		F	9	—	—	1	—	2	1	2	3		
B35	Intestinal obstruction and hernia	M	48	5	—	—	1	—	3	13	15		
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	34	—	2	—	—	1	5	11	15		
		M	45	—	12	4	1	3	12	5	8		
		F	53	1	13	—	3	1	4	13	3		
B37	Cirrhosis of liver	M	36	—	3	—	—	4	16	9	4		
		F	19	—	—	—	—	4	8	6	1		
B38	Nephritis and nephrosis	M	120	—	—	3	—	32	40	20	22		
		F	99	—	—	2	3	13	36	20	25		
B39	Hyperplasia of prostate	M	206	—	—	—	—	—	14	59	133		
B40	Complications of pregnancy, childbirth & puerperium	F	19	—	—	—	5	14	—	—	—		
B41	Congenital malformations	M	123	58	30	5	6	5	11	2	—		
		F	129	61	34	2	2	6	7	14	2		
B42	Birth injuries, postnatal asphyxia & atelectasis	M	162	159	2	1	—	—	—	—	—		
		F	100	99	1	—	—	—	—	—	—		
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	2	2	—	—	—	—	—	—	—		
		F	1	1	—	—	—	—	—	—	—		
		M	24	23	1	—	—	—	—	—	—		
		F	18	17	1	—	—	—	—	—	—		
B44	Other dis. of early infancy & immaturity unqualified	M	129	124	5	—	—	—	—	—			
		F	78	78	—	—	—	—	—	—	—		
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	172	2	1	—	—	1	1	8	159		
		F	274	1	1	—	—	—	—	5	267		
B46 (Rem.)	All other diseases (Remainder 001-795)	M	369	3	12	9	7	30	104	94	105		
		F	492	1	6	10	7	16	48	144	128		
BE47	Motor vehicle accidents	M	155	—	—	12	19	32	34	29	12		
		F	41	—	—	4	6	5	3	10	8		
BE48	All other accidents	M	326	4	11	11	15	33	76	89	35		
		F	174	2	9	8	5	3	8	19	28		
BE49	Suicide and self-inflicted injury	M	101	—	—	—	—	1	21	43	24		
BE50	Homicide and operations of war	F	63	—	—	—	—	5	9	31	17		
		M	10	—	—	—	—	1	7	1	1		
		F	2	—	—	—	—	1	1	—	—		
BN47	Fractures, head injuries and internal injuries	M	337	—	1	14	24	44	77	84	36		
	Burns	F	149	—	—	5	6	6	8	18	27		
BN48		M	21	—	—	2	—	—	9	5	2		
		F	16	—	—	4	2	—	—	2	—		
BN49	Effects of poisons	M	71	—	—	—	—	3	20	27	16		
BN50	All other injuries	F	53	—	1	1	—	3	10	23	12		
		M	163	4	10	7	10	20	26	52	18		
		F	62	2	8	2	3	4	3	18	14		

TABLE 19—continued

Abbreviated List No.	Causes of Death	Wales II (Remainder)											
		Age											
		All Ages	Under 4 week	4 wks. and under 1 yr.	Years								
					1—	5—	15—	25—	45—	65—	75 & over		
	ALL CAUSES	{ M F	5046 4772	98 86	43 38	21 20	28 18	44 15	189 153	1308 840	1412 1220	1903 2382	
B1	Tuberculosis of respiratory system	{ M F	91 29	—	—	—	—	—	16 7	47 9	18 6	10 6	
B2	Tuberculosis, other forms	{ M F	4 6	—	—	2	—	—	—	3 1	1 3	—	
B3	Syphilis and its sequelæ	{ M F	15 2	—	—	—	—	—	1 1	10	3 1	1	
B4	Typhoid fever	{ M F	—	—	—	—	—	—	—	—	—	—	
B5	Cholera	{ M F	—	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M F	—	—	—	—	—	—	—	—	—	—	
B7	Scarlet fever and streptococcal sore throat	{ M F	1	—	—	1	—	—	—	—	—	—	
B8	Diphtheria	{ M F	—	—	—	—	—	—	—	—	—	—	
B9	Whooping cough	{ M F	—	—	—	—	—	—	—	—	—	—	
B10	Meningococcal infections	{ M F	1 1	—	1	1	—	—	—	—	—	—	
B11	Plague	{ M F	—	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M F	1 2	—	—	—	—	—	1	2	—	—	
B13	Smallpox	{ M F	—	—	—	—	—	—	—	—	—	—	
B14	Measles	{ M F	— 1	—	—	1	—	—	—	—	—	—	
B15	Typhus and other rickettsial diseases	{ M F	—	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M F	—	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M F	10 9	1	—	—	1	—	2	3 2	2 5	2 1	
B18	Malignant neoplasm : (140-205)	{ M F	903 857	—	2	2	3	5	30 55	318 291	292 245	253 258	
	stomach (151)	{ M F	238 169	—	—	—	—	—	5 5	84 37	74 57	75 70	
	trachea, bronchus and lung (162, 163)	{ M F	201 29	—	—	—	—	—	7 2	99 12	64 9	31 6	
	breast (170)	{ M F	1 158	—	—	—	—	—	—	66 32	47 17	34 14	
	uterus (171-174)	{ M F	73	—	—	—	—	—	10	10	17	—	
	Leukæmia and aleukæmia (204)	{ M F	26 15	—	1	2	1	—	1 1	13 4	5 5	4 1	
	Other malign. & lymphatic neoplasms (Rem. of 140-205)	{ M F	437 413	—	1	—	1	5 2	17 26	122 140	148 110	143 133	
	Benign and unspecified neoplasms	{ M F	10 18	—	1	—	2	—	— 3	4 5	2 5	2 4	
	Diabetes mellitus	{ M F	28 31	—	—	1	1	1	3 1	6 8	7 14	11 6	
	B21	Anæmias	{ M F	14 37	—	1	—	—	—	—	1 5	4 8	
B22	Vascular lesions affecting central nervous system	{ M F	696 1051	—	—	1	—	1	10 12	153 161	206 308	325 569	
B23	Nonmeningococcal meningitis	{ M F	6 1	—	—	1	1	1	1	1	1	—	
B24	Rheumatic fever	{ M F	1 1	—	—	—	1	—	—	—	—	—	
B25	Chronic rheumatic heart disease	{ M F	52 68	—	—	—	—	1	10 9	19 25	13 13	5 20	

TABLE 19—continued

Abbreviated List No.	Causes of Death		Wales II (Remainder)—continued									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420)	M	842	—	—	—	—	—	25	303	267	247
		F	462	—	—	—	—	—	5	93	168	196
		F	525	—	—	—	—	—	3	39	124	359
B27	Degenerative heart disease (421, 422)	M	694	—	—	—	—	—	—	28	125	541
		F	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B28	Other diseases of heart	M	91	—	—	—	1	—	—	10	40	40
B28	Hypertension with heart disease	F	103	—	—	—	—	1	1	22	24	55
		M	120	—	—	—	—	—	1	27	39	53
		F	134	—	—	—	—	—	—	19	50	65
B29	Hypertension without mention of heart	M	65	—	—	—	—	—	2	13	32	18
B46 (Pt.)	Other circulatory diseases (450-468)	F	70	—	—	—	—	—	2	8	17	43
		M	160	—	—	—	—	1	1	16	45	97
		F	160	—	—	—	—	4	4	17	35	104
B30	Influenza	M	48	—	—	—	2	1	1	16	18	10
B31	Pneumonia	F	52	—	—	3	2	—	4	6	17	22
		M	143	—	20	3	2	1	1	30	37	49
		F	115	—	12	5	1	—	2	7	19	69
B32	Bronchitis	M	259	—	2	1	1	—	3	77	81	94
B46(Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	119	—	1	—	—	—	1	12	37	68
		M	85	1	—	—	1	—	6	31	21	25
		F	22	—	2	—	—	2	2	6	1	9
B33	Ulcer of stomach and duodenum	M	58	—	—	—	—	—	3	20	18	17
B34	Appendicitis	F	15	—	—	—	—	—	1	4	7	3
		M	11	—	—	1	—	—	2	5	2	1
		F	4	—	—	—	1	—	1	—	—	2
B35	Intestinal obstruction and hernia	M	26	2	—	—	—	—	—	7	10	7
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	30	—	1	—	—	—	—	4	9	16
		M	18	—	4	—	—	—	—	7	2	5
		F	22	—	4	—	—	—	1	8	4	5
B37	Cirrhosis of liver	M	10	—	—	—	—	—	1	5	4	—
B38	Nephritis and nephrosis	F	9	—	—	—	—	—	—	7	1	1
		M	72	—	—	—	2	2	7	15	17	29
		F	57	—	—	1	1	2	4	9	15	26
B39	Hyperplasia of prostate	M	102	—	—	—	—	—	—	3	27	72
B40	Complications of pregnancy, childbirth & puerperium	F	10	—	—	—	—	—	10	—	—	—
B41	Congenital malformations	M	42	22	8	1	2	—	5	4	—	—
		F	35	15	8	3	1	2	1	4	1	—
		F	—	—	—	—	—	—	—	—	—	—
B42	Birth injuries, postnatal asphyxia & atelectasis	M	37	37	—	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	F	35	35	—	—	—	—	—	—	—	—
		M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B43	Other infections of newborn (763, 765-768)	M	5	5	—	—	—	—	—	—	—	—
		F	5	5	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	32	31	1	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	F	27	27	—	—	—	—	—	—	—	—
		M	91	—	—	—	—	1	—	—	3	87
		F	133	—	—	—	—	—	—	—	1	132
B46(Rem.)	All other diseases (Remainder 001-795)	M	157	—	2	2	2	6	11	45	52	37
BE47	Motor vehicle accidents	F	205	3	3	1	2	2	17	51	62	64
		M	51	—	—	2	3	10	15	11	2	8
		F	17	—	—	1	2	2	2	5	4	3
BE48	All other accidents	M	111	—	4	6	3	12	23	31	10	22
		F	100	—	4	2	4	—	4	8	11	67
		F	—	—	—	—	—	—	—	—	—	—
BE49	Suicide and self-inflicted injury	M	51	—	—	—	1	1	5	28	11	5
BE50	Homicide and operations of war	F	23	—	—	—	—	1	3	13	3	3
		M	1	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—
BN47	Fractures, head injuries and internal injuries	M	109	—	—	2	4	15	27	30	8	23
BN48	Burns	F	91	—	—	1	4	—	2	7	14	63
		M	7	—	—	2	—	1	—	1	1	2
		F	6	—	—	—	—	—	2	2	1	1
BN49	Effects of poisons	M	21	—	—	1	1	1	3	9	4	2
BN50	All other injuries	F	13	—	—	1	—	—	1	6	—	5
		M	77	—	4	3	2	6	13	30	11	8
		F	30	—	4	1	2	1	4	11	3	4

TABLE 19—continued

Abbreviated List No.	Causes of Death		Conurbations										
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	Age							
						1—	5—	15—	25—	45—	65—	75 & over	
	ALL CAUSES	{ M F	98332 93357	2510 1844	959 820	469 363	542 363	915 476	4537 3568	30008 18166	28036 23525	30356 44232	
B1	Tuberculosis of respiratory system	{ M F	1345 438	—	—	—	1 1	10 11	191 180	645 137	358 58	140 49	
B2	Tuberculosis, other forms	{ M F	100 99	—	4	11 10	3 3	8 8	24 21	34 16	12 23	4 18	
B3	Syphilis and its sequelæ	{ M F	368 176	—	—	—	—	1 —	18 8	141 49	141 52	67 67	
B4	Typhoid fever	{ M F	1 2	—	—	—	—	—	1 —	—	1 —	—	
B5	Cholera	{ M F	—	—	—	—	—	—	—	—	—	—	
B6	Dysentery, all forms	{ M F	6 5	—	2 2	—	1 —	—	—	2 1	2 —	1 —	
B7	Scarlet fever and streptococcal sore throat	{ M F	(J)2 (3)7	—	—	—	1 —	—	(J)1 (J)1	1 (2)3	— 1	— 1	
B8	Diphtheria	{ M F	(J)3	—	—	—	—	—	1 —	1 —	(J)1 —	—	
B9	Whooping cough	{ M F	(J)9 13	—	5 11	3 1	—	—	(J)1 —	—	—	—	
B10	Meningococcal infections	{ M F	31 38	—	19 10	10 12	2 3	—	—	—	—	—	
B11	Plague	{ M F	—	—	—	—	—	—	—	—	—	—	
B12	Acute poliomyelitis	{ M F	45 19	—	1 —	2 1	9 5	8 2	20 10	4 1	1 —	—	
B13	Smallpox	{ M F	1 1	—	—	—	1 —	—	—	—	—	—	
B14	Measles	{ M F	(J)25 15	—	6 6	15 6	(J)3 2	1 —	—	—	1 —	—	
B15	Typhus and other rickettsial diseases	{ M F	—	—	—	—	—	—	—	—	—	—	
B16	Malaria	{ M F	—	—	—	—	—	—	—	—	—	—	
B17	All other diseases classified as infective and parasitic	{ M F	174 191	5 6	11 9	10 8	13 4	8 9	29 26	70 68	15 31	13 30	
B18.	Malignant neoplasm : (140-205)	{ M F	19933 17376	2 2	7 11	45 33	81 58	124 55	976 1150	8462 6416	6145 4797	4091 4854	
	stomach (151)	{ M F	2991 2333	—	—	—	—	1	119 76	1194 590	988 753	689 913	
	trachea, bronchus and lung (162, 163)	{ M F	7385 1297	—	—	1	1	4 1	277 77	4092 570	2254 379	756 270	
	breast (170)	{ M F	27 3368	—	—	—	—	—	—	11 1563	10 785	6 715	
	uterus (171-174)	{ M F	1469	—	—	—	—	3	302 160	1563 658	785 362	715 288	
	Leukæmia and aleukæmia (204)	{ M F	500 435	—	—	21 19	41 30	31 9	71 71	146 136	110 80	80 88	
	Other malig. & lymphatic neoplasms (Rem. of 140-205)	{ M F	9030 8474	2 2	7 9	23 14	39 28	88 40	509 464	3019 2899	2783 2438	2560 2580	
	Benign and unspecified neoplasms	{ M F	291 310	5 2	3 8	6 4	7 6	6 10	45 48	129 128	55 68	35 36	
	Diabetes mellitus	{ M F	366 779	—	—	1 1	1 3	2 5	32 15	90 152	119 284	121 319	
	Anæmias	{ M F	191 435	—	1 1	2 3	3 4	4 5	10 16	33 68	56 99	82 239	
B22	Vascular lesions affecting central nervous system	{ M F	10148 15092	1 —	3 3	1 2	10 5	21 12	175 185	2208 2312	3258 4220	4471 8353	
B23	Nonmeningococcal meningitis	{ M F	117 61	10 12	34 9	10 9	1 2	1 4	11 5	29 6	12 7	9 7	
B24	Rheumatic fever	{ M F	28 37	—	—	1 —	4 —	3 8	6 8	9 9	3 5	2 5	
B25	Chronic rheumatic heart disease	{ M F	1230 2360	—	—	—	7 5	33 36	233 387	563 1040	251 509	143 383	

TABLE 19—continued

Abbreviated List No.	Causes of Death	Conurbations—continued										
			Age									75 & over
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	
26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M F M F	17609 10668 7422 11342	— — — —	— — — —	— — — —	— 1 2 2	2 75 54 28	578 1849 643 475	7033 3997 1759 1853	5791 3997 4957 8984	4205 4746 4957 8984
27	Other diseases of heart	M F	1745 1986	2 1	— 1	— 3	— 2	3 6	42 39	448 275	540 556	709 1103
28	Hypertension with heart disease	M F	1997 2806	— —	— —	— —	— —	1 —	22 14	439 344	716 855	819 1593
29	Hypertension without mention of heart	M F	1391 1535	— —	— —	— —	— 2	7 1	61 32	385 244	438 436	500 820
46 (Pt.)	Other circulatory diseases (450-468)	M F	2419 3133	1 —	1 —	1 —	1 1	8 11	44 58	386 335	693 642	1284 2086
30	Influenza	M F	1264 1148	1 —	14 12	17 9	34 48	38 52	94 114	497 290	368 259	201 364
31	Pneumonia	M F	4746 4878	— —	295 265	67 65	21 34	21 17	141 107	996 557	1242 1034	1963 2799
32	Bronchitis	M F	8595 3884	3 5	64 47	14 12	5 9	5 4	105 64	2837 621	3025 1088	2537 2034
46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	1091 556	2 —	11 9	10 6	8 4	12 6	59 48	425 123	331 114	233 244
33	Ulcer of stomach and duodenum	M F	1409 609	1 —	1 —	— —	— —	5 —	68 16	476 117	470 180	388 296
34	Appendicitis	M F	177 128	— —	— —	1 4	16 7	12 1	26 12	54 42	40 25	38 37
35	Intestinal obstruction and hernia	M F	535 622	37 10	11 9	7 3	4 1	3 —	13 9	123 121	158 182	179 287
36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	328 506	— —	52 37	13 9	— 2	3 7	34 24	95 92	64 131	67 204
37	Cirrhosis of liver	M F	270 204	— —	1 2	— 1	2 —	1 2	31 10	127 91	68 72	40 26
38	Nephritis and nephrosis	M F	762 677	— —	4 3	3 1	15 8	42 29	143 100	258 201	161 156	136 179
39	Hyperplasia of prostate	M	1175	—	—	—	—	—	1	85	337	752
40	Complications of pregnancy, childbirth & puerperium	F	127	—	—	—	—	24	100	3	—	—
41	Congenital malformations	M F	947 848	396 337	227 229	63 42	44 37	28 21	55 59	88 85	29 25	17 13
42	Birth injuries, postnatal asphyxia & atelectasis	M F	1070 708	1059 695	10 13	1 —	— —	— —	— —	— —	— —	— —
43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M F M F	5 7 150 105	5 7 148 103	— — 2 2	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —
44	Other dis. of early infancy & immaturity unqualified	M F	795 619	783 611	10 8	2 —	— —	— —	— —	— —	— —	— —
45	Senility without mention of psychosis, ill-defined and unknown causes	M F	767 1429	5 5	5 1	— 1	1 —	1 1	2 2	8 15	52 49	693 1355
46 (Rem.)	All other diseases (Remainder 001-795)	M F	2708 4183	23 20	67 51	56 43	54 32	66 42	233 289	850 1089	717 1112	722 1425
47	Motor vehicle accidents	M F	1252 482	— —	2 —	34 18	88 34	228 39	319 51	264 120	147 96	170 124
48	All other accidents	M F	1899 1837	18 18	82 55	59 44	97 33	139 20	325 69	444 220	269 300	466 1078
49	Suicide and self-inflicted injury	M F	1236 895	— —	— —	— —	— —	46 22	304 171	592 436	185 199	109 67
50	Homicide and operations of war	M F	77 58	3 5	4 5	2 9	4 4	7 3	11 15	35 7	8 5	3 5
47	Fractures, head injuries and internal injuries	M F	2278 1596	2 1	10 5	45 28	110 39	281 40	488 68	517 185	318 271	507 959
48	Burns	M F	80 151	— —	— —	7 13	4 9	3 3	12 10	19 21	11 35	24 60
49	Effects of poisons	M F	1123 1098	— —	1 4	11 11	5 5	49 29	261 171	497 454	164 227	135 197
50	All other injuries	M F	983 427	19 22	77 51	32 19	70 18	87 12	198 57	302 123	116 67	82 58

"Delayed" maternal deaths
(see page 190)

6 | — | — | — | — | — | 4 | 2 | — | —

TABLE 19—continued

Abbreviated List No.	Causes of Death		Urban areas (outside Conurbations) with populations of 100,000 and over									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M F	35391 32559	974 682	375 270	163 147	220 158	297 201	1540 1151	10434 6175	10259 8229	11129 15546
B1	Tuberculosis of respiratory system	{ M F	468 175	—	—	—	2	—	65	227	141	33
B2	Tuberculosis, other forms	{ M F	35 31	—	1	1	6 4	2 1	9 3	13 9	3 7	1 4
B3	Syphilis and its sequelæ	{ M F	115 56	—	—	—	—	—	8	49	37	21
B4	Typhoid fever	{ M F	— 1	—	—	—	—	—	2	16	17	21
B5	Cholera	{ M F	— —	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M F	2 1	—	—	—	—	—	—	2 1	—	—
B7	Scarlet fever and streptococcal sore throat	{ M F	2 —	—	—	—	—	—	1	—	1	—
B8	Diphtheria	{ M F	— —	—	—	—	—	—	—	—	—	—
B9	Whooping cough	{ M F	3 11	—	3	—	—	—	—	—	—	—
B10	Meningococcal infections	{ M F	9 12	1 2	5 4	5 4	1 —	—	—	3	1	—
B11	Plague	{ M F	— —	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M F	9 14	—	—	1	1 4	1 2	4 7	2	—	1
B13	Smallpox	{ M F	— —	—	—	—	—	—	—	—	—	—
B14	Measles	{ M F	5 4	—	1	1 2	3 2	—	—	—	—	—
B15	Typhus and other rickettsial diseases	{ M F	— —	—	—	—	—	—	—	—	—	—
B16	Malaria	{ M F	1 —	—	—	—	—	—	1	—	—	—
B17	All other diseases classified as infective and parasitic	{ M F	57 65	2 1	4 4	1 3	5 2	2 6	9 9	24 18	3 9	7 13
B18	Malignant neoplasm : (140-205)	{ M F	6784 5550	—	3 4	21 16	22 17	34 26	292 340	2839 2041	2138 1547	1435 1559
	stomach (151)	{ M F	1092 803	—	—	—	—	1	26 25	465 228	350 260	250 289
	trachea, bronchus and lung (162, 163)	{ M F	2315 305	—	—	—	—	1	87 22	1292 153	724 77	211 52
	breast (170)	{ M F	10 1091	—	—	—	—	—	—	2 76	5 499	3 277
	uterus (171-174)	{ M F	— 550	—	—	—	—	1	71	251	133	94
	Leukæmia and aleukæmia (204)	{ M F	161 150	—	—	9 9	13 8	5 6	24 19	44 45	38 33	28 28
	Other malign. & lymphatic neoplasms (Rem. of 140-205)	{ M F	3206 2651	—	3 2	12 7	9 9	27 16	155 127	1036 865	1021 767	943 858
	Benign and unspecified neoplasms	{ M F	101 104	1 1	1	2	1 7	2 3	18 20	43 40	23 21	10 12
	Diabetes mellitus	{ M F	129 256	—	1	1	3	1 2	6 4	27 64	39 91	51 92
	Anæmias	{ M F	71 155	—	—	—	1 1	2	1 6	14 31	21 39	32 77
B22	Vascular lesions affecting central nervous system	{ M F	4080 5769	—	3	—	4	1	72 64	805 846	1317 1663	1877 3187
B23	Nonmeningococcal meningitis	{ M F	35 24	8 4	5 4	2 5	2	3	2 3	7 3	4 3	—
B24	Rheumatic fever	{ M F	12 11	—	—	—	—	1 2	5 2	4	1	—
B25	Chronic rheumatic heart disease	{ M F	409 716	—	—	—	2	6 5	81 112	192 321	81 164	4 11

TABLE 19—continued

Abbreviated List No.	Causes of Death	Urban areas (outside Conurbations) with populations of 100,000 and over—continued										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	1–	5–	15–	25–	45–	65–	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	6617	—	—	—	—	197	2438	2230	1752	
		F	3969	—	—	—	—	22	685	1437	1825	
		M	2810	—	—	—	1	3	10	266	685	1845
		F	4355	—	—	—	—	6	189	714	3446	
B27	Other diseases of heart	M	613	—	1	1	3	23	158	202	224	
		F	628	—	—	—	4	11	104	180	328	
B28	Hypertension with heart disease	M	740	—	—	—	—	10	186	264	280	
		F	967	—	—	—	—	5	136	310	516	
B29	Hypertension without mention of heart	M	395	—	—	—	—	13	113	118	151	
		F	471	—	—	—	2	3	92	135	239	
B46 (Pt.)	Other circulatory diseases (450–468)	M	946	—	—	1	1	16	153	249	526	
		F	1131	—	1	—	2	14	93	229	791	
B30	Influenza	M	483	1	3	6	14	14	48	182	151	64
		F	450	1	2	4	20	26	45	112	115	125
B31	Pneumonia	M	1615	—	138	23	16	9	37	351	438	603
		F	1505	—	79	23	15	15	50	191	322	810
B32	Bronchitis	M	2666	1	21	7	1	40	890	964	741	
		F	1068	2	10	3	2	17	183	307	542	
B46 (Pt.)	Other diseases of respiratory system (470–475, 510–527)	M	537	3	8	2	4	39	209	172	96	
		F	195	2	6	5	2	15	37	54	72	
B33	Ulcer of stomach and duodenum	M	469	—	—	—	—	3	24	166	146	130
		F	203	—	—	1	—	1	6	42	52	101
B34	Appendicitis	M	58	—	1	2	2	3	6	18	12	14
		F	32	—	—	1	1	2	1	5	9	13
B35	Intestinal obstruction and hernia	M	182	13	7	2	—	—	3	44	50	63
		F	188	7	1	—	—	—	3	40	56	80
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	107	—	28	7	2	1	5	28	15	21
		F	147	—	14	2	—	2	10	29	38	52
B37	Cirrhosis of liver	M	97	—	3	—	1	1	7	53	25	7
		F	72	—	1	—	1	2	30	24	13	
B38	Nephritis and nephrosis	M	316	—	2	4	6	14	46	110	72	62
		F	303	—	1	3	6	12	30	84	85	82
B39	Hyperplasia of prostate	M	442	—	—	—	—	—	—	37	123	282
B40	Complications of pregnancy, childbirth & puerperium	F	41	—	—	—	—	7	33	1	—	—
B41	Congenital malformations	M	319	131	91	15	18	11	20	23	6	4
		F	327	142	86	23	14	2	18	33	6	3
B42	Birth injuries, postnatal asphyxia & atelectasis	M	419	415	4	—	—	—	—	—	—	—
		F	246	243	3	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	7	7	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
	Other infections of newborn (763, 765–768)	M	77	76	1	—	—	—	—	—	—	—
		F	52	51	1	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	303	300	3	—	—	—	—	—	—	—
		F	210	208	2	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	215	1	2	—	—	—	2	—	8	202
		F	464	1	—	—	—	1	—	2	13	447
B46 (Rem.)	All other diseases (Remainder 001–795)	M	1016	8	20	17	20	25	78	302	289	257
		F	1340	5	21	19	18	23	97	346	337	474
BE47	Motor vehicle accidents	M	448	—	—	19	35	90	97	99	52	56
		F	173	—	1	9	17	14	40	32	46	
BE48	All other accidents	M	704	6	15	25	42	49	135	163	83	186
		F	709	9	18	15	10	7	27	82	111	430
BE49	Suicide and self-inflicted injury	M	427	—	—	—	1	8	103	180	90	45
		F	333	—	—	—	1	12	56	173	72	19
BE50	Homicide and operations of war	M	36	1	2	2	3	2	7	14	5	—
		F	23	—	1	1	4	2	7	5	3	—
BN47	Fractures, head injuries and internal injuries	M	834	1	1	27	46	105	161	192	108	193
		F	613	—	3	11	20	14	21	66	103	375
BN48	Burns	M	37	—	—	3	2	1	13	9	4	5
		F	69	—	1	7	4	3	2	17	8	27
BN49	Effects of poisons	M	378	—	2	2	1	9	93	145	74	52
		F	376	—	2	3	2	12	51	173	80	53
BN50	All other injuries	M	366	6	14	14	32	34	75	110	44	37
		F	180	9	14	4	6	6	30	44	27	40
"Delayed" maternal deaths (see page 190)			2	—	—	—	—	—	1	1	—	—

TABLE 19—continued

Abbreviated List No.	Causes of Death		Urban areas (outside Conurbations) with populations of 50,000 and under 100,000									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1–	5–	15–	25–	45–	65–	75 & over
	ALL CAUSES	{ M F	20602 19863	536 364	241 184	118 96	106 86	206 124	881 694	5595 3512	5789 4914	7130 9889
B1	Tuberculosis of respiratory system	{ M F	269 85	—	1	1	—	3	37 40	123 25	78 14	2 6
B2	Tuberculosis, other forms	{ M F	21 28	—	—	—	2 1	— 4	— 7	8 4	4 6	3 3
B3	Syphilis and its sequelæ	{ M F	74 46	—	—	—	—	—	2 1	25 14	32 17	15 14
B4	Typhoid fever	{ M F	—	—	—	—	—	—	—	—	—	—
B5	Cholera	{ M F	—	—	—	—	—	—	—	—	—	—
B6	Dysentery, all forms	{ M F	1 1	—	—	—	—	—	—	—	—	1
B7	Scarlet fever and streptococcal sore throat	{ M F	—	—	—	—	—	—	—	—	—	—
B8	Diphtheria	{ M F	1	—	—	1	—	—	—	—	—	—
B9	Whooping cough	{ M F	4 5	—	2 3	2 1	—	—	—	—	—	1
B10	Meningococcal infections	{ M F	11 7	—	3 3	7 2	—	—	—	—	1 1	1
B11	Plague	{ M F	—	—	—	—	—	—	—	—	—	—
B12	Acute poliomyelitis	{ M F	12 14	—	1	1	1 4	2 3	9 5	—	—	—
B13	Smallpox	{ M F	—	—	—	—	—	—	—	—	—	—
B14	Measles	{ M F	5 3	—	1	4 1	1	—	—	—	—	—
B15	Typhus and other rickettsial diseases	{ M F	—	—	—	—	—	—	—	—	—	—
B16	Malaria	{ M F	1	—	—	—	—	—	1	—	—	—
B17	All other diseases classified as infective and parasitic	{ M F	42 39	—	2 2	5 2	1 4	1 3	5 1	12 11	6 8	10 8
B18	Malignant neoplasm : (140-205)	{ M F	3877 3497	—	1 2	11 10	17 13	22 8	152 203	1470 1196	1260 1018	944 1047
	stomach (151)	{ M F	599 421	—	—	—	—	—	18 9	213 85	209 153	159 174
	trachea, bronchus and lung (162, 163)	{ M F	1275 208	—	—	—	—	2	33 6	683 86	419 61	138 55
	breast (170)	{ M F	4 664	—	—	—	—	—	—	1 315	2 153	—
	uterus (171-174)	{ M F	305	—	—	—	—	1	38	132	85	49
	Leukæmia and aleukæmia (204)	{ M F	100 84	—	—	3 4	7 8	4 3	17 10	38 28	17 23	14 8
	Other malign. & lymphatic neoplasms (Rem. of 140-205)	{ M F	1899 1815	—	1 2	8 6	10 5	16 4	84 94	535 550	613 543	632 611
	Benign and unspecified neoplasms	{ M F	60 73	1	2	3	2 3	1 3	9 9	23 31	9 18	10 9
	Diabetes mellitus	{ M F	73 166	—	—	—	—	—	5 4	17 32	25 53	26 73
	Anæmias	{ M F	48 89	—	—	—	1 2	— 1	1 2	6 14	13 28	27 42
B22	Vascular lesions affecting central nervous system	{ M F	2377 3473	—	—	—	1 1	3 2	25 42	449 493	722 942	1177 1992
B23	Nonmeningococcal meningitis	{ M F	16 13	2 1	3 3	—	—	—	4 —	4 2	2 2	1 3
B24	Rheumatic fever	{ M F	8 11	—	—	—	1 3	1 1	3 4	3 2	— 1	— —
B25	Chronic rheumatic heart disease	{ M F	218 371	—	—	—	1 —	7 7	38 66	106 153	41 64	25 81

TABLE 19—continued

Abbreviated List No.	Causes of Death		Urban areas (outside Conurbations) with populations of 50,000 and under 100,000—continued									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	3739	—	—	—	—	2	109	1334	1242	1052
		F	2363	—	1	—	—	—	11	409	831	1111
		M	1914	—	—	—	—	1	11	145	438	1319
		F	2972	—	—	—	—	—	5	95	527	2344
B27	Other diseases of heart	M	403	—	—	—	—	2	10	88	137	166
B28	Hypertension with heart disease	F	455	—	—	—	1	—	8	71	127	248
		M	395	—	—	—	—	—	9	76	153	157
		F	491	—	—	—	—	—	3	61	151	276
B29	Hypertension without mention of heart	M	230	—	—	—	—	—	9	72	73	76
B46 (Pt.)	Other circulatory diseases (450–468)	F	283	—	—	—	—	—	3	38	79	163
		M	506	—	—	—	1	6	83	134	282	—
		F	648	—	—	—	1	9	68	117	453	—
B30	Influenza	M	257	—	4	3	6	8	15	89	75	57
B31	Pneumonia	F	237	—	1	9	11	12	17	54	49	84
		M	892	—	78	17	7	10	27	166	222	365
		F	806	—	66	17	5	8	19	107	160	424
B32	Bronchitis	M	1379	—	18	6	3	3	20	434	467	428
B46 (Pt.)	Other diseases of respiratory system (470–475, 510–527)	F	542	1	9	5	1	4	13	83	170	256
		M	296	—	1	2	4	—	16	115	92	65
		F	121	1	2	1	2	2	12	28	18	55
B33	Ulcer of stomach and duodenum	M	274	—	—	—	1	—	13	96	85	79
B34	Appendicitis	F	117	—	—	—	—	1	4	24	34	54
		M	43	—	—	—	3	3	4	16	12	5
		F	26	—	—	—	2	1	1	8	10	4
B35	Intestinal obstruction and hernia	M	121	6	4	3	1	—	2	25	39	41
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	99	2	3	1	—	—	2	22	25	44
		M	69	—	20	2	—	—	7	12	11	17
		F	105	1	12	2	2	1	10	22	18	37
B37	Cirrhosis of liver	M	49	—	—	—	—	—	10	20	11	8
B38	Nephritis and nephrosis	F	44	—	—	—	—	—	4	20	14	6
		M	172	—	—	—	1	9	33	72	22	35
		F	161	—	—	2	2	7	24	42	34	50
B39	Hyperplasia of prostate	M	341	—	—	—	—	—	—	12	83	246
B40	Complications of pregnancy, childbirth & puerperium	F	22	—	—	—	—	4	17	1	—	—
B41	Congenital malformations	M	197	90	53	13	7	8	8	10	5	3
		F	195	87	47	12	4	1	12	21	5	6
B42	Birth injuries, postnatal asphyxia & atelectasis	M	201	199	2	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765–768)	F	123	120	3	—	—	—	—	—	—	—
		M	1	1	—	—	—	—	—	—	—	—
		F	45	45	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	26	25	1	—	—	—	—	—	—	—
		F	189	186	2	1	—	—	—	—	—	—
		M	124	121	3	—	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	169	2	1	1	—	—	1	3	10	151
B46 (Rem.)	All other diseases (Remainder 001–795)	F	368	—	—	—	—	—	1	4	12	351
		M	593	2	19	14	10	15	62	178	155	138
		F	832	3	12	9	9	17	71	195	219	297
BE47	Motor vehicle accidents	M	248	—	—	7	13	54	73	53	22	26
BE48	All other accidents	F	100	—	2	5	7	13	10	19	23	21
		M	469	1	24	13	22	34	73	122	59	121
		F	473	2	6	11	6	9	9	45	80	305
BE49	Suicide and self-inflicted injury	M	269	—	—	—	1	13	62	120	46	27
BE50	Homicide and operations of war	F	199	—	—	—	—	3	43	97	36	20
		M	23	—	—	2	—	3	6	8	3	1
		F	10	—	1	—	1	2	3	1	2	—
BN47	Fractures, head injuries and internal injuries	M	526	—	1	9	19	71	118	141	56	111
BN48	Burns	F	430	—	2	5	7	16	15	36	81	268
		M	21	—	2	4	—	1	2	3	1	8
		F	36	—	1	4	3	4	—	5	3	16
BN49	Effects of poisons	M	232	—	—	2	2	10	51	87	42	38
BN50	All other injuries	F	213	—	1	—	1	5	31	90	40	45
		M	230	1	21	7	15	22	43	72	31	18
		F	103	2	5	7	3	2	19	31	17	17

"Delayed" maternal deaths
(see page 190)

1

TABLE 19—continued

Abbreviated List No.	Causes of Death		Urban areas (outside Conurbations) with populations under 50,000									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M F	60715 56495	1579 1127	605 505	306 270	393 240	613 296	2317 1863	15888 9932	17341 14135	21673 28127
B1	Tuberculosis of respiratory system	{ M F	585 220	— 1	— —	— 1	— 4	6 7	80 86	295 58	151 42	53 25
B2	Tuberculosis, other forms	{ M F	53 57	— —	— 1	— 4	— 2	— 1	9 14	21 15	8 14	6 6
B3	Syphilis and its sequelæ	{ M F	176 79	— —	— —	— —	1 —	— —	6 4	60 23	64 25	45 27
B4	Typhoid fever	{ M F	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —
B7	Scarlet fever and streptococcal sore throat	{ M F	(1)4 (1)5	— —	— 1	— —	1 —	— —	(1)2 1	— 1	— 1	1 (1)1
B8	Diphtheria	{ M F	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —
B9	Whooping cough	{ M F	6 13	1 —	4 12	1 —	— 1	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	20 27	1 1	7 10	8 9	1 2	2 1	— —	— 3	1 —	— 1
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	41 14	— —	1 —	2 2	6 2	4 1	28 8	— 1	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	8 9	— —	1 —	5 5	— 4	1 —	1 —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	1 1	— —	— —	— —	— —	— —	— 1	1 —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	112 92	4 2	5 5	7 4	11 7	4 1	12 12	33 28	19 15	17 18
B18	Malignant neoplasm : (140-205)	{ M F	10715 9658	— —	4 7	35 24	59 34	56 44	430 614	3995 3303	3408 2715	2728 2917
	stomach (151)	{ M F	1833 1369	— —	— —	— —	— —	— 1	40 34	643 317	646 447	504 570
	trachea, bronchus and lung (162, 163)	{ M F	3144 487	— —	— —	— —	— —	2 2	118 32	1734 231	986 140	304 82
	breast (170)	{ M F	14 1878	— —	— —	— —	— —	— 169	— 790	8 448	1 471	5 471
	uterus (171-174)	{ M F	910	—	—	—	—	1	87	371	264	187
	Leukæmia and aleukæmia (204)	{ M F	281 234	— —	3 3	17 13	25 9	17 9	27 28	99 68	51 60	42 44
	Other malign. & lymphatic neoplasms (Rem. of 140-205)	{ M F	5443 4780	— —	1 4	18 11	34 25	37 31	245 264	1511 1526	1724 1356	1873 1563
B19	Benign and unspecified neoplasms	{ M F	151 224	3 —	1 2	3 6	9 6	6 8	14 31	64 98	25 43	26 30
B20	Diabetes mellitus	{ M F	210 508	— —	— —	1 1	1 3	3 4	9 16	49 106	70 200	77 178
B21	Anæmias	{ M F	137 278	— —	1 2	— 1	1 1	— 2	1 7	19 33	46 68	69 164
B22	Vascular lesions affecting central nervous system	{ M F	7721 10630	2 —	2 2	1 2	4 3	9 9	122 134	1444 1542	2400 2971	3737 5967
B23	Nonmeningococcal meningitis	{ M F	51 24	3 2	14 6	7 5	4 1	1 2	3 2	11 5	6 2	2 —
B24	Rheumatic fever	{ M F	18 18	— —	— 1	1 1	4 6	1 2	5 3	4 3	2 1	1 3
B25	Chronic rheumatic heart disease	{ M F	621 1009	— —	— —	— —	1 2	13 15	115 153	279 423	142 232	71 184

TABLE 19—continued

Abbreviated List No.	Causes of Death	Urban areas (outside Conurbations) with populations under 50,000—continued										
		Age										
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years							
					1—	5—	15—	25—	45—	65—	75 & over	
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M	10917	—	—	—	—	2	258	3850	3758	3049
		F	6499	—	—	—	—	1	36	1124	2352	2986
		M	6219	—	—	—	1	2	30	456	1452	4278
		F	8518	—	—	1	—	—	14	332	1456	6715
B27	Other diseases of heart	M	1049	—	—	2	5	7	26	219	311	479
		F	1090	—	2	1	—	6	11	142	299	629
B28	Hypertension with heart disease	M	1253	—	—	—	—	1	11	269	454	518
		F	1506	—	—	—	—	5	228	505	768	
B29	Hypertension without mention of heart	M	771	—	—	—	—	—	30	183	259	299
		F	816	—	—	—	—	—	9	115	227	465
B46 (Pt.)	Other circulatory diseases (450–468)	M	1648	—	1	—	2	3	24	222	462	934
		F	1948	—	1	—	—	2	34	183	393	1335
B30	Influenza	M	823	2	6	14	18	30	47	280	240	186
		F	737	2	9	9	33	35	49	167	196	237
B31	Pneumonia	M	2273	—	179	45	20	22	54	414	605	934
		F	2090	—	130	42	14	15	59	266	432	1132
B32	Bronchitis	M	3832	4	40	7	3	1	40	1166	1441	1130
		F	1421	5	24	16	2	1	22	194	392	765
B46(Pt.)	Other diseases of respiratory system (470–475, 510–527)	M	867	3	7	4	10	7	42	369	281	144
		F	276	2	9	3	7	2	19	63	62	109
B33	Ulcer of stomach and duodenum	M	828	—	—	—	1	4	30	281	262	250
		F	299	1	—	—	—	2	7	51	91	147
B34	Appendicitis	M	110	—	—	8	5	4	13	31	29	20
		F	58	—	—	1	2	4	6	16	18	11
B35	Intestinal obstruction and hernia	M	311	14	7	4	1	1	11	62	96	115
		F	324	7	9	3	1	—	6	51	96	151
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	215	—	37	9	3	1	13	57	48	47
		F	317	1	34	7	2	6	21	64	69	113
B37	Cirrhosis of liver	M	146	—	4	1	—	1	15	63	47	15
		F	135	—	—	—	1	1	12	60	44	17
B38	Nephritis and nephrosis	M	585	—	1	1	11	22	95	192	120	143
		F	486	—	—	2	4	12	37	140	131	160
B39	Hyperplasia of prostate	M	873	—	—	—	—	—	—	51	222	600
B40	Complications of pregnancy, childbirth & puerperium	F	90	—	—	—	1	14	69	4	1	1
B41	Congenital malformations	M	598	260	165	40	20	13	38	48	13	1
		F	538	203	154	47	15	20	26	54	13	6
B42	Birth injuries, postnatal asphyxia & atelectasis	M	627	623	3	1	—	—	—	—	—	—
		F	403	399	4	—	—	—	—	—	—	—
B43	Diarrhoea of newborn (764)	M	5	5	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—
		M	105	105	—	—	—	—	—	—	—	—
B44	Other infections of newborn (763, 765–768)	M	80	78	2	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
B44	Other dis. of early infancy & immaturity unqualified	M	533	522	11	—	—	—	—	—	—	—
		F	396	393	2	1	—	—	—	—	—	—
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	793	3	5	—	—	2	2	8	44	729
		F	1330	2	2	1	—	—	1	5	47	1272
B46(Rem.)	All other diseases (Remainder 001–795)	M	1832	10	39	31	41	49	141	562	469	490
		F	2431	11	28	27	36	42	180	622	664	821
BE47	Motor vehicle accidents	M	775	—	—	17	58	185	186	168	80	81
		F	235	—	—	18	23	19	36	51	47	41
BE48	All other accidents	M	1374	13	57	43	84	115	250	339	163	310
		F	1155	15	46	23	21	9	46	121	183	691
BE49	Suicide and self-inflicted injury	M	674	—	—	—	1	29	121	302	136	85
		F	431	—	—	—	—	9	70	233	87	32
BE50	Homicide and operations of war	M	47	1	3	4	2	3	3	21	7	3
		F	16	—	—	2	4	1	3	3	1	2
BN47	Fractures, head injuries and internal injuries	M	1523	1	5	25	70	227	326	391	184	294
		F	949	—	1	21	27	20	41	76	151	612
BN48	Burns	M	66	—	2	5	—	7	13	13	5	21
		F	81	—	1	7	9	2	4	14	19	25
BN49	Effects of poisons	M	518	—	2	8	8	22	102	205	101	70
		F	491	1	2	6	4	9	68	228	94	79
BN50	All other injuries	M	763	13	51	26	67	76	119	221	96	94
		F	316	14	42	9	8	7	42	90	54	50

"Delayed" maternal deaths
(see page 190)

3

TABLE 19—continued

Abbreviated List No.	Causes of Death		Rural Districts									
			Age									
			All Ages	Under 4 weeks	4 wks. and under 1 yr.	1—	5—	15—	25—	45—	65—	75 & over
	ALL CAUSES	{ M F	51367 46189	1354 934	458 399	347 275	377 247	807 274	2155 1530	12196 7872	13959 11307	19714 23351
B1	Tuberculosis of respiratory system	{ M F	483 181	1 —	1 1	1 1	— 1	2 1	75 68	244 56	117 37	42 16
B2	Tuberculosis, other forms	{ M F	55 56	— —	1 1	2 8	2 3	5 4	19 5	14 16	8 11	4 8
B3	Syphilis and its sequelæ	{ M F	146 56	— —	— —	— —	— —	— —	6 1	58 19	60 17	22 19
B4	Typhoid fever	{ M F	(2)3	—	—	—	1	—	—	—	(1)1	(1)1
B5	Cholera	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B6	Dysentery, all forms	{ M F	1 3	— —	— —	— —	— —	— —	— —	1 1	1 1	1 1
B7	Scarlet fever and streptococcal sore throat	{ M F	(1)3 3	— —	— —	2 —	— 1	— —	— —	(1)1 1	— 1	— —
B8	Diphtheria	{ M F	(1)1	—	—	—	—	—	—	—	—	(1)1
B9	Whooping cough	{ M F	11 13	— —	9 12	2 1	— —	— —	— —	— —	— —	— —
B10	Meningococcal infections	{ M F	23 6	— —	8 2	8 4	3 —	— —	1 —	2 —	1 —	— —
B11	Plague	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B12	Acute poliomyelitis	{ M F	36 22	— —	1 —	1 1	6 2	4 4	21 13	3 2	— —	— —
B13	Smallpox	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B14	Measles	{ M F	11 10	— —	3 1	4 7	3 2	— —	1 —	— —	— —	— —
B15	Typhus and other rickettsial diseases	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B16	Malaria	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
B17	All other diseases classified as infective and parasitic	{ M F	113 109	4 4	4 1	9 9	9 3	9 5	18 14	35 33	17 16	8 24
	Malignant neoplasm : (140-205)	{ M F	8747 7880	— 2	3 7	38 16	47 38	64 25	380 470	3090 2737	2727 2204	2398 2381
	stomach (151)	{ M F	1471 1083	— —	— —	— —	— —	1 —	48 25	502 243	450 350	470 465
	trachea, bronchus and lung (162, 163)	{ M F	2311 392	— —	— —	— —	— —	3 —	75 17	1238 164	724 126	271 85
B18	breast (170)	{ M F	15 1612	— 1	— —	— —	— —	— 1	1 134	5 695	6 405	3 376
	uterus (171-174)	{ M F	705	—	—	—	—	1	64	310	184	146
	Leukæmia and aleukæmia (204)	{ M F	259 190	— —	1 5	24 9	14 17	18 6	30 28	71 58	55 40	46 27
	Other malign. & lymphatic neoplasms (Rem. of 140-205)	{ M F	4691 3898	— 1	2 2	14 7	33 21	42 17	226 202	1274 1267	1492 1099	1608 1282
B19	Benign and unspecified neoplasms	{ M F	133 181	— 2	1 2	2 5	5 4	2 5	17 31	62 64	21 35	23 33
B20	Diabetes mellitus	{ M F	235 415	— —	— —	— 2	2 4	6 5	7 9	58 86	66 165	96 144
B21	Anæmias	{ M F	112 210	— —	1 3	1 1	2 —	2 3	3 6	15 28	29 54	59 115
B22	Vascular lesions affecting central nervous system	{ M F	6211 8168	3 —	2 3	3 1	3 2	6 4	95 76	1030 1203	1927 2227	3142 4652
B23	Nonmeningococcal meningitis	{ M F	43 36	1 7	12 5	6 7	3 1	3 1	5 1	4 5	8 7	1 2
B24	Rheumatic fever	{ M F	12 19	— —	— —	— —	1 4	1 5	3 6	5 3	2 1	— —
B25	Chronic rheumatic heart disease	{ M F	511 772	— —	— —	— —	— 1	9 6	84 106	208 309	126 165	84 185

TABLE 19—continued

Abbreviated List No.	Causes of Death	Rural Districts—continued									
		Age									
		All Ages	Under 4 weeks	4 wks. and under 1 yr.	Years						
					1—	5—	15—	25—	45—	65—	75 & over
B26	Arteriosclerotic heart dis. incl. coronary dis. (420) Degenerative heart disease (421, 422)	M 8927 F 5016 M 5939 F 7468	— — — —	— — — —	— — 1 1	— — 2 2	2 — 2 1	217 32 26 13	2869 776 405 323	3110 1832 1309 1276	2729 2376 4194 5852
B27	Other diseases of heart	M 935 F 1014	1 —	— 1	1 1	3 1	2 7	27 20	169 128	292 276	440 580
B28	Hypertension with heart disease	M 983 F 1144	— —	— —	— —	— —	— 1	5 4	211 151	350 359	417 629
B29	Hypertension without mention of heart	M 637 F 689	— —	— —	— —	— 1	1 —	21 14	169 94	203 211	243 369
B46 (Pt.)	Other circulatory diseases (450–468)	M 1547 F 1612	— —	— —	— —	— —	4 2	20 25	206 150	366 347	951 1088
B30	Influenza	M 726 F 591	1 1	10 7	14 5	33 30	36 23	42 51	192 109	190 167	208 198
B31	Pneumonia	M 2090 F 1909	— —	128 106	39 49	27 25	30 16	50 46	363 238	507 423	946 1006
B32	Bronchitis	M 2490 F 1058	3 3	14 17	18 8	5 5	1 3	32 16	630 129	892 261	895 613
B46 (Pt.)	Other diseases of respiratory system (470–475, 510–527)	M 703 F 262	2 3	6 6	10 9	6 4	5 5	33 14	276 65	213 41	152 115
B33	Ulcer of stomach and duodenum	M 588 F 233	— —	1 —	— —	— 1	— 1	20 8	189 35	181 79	197 109
B34	Appendicitis	M 109 F 58	— 1	— —	3 1	4 4	2 2	9 5	38 9	33 14	20 22
B35	Intestinal obstruction and hernia	M 293 F 231	13 5	5 5	4 —	1 —	5 1	7 3	67 48	83 78	108 91
B36	Gastritis, enteritis and diarrhœa except diarrhœa of newborn	M 196 F 227	— —	33 18	15 9	4 4	4 7	16 13	42 38	39 47	43 91
B37	Cirrhosis of liver	M 105 F 84	— —	— 1	— 1	— —	— —	14 9	53 36	25 25	12 12
B38	Nephritis and nephrosis	M 510 F 387	— —	1 2	2 1	14 6	22 14	64 45	153 108	97 89	157 122
B39	Hyperplasia of prostate	M 814	—	—	—	—	—	—	55	204	555
B40	Complications of pregnancy, childbirth & puerperium	F 69	—	—	—	—	12	53	3	1	—
B41	Congenital malformations	M 528 F 433	224 179	121 126	46 29	26 14	15 8	34 23	44 36	14 13	4 5
B42	Birth injuries, postnatal asphyxia & atelectasis	M 535 F 349	531 345	3 4	1 —	— —	— —	— —	— —	— —	— —
B43	Diarrhœa of newborn (764)	M 4 F 2	4 2	— 2	— —	— —	— —	— —	— —	— —	— —
B43	Other infections of newborn (763, 765–768)	M 83 F 50	81 49	2 1	— —	— —	— —	— —	— —	— —	— —
B44	Other dis. of early infancy & immaturity unqualified	M 464 F 313	456 307	5 4	3 2	— —	— —	— —	— —	— —	— —
B45	Senility without mention of psychosis, ill-defined and unknown causes	M 753 F 1198	6 3	3 2	— —	1 —	1 —	6 —	3 4	38 34	695 1155
B46 (Rem.)	All other diseases (Remainder 001–795)	M 1622 F 2074	14 10	37 26	23 29	40 29	54 41	150 181	466 552	388 539	450 667
BE47	Motor vehicle accidents	M 950 F 235	— —	— —	28 20	58 23	312 37	227 35	185 51	66 37	74 32
BE48	All other accidents	M 1351 F 1029	8 11	40 35	58 44	63 23	169 13	279 47	305 98	140 144	289 614
BE49	Suicide and self-inflicted injury	M 564 F 288	— —	— —	— —	— —	22 11	115 61	266 124	107 69	54 23
BE50	Homicide and operations of war	M 35 F 22	1 —	3 —	2 3	4 5	4 1	6 6	11 4	3 3	1 —
BN47	Fractures, head injuries and internal injuries	M 1723 F 947	1 1	2 4	33 27	82 31	373 42	377 49	392 89	166 139	297 565
BN48	Burns	M 68 F 69	— —	— —	9 12	2 3	16 2	12 5	5 13	9 11	15 23
BN49	Effects of poisons	M 258 F 213	— —	2 —	6 3	2 4	11 6	62 41	113 87	34 41	28 31
BN50	All other injuries	M 851 F 345	8 10	39 31	40 25	39 13	107 12	176 54	257 88	107 62	78 50

"Delayed" maternal deaths
(see page 190)

TABLE 20—Suspended

TABLE 21—Causes of Death by Sex, 1957, classified in accordance with the Abridged List and Supplementary Abridged List (see statement below)

Note (1):—Publication of Table 20 has been suspended. Instead, Table 21 has been enlarged to include a cause analysis according to the Abridged List as well as the Supplementary Abridged List, but with no age details. A further cause analysis by detail of age is given for England and Wales, Standard Regions, Conurbations and National Aggregates by type of area in Table 19.

All details which prior to this change appeared in Table 20 and also figures (based on the Abridged List, without age detail) for administrative areas not separately shown in Table 21 are available at the General Register Office.

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar General in consultation with the Ministry of Health, and its relation to the detailed International Classification.

No.	Registrar General's Abridged List.	Corresponding number in the Detailed International Classification.
1.	Tuberculosis, respiratory	001-008.
2.	Tuberculosis, other	010-019.
3.	Syphilitic disease	020-029.
4.	Diphtheria	055.*
5.	Whooping cough	056.*
6.	Meningococcal infections	057.
7.	Acute poliomyelitis	080.
8.	Measles	085.*
9.	Other infective and parasitic diseases	030-054, 058-074, 081-084, 086-138.*
10.	Malignant neoplasm, stomach	151.
11.	Malignant neoplasm, lung, bronchus	162, 163.
12.	Malignant neoplasm, breast	170.
13.	Malignant neoplasm, uterus	171-174.
14.	Other malignant and lymphatic neoplasms	140-150, 152-161, 164, 165, 175-203, 205.
15.	Leukæmia, aleukæmia	204.
16.	Diabetes	260.
17.	Vascular lesions of nervous system	330-334.
18.	Coronary disease, angina	420.
19.	Hypertension with heart disease	440-443.
20.	Other heart disease	410-416, 421-434.
21.	Other circulatory disease	444-468.
22.	Influenza	480-483.
23.	Pneumonia	490-493, 763.
24.	Bronchitis	500-502.
25.	Other diseases of respiratory system	470-475, 510-527.
26.	Ulcer of stomach and duodenum	540, 541.
27.	Gastritis, enteritis and diarrhœa	543, 571, 572, 764.
28.	Nephritis and nephrosis	590-594.
29.	Hyperplasia of prostate	610.
30.	Pregnancy, childbirth, abortion	640-689.*
31.	Congenital malformations	750-759.
32.	Other defined and ill-defined diseases	210-254, 270-326, 340-402, 530-539, 542, 544-570, 573-587, 600-609, 611-637, 690-749, 760-762, 765-795.
33.	Motor vehicle accidents	E810-835.
34.	All other accidents	E800-802, 840-962.
35.	Suicide	E963, 970-979.
36.	Homicide and operations of war	E964, 965, 980-999.

* See notes (2) and (3) at head of page 237.

{England and Wales, Standard Regions, Wales, Conurbations, London A.C., City of London, Metropolitan and County Boroughs, Administrative Counties

Note (2):—*Epidemic diseases*: The deaths assigned in this table to the following categories of the International Statistical Classification include some where the interval between onset of the disease and death was stated to exceed 12 months:— 040-043, 050, 055, 056, 058, 084-087, 100-108. Where any such deaths occur in this table they are distinguished separately, in italicised brackets, alongside the figures in which they are included.

Note (3):—*Maternal deaths*. The deaths assigned in this table to maternal causes (I.S.C. Nos. 640-689) include some where the interval between the maternal condition and death was stated to exceed 12 months. Such deaths are distinguished in footnotes where they occur, as "Delayed" maternal deaths.

See also Explanatory notes on page vi.

THE SUPPLEMENTARY LIST OF SUBDIVISIONS OF THE ABRIDGED LIST OF CAUSES OF DEATH and its relation to the detailed International Classification.

<i>No.</i>	<i>Registrar General's Supplementary Abridged List.</i>	<i>Detailed International Classification No.</i>
2 (1)	Tuberculosis of meninges and nervous system	010.
9 (1)	Typhoid fever	040.*
9 (2)	Scarlet fever	050.*
9 (3)	Streptococcal sore throat	051.
9 (4)	Erysipelas, septicæmia, pyæmia	052, 053.
9 (5)	Acute infectious encephalitis	082.
9 (6)	Smallpox	084.*
9 (7)	Infectious hepatitis	092.
14 (1)	Malignant neoplasm, mouth and pharynx ..	140-148.
14 (2)	" " œsophagus	150.
14 (3)	" " intestine and rectum ..	152-154.
14 (4)	" " larynx	161.
13 (1)	" " cervix uteri	171.
14 (5)	Hodgkin's disease	201.
14 (6)	Lymphosarcoma, reticulosarcoma	200.
32 (1)	Thyrotoxicosis	252.
32 (2)	Otitis media and mastoiditis	391-393.
32 (3)	Rheumatic fever	400-402.
20 (1)	Chronic rheumatic heart disease	410-416.
21 (1)	Hypertension without mention of heart ..	444-447.
32 (4)	Appendicitis	550-553.
32 (5)	Intestinal obstruction and hernia	560, 561, 570.
32 (6)	Cirrhosis of liver	581.
32 (7)	Cholelithiasis, cholecystitis	584, 585.
30 (1)	Maternal sepsis (not abortion)	640, 641, 681, 682, 684.
30 (2)	Toxæmias of pregnancy and puerperium ..	642, 685, 686.
30 (3)	Abortion	650-652.
32 (8)	Birth injury	760, 761.
32 (9)	Post-natal asphyxia and atelectasis	762.
23 (1)	Pneumonia of newborn	763.
32 (11)	Ophthalmia, pemphigus, sepsis of newborn ..	765-768.
32 (12)	Hæmolytic disease of newborn	770.
32 (13)	Immaturity (without other disease peculiar to early infancy)	774, 776.
32 (14)	Senility without psychosis	794.
32 (15)	Ill-defined and unknown cause	780-789, 790-793, 795.

* See notes (2) and (3) at head of page.

TABLE 21—continued England and Wales, Standard Regions and Conurbations

Abridged List of Causes of Death (See first page of Table)			England and Wales			Northern			East & West Ridings			North Western				Midland		
			Total	Tyne-side Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western	North Midland	Total	West Midlands Conurbation	Remainder of Midland		
1	Tuberculosis, respiratory	M	3150	259	72	187	309	111	198	569	194	162	213	185	374	220	155	
		F	1099	101	33	68	96	39	57	189	63	50	76	69	92	41	55	
2	Tuberculosis, other	M	264	22	3	19	27	11	16	37	13	6	18	19	29	17	17	
		F	271	23	6	17	31	10	21	43	15	9	19	17	26	17	17	
3	Syphilitic disease	M	879	61	20	41	76	44	32	127	49	21	57	68	62	30	31	
		F	413	37	10	27	31	17	14	70	30	10	30	23	38	23	11	
4	Diphtheria	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
		F	(2)	4	—	—	—	—	—	—	—	—	—	—	1	1	—	
5	Whooping cough	M	(J)33	3	—	3	(J)5	(J)1	4	7	2	2	3	1	3	3	—	
		F	55	3	—	3	6	1	5	5	2	2	1	5	11	6	—	
6	Meningococcal infections	M	94	14	5	9	9	4	5	17	5	1	11	8	11	7	9	
		F	90	8	3	5	14	4	10	16	8	3	5	3	12	7	9	
7	Acute poliomyelitis	M	143	3	—	3	7	4	3	8	3	2	3	11	24	3	2	
		F	83	4	—	4	7	2	5	6	2	1	3	7	6	—	—	
8	Measles	M	(J)54	2	1	1	10	3	7	8	3	2	3	3	4	3	—	
		F	41	3	1	2	3	—	3	6	5	—	1	5	5	3	—	
9	Other infective, etc., diseases	M	3525	37	8	29	(J)57	30	(J)27	79	25	15	39	37	51	29	2	
		F	6531	35	8	27	(2)26	31	(J)104	136	19	49	29	53	29	2	—	
10	Malignant neoplasm: stomach	M	7986	656	188	468	759	322	437	1316	494	247	575	549	782	393	38	
		F	6009	491	120	371	587	286	301	989	383	185	421	411	595	330	26	
11	lung, bronchus	M	16430	1016	341	675	1509	649	860	2687	1078	632	977	1055	1553	869	68	
		F	2689	174	47	127	199	87	112	444	183	109	152	169	213	130	8	
12	breast	M	70	4	—	4	7	2	5	9	3	2	4	6	5	3	—	
		F	8613	483	150	333	743	340	403	1180	488	224	468	628	846	442	40	
13	uterus	M	3939	269	75	194	406	205	201	610	231	108	271	305	359	186	17	
14	Other malignant and lymphatic neoplasms	M	24269	1680	463	1217	2249	924	1325	3449	1247	692	1510	1855	2325	1152	117	
		F	21618	1326	407	919	1809	831	978	3148	1236	640	1272	1522	1958	971	98	
15	Leukæmia, aleukæmia	M	1301	90	22	68	126	50	76	163	49	29	85	96	137	78	5	
		F	1093	65	16	49	98	47	51	157	51	35	71	67	91	48	4	
16	Diabetes	M	1013	71	21	50	104	53	51	150	54	22	74	85	99	53	4	
		F	2124	157	34	123	187	97	90	326	123	59	144	154	232	107	10	
17	Vascular lesions of nervous system	M	30537	2602	673	1929	3221	1425	1796	4993	1849	872	2272	2397	2980	1441	153	
		F	43132	3170	803	2367	4353	2069	2284	7168	2697	1241	3230	3173	3721	1832	188	
18	Coronary disease, angina	M	47809	3755	978	2777	4825	2189	2636	7355	2534	1466	3355	3278	3997	1899	209	
		F	28515	2200	538	1662	2964	1470	1494	4333	1483	983	1867	1833	2256	1053	120	
19	Hypertension with heart disease	M	5368	351	90	261	498	238	260	795	296	172	327	411	588	294	29	
		F	6914	458	144	314	695	354	341	1090	381	255	454	486	691	366	32	
20	Other heart disease	M	32038	2304	527	1777	2846	1248	1598	5177	1930	946	2301	2579	3107	1378	172	
		F	45056	3026	772	2254	3998	1872	2126	7440	2853	1122	3465	3236	4176	1978	219	
21	Other circulatory disease	M	10490	703	223	480	908	347	561	1544	621	251	672	900	871	417	45	
		F	12266	765	234	531	1142	484	658	1883	796	276	811	938	931	412	51	
22	Influenza	M	3553	243	55	188	309	113	196	674	274	131	269	279	459	232	22	
		F	3163	231	61	170	255	106	149	599	250	98	251	248	346	169	17	
23	Pneumonia	M	12045	820	202	618	1105	531	574	1893	677	534	882	1040	1136	578	55	
		F	11473	712	197	515	1093	621	472	1931	700	546	685	711	1001	487	51	
24	Bronchitis	M	18962	1263	427	836	2162	957	1205	3455	1484	715	1256	1318	2020	1204	81	
		F	7973	464	157	307	863	428	435	1666	802	309	555	511	802	462	34	
25	Other diseases of respiratory system	M	3494	208	56	152	285	106	179	477	143	93	241	237	387	169	21	
		F	1410	97	32	65	116	53	63	220	88	51	81	114	153	88	6	
26	Ulcer of stomach and duodenum	M	3568	250	75	175	299	114	185	543	209	107	227	231	393	198	19	
		F	1461	80	17	63	96	43	53	203	76	41	86	109	140	86	5	
27	Gastritis, enteritis and diarrhœa	M	937	70	20	50	89	34	55	145	60	23	62	77	87	40	4	
		F	1315	90	25	65	97	39	58	211	82	40	89	66	115	59	5	
28	Nephritis and nephrosis	M	2345	165	40	125	236	91	145	332	96	58	178	201	247	123	12	
		F	2014	165	47	118	240	106	134	326	87	76	163	133	196	97	9	
29	Hyperplasia of prostate	M	3645	227	49	178	302	115	187	473	172	82	219	269	340	177	16	
30	Pregnancy, childbirth, abortion*	F	349	28	7	21	30	8	22	55	20	11	24	24	38	21	1	
31	Congenital malformations	M	2589	204	57	147	227	81	146	432	164	91	177	200	293	150	14	
		F	2341	202	47	155	196	82	114	356	132	83	141	198	265	130	13	
32	Other defined and ill-defined dis.	M	19956	1546	409	1137	1797	771	1026	3120	1147	564	1409	1531	2077	1014	106	
		F	23706	1647	434	1213	2072	929	1143	3992	1429	851	1712	1761	2225	1162	113	
33	Motor vehicle accidents	M	3673	293	62	231	312	136	176	513	175	112	226	324	429	200	22	
		F	1225	96	20	76	125	59	66	195	72	47	76	91	135	71	6	
34	All other accidents	M	5797	573	140	433	580	210	370	882	331	175	376	482	544	256	28	
		F	5203	368	88	280	551	247	304	876	306	170	400	398	556	282	27	
35	Suicide	M	3170	216	64	152	312	140	172	512	202	76	234	217	365	182	18	
		F	2146	120	39	81	203	91	112	373	148	63	162	156	190	98	9	
36	Homicide, operations of war	M	218	22	5	17	22	8	14	54	21	6	27	16	31	16	1	
		F	129	9	3	6	19	4	15	23	8	2	13	9	18	14	1	

* "Delayed" maternal deaths
(See page 237)

TABLE 21—continued England and Wales, Standard Regions and Conurbations

Supplementary Abridged List of Causes of Death (See first page of Table)		England and Wales	Northern			East & West Ridings			North Western				Midland			
			Total	Tyne-side Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	S.E. Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western	North Midland	Total	West Midlands Conurbation	Remainder of Midland
2(1) Tub. of meninges and nervous system	M	47	2	—	2	6	4	2	10	4	3	3	—	5	5	—
	F	63	4	1	3	8	1	—	10	3	3	4	5	6	6	—
2(1) Typhoid fever	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	(2) 7	2	1	1	—	—	—	1	—	—	1	—	—	—	—
2(2) Scarlet fever	M	(3) 4	—	—	—	(1) 1	—	(1) 1	—	—	—	—	—	—	—	—
	F	(4) 6	—	—	—	(2) 2	(2) 2	1	(1) 1	(1) 1	—	—	—	1	—	1
2(3) Streptococcal sore throat	M	7	—	—	—	2	—	1	1	3	—	—	—	—	—	—
	F	9	1	—	1	1	—	1	1	2	—	1	—	1	—	1
2(4) Erysipelas, septicaemia, pyaemia	M	55	7	1	6	5	4	1	7	1	4	2	5	5	3	2
	F	49	4	1	3	6	4	2	13	5	3	5	1	9	2	7
2(5) Acute infectious encephalitis	M	59	5	1	4	6	2	4	11	5	1	5	4	12	3	3
	F	50	3	1	2	3	1	2	12	3	2	7	2	7	9	4
2(6) Smallpox	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2(7) Infectious hepatitis	M	119	8	5	3	10	6	4	23	5	4	14	10	6	3	3
	F	173	15	3	12	15	7	8	32	13	6	13	13	7	5	2
2(1) Malig. neoplasm, mouth and pharynx	M	1259	107	24	83	110	56	54	212	79	33	100	90	111	46	65
	F	669	32	8	24	63	27	36	107	40	21	46	48	53	25	28
2(2) Malig. neoplasm, oesophagus	M	1312	106	32	74	100	38	62	216	76	53	87	105	122	50	72
	F	963	64	19	45	61	33	28	161	60	39	62	61	80	31	49
2(3) Malig. neoplasm, intestine and rectum	M	7023	516	145	371	681	286	395	1025	380	198	447	568	764	380	384
	F	7792	477	145	332	649	297	352	1169	481	243	445	562	730	391	339
2(4) Malig. neoplasm, larynx	M	661	35	12	23	61	22	39	87	26	23	38	44	66	35	31
	F	174	8	4	4	16	7	9	53	25	8	20	13	12	3	9
2(1) Malig. neoplasm, cervix uteri	F	2474	156	59	137	284	143	141	389	148	75	166	188	217	111	106
2(5) Hodgkin's disease	M	584	38	9	29	50	23	27	87	41	17	29	36	64	42	22
	F	288	23	12	11	28	12	16	47	19	9	19	19	24	12	12
2(6) Lymphosarcoma, reticulosarcoma	M	486	36	12	24	40	18	22	55	18	18	19	29	51	27	24
	F	381	25	10	15	27	12	15	36	16	9	11	27	38	17	21
2(1) Thyrotoxicosis	M	55	6	3	3	4	2	2	12	4	1	7	2	7	3	4
	F	314	20	3	17	28	14	14	59	21	14	24	24	42	13	29
2(2) Otitis media and mastoiditis	M	122	17	6	11	15	8	7	13	5	1	7	16	12	5	7
	F	65	4	2	2	9	3	6	6	1	3	2	10	6	4	2
2(3) Rheumatic fever	M	78	4	1	3	7	2	5	11	6	3	2	8	16	7	9
	F	96	10	1	9	10	6	4	13	6	4	3	4	12	4	8
2(1) Chronic rheumatic heart disease	M	2989	220	68	152	300	125	175	487	190	113	184	204	326	152	174
	F	5228	351	116	235	571	288	283	989	409	202	378	360	526	265	261
2(1) Hypertension without mention of heart	M	3424	210	71	139	261	97	164	431	164	80	187	286	329	189	140
	F	3794	211	61	150	336	152	184	458	167	102	189	292	308	135	173
2(4) Appendicitis	M	497	36	8	28	37	17	20	74	24	12	38	35	47	27	20
	F	302	14	3	11	24	12	12	56	19	16	21	18	29	17	12
2(5) Intestinal obstruction and hernia	M	1442	94	26	68	104	45	59	203	84	42	77	125	148	65	83
	F	1464	90	24	66	120	51	69	244	108	47	89	86	146	77	69
2(6) Cirrhosis of liver	M	667	54	16	38	64	31	33	101	48	14	39	44	83	48	35
	F	539	45	19	26	44	20	24	108	38	19	51	46	37	19	18
2(7) Cholelithiasis, cholecystitis	M	429	27	8	19	49	22	27	61	26	7	28	26	32	18	14
	F	967	67	15	52	107	48	59	152	65	25	62	72	94	49	45
2(1) Maternal sepsis (not abortion)	F	52	1	—	1	5	1	4	7	3	1	3	4	9	4	5
2(2) Toxaemias of pregnancy and puerperium	F	88	6	2	4	3	1	2	18	5	4	9	8	15	5	10
2(3) Abortion	F	61	5	2	3	7	3	4	8	4	2	2	1	3	2	1
2(8) Birth injury	M	1154	91	16	75	98	38	60	203	89	51	63	104	152	72	80
	F	715	59	8	51	74	33	41	100	40	26	34	56	103	47	56
2(9) Post-natal asphyxia and atelectasis	M	1698	130	28	102	176	61	115	247	84	74	89	141	198	103	95
	F	1114	80	17	63	103	46	57	154	55	36	43	91	126	75	51
2(1) Pneumonia of newborn	M	429	50	6	44	33	15	18	66	23	19	24	38	65	35	30
	F	285	26	4	22	21	10	11	42	22	6	14	26	41	13	28
2(11) Ophth., pemphigus, sepsis of newborn	M	31	2	—	2	1	—	1	3	1	1	1	2	6	2	4
	F	28	1	1	—	2	—	2	6	3	—	3	—	4	—	4
2(12) Haemolytic disease of newborn	M	203	12	1	11	25	10	15	43	16	5	22	18	17	10	7
	F	175	7	—	7	18	7	11	28	8	9	11	24	15	7	8
2(13) Immaturity (without other dis. peculiar to early infancy)	M	1810	197	54	143	188	64	124	306	105	62	139	117	163	64	99
	F	1300	121	37	84	143	64	79	219	76	52	91	103	129	66	63
2(14) Senility without psychosis	M	2566	197	39	158	212	106	106	459	132	47	280	214	319	146	173
	F	4675	301	85	216	345	157	188	868	285	112	471	368	544	253	291
2(15) Ill-defined and unknown cause	M	131	17	5	12	9	5	4	15	6	3	6	8	5	5	—
	F	114	14	7	7	7	3	4	19	7	5	7	11	4	2	—

TABLE 21—continued Standard Regions and Conurbations. Urban and Rural Aggregates.

Abridged List of Causes of Death (See first page of Table)			London & South Eastern					Wales (including Monmouthshire)			Conurbations	Areas outside Conurbations				
			Eastern	Total	Greater London	Remainder of South Eastern	Southern	South Western	Total	Wales I (South East)		Wales II (Remainder)	Urban areas with populations of 100,000 and over	Urban areas with popu- lations of 50,000 & under 100,000	Urban areas with populations under 50,000	Rural Districts
1	Tuberculosis, respiratory	M	135	750	586	164	133	194	242	151	91	1345	468	269	585	483
		F	67	263	212	51	57	72	93	64	29	438	175	85	220	181
2	Tuberculosis, other	M	17	63	50	13	15	20	15	11	4	100	35	21	53	38
		F	20	63	42	21	13	17	18	12	6	99	31	28	57	56
3	Syphilitic disease	M	69	260	204	56	64	43	49	34	15	368	115	74	176	146
		F	24	117	86	31	28	26	19	17	2	176	56	46	79	56
4	Diphtheria	M	1	(1)2	(1)2	—	—	(1)1	—	—	—	(1)3	—	—	—	(1)1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	3	3	1	2	3	3	2	2	—	(1)9	3	4	6	11
		F	6	6	2	4	3	5	5	5	—	13	11	5	13	13
6	Meningococcal infections	M	4	15	9	6	5	4	7	6	1	31	9	11	20	23
		F	1	16	13	3	7	3	10	9	1	38	12	7	27	6
7	Acute poliomyelitis	M	19	52	33	19	7	6	6	5	1	45	9	12	41	36
		F	13	21	14	7	7	8	4	2	2	19	14	14	14	22
8	Measles	M	4	(1)15	(1)13	2	3	4	1	1	—	(1)25	5	5	8	11
		F	1	11	6	5	—	2	5	4	1	15	4	3	9	10
9	Other infective, etc., diseases	M	(1)46	(1)100	(1)77	23	40	36	42	31	11	(1)184	62	44	(1)118	(1)117
		F	37	117	88	29	(3)30	44	25	16	9	(3)206	67	40	(1)100	(2)118
10	Malignant neoplasm: stomach	M	527	1783	1347	436	405	521	688	450	238	2991	1092	599	1833	1471
		F	385	1355	1029	326	293	440	463	294	169	2333	803	421	1369	1083
11	lung, bronchus	M	1116	4869	3816	1053	938	896	791	590	201	7385	2315	1275	3144	2311
		F	167	927	741	186	163	156	77	48	29	1297	305	208	487	392
12	breast	M	5	21	17	4	6	6	1	—	—	1	27	10	4	14
		F	660	2387	1724	663	575	670	441	283	158	3368	1091	664	1878	1615
13	uterus	M	272	931	664	267	232	292	263	190	73	1469	550	305	910	705
14	Other malignant and lymphatic neoplasms	M	1838	6225	4552	1673	1577	1679	1392	955	437	9030	3206	1899	5443	4691
		F	1721	6017	4389	1628	1353	1572	1192	779	413	8474	2651	1815	4780	3898
15	Leukaemia, aleukaemia	M	88	363	272	91	87	71	80	54	26	500	161	100	281	259
		F	86	321	238	83	74	82	52	37	15	435	150	84	234	190
16	Diabetes	M	79	227	163	64	60	72	66	38	28	366	129	73	210	235
		F	183	483	359	124	119	159	124	93	31	779	256	166	508	415
17	Vascular lesions of nervous system	M	2279	5919	3888	2031	1878	2178	2090	1394	696	10148	4080	2377	7721	6211
		F	3178	9564	6450	3114	2557	3306	2942	1891	1051	15092	5769	3473	10630	8168
18	Coronary disease, angina	M	3407	11645	8543	3102	2987	3385	3175	2333	842	17609	6617	3739	10917	8927
		F	2120	7160	5141	2019	1871	2059	1719	1257	462	10668	3969	2363	6499	5016
19	Hypertension with heart disease	M	345	1243	907	336	301	427	409	289	120	1997	740	395	1253	983
		F	455	1743	1306	437	371	515	410	276	134	2806	967	491	1506	1144
20	Other heart disease	M	2470	6699	4368	2331	1885	2813	2158	1490	668	10397	3832	2535	7889	7385
		F	3182	10696	7091	3605	2762	3896	2644	1779	865	15688	5699	3798	10617	9254
21	Other circulatory disease	M	740	2684	1951	733	622	783	735	510	225	3810	1341	736	2419	2184
		F	903	3321	2466	855	699	923	761	531	230	4668	1602	931	2764	2301
22	Influenza	M	233	660	459	201	203	264	229	181	48	1264	483	257	823	726
		F	201	676	464	212	196	228	183	131	52	1148	450	237	737	591
23	Pneumonia	M	937	3232	2364	868	773	754	555	407	148	4886	1688	934	2370	2167
		F	865	3171	2424	747	778	770	441	321	120	4975	1553	829	2164	1952
24	Bronchitis	M	997	4678	3808	870	840	888	1341	1082	259	8595	2666	1379	3832	2490
		F	398	2115	1726	389	339	392	423	304	119	3884	1068	542	1421	1058
25	Other diseases of respiratory system	M	184	710	524	186	191	279	536	451	85	1091	537	296	867	703
		F	87	330	244	86	102	105	86	64	22	556	195	121	276	262
26	Ulcer of stomach and duodenum	M	237	940	706	234	237	241	197	139	58	1409	469	274	828	588
		F	113	459	346	113	94	100	67	52	15	609	203	117	299	233
27	Gastritis, enteritis and diarrhoea	M	64	227	156	71	61	52	65	47	18	333	114	70	220	200
		F	98	376	268	108	92	94	76	54	22	513	149	105	319	229
28	Nephritis and nephrosis	M	156	512	354	158	157	147	192	120	72	762	316	172	585	510
		F	124	407	264	143	110	157	156	99	57	677	303	161	486	387
29	Hyperplasia of prostate	M	294	813	580	233	287	332	308	206	102	1175	442	341	873	814
30	Pregnancy, childbirth, abortion*	M	26	78	60	18	21	20	29	19	10	127	41	22	90	69
31	Congenital malformations	M	194	551	404	147	159	164	165	123	42	947	319	197	598	528
		F	160	497	374	123	145	158	164	129	35	848	327	195	538	433
32	Other defined and ill-defined dis.	M	1494	4364	3134	1230	1233	1370	1424	1029	395	7039	2513	1500	4717	4187
		F	1716	5472	3859	1613	1435	1699	1617	1117	500	8664	2850	1805	5627	4760
33	Motor vehicle accidents	M	303	768	567	201	260	272	206	155	51	1252	448	248	775	950
		F	84	285	213	72	94	62	58	41	17	482	173	100	235	235
34	All other accidents	M	433	1134	787	347	374	358	437	326	111	1899	704	469	1374	1351
		F	389	1095	744	351	339	357	274	174	100	1837	709	473	1155	1029
35	Suicide	M	245	744	572	172	181	226	152	101	51	1236	427	269	674	564
		F	159	599	456	143	108	152	86	63	23	895	333	199	431	288
36	Homicide, operations of war	M	13	30	21	9	12	7	11	10	1	77	36	23	47	35
		F	3	33	27	6	4	9	2	2	—	58	23	10	16	22

* "Delayed" maternal deaths (see page 237)

TABLE 21—continued Standard Regions and Conurbations. Urban and Rural Aggregates.

Supplementary Abridged List of Causes of Death (See first page of Table)			London & South Eastern					Wales (including Monmouthshire)			Conurbations	Areas outside Conurbations				
			Eastern	Total	Greater London	Remainder of South Eastern	Southern	South Western	Total	Wales I (South East)	Wales II (Remainder)		Urban areas with populations of 100,000 and over	Urban areas with poplns. of 50,000 & under 100,000	Urban areas with populations under 50,000	Rural Districts
2(1)	Tub. of meninges and nervous system	M F	3 3	10 14	8 8	2 6	1 4	5 5	2 4	2 2	— —	24 22	8 6	— —	8 8	4 16
9(1)	Typhoid fever	M F	— —	1 1	1 1	— —	(2) 2	1 —	— —	— —	— —	— 2	1 —	— —	1 —	(2) 3
9(2)	Scarlet fever	M F	(1) 1	(1) 1	(1) 1	— —	1 —	— —	— —	— —	— —	(1) (3)	— 3	— —	(1) 1	1 2
9(3)	Streptococcal sore throat	M F	1 —	2 —	1 —	1 —	— —	1 —	2 —	1 —	1 —	— 3	2 —	— —	2 4	2 2
9(4)	Erysipelas, septicaemia, pyaemia	M F	2 2	13 6	11 3	2 3	3 4	4 3	4 1	— —	— 1	24 18	5 5	4 4	14 12	8 12
9(5)	Acute infectious encephalitis	M F	4 4	8 8	4 5	4 4	2 3	5 2	1 3	2 2	1 1	22 15	3 4	7 10	12 10	15 11
9(6)	Smallpox	M F	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
9(7)	Infectious hepatitis	M F	8 9	30 55	27 46	3 9	10 7	6 12	8 8	7 6	1 —	50 80	17 23	6 9	21 26	25 35
4(1)	Malig. neoplasm, mouth and pharynx	M F	86 47	292 170	214 130	78 40	70 30	99 56	82 63	53 50	29 13	452 251	169 86	101 47	294 149	243 136
4(2)	Malig. neoplasm, oesophagus	M F	100 84	305 228	222 166	83 62	80 71	98 82	52 71	28 39	471 32	177 348	86 104	301 80	277 237	194
4(3)	Malig. neoplasm, intestine and rectum	M F	507 606	1629 2163	1152 1544	477 619	445 477	447 546	441 413	304 269	137 144	2541 3101	901 947	576 643	1624 1742	1381 1359
4(4)	Malig. neoplasm, larynx	M F	46 6	194 31	146 25	48 6	48 7	52 11	28 17	20 13	4 4	264 72	101 22	55 9	132 42	109 29
3(1)	Malig. neoplasm, cervix uteri	F	163	566	412	154	137	172	162	114	48	948	366	198	551	411
4(5)	Hodgkin's disease	M F	49 27	159 70	123 54	36 16	31 20	35 19	35 11	27 6	8 5	255 118	65 44	35 23	119 53	110 50
4(6)	Lymphosarcoma, reticulosarcoma	M F	36 31	147 130	119 98	28 32	25 17	37 31	30 19	22 13	8 6	212 162	54 40	29 32	96 78	95 69
2(1)	Thyrotoxicosis	M F	18 57	17 17	11 38	6 19	4 16	4 27	3 23	2 16	7 1	24 103	8 40	7 21	9 81	11 69
2(2)	Otitis media and mastoiditis	M F	14 7	22 15	16 13	6 2	5 1	6 3	2 4	2 3	— 1	41 26	18 6	10 7	28 15	25 11
2(3)	Rheumatic fever	M F	8 7	10 18	9 16	2 2	2 4	4 8	7 10	7 9	1 1	28 37	12 11	8 11	18 18	12 19
2(1)	Chronic rheumatic heart disease	M F	180 292	710 1330	582 1080	128 250	154 248	179 272	229 289	177 221	52 65	2360 2360	409 716	218 371	621 1009	511 772
2(1)	Hypertension without mention of heart	M F	231 275	1018 1188	790 918	228 270	197 230	226 240	235 256	170 186	65 70	1391 1535	395 471	230 283	771 816	637 689
2(4)	Appendicitis	M F	41 18	122 85	89 61	33 24	29 20	43 25	33 13	22 9	11 4	177 128	58 32	43 26	110 58	109 58
2(5)	Intestinal obstruction and hernia	M F	114 93	361 431	273 315	88 116	112 106	107 84	74 64	48 34	26 30	535 622	182 188	121 99	311 324	293 231
2(6)	Cirrhosis of liver	M F	33 46	150 118	113 89	37 29	44 30	48 37	46 28	36 19	10 9	270 204	97 72	49 44	146 135	105 84
2(7)	Cholelithiasis, cholecystitis	M F	37 57	112 219	82 165	30 54	26 60	29 72	30 67	18 51	12 16	163 367	66 112	28 80	84 227	88 181
3(1)	Maternal sepsis (not abortion)	F	3	8	4	4	5	4	6	4	2	13	5	3	18	13
3(2)	Toxaemias of pregnancy and puerperium	F	7	14	13	1	5	5	7	5	2	30	9	6	22	21
3(3)	Abortion	F	2	25	21	4	2	2	6	5	1	34	10	1	10	6
3(8)	Birth injury	M F	70 52	220 141	183 113	37 28	68 40	81 46	67 44	60 33	7 11	449 267	159 95	77 44	238 166	231 143
3(9)	Post-natal asphyxia and atelectasis	M F	107 70	350 246	271 192	79 54	114 59	103 94	132 91	102 67	30 24	621 441	260 151	124 79	389 237	304 206
2(1)	Pneumonia of newborn	M F	25 23	63 53	42 42	21 11	34 12	29 12	26 22	21 17	5 5	140 97	73 48	42 23	97 74	77 43
3(11)	Ophthalmia pemphigus, sepsis of newborn	M F	2 4	8 5	6 4	2 1	1 5	3 —	3 1	3 1	— —	10 8	4 4	3 3	8 6	6 7
3(12)	Haemolytic disease of newborn	M F	12 20	45 33	28 24	17 9	10 10	8 7	13 10	9 3	4 4	70 55	25 30	20 14	46 37	42 39
3(13)	Immaturity (without other dis. peculiar to early infancy)	M F	143 97	376 271	278 195	98 76	95 66	98 82	127 69	104 53	23 16	627 490	243 167	148 96	417 314	375 233
3(14)	Senility without psychosis	M F	209 363	395 808	259 493	136 315	118 296	197 384	246 398	164 266	82 132	729 1385	204 452	156 355	760 1302	717 1181
3(15)	Ill-defined and unknown cause	M F	12 8	28 27	14 20	14 7	14 7	6 8	17 9	9 8	9 1	38 44	11 12	13 13	33 28	36 17

TABLE 21—continued—London A.C., City of London, Metropolitan Boroughs

Abridged List of Causes of Death (See first page of Table)		London Administrative County	City of London	Battersea	Bermondsey	Bethnal Green	Camberwell	Chelsea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead
1	Tuberculosis, respiratory	M 283 F 95	—	7 3	8 1	4	18 4	1 1	10 2	6 1	14 4	5 2	18 2	5 3	3 1
2	Tuberculosis, other	M 26 F 24	—	1	—	1	2	—	1	—	3	1	—	1	1
3	Syphilitic disease	M 104 F 42	1	7 1	2	1	4 1	2 1	2 1	1 1	6 2	— 1	2 1	3 1	1 4
4	Diphtheria	M 1 F 1	—	—	—	—	—	—	—	—	—	—	—	1	—
5	Whooping cough	M 1 F 5	—	—	—	—	—	—	—	1	—	—	—	—	—
6	Meningococcal infections	M 5 F 6	—	1	—	—	—	1	—	—	1	1	—	—	—
7	Acute poliomyelitis	M 10 F 2	—	1	—	—	—	—	—	—	—	—	—	—	—
8	Measles	M (1) F 4	—	(1)1 1	—	—	1	1	—	—	—	2	—	—	1
9	Other infective, etc., diseases	M 38 F 44	—	1	2	1	1	2	—	—	2	—	5	—	3
10	Malignant neoplasm: stomach	M 590 F 430	2	26 15	6	16 5	30 20	10 7	16 10	9 1	6 13	15 8	34 20	20 18	9 7
11	lung, bronchus	M 1,653 F 337	2	63 10	37 4	23 8	81 15	16 6	44 8	22 3	61 7	39 16	96 12	67 12	45 12
12	breast	M 6 F 699	—	—	—	—	1	—	—	—	1	—	2	—	—
13	uterus	M 321 F 321	—	10	7	13 3	39 16	13 8	17 9	2 5	13 13	15 5	37 13	27 8	28 12
14	Other malignant and lymphatic neoplasms	M 1,866 F 1,867	1	68 58	30 30	31 24	89 88	33 35	47 22	17 13	60 58	55 43	109 89	64 68	45 65
15	Leukæmia, aleukæmia	M 108 F 79	1	2 4	1 4	1 2	3 2	4 2	1 2	1 3	1 3	1 3	7 3	9 3	3 4
16	Diabetes	M 67 F 156	—	—	—	1	2	2	—	—	4	2	6	3	1
17	Vascular lesions of nervous system	M 1,488 F 2,398	4	57 81	23 37	24 30	74 127	45 64	46 48	9 16	56 62	30 47	69 120	51 94	37 83
18	Coronary disease, angina	M 3,381 F 2,161	5	102 66	47 31	55 50	153 110	43 30	76 44	43 20	127 73	76 44	179 109	114 88	95 88
19	Hypertension with heart disease	M 386 F 563	2	7 12	7 16	2 5	28 44	6 15	10 8	3 4	16 15	9 14	17 20	13 11	7 20
20	Other heart disease	M 1,720 F 2,653	1	69 110	28 35	9 18	90 134	44 70	43 68	13 23	57 88	34 26	93 124	36 73	27 61
21	Other circulatory disease	M 799 F 1,030	3	20 32	9 12	30 15	48 54	34 42	21 22	9 2	26 36	18 25	42 37	21 31	31 35
22	Influenza	M 193 F 191	—	7 8	8 5	—	11 13	7 4	6 —	—	5 1	4 5	10 9	9 3	6 8
23	Pneumonia	M 1,062 F 1,053	4	22 28	21 12	17 5	56 65	20 34	40 26	10 12	35 30	25 19	39 42	36 22	17 34
24	Bronchitis	M 1,832 F 876	1	75 19	44 21	36 25	91 42	19 18	62 28	27 4	73 44	64 16	105 40	69 39	38 19
25	Other diseases of respiratory system	M 231 F 94	2	5 3	10 1	7	12 5	5	4	6	10 6	2 1	17 6	5 4	5 1
26	Ulcer of stomach and duodenum	M 340 F 159	1	10 4	9 1	8	22 8	5 3	10 6	3 1	17 6	20 4	24 12	13 9	5 4
27	Gastritis, enteritis and diarrhoea	M 68 F 127	—	1 4	1 5	1	5 5	3 1	1 2	—	4 6	4 3	3 1	1	2 1
28	Nephritis and nephrosis	M 133 F 105	2	5 1	1 1	4	9 4	3 4	4 2	—	5 6	1 6	4 9	2 2	4 3
29	Hyperplasia of prostate	M 248 F 28	—	6 3	2 1	3	12 3	3	6	1	7 1	3 1	9 1	10 2	9 1
30	Pregnancy, childbirth, abortion*	M 179 F 175	—	9 2	4 4	4	13 2	4 11	4 2	1 3	3 5	3 5	4 14	4 4	4 3
31	Congenital malformations	M 1,401 F 1,651	2	42 45	28 17	22 21	82 82	22 29	15 34	17 17	58 69	35 35	55 64	45 58	34 51
32	Other defined and ill-defined dis.	M 1,401 F 1,651	3	45	17	21	82	29	34	17	69	35	64	58	51
33	Motor vehicle accidents	M 216 F 78	1	7 2	8 1	3	11 1	4 3	4 2	2 3	6 2	4 2	17 6	6 4	8 2
34	All other accidents	M 380 F 284	2	13 12	14 8	9	10 8	4 10	5 2	3 13	10 6	9 11	21 6	16 8	8 3
35	Suicide	M 310 F 188	—	9 1	2 5	2	12 10	5 6	6 3	2 2	11 8	5 1	10 11	11 6	13 10
36	Homicide, operations of war	M 12 F 14	—	—	—	—	—	—	—	—	—	—	—	—	—

Delayed maternal deaths
(see page 237)

TABLE 21—continued—London A.C., City of London, Metropolitan Boroughs

Supplementary Abridged List of Causes of Death (See first page of Table)		London Administrative County	City of London	Battersea	Bermondsey	Bethnal Green	Camberwell	Chelsea	Deptford	Finbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead
2(1) Tub. of meninges and nervous system	M	4	—	—	—	—	1	—	—	—	1	1	—	—	—
9(1) Typhoid fever	F	7	—	—	—	—	2	—	—	—	—	—	—	—	—
	M	1	—	—	—	—	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9(2) Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	1	—	—
9(3) Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(4) Erysipelas, septicæmia, pyæmia	M	5	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	—	—	—	—	—	—	—	—
9(5) Acute infectious encephalitis	M	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	1	—	—	—	—	—
9(6) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7) Infectious hepatitis	M	14	—	—	—	—	1	—	—	—	—	—	—	—	—
	F	21	—	—	1	1	1	—	—	—	—	—	2	—	1
14(1) Malig. neoplasm, mouth and pharynx	M	113	—	4	3	3	5	4	4	1	6	2	5	2	—
	F	61	—	3	2	2	1	1	—	—	3	1	1	3	—
14(2) Malig. neoplasm, œsophagus	M	95	—	3	1	1	1	3	1	—	1	6	4	5	1
	F	70	—	4	2	2	2	1	2	—	2	3	2	2	3
14(3) Malig. neoplasm, intestine and rectum	M	466	—	17	8	10	26	7	16	6	9	10	30	19	13
	F	618	3	18	8	6	37	15	10	5	20	16	28	22	29
14(4) Malig. neoplasm, larynx	M	66	—	4	—	4	2	—	3	3	3	3	1	3	—
	F	10	—	—	—	—	—	—	—	—	1	1	—	—	—
13(1) Malig. neoplasm, cervix uteri	F	213	—	5	3	1	12	6	7	3	9	4	9	5	7
14(5) Hodgkin's disease	M	46	—	1	—	1	1	1	1	2	1	1	—	1	3
	F	19	—	—	—	1	1	2	—	—	—	1	—	3	—
14(6) Lymphosarcoma, reticulosarcoma	M	44	—	1	1	—	1	1	1	1	1	2	2	3	3
	F	42	—	2	1	—	1	1	—	—	1	4	3	3	2
32(1) Thyrotoxicosis	M	5	—	—	—	—	1	—	—	—	—	1	—	—	—
	F	7	—	—	—	—	—	—	—	—	—	—	—	—	—
32(2) Otitis media and mastoiditis	M	6	—	—	—	—	—	—	—	1	—	—	1	—	—
	F	3	—	—	—	—	—	—	—	—	—	—	—	—	—
32(3) Rheumatic fever	M	4	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	1	—	—	—	—	—	—	2	—	1	1	—
20(1) Chronic rheumatic heart disease	M	246	—	8	5	2	15	3	3	—	10	3	19	8	8
	F	461	1	19	13	13	30	8	9	3	15	10	30	15	15
21(1) Hyperten. without mention of heart	M	348	1	11	3	5	28	9	7	5	8	9	13	9	10
	F	405	1	14	5	8	24	11	10	—	13	7	12	10	13
32(4) Appendicitis	M	45	—	—	1	2	3	—	1	1	1	2	2	2	—
	F	28	—	—	—	1	1	—	—	—	1	—	—	—	3
32(5) Intestinal obstruc. and hernia	M	122	—	4	2	4	11	1	2	1	6	4	7	4	1
	F	142	—	3	—	3	6	4	3	4	6	3	8	7	3
32(6) Cirrhosis of liver	M	62	—	1	—	1	4	3	—	—	1	3	3	—	—
	F	43	—	—	—	2	2	—	1	—	1	3	2	2	2
32(7) Cholelithiasis, cholecystitis	M	31	—	1	—	1	1	1	—	—	1	1	1	2	2
	F	68	—	2	—	2	6	1	—	—	1	1	1	2	2
30(1) Maternal sepsis (not abortion)	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30(2) Toxæmias of pregnancy and puerperium	F	4	—	1	—	—	—	—	—	—	1	—	—	—	—
30(3) Abortion	F	13	—	1	—	—	3	—	—	—	—	1	1	1	—
32(8) Birth injury	M	100	—	8	—	—	3	2	1	3	2	3	6	4	2
	F	57	—	1	—	—	3	1	2	2	3	2	2	3	3
32(9) Post-natal asphyxia and atelectasis	M	123	—	1	3	2	11	2	3	2	8	5	6	2	2
	F	97	2	3	—	1	7	1	1	—	8	4	1	6	1
23(1) Pneumonia of newborn	M	21	—	—	—	—	1	—	—	—	1	1	—	1	1
	F	18	—	—	—	—	1	—	—	—	—	2	1	1	—
32(11) Ophth., pemphigus, sepsis of newborn	M	3	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—
32(12) Hæmolytic disease of newborn	M	12	—	—	—	—	1	—	—	1	—	1	—	—	—
	F	16	—	1	—	—	—	—	—	—	2	4	2	—	—
32(13) Immaturity (without other dis. peculiar to early infancy)	M	129	—	7	3	—	10	1	1	3	2	4	4	8	5
	F	96	—	8	2	2	4	3	—	—	4	5	3	5	1
32(14) Senility without psychosis	M	125	—	—	2	—	5	1	—	—	4	3	3	1	1
	F	211	—	1	—	2	6	—	2	1	4	1	4	2	5
32(15) Ill-defined and unknown cause	M	5	—	—	1	—	—	1	—	—	—	—	—	—	—
	F	11	—	—	—	—	3	—	—	—	1	—	—	1	1

TABLE 21—continued—Metropolitan and County Boroughs

Abridged List of Causes of Death (See first page of Table)			Holborn	Islington	Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth	Westminster	Woolwich	Barnsley	Barrow-in-Furness	Bath	Birkenhead
1	Tuberculosis, respiratory	M	4	20	12	9	19	7	7	9	15	4	11	15	4	22	12	14	3	11	11	15
		F	—	8	1	8	12	4	2	3	2	1	3	5	8	1	6	6	4	3	4	4
2	Tuberculosis, other	M	—	2	3	3	1	—	—	—	—	—	—	—	—	1	5	1	1	2	—	1
		F	—	1	1	2	1	1	—	—	—	—	—	—	—	—	—	3	2	—	—	—
3	Syphilitic disease	M	3	12	3	7	4	2	3	4	3	1	7	6	—	9	6	2	2	1	1	3
		F	1	3	1	1	3	2	2	2	3	—	1	1	—	7	—	1	1	2	2	1
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Meningococcal infections	M	—	2	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1
7	Acute poliomyelitis	M	—	1	—	—	3	1	—	1	—	—	—	—	—	3	—	—	—	—	1	—
		F	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
8	Measles	M	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
9	Other infective, etc. diseases	M	—	4	2	3	1	3	—	2	3	1	1	2	2	6	1	1	1	—	3	2
		F	—	2	—	3	2	—	2	2	—	—	—	1	2	5	4	—	—	—	—	—
10	Malignant neoplasm: stomach	M	4	46	19	31	50	20	13	18	25	12	17	21	8	71	7	25	11	23	19	25
		F	4	24	18	30	21	13	7	8	21	10	17	13	5	81	9	19	8	11	10	18
11	lung, bronchus	M	10	127	62	101	101	57	32	28	74	29	53	50	19	196	52	66	17	23	37	53
		F	7	25	28	12	21	11	7	6	16	8	7	4	3	44	19	14	2	5	7	1
12	breast	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	34	33	44	42	22	12	15	23	7	15	13	6	138	21	30	13	12	25	28
13	uterus	M	3	27	19	15	19	16	7	8	8	2	9	5	4	54	8	8	3	3	3	20
		F	3	12	19	15	19	16	7	8	8	2	9	5	4	54	8	8	3	3	3	20
14	Other malignant and lymphatic neoplasms	M	10	112	77	117	111	56	34	62	85	25	59	81	27	250	44	67	37	50	36	108
		F	9	112	98	120	121	57	37	50	64	26	37	54	31	327	44	84	27	30	47	62
15	Leukæmia, aleukæmia	M	1	5	5	6	5	4	1	2	4	4	3	7	3	15	4	4	1	1	2	2
		F	—	4	3	4	5	3	—	5	6	—	1	1	—	14	1	5	—	—	—	5
16	Diabetes	M	—	3	1	3	4	1	4	3	2	1	1	4	2	10	—	5	1	1	3	1
		F	2	4	8	16	15	3	1	4	5	3	5	10	3	17	7	4	1	4	11	6
17	Vascular lesions of nervous system	M	5	74	59	95	137	45	23	66	44	40	46	41	19	181	43	45	52	41	48	104
		F	13	133	156	144	176	78	41	77	95	50	38	68	38	318	54	108	69	66	90	132
18	Coronary disease, angina	M	42	208	152	223	257	118	75	108	162	43	94	115	38	359	118	154	58	107	63	144
		F	15	171	107	128	122	86	34	79	103	21	54	84	35	239	65	81	24	38	57	96
19	Hypertension with heart disease	M	—	18	12	25	32	8	4	35	21	6	12	12	4	38	8	24	9	7	8	19
		F	—	37	26	49	49	17	9	42	19	4	15	15	8	48	5	36	6	5	8	24
20	Other heart disease	M	9	101	57	115	112	43	15	66	37	23	76	49	31	352	22	68	69	71	53	112
		F	11	186	110	164	176	68	34	86	64	39	92	67	30	519	39	85	95	94	112	126
21	Other circulatory disease	M	6	48	43	49	44	24	14	19	21	13	32	30	9	100	23	32	17	8	12	25
		F	6	93	64	61	63	26	14	27	31	21	30	30	12	147	21	40	17	15	23	33
22	Influenza	M	3	9	9	8	9	6	3	8	7	3	5	8	3	30	4	5	7	7	4	8
		F	4	18	5	23	10	5	3	4	2	3	5	4	1	28	3	9	4	8	5	9
23	Pneumonia	M	9	78	41	88	58	31	20	21	50	30	55	59	10	104	22	44	10	23	30	48
		F	8	82	53	71	57	27	15	13	43	24	44	38	9	148	15	61	18	36	32	38
24	Bronchitis	M	8	135	62	108	129	43	58	48	82	40	46	77	26	166	38	62	50	18	19	99
		F	4	90	46	52	56	26	24	24	32	19	24	32	14	76	14	28	11	9	15	33
25	Other diseases of respiratory system	M	2	7	8	23	7	4	6	8	11	3	7	8	3	29	6	9	7	7	9	7
		F	2	10	9	5	3	1	—	3	5	2	—	3	—	14	5	4	2	—	8	3
26	Ulcer of stomach and duodenum	M	2	25	11	18	24	7	14	9	15	3	10	8	5	19	5	18	2	11	7	10
		F	—	11	11	9	7	8	4	1	6	2	1	6	2	16	3	9	1	5	4	3
27	Gastritis, enteritis and diarrhoea	M	—	6	2	6	2	3	1	2	—	2	1	4	2	8	3	—	3	—	4	2
		F	—	5	10	5	10	9	5	4	5	4	4	4	2	14	5	9	3	1	3	4
28	Nephritis and nephrosis	M	—	6	5	5	16	3	1	5	8	3	6	3	2	13	5	6	2	6	2	7
		F	—	6	5	6	6	4	3	2	4	—	1	1	13	7	7	7	—	3	6	6
29	Hyperplasia of prostate	M	3	12	10	16	28	8	7	9	12	5	12	14	2	21	6	12	1	5	13	6
	Pregnancy, childbirth, abortion*	F	—	3	1	—	2	4	2	—	—	—	—	1	—	—	1	—	—	—	1	1
31	Congenital malformations	M	6	12	6	16	12	10	3	7	6	1	10	5	4	18	1	5	7	4	4	14
		F	1	14	6	18	13	5	9	3	6	2	6	5	3	18	1	9	7	6	4	9
32	Other defined and ill-defined dis.	M	16	92	72	99	77	44	20	30	50	34	35	33	20	219	36	67	27	20	33	70
		F	7	91	97	104	94	65	29	47	59	23	45	46	25	284	50	60	36	29	33	106
33	Motor vehicle accidents	M	2	16	12	13	15	11	6	4	7	5	4	5	4	15	5	12	4	4	4	11
		F	—	5	5	3	10	7	2	3	2	—	1	1	6	2	2	2	1	1	3	3
34	All other accidents	M	6	27	25	28	21	17	12	8	28	2	6	15	2	34	16	9	16	8	7	26
		F	5	25	12	14	13	12	1	6	15	7	5	12	6	44	14	7	11	10	16	26
35	Suicide	M	5	20	25	22	17	26	5	10	21	2	13	7	3	23	9	14	4	6	5	3
		F	2	5	14	7	7	17	3	5	5	1	3	9	1	23	9	3	6	4	6	9
36	Homicide, operations of war	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	2	1	1	2	1	—	—	—	3	—	—	1	—	1	—	—	—	—

*** Delayed * maternal deaths
(see page 237)

TABLE 21—continued—Metropolitan and County Boroughs

Supplementary Abridged List of Causes of Death (See first page of Table)		Holborn	Islington	Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth	Westminster	Woolwich	Barnsley	Barrow-in-Furness	Bath	Birkenhead
2(1)	Tub. of meninges and nervous system	M	—	—	1	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—
9(1)	Typhoid fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
		F	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(2)	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(3)	Streptococcal sore throat	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(4)	Erysipelas, septicæmia, pyæmia	M	—	1	1	—	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—
		F	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
9(5)	Acute infectious encephalitis	M	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
9(6)	Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7)	Infectious hepatitis	M	—	2	—	1	1	—	1	1	1	—	1	1	1	3	—	—	—	—	—
		F	—	2	—	1	1	2	—	2	—	—	—	—	2	3	—	—	—	1	1
4(1)	Malig. neoplasm, mouth and pharynx	M	2	3	7	8	6	3	1	2	8	3	2	3	—	16	2	8	1	4	1
		F	1	2	6	5	2	1	1	—	4	1	1	1	21	1	1	1	2	2	5
4(2)	Malig. neoplasm, œsophagus	M	—	9	4	8	1	2	3	3	5	1	5	6	1	15	3	4	2	2	1
		F	1	3	5	4	5	1	—	1	4	2	1	5	13	—	2	1	4	1	12
4(3)	Malig. neoplasm, intestine and rectum	M	3	21	13	31	28	14	8	25	25	2	11	22	55	10	18	11	22	9	31
		F	—	2	32	37	35	19	17	14	16	1	7	10	105	16	32	6	8	13	20
4(4)	Malig. neoplasm, larynx	M	—	2	2	3	2	3	1	3	1	2	1	3	2	11	1	3	—	1	5
		F	—	—	1	—	3	—	—	—	—	—	—	—	2	1	—	—	1	—	—
3(1)	Malig. neoplasm, cervix uteri	F	2	17	12	13	14	10	5	2	5	2	9	2	4	34	6	5	2	2	12
4(5)	Hodgkin's disease	M	—	2	4	1	1	3	—	1	3	—	6	2	1	5	3	1	2	—	1
		F	—	1	3	4	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
4(6)	Lymphosarcoma, reticulosarcoma	M	—	5	3	4	2	1	1	1	1	1	1	—	1	5	1	—	—	—	2
		F	1	1	1	4	5	1	1	—	—	—	—	3	4	—	2	1	—	—	1
3(2)	Thyrototoxicosis	M	—	—	1	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—
		F	—	—	—	1	1	1	—	—	—	—	—	—	1	—	—	—	1	—	1
3(2)	Otitis media and mastoiditis	M	—	—	—	1	—	—	—	—	—	—	1	—	—	—	2	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—
3(3)	Rheumatic fever	M	—	1	—	—	—	—	1	—	—	1	—	—	—	2	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3(1)	Chronic rheumatic heart disease	M	1	24	6	18	17	9	3	6	12	5	9	6	8	24	4	10	8	6	7
		F	2	39	14	22	26	15	11	11	23	15	16	14	6	43	6	17	4	4	13
3(1)	Hyperten. without mention of heart	M	3	25	17	24	25	5	7	3	7	8	22	16	3	36	10	16	3	1	7
		F	2	41	22	28	27	14	6	6	—	—	—	11	6	50	4	23	1	6	11
3(2)	Appendicitis	M	—	3	1	1	4	1	2	2	—	2	2	1	1	6	4	1	1	1	5
		F	—	2	—	3	4	1	—	1	—	—	1	—	4	—	1	—	—	—	—
3(5)	Intestinal obstruc. and hernia	M	—	10	4	6	11	3	—	2	2	3	3	1	22	2	4	1	—	6	4
		F	2	6	10	12	8	6	6	3	4	5	3	6	2	12	2	5	2	1	7
3(6)	Cirrhosis of liver	M	—	1	2	9	1	2	2	1	3	3	1	—	12	6	3	1	—	—	—
		F	1	1	6	1	3	—	5	2	2	2	1	—	4	2	1	1	—	—	4
3(7)	Cholelithiasis, cholecystitis	M	—	2	3	3	2	1	1	2	—	2	1	1	3	3	1	1	2	—	1
		F	—	8	3	4	4	2	1	3	—	2	2	3	2	13	4	1	3	1	2
3(1)	Maternal sepsis (not abortion)	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3(2)	Toxæmias of pregnancy and puerperium	F	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—
3(3)	Abortion	F	—	—	—	—	1	3	—	—	—	—	—	1	—	—	1	—	—	—	—
3(2)	Birth injury	M	1	11	11	9	3	5	2	1	6	1	2	3	2	3	2	4	—	—	2
		F	—	3	2	4	2	5	1	2	2	6	2	1	2	4	3	1	—	4	5
3(9)	Post-natal asphyxia and atelectasis	M	1	14	6	11	3	5	1	4	2	2	2	2	4	6	4	5	1	1	8
		F	—	10	9	10	3	2	—	3	3	1	2	2	9	2	7	2	1	1	4
3(1)	Pneumonia of newborn	M	—	3	1	—	1	1	—	—	2	1	1	1	—	1	1	3	—	1	5
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3(11)	Ophth., pemphigus, sepsis of newborn	M	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
		F	—	3	—	3	1	1	—	—	—	—	—	3	1	1	—	—	—	1	1
3(12)	Hæmolytic disease of newborn	M	—	1	1	—	2	—	—	1	—	—	—	1	1	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3(13)	Immaturity (without other dis. peculiar to early infancy)	M	—	8	7	12	6	5	4	1	1	2	5	3	4	11	2	6	2	5	2
		F	1	6	7	7	4	6	1	2	5	1	4	6	7	1	—	—	2	1	8
3(14)	Senility without psychosis	M	—	3	4	3	5	—	—	—	1	1	3	—	82	1	2	8	—	—	13
		F	—	2	15	1	7	4	2	1	2	—	—	—	127	5	6	11	1	5	22
3(15)	Ill-defined and unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 21—continued—County Boroughs

Abridged List of Causes of Death (See first page of Table)		Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton upon Trent	Bury	Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington	Derby	Dewsbury
1	Tuberculosis, respiratory	M	105	13	13	10	14	7	17	12	23	4	3	1	1	7	5	20	17	10	9
2	Tuberculosis, other	F	21	5	9	7	3	6	6	4	8	1	3	4	1	1	10	12	2	1	1
3	Syphilitic disease	M	17	2	4	4	1	2	6	1	6	2	2	3	1	1	5	8	1	—	1
4	Diphtheria	F	10	—	3	5	1	4	3	4	2	2	1	2	—	2	3	1	3	—	1
5	Whooping cough	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Meningococcal infections	F	2	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—
7	Acute poliomyelitis	M	3	1	—	—	—	3	2	1	1	1	—	—	—	—	1	2	1	1	—
8	Measles	F	—	—	—	—	—	1	2	2	—	—	—	—	—	1	2	1	—	—	—
9	Other infective, etc., diseases	M	17	—	4	2	—	2	6	—	5	2	3	—	1	—	2	1	2	—	—
10	Malignant neoplasm: stomach	F	18	4	2	9	—	—	5	3	3	4	1	—	—	—	—	—	—	—	—
11	lung, bronchus	M	200	28	31	27	9	26	49	34	94	17	8	12	5	15	9	37	31	11	19
12	breast	F	166	21	31	25	15	23	63	24	58	20	3	9	1	9	6	23	34	9	23
13	uterus	M	468	50	72	75	43	58	120	65	167	41	18	22	14	24	16	92	119	36	55
14	Other malignant and lymphatic neoplasms	F	82	7	11	10	9	10	18	1	25	8	2	4	2	6	5	26	6	8	21
15	Leukæmia, aleukæmia	M	236	23	42	39	10	35	59	45	85	16	8	8	6	9	40	50	14	30	11
16	Diabetes	F	104	15	17	19	4	15	37	21	40	13	10	8	1	6	2	14	23	13	12
17	Vascular lesions of nervous system	M	612	59	108	86	32	108	155	126	210	51	30	27	14	45	37	142	159	43	75
18	Coronary disease, angina	F	518	60	89	92	23	126	154	113	213	50	23	29	16	35	28	73	140	52	83
19	Hypertension with heart disease	M	40	5	4	3	—	8	4	5	11	4	3	3	3	3	3	3	—	—	3
20	Other heart disease	F	23	1	8	3	—	4	4	5	5	1	2	3	1	2	11	6	1	6	1
21	Other circulatory disease	M	33	4	2	4	2	1	6	6	5	1	3	2	1	—	—	2	4	2	2
22	Influenza	F	58	2	12	10	4	9	18	11	22	3	4	2	1	3	3	13	11	6	9
23	Pneumonia	M	711	115	137	133	58	123	237	134	294	87	43	17	53	37	127	167	62	83	48
24	Bronchitis	F	967	141	217	224	44	218	300	220	455	128	55	65	32	83	58	146	273	96	122
25	Other diseases of respiratory system	M	993	142	230	197	67	226	379	205	528	110	39	56	30	85	73	274	253	105	166
26	Ulcer of stomach and duodenum	F	569	81	152	123	46	158	298	140	313	89	18	31	15	51	27	117	143	67	97
27	Gastritis, enteritis and diarrhoea	M	154	19	10	34	7	20	65	31	75	11	2	15	4	11	7	20	30	6	18
28	Nephritis and nephrosis	F	195	37	25	40	5	26	78	55	92	14	7	20	6	12	7	21	46	9	34
29	Hyperplasia of prostate	M	689	89	144	106	32	112	226	123	281	65	64	46	10	75	32	116	179	63	122
30	Pregnancy, childbirth, abortion*	F	1,048	153	248	184	61	226	345	228	479	103	57	88	27	89	59	150	304	110	139
31	Congenital malformations	M	198	29	47	49	21	38	44	45	130	21	13	16	10	13	19	29	54	12	24
32	Other defined and ill-defined dis.	F	242	33	84	46	15	57	66	45	198	23	12	24	19	27	16	31	83	17	56
33	Motor vehicle accidents	M	90	14	17	34	4	10	22	14	39	11	3	7	1	2	5	18	20	14	9
34	All other accidents	F	74	22	11	31	5	16	22	21	36	11	2	9	3	8	6	10	13	8	7
35	Suicide	M	295	27	29	73	30	40	160	69	144	28	21	13	2	9	13	58	62	8	64
36	Homicide, operations of war	F	262	36	43	54	31	32	208	57	156	28	10	10	3	17	11	43	51	17	55
37	Motor vehicle accidents	M	612	59	79	57	33	61	190	73	170	41	34	31	13	11	19	77	143	38	59
38	All other accidents	F	253	35	37	65	16	22	66	31	66	30	8	14	4	10	9	29	54	12	24
39	Suicide	M	77	15	11	12	5	10	25	10	54	8	1	4	2	4	6	24	12	4	10
40	Homicide, operations of war	F	34	8	1	9	5	9	10	7	16	4	1	1	—	6	1	4	10	3	6
41	Suicide	M	113	12	15	13	8	14	26	13	24	6	10	6	3	6	7	19	20	5	9
42	Homicide, operations of war	F	56	4	8	4	3	16	8	5	19	3	2	4	2	2	4	6	9	3	5
43	Suicide	M	19	2	3	6	—	5	8	5	8	1	1	3	1	2	2	5	2	4	2
44	Homicide, operations of war	F	34	2	1	3	2	8	14	5	12	5	3	3	—	3	3	8	5	2	1
45	Suicide	M	49	3	6	7	8	10	17	11	13	2	3	5	5	4	3	8	8	4	8
46	Homicide, operations of war	F	43	6	10	5	4	4	17	17	14	3	4	5	4	6	2	12	11	3	3
47	Suicide	M	73	14	13	11	3	30	24	14	32	12	5	10	1	7	3	11	14	6	6
48	Homicide, operations of war	F	9	1	—	—	—	2	1	1	1	2	—	—	1	1	1	3	—	1	—
49	Suicide	M	68	4	8	12	2	5	18	8	21	1	1	2	2	—	3	24	13	2	12
50	Homicide, operations of war	F	56	4	9	6	5	12	14	5	26	7	6	3	2	8	3	17	11	10	11
51	Suicide	M	504	58	85	85	37	94	115	74	154	36	59	29	7	26	23	97	93	52	61
52	Homicide, operations of war	F	542	57	117	95	43	94	170	96	167	67	63	38	16	39	16	88	130	41	57
53	Suicide	M	111	9	10	10	5	27	10	25	2	7	4	2	4	9	31	13	6	16	2
54	Homicide, operations of war	F	37	2	6	6	3	10	11	2	9	3	1	1	3	4	8	5	4	6	2
55	Suicide	M	113	14	19	14	16	38	29	45	12	8	15	3	7	5	31	19	14	22	4
56	Homicide, operations of war	F	127	26	9	31	6	37	51	41	40	20	7	16	2	19	8	22	16	10	11
57	Suicide	M	98	14	16	18	3	12	18	20	22	9	10	4	—	2	2	15	10	9	2
58	Homicide, operations of war	F	57	10	18	11	3	16	7	13	23	13	5	4	2	2	11	17	5	10	1
59	Suicide	M	9	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
60	Homicide, operations of war	F	11	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—

*"Delayed" maternal deaths
(see page 237)

TABLE 21—continued—County Boroughs

Supplementary Abridged List of Causes of Death (See first page of Table)		Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton upon Trent	Bury	Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington	Derby	Dewsbury
(1) Tub. of meninges and nervous system	M F	2 3	—	1	—	2	—	2	—	—	—	—	—	—	—	—	—	1	—	2	—
(1) Typhoid fever	M F	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
(2) Scarlet fever	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(3) Streptococcal sore throat	M F	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	(1) 1	—
(4) Erysipelas, septicaemia, pyaemia	M F	1 2	—	—	2	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—
(5) Acute infectious encephalitis	M F	5	—	—	1	—	1	1	—	—	2	1	—	—	—	—	—	—	—	—	—
(6) Smallpox	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(7) Infectious hepatitis	M F	2 4	—	3	3	—	1	1	—	1 2	1	—	—	—	—	—	—	—	2	—	—
(1) Malig. neoplasm, mouth and pharynx	M F	18 15	4 2	7 1	8 3	1	1 1	11 5	9 5	9 7	7 1	2 1	— 1	— 3	— 5	— 4	3 3	2 2	2 2	1 2	—
(2) Malig. neoplasm, oesophagus	M F	30 18	2 2	7 4	3 6	—	5 4	9 7	2 2	10 5	1 2	3 3	— 2	— 1	— 3	— 1	2 2	11 4	4 2	3 1	1 1
(3) Malig. neoplasm, intestine and rectum	M F	200 200	23 27	29 30	29 32	10 10	28 50	47 31	35 40	59 62	16 24	13 7	10 3	6 3	9 11	10 8	33 22	32 64	13 17	22 19	6 10
(4) Malig. neoplasm, larynx	M F	22 3	1 3	—	—	—	6 2	3 1	5 1	7 7	—	2 1	— 1	—	—	—	6 8	17 1	7 1	—	—
(1) Malig. neoplasm, cervix uteri	F	63	9	10	13	3	7	27	9	25	9	6	5	1	3	1	9	16	4	12	12
(5) Hodgkin's disease	M F	18 6	— 1	4 2	1 1	—	— 1	7 4	2 3	4 1	—	1	—	—	—	—	— 2	6 2	— 1	2 2	—
(6) Lymphosarcoma, reticulosarcoma	M F	15 10	— 1	2 1	1 2	—	3 1	3 1	2 2	5 4	1 1	1 1	1 1	— 1	— 1	— 1	5 2	7 3	1 1	1 1	—
(1) Thyrotoxicosis	M F	7 10	— 1	2 2	1 1	—	— 1	— 1	— 1	2 2	—	1 1	1 1	1 1	— 1	— 2	2 2	— 2	2 1	— 1	—
(2) Otitis media and mastoiditis	M F	4 2	1 2	1 2	—	—	—	—	2 1	3 2	—	—	—	—	1 1	1 1	1 1	— 1	1 1	1 1	—
(3) Rheumatic fever	M F	3 3	—	—	—	—	1 1	— 2	—	—	—	1 2	— 1	—	—	—	— 1	1 1	— 1	— 1	—
(1) Chronic rheumatic heart disease	M F	79 140	10 17	11 25	13 33	7 19	7 19	18 52	13 16	28 58	9 11	6 7	6 5	1 2	6 7	3 8	18 27	14 23	5 8	11 11	3 7
(1) Hyperten. without mention of heart	M F	105 78	7 5	3 13	6 6	19 16	19 17	51 11	40 17	62 27	5 7	2 4	3 3	2 9	5 3	2 11	2 5	15 32	2 4	10 2	2 4
(4) Appendicitis	M F	8 8	2 3	2 2	— 1	— 3	— 3	3 4	3 2	6 2	— 1	2 3	— 4	—	2 1	— 2	— 1	5 2	1 3	2 6	— 2
(5) Intestinal obstruc. and hernia	M F	39 40	6 7	2 6	9 7	1 2	13 12	11 14	4 11	6 15	3 4	5 2	1 4	— 2	— 2	— 2	9 6	9 9	3 4	1 3	— 2
(6) Cirrhosis of liver	M F	26 7	— 1	4 2	9 3	3 1	3 2	3 2	3 2	4 5	— 4	2 1	3 2	— 1	— 1	— 1	1 7	2 2	1 2	1 1	—
(7) Cholelithiasis, cholecystitis	M F	19 2	2 2	2 3	1 3	— 1	3 7	2 9	2 1	4 7	— 3	1 1	— 2	— 1	— 5	— 2	3 3	9 3	3 3	— 2	—
(1) Maternal sepsis (not abortion)	F	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
(2) Toxæmia of pregnancy and puerperium	F	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—
(3) Abortion	F	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
(8) Birth injury	M F	43 26	2 1	4 2	2 2	5 1	7 9	9 4	1 4	8 9	3 6	3 1	2 4	1 1	2 5	— 4	2 10	4 2	3 3	4 1	—
(9) Post-natal asphyxia and atelectasis	M F	57 38	— 2	14 6	5 4	2 2	11 9	8 2	22 12	3 3	1 2	2 2	— 1	— 1	— 1	— 4	4 8	2 2	3 3	4 1	—
(1) Pneumonia of newborn	M F	21 6	1 1	—	1 1	1 1	2 3	3 3	2 3	3 3	3 1	— 1	3 1	— 1	— 1	— 5	6 1	1 1	1 1	3 1	—
(2) Ophth. pemphigus, sepsis of newborn	M F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(2) Hæmolytic disease of newborn	M F	3 5	3 2	1 1	1 1	—	—	1 1	2 1	1 7	5 1	1 1	—	—	—	—	—	1 1	—	—	1
(3) Immaturity (without other dis. peculiar to early infancy)	M F	36 38	8 6	5 3	3 3	8 3	5 10	8 14	4 3	7 6	4 1	— 3	1 1	— 3	— 1	— 3	14 9	6 8	6 2	2 2	5 2
(4) Senility without psychosis	M F	40 55	10 10	24 45	6 12	2 3	6 13	3 23	7 18	4 13	6 27	27 35	1 4	1 3	3 5	1 1	6 8	15 23	8 9	3 5	1 1
(5) Ill-defined and unknown cause	M F	4 1	—	—	3	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 21—continued—County Boroughs

Abridged List of Causes of Death (See first page of Table)		Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester	Great Yarmouth	Grimsby	Halifax	Hastings	Huddersfield	Ipswich	Kingston upon Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough
1	Tuberculosis, respiratory	M	6	7	7	16	14	11	3	5	8	12	4	10	4	35	19	7	97	76	2
		F	2	2	1	4	4	8	1	3	3	2	3	3	9	13	8	4	38	21	7
2	Tuberculosis, other	F	1	1	1	—	—	1	1	2	1	—	1	1	2	2	1	1	5	5	1
3	Syphilitic disease	M	1	—	1	1	1	1	3	1	3	1	—	2	3	20	9	3	10	13	2
4	Diphtheria	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	2	—	—	—	—	1	—	—	—	—	—	2	—	—	1	—	1	2	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Meningococcal infections	M	—	1	—	—	—	1	—	—	1	—	—	—	—	1	1	—	—	2	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Acute poliomyelitis	M	—	—	—	—	—	—	—	1	1	—	—	—	—	—	2	2	2	1	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	1	2	—
8	Measles	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	3	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Other infective, etc., diseases	M	—	1	—	—	2	—	—	3	5	—	1	1	2	2	3	4	2	5	7
		F	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	2	11	5
10	Malignant neoplasm : stomach	M	16	11	12	23	12	21	14	13	17	21	14	33	16	56	88	46	9	147	121
		F	13	9	6	17	11	12	9	8	21	8	26	19	37	57	55	33	9	94	95
11	lung, bronchus	M	34	23	31	54	15	53	14	33	38	35	35	52	34	145	207	103	29	369	334
		F	3	1	7	9	3	8	1	1	5	5	6	12	9	18	38	13	4	61	59
12	breast	M	13	10	22	19	20	17	7	13	17	26	23	24	24	48	84	62	11	113	125
		F	11	2	5	7	13	5	10	13	15	8	17	9	25	52	56	56	11	56	56
13	uterus	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Other malignant and lymphatic neoplasms	M	57	37	36	71	42	45	30	34	56	62	48	71	61	169	283	156	34	359	354
		F	31	25	66	59	40	46	25	20	48	67	42	57	42	114	252	126	34	365	327
15	Leukæmia, aleukæmia	M	5	2	4	3	3	3	1	1	1	7	3	2	3	5	15	6	2	20	18
		F	1	2	—	1	—	4	2	2	—	—	—	—	—	—	—	—	—	—	—
16	Diabetes	M	4	1	2	2	1	2	2	2	4	—	5	5	6	4	14	5	2	12	14
		F	—	2	1	2	3	—	1	7	10	8	8	7	4	5	23	12	3	35	35
17	Vascular lesions of nervous system	M	50	36	54	51	49	78	49	56	53	102	67	94	88	186	315	230	35	469	433
		F	60	40	90	85	96	84	59	32	75	152	128	153	109	229	504	365	66	680	701
18	Coronary disease, angina	M	79	42	72	153	84	115	67	60	99	153	66	175	96	257	568	254	95	774	660
		F	49	23	68	79	39	61	31	22	52	107	59	111	63	164	362	166	52	522	375
19	Hypertension with heart disease	M	13	12	3	9	10	14	12	8	16	12	7	14	17	20	36	45	9	104	58
		F	8	7	2	13	7	24	5	11	11	20	16	27	15	30	102	58	10	140	94
20	Other heart disease	M	48	46	52	71	53	66	73	40	59	64	89	111	70	206	252	167	62	592	520
		F	60	50	120	111	110	108	90	66	81	153	195	161	119	250	429	279	80	649	800
21	Other circulatory disease	M	24	18	28	18	24	24	8	19	24	30	5	24	12	49	96	58	17	140	162
		F	27	10	14	26	24	28	9	26	29	26	23	41	29	68	154	65	19	144	203
22	Influenza	M	6	5	9	8	4	5	4	5	8	2	1	13	4	36	27	15	7	87	60
		F	7	3	9	9	4	12	4	2	8	4	6	6	6	18	28	22	5	54	59
23	Pneumonia	M	22	17	8	51	15	41	18	7	24	32	20	31	99	107	75	26	338	189	64
		F	10	8	8	36	11	37	22	9	24	35	22	22	72	161	53	21	343	210	46
24	Bronchitis	M	55	37	13	51	27	60	33	22	39	56	32	58	26	157	284	115	28	433	490
		F	22	18	6	21	12	31	20	4	15	26	11	25	19	64	133	40	5	197	249
25	Other diseases of respiratory system	M	8	6	9	9	1	7	5	2	6	4	7	10	5	11	26	15	3	60	35
		F	4	1	2	1	3	6	3	1	7	3	2	4	3	5	10	7	—	27	32
26	Ulcer of stomach and duodenum	M	11	11	5	6	4	11	3	4	6	7	6	15	12	17	29	15	4	62	46
		F	5	3	6	3	1	2	1	4	2	2	1	2	8	4	5	1	19	9	—
27	Gastritis, enteritis and diarrhoea	M	4	2	2	6	3	3	2	2	2	1	5	3	2	5	10	6	23	27	—
		F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Nephritis and nephrosis	M	2	4	4	8	4	4	3	2	3	6	2	20	4	14	22	18	11	50	33
		F	5	5	3	5	4	5	9	1	9	3	3	14	5	36	27	15	3	41	23
29	Hyperplasia of prostate	M	7	6	7	4	11	5	—	—	—	—	—	—	—	3	3	2	7	8	—
30	Pregnancy, childbirth, abortion*	M	6	3	3	2	3	7	1	2	6	—	1	3	4	17	32	18	2	53	48
		F	5	4	1	4	3	8	4	5	6	—	3	7	3	21	24	17	2	46	41
31	Congenital malformations	M	35	22	28	32	36	65	26	25	44	37	28	74	43	113	256	108	39	312	355
		F	39	16	43	39	50	59	26	25	70	37	51	85	118	289	124	47	490	440	78
32	Other defined and ill-defined dis.	M	3	7	6	6	13	5	8	10	2	9	13	20	13	48	19	5	59	60	1
		F	5	4	3	8	12	2	4	1	1	1	1	1	1	17	11	1	24	25	3
33	Motor vehicle accidents	M	15	5	9	13	16	4	13	7	22	11	23	21	26	57	49	9	93	54	1
		F	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34	All other accidents	M	8	5	6	3	6	9	11	5	9	16	4	15	8	34	40	15	6	42	55
		F	2	4	9	6	8	5	5	1	5	8	12	12	12	28	15	1	4	34	37
35	Suicide	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36	Homicide, operations of war	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* "Delayed" maternal deaths
(see page 237)

TABLE 21—continued—County Boroughs

Supplementary Abridged List of Causes of Death (See first page of Table)		Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester	Great Yarmouth	Grimsby	Halifax	Hastings	Huddersfield	Ipswich	Kingston upon Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough
(1) Tub. of meninges and nervous system	M	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	3	—
(1) Typhoid fever	F	—	—	—	—	—	—	1	—	1	—	—	—	—	1	1	—	—	1	2	1
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(2) Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	(1)	—	—	—	—	—
(3) Streptococcal sore throat	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(4) Erysipelas, septicæmia, pyæmia	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	1	1	1	—
(5) Acute infectious encephalitis	F	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1	1	1
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
(6) Smallpox	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(7) Infectious hepatitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	3	2	—
	F	—	—	—	—	—	1	—	—	1	1	—	1	1	1	1	1	1	4	1	—
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(1) Malig. neoplasm, mouth and pharynx	M	5	4	—	3	3	3	2	2	3	3	1	3	3	7	20	14	3	20	17	9
	F	2	—	—	3	1	2	1	—	2	1	1	2	2	5	4	6	2	7	12	2
(2) Malig. neoplasm, œsophagus	M	4	—	2	7	2	5	3	2	3	5	2	3	5	8	9	6	2	27	24	6
	F	1	—	3	—	5	4	—	—	1	2	2	2	1	5	7	8	1	22	15	7
(3) Malig. neoplasm, intestine and rectum	M	13	10	9	22	11	15	8	12	17	24	15	28	16	44	84	47	10	99	98	17
	F	10	14	27	18	15	14	7	6	20	31	15	23	21	39	85	54	18	140	120	15
(4) Malig. neoplasm, larynx	M	3	3	1	2	—	1	1	1	3	2	1	2	2	2	5	7	5	13	7	2
	F	—	—	—	1	—	—	—	—	—	1	—	—	—	2	3	2	—	5	10	—
(1) Malig. neoplasm, cervix uteri	F	9	2	2	3	4	7	4	7	17	9	3	12	4	22	34	21	2	41	34	9
(5) Hodgkin's disease	M	1	3	—	1	1	—	1	—	—	2	2	1	1	5	3	1	1	9	10	3
	F	—	—	1	2	—	1	—	3	—	—	—	—	—	1	1	2	—	6	5	—
(4) Lymphosarcoma, reticulosarcoma	M	—	1	—	2	2	—	—	1	2	—	—	4	2	2	3	1	1	11	3	—
	F	1	—	—	1	1	1	—	—	1	—	—	—	2	1	7	2	1	5	6	1
(1) Thyrotoxicosis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
	F	1	—	—	2	1	—	—	—	1	—	—	2	—	1	5	—	—	9	8	1
(2) Otitis media and mastoiditis	M	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	2	1	2	1	1
	F	1	—	—	—	—	—	1	—	2	—	—	—	1	2	2	—	1	2	1	—
(3) Rheumatic fever	M	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	2	—	—
(1) Chronic rheumatic heart disease	M	3	9	3	9	4	2	3	1	3	6	2	18	4	22	33	12	4	70	50	12
	F	8	4	12	16	6	15	2	17	17	5	17	11	19	108	43	1	120	131	11	—
(1) Hyperten. without mention of heart	M	12	11	6	8	10	2	1	10	7	3	11	3	7	40	21	6	50	40	18	—
	F	9	4	4	12	9	6	1	5	12	16	7	17	8	15	52	26	11	60	37	9
(24) Appendicitis	M	—	1	—	3	—	—	1	—	1	—	—	1	1	2	8	7	—	4	3	2
	F	—	—	2	1	3	—	1	—	—	—	—	1	1	2	5	3	2	11	7	—
(25) Intestinal obstruc. and hernia	M	2	—	1	3	5	1	1	6	2	3	3	3	3	5	16	10	3	25	25	5
	F	—	2	5	3	4	4	3	1	2	2	3	3	1	4	14	9	2	22	38	2
(26) Cirrhosis of liver	M	1	2	1	2	3	1	—	1	2	1	1	4	2	3	16	3	—	10	12	2
	F	2	—	—	—	2	1	1	—	3	—	—	3	2	3	4	4	—	13	9	2
(27) Cholelithiasis, cholecystitis	M	—	2	1	1	3	3	—	1	—	—	2	3	3	3	4	3	1	4	7	1
	F	2	3	2	4	4	1	—	—	—	3	2	8	3	7	12	3	1	12	16	5
(1) Maternal sepsis (not abortion)	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	3	—
(2) Toxæmias of pregnancy and puerperium	F	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	1	2	—
(3) Abortion	F	—	—	—	—	—	1	—	—	—	—	—	1	—	1	1	—	—	2	1	1
(28) Birth injury	M	3	1	—	1	4	1	1	1	—	2	—	—	2	6	7	2	2	30	35	7
	F	1	—	—	2	1	—	—	—	3	1	—	—	1	1	5	2	2	16	19	—
(29) Post-natal asphyxia and atelectasis	M	3	2	2	5	4	6	—	2	2	3	—	—	1	24	14	4	2	52	28	5
	F	2	1	—	5	5	—	2	—	2	1	—	1	2	12	19	5	3	32	22	8
(31) Pneumonia of newborn	M	1	3	—	—	—	2	—	—	—	3	—	—	—	2	2	2	1	1	4	4
	F	—	1	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	8	—
(21) Ophth., pemphigus, sepsis of newborn	M	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(32) Hemolytic disease of newborn	M	1	1	—	—	—	1	—	—	—	—	—	—	—	5	6	1	1	3	6	2
	F	—	—	—	—	—	—	1	—	1	—	—	—	2	3	4	1	—	4	—	1
(33) Immaturity (without other dis. peculiar to early infancy)	M	4	2	2	1	7	2	4	2	2	1	2	5	6	11	16	10	2	31	43	13
	F	4	2	1	1	6	1	2	6	8	1	3	8	6	11	20	12	3	28	33	13
(32) Senility without psychosis	M	5	2	1	1	2	5	3	2	9	1	2	27	22	9	57	3	10	16	40	7
	F	8	—	6	3	9	14	—	7	23	3	12	3	1	1	51	13	9	47	82	9
(32) Ill-defined and unknown cause	M	—	—	1	—	—	2	—	—	—	—	—	—	—	—	1	1	—	3	2	—

Abridged List of Causes of Death (See first page of Table)			Newcastle upon Tyne	Northampton	Norwich	Nottingham	Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens	Salford	Sheffield	Smethwick	Southampton	Southend-on-Sea	Southport
1	Tuberculosis, respiratory	M	25	6	3	29	7	4	11	17	14	4	4	8	11	24	64	17	25	11	9
2	Tuberculosis, other	F	10	2	8	6	1	1	9	6	—	3	—	6	5	2	12	2	6	6	—
		F	1	3	—	—	—	1	1	—	—	1	—	1	2	1	4	8	2	1	—
3	Syphilitic disease	M	5	2	5	8	2	4	3	4	2	2	4	1	2	5	6	2	9	7	2
4	Diphtheria	F	5	—	1	1	4	1	3	1	1	2	1	1	1	—	2	—	6	2	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Meningococcal infections	F	1	1	—	—	1	—	—	1	—	—	—	1	—	—	1	—	—	1	—
		F	—	—	—	—	—	—	—	2	—	—	—	1	1	1	—	—	—	—	—
7	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
8	Measles	F	—	—	—	2	1	1	—	2	—	1	—	—	—	—	3	—	1	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Other infective, etc., diseases	M	2	—	1	3	3	—	1	6	1	—	2	—	3	2	6	1	3	2	—
10	Malignant neoplasm: stomach	F	4	—	3	—	—	3	4	5	3	2	2	1	1	2	8	1	2	1	2
		F	61	21	17	47	37	18	28	60	26	17	15	8	24	35	103	78	30	29	11
		F	39	16	19	39	21	18	29	11	6	16	11	11	13	28	70	15	22	23	—
11	lung, bronchus	M	126	36	36	130	44	38	58	82	58	42	37	31	34	94	238	20	76	89	40
12	breast	F	18	9	8	19	11	11	9	13	2	5	7	3	5	16	27	4	8	12	5
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	uterus	F	49	26	21	55	33	16	28	58	12	24	13	14	17	29	83	12	34	41	20
		F	26	4	4	30	13	5	28	24	12	9	7	6	6	13	19	4	10	23	5
14	Other malignant and lymphatic neoplasms	M	175	48	71	140	68	53	117	154	58	75	40	53	49	99	271	38	103	96	66
15	Leukæmia, aleukæmia	F	141	54	60	151	68	46	96	102	59	48	51	37	39	90	215	27	84	106	75
		F	8	3	—	10	1	4	2	1	4	3	2	3	1	3	17	2	6	6	4
		F	5	2	2	9	1	3	8	2	5	4	4	3	—	3	13	1	6	8	3
16	Diabetes	M	6	2	—	8	1	2	6	4	3	4	—	—	3	3	—	—	—	—	—
		F	12	4	2	6	1	5	10	11	5	5	1	2	2	11	11	1	6	5	9
17	Vascular lesions of nervous system	M	242	101	62	193	115	60	152	140	74	80	89	55	55	99	400	31	105	142	70
		F	286	121	109	256	146	84	181	194	126	108	113	66	76	136	525	46	137	207	135
18	Coronary disease, angina	M	371	139	128	260	105	105	236	233	134	107	101	108	118	163	633	61	221	235	149
19	Hypertension with heart disease	F	213	86	88	152	71	78	129	142	67	73	59	38	55	101	321	34	140	179	100
		F	25	18	17	25	10	5	29	26	10	15	9	13	11	16	60	7	28	21	8
		F	49	24	25	43	14	7	31	48	18	11	8	11	8	27	84	16	17	37	20
20	Other heart disease	M	157	79	83	185	116	52	167	164	74	68	83	44	64	134	302	41	111	89	72
		F	250	121	101	291	175	62	221	231	140	103	94	56	76	179	405	51	168	164	130
21	Other circulatory disease	M	86	20	13	62	31	20	50	64	22	27	38	36	23	25	139	5	34	47	23
		F	103	17	30	84	54	28	39	53	42	22	38	20	20	42	147	12	41	59	32
22	Influenza	M	13	5	8	25	14	1	11	16	19	9	11	2	14	31	29	8	14	11	7
23	Pneumonia	F	16	3	5	31	23	4	13	15	14	9	6	3	11	25	31	4	18	10	5
		F	58	9	30	78	63	38	88	69	35	73	33	24	32	62	143	14	26	34	22
		F	54	10	41	103	66	38	71	75	21	64	34	5	41	69	109	13	34	44	30
24	Bronchitis	M	151	42	44	171	86	40	60	86	61	46	48	33	65	143	294	47	80	57	37
25	Other diseases of respiratory system	F	47	18	19	77	57	11	29	38	37	20	24	26	25	83	109	15	30	29	17
		F	14	8	7	17	4	9	17	8	9	6	7	6	7	12	31	3	19	10	4
		F	12	1	4	17	2	3	6	9	6	2	4	3	4	12	17	3	10	3	4
26	Ulcer of stomach and duodenum	M	23	14	9	27	11	8	21	29	10	7	6	7	12	19	42	7	24	11	14
27	Gastritis, enteritis and diarrhoea	F	5	3	7	12	4	3	3	5	6	1	3	—	1	6	20	2	7	10	5
		F	8	2	—	4	—	3	5	7	2	1	4	1	4	3	9	3	3	1	3
		F	3	2	1	5	7	1	5	10	7	4	4	2	4	5	9	7	4	9	2
28	Nephritis and nephrosis	M	9	9	12	14	7	4	14	9	9	7	2	2	9	5	29	6	11	5	3
29	Hyperplasia of prostate	F	21	4	7	11	6	7	22	11	4	6	—	7	11	4	21	3	11	2	2
30	Pregnancy, childbirth, abortion*	M	8	4	13	20	10	12	16	6	2	8	11	9	7	7	29	5	14	19	7
		F	1	—	2	—	—	—	1	1	2	1	3	—	1	—	—	1	1	—	—
31	Congenital malformations	M	20	4	6	18	11	6	8	6	6	8	10	5	9	12	24	7	16	2	8
		F	15	4	3	22	8	6	11	11	9	4	5	3	5	7	18	6	10	4	—
32	Other defined and ill-defined dis.	M	127	36	49	136	62	37	85	112	62	46	47	40	70	95	163	30	76	55	44
		F	135	40	68	172	66	37	101	140	63	49	66	41	65	90	196	28	79	82	65
33	Motor vehicle accidents	M	24	6	7	33	9	5	14	21	7	6	8	7	6	31	6	6	7	5	—
34	All other accidents	F	11	1	2	10	1	7	6	4	—	—	—	—	6	7	20	5	8	6	—
		F	45	6	11	36	21	17	25	24	19	13	12	17	18	55	7	24	20	6	2
		F	26	9	19	37	23	13	19	32	17	6	20	10	12	16	72	9	11	26	1
35	Suicide	M	27	7	14	28	16	4	11	15	11	2	9	5	12	23	6	15	16	10	—
		F	15	4	11	18	11	8	17	14	12	1	7	5	5	16	4	9	8	8	—
36	Homicide, operations of war	M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	1	—	3	—	—	—	—	1	—	1	—	2	2	3	2	1	—	—

*“ Delayed ” maternal deaths
(see page 237)

TABLE 21—continued—County Boroughs

		Newcastle upon Tyne	Northampton	Norwich	Nottingham	Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens	Salford	Sheffield	Smethwick	Southampton	Southend-on-Sea	Southport	South Shields
Supplementary Abridged List of Causes of Death (See first page of Table)																					
Tub. of meninges and nervous system	M	—	—	—	1	—	1	—	—	—	1	—	1	1	—	1	—	—	—	—	—
Typoid fever	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Streptococcal sore throat	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas, septicæmia, pyæmia	M	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Acute infectious encephalitis	F	1	—	—	—	—	1	—	1	1	—	—	—	—	1	1	1	1	—	1	—
Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infectious hepatitis	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malig. neoplasm, mouth and pharynx	M	4	3	1	12	3	1	10	9	5	1	1	1	6	13	13	—	6	7	5	6
Malig. neoplasm, œsophagus	F	14	6	3	11	4	4	9	3	1	6	1	1	1	5	5	—	5	5	3	—
Malig. neoplasm, intestine and rectum	M	55	8	22	36	24	13	30	50	15	18	17	13	14	22	69	12	27	24	25	23
Malig. neoplasm, larynx	F	51	24	20	57	32	18	39	38	22	14	22	16	15	26	82	12	36	31	18	—
Malig. neoplasm, cervix uteri	M	5	2	2	2	1	1	8	5	2	4	2	2	2	2	9	12	3	1	2	1
Hodgkin's disease	F	23	3	2	22	8	3	21	16	9	8	4	7	3	12	32	2	5	12	1	5
Lymphosarcoma, reticulosarcoma	M	3	1	3	5	2	—	1	4	2	2	2	1	—	11	5	—	—	2	2	—
Thyrototoxicosis	F	5	3	1	—	—	1	2	3	—	—	1	—	2	—	7	1	2	2	1	2
Otitis media and mastoiditis	M	7	—	—	1	—	—	1	4	1	—	—	—	—	2	1	—	1	1	1	—
Rheumatic fever	F	5	1	—	5	1	—	1	3	—	—	—	—	2	2	5	1	1	1	2	—
Chronic rheumatic heart disease	M	1	—	2	4	—	1	2	—	1	—	1	—	—	1	5	—	—	1	1	—
Hyperten. without mention of heart	F	2	—	1	1	—	—	1	—	—	—	—	1	—	1	1	—	—	—	—	3
Appendicitis	M	27	5	6	18	13	7	12	16	15	9	7	5	5	11	50	9	9	4	2	14
Intestinal obstruc. and hernia	F	47	10	19	39	29	8	14	26	22	11	12	8	15	30	74	7	21	21	10	10
Cirrhosis of liver	M	31	3	3	23	2	6	25	24	4	13	4	9	6	7	42	2	12	11	6	10
Cholelithiasis, cholecystitis	F	33	6	6	35	9	4	20	20	8	8	5	8	7	13	42	5	15	17	5	1
Maternal sepsis (not abortion)	M	3	1	4	2	2	2	2	2	—	1	—	1	1	2	—	2	2	1	2	—
Toxæmias of pregnancy and puerperium	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Abortion	M	7	4	7	11	4	3	6	10	3	4	3	2	3	4	13	2	7	4	6	2
Birth injury	F	7	4	3	9	2	4	7	9	4	4	3	3	4	11	15	1	4	6	4	1
Post-natal asphyxia and atelectasis	M	5	—	—	5	5	2	6	6	3	1	1	2	2	2	4	3	6	1	3	2
Pneumonia of newborn	F	7	2	3	3	4	—	3	3	2	2	2	1	1	4	7	—	2	2	4	5
Ophth., pemphigus, sepsis of newborn	M	6	2	5	6	1	3	3	3	3	1	4	1	6	12	2	6	4	5	—	—
Hæmolytic disease of newborn	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Immaturity (without other dis. peculiar to early infancy)	M	20	1	4	8	5	3	10	2	10	7	7	3	6	8	33	2	3	6	3	7
Senility without psychosis	F	8	—	5	6	3	—	11	2	4	3	—	2	4	5	16	2	2	3	1	6
Ill-defined and unknown cause	M	10	1	6	10	16	1	3	14	4	7	7	18	8	9	7	1	2	1	7	4
	F	24	2	19	41	26	3	19	32	7	8	14	11	18	8	12	8	7	6	12	2
	M	3	—	—	1	—	1	1	—	—	1	—	—	1	—	—	—	—	1	3	1

TABLE 21—continued—County Boroughs

Abridged List of Causes of Death (See first page of Table)		Stockport	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff	Merthyr Tydfil	Newport (Mon.)	Swansea
1	Tuberculosis, respiratory	M	8	29	10	6	1	10	15	—	11	9	8	12	13	5	6	10	10	8
		F	1	7	5	2	1	1	1	3	2	7	6	1	2	4	4	11	2	1
2	Tuberculosis, other	M	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Syphilitic disease	M	3	4	4	—	—	2	1	1	—	8	2	1	3	1	1	6	2	2
		F	1	1	1	2	1	1	1	1	1	—	—	8	—	—	6	—	—	4
4	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	2	—	—	—	—	—	—	—	—	1	—	1	—
6	Meningococcal infections	M	1	1	1	1	1	—	1	—	—	—	1	2	1	—	2	2	1	—
		F	1	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—
7	Acute poliomyelitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—
		F	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Measles	M	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—
		F	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—
9	Other infective, etc., diseases	M	1	4	2	—	1	1	—	1	—	—	—	1	—	—	1	2	1	1
		F	1	3	4	1	—	3	—	3	—	—	—	2	—	1	5	3	1	3
10	Malignant neoplasm: stomach	M	45	62	36	16	17	25	22	21	17	26	20	14	29	8	16	55	11	21
		F	30	49	27	13	7	18	26	10	10	16	10	14	16	8	10	39	10	15
11	lung, bronchus	M	63	98	64	25	20	42	50	42	32	84	23	36	57	27	39	113	19	36
		F	14	11	9	6	1	6	5	4	14	4	1	2	6	3	6	—	—	7
12	breast	M	31	39	22	12	11	20	32	13	12	28	7	11	23	11	20	43	10	22
		F	16	26	13	2	7	10	16	12	8	16	9	6	11	5	14	25	5	7
13	uterus	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Other malignant and lymphatic neoplasms	M	70	130	85	43	28	63	45	41	32	78	31	27	97	37	111	24	56	100
		F	83	114	66	39	29	42	57	26	34	66	37	25	58	40	63	80	37	43
15	Leukæmia, aleukæmia	M	3	6	2	—	1	2	3	6	3	5	2	2	9	2	6	12	2	7
		F	3	6	6	1	3	2	3	3	4	2	2	4	2	1	4	2	2	4
16	Diabetes	M	2	7	12	1	2	4	—	2	1	2	1	1	—	—	4	1	2	—
		F	7	9	7	3	3	5	3	3	11	3	1	6	—	2	5	9	3	—
17	Vascular lesions of nervous system	M	119	157	137	64	48	68	84	62	50	83	43	56	126	51	83	144	61	74
		F	169	257	139	65	67	122	102	70	78	111	73	61	124	56	107	239	58	99
18	Coronary disease, angina	M	162	275	180	70	68	136	110	83	65	154	72	88	116	54	137	360	70	122
		F	75	168	142	41	39	92	48	41	39	98	41	73	85	33	85	192	36	130
19	Hypertension with heart disease	M	18	43	14	13	9	15	9	10	8	11	6	5	20	8	14	27	13	12
		F	19	38	18	12	12	26	20	14	14	13	16	8	20	10	33	33	15	25
20	Other heart disease	M	112	155	76	41	45	57	67	55	37	107	43	68	117	40	58	118	63	102
		F	147	267	124	64	68	94	90	64	86	165	57	105	134	71	138	160	61	103
21	Other circulatory disease	M	34	77	22	17	10	18	15	18	40	9	13	33	8	15	70	16	23	35
		F	49	88	21	9	14	27	27	23	11	42	23	20	23	11	33	76	20	23
22	Influenza	M	12	47	12	4	5	8	20	4	12	18	3	6	22	3	11	20	2	6
		F	14	33	18	7	4	9	8	1	8	15	4	4	25	3	4	17	4	10
23	Pneumonia	M	25	70	68	21	19	25	40	27	20	63	30	26	49	16	31	64	15	18
		F	31	54	68	28	9	31	36	21	21	41	25	11	32	13	26	52	21	7
24	Bronchitis	M	96	137	94	23	45	35	59	63	61	98	50	49	87	34	55	115	34	49
		F	50	54	28	6	21	22	14	17	24	36	16	30	22	9	19	32	10	8
25	Other diseases of respiratory system	M	7	72	17	2	—	10	7	8	17	13	4	16	10	6	6	20	18	7
		F	2	13	9	1	3	5	2	15	8	2	2	4	—	4	7	4	1	4
26	Ulcer of stomach and duodenum	M	15	25	24	5	3	8	7	8	10	4	4	9	6	7	15	7	4	12
		F	2	5	6	3	3	4	5	2	3	5	2	1	5	—	3	13	—	5
27	Gastritis, enteritis and diarrhoea	M	4	10	1	3	3	1	2	1	4	8	—	4	—	1	4	—	—	1
		F	7	8	3	2	2	1	1	1	—	3	2	3	5	1	5	5	3	1
28	Nephritis and nephrosis	M	4	14	6	3	2	1	10	2	6	9	6	8	9	4	6	10	7	6
		F	6	15	11	3	3	8	6	3	4	5	—	2	10	1	4	19	4	12
29	Hyperplasia of prostate	M	9	17	13	7	1	6	13	5	11	10	1	8	11	3	9	16	7	10
30	Pregnancy, childbirth, abortion*	M	—	3	—	1	—	1	—	—	3	2	1	—	3	—	2	3	—	1
31	Congenital malformations	M	5	12	11	4	6	10	10	9	9	7	5	5	16	3	6	11	5	6
		F	4	17	7	5	7	7	7	3	6	8	5	5	10	5	3	13	5	10
32	Other defined and ill-defined dis.	M	82	102	93	31	24	40	55	33	50	56	42	39	66	37	40	124	32	58
		F	85	133	79	40	27	73	61	37	67	72	31	46	78	36	40	140	45	66
33	Motor vehicle accidents	M	10	16	20	7	3	7	9	7	8	9	3	8	18	5	8	34	5	8
		F	3	6	6	1	3	3	4	4	4	2	3	3	5	1	3	3	3	3
34	All other accidents	M	18	26	23	10	14	6	12	9	9	18	11	15	21	8	7	38	11	19
		F	25	36	20	12	12	13	12	12	10	17	12	36	17	9	17	24	6	14
35	Suicide	M	11	24	14	5	7	10	8	5	5	10	6	7	8	5	4	23	3	2
		F	5	22	6	4	1	5	2	1	6	5	2	3	7	2	6	6	1	1
36	Homicide, operations of war	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

*" Delayed " maternal deaths
(see page 237)

TABLE 21—continued—County Boroughs

Supplementary Abridged List of Causes of Death (See first page of Table)		Stockport	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff	Merthyr Tydfil	Newport (Mon.)	Swansea
(1) Tub. of meninges and nervous system	M	—	—	1	—	—	1	—	—	2	—	—	—	1	—	—	1	—	—	—
(1) Typhoid fever	M	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(2) Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(3) Streptococcal sore throat	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(4) Erysipelas, septicæmia, pyæmia	M	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1
	F	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
(5) Acute infectious encephalitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	1	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—
(6) Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(7) Infectious hepatitis	M	1	2	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	F	—	3	—	—	—	1	—	—	1	—	1	—	—	—	—	2	—	1	2
(1) Malig. neoplasm, mouth and pharynx	M	7	6	3	1	—	1	1	1	—	—	2	2	8	—	1	9	—	—	3
	F	2	5	2	—	2	3	3	—	1	—	—	2	2	—	1	3	—	1	9
(2) Malig. neoplasm, œsophagus	M	4	11	10	1	2	6	2	2	1	3	1	1	6	2	1	8	1	1	6
	F	3	5	1	1	1	2	—	3	1	—	1	—	2	3	—	6	1	—	4
(3) Malig. neoplasm, intestine and rectum	M	20	45	22	18	10	19	15	17	10	20	10	10	40	10	18	32	9	12	40
	F	33	42	34	15	15	12	21	7	15	24	13	11	28	14	13	26	15	17	17
(4) Malig. neoplasm, larynx	M	1	4	—	—	—	3	—	—	2	4	1	1	3	3	2	1	—	2	2
	F	—	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	1	—
(1) Malig. neoplasm, cervix uteri	F	10	18	7	2	2	9	6	10	6	13	6	4	9	3	10	17	5	4	18
(5) Hodgkin's disease	M	1	4	2	2	3	1	2	—	2	4	—	—	1	2	—	1	—	1	3
	F	1	1	1	1	—	—	1	—	—	1	2	—	1	—	—	—	1	—	—
(6) Lymphosarcoma, reticulosarcoma	M	2	—	1	—	—	3	3	—	2	2	2	1	—	1	—	3	1	2	1
	F	—	1	—	—	—	1	1	—	1	—	—	—	—	1	1	—	2	3	1
(1) Thyrotoxicosis	M	—	4	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—
	F	2	4	2	1	1	2	1	—	—	1	—	—	1	2	1	4	—	1	1
(2) Otitis media and mastoiditis	M	—	2	—	2	1	—	—	—	—	2	—	—	1	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
(3) Rheumatic fever	M	—	4	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	2	—
	F	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(1) Chronic rheumatic heart disease	M	15	18	8	2	4	6	5	8	8	19	9	5	8	5	8	17	8	11	16
	F	25	44	23	8	9	15	7	13	18	25	7	18	12	3	15	22	5	8	19
(1) Hyperten. without mention of heart	M	7	21	8	6	1	5	5	5	5	16	10	8	19	4	5	29	7	12	7
	F	7	31	5	2	3	6	7	4	5	5	4	10	8	5	5	5	7	12	7
(4) Appendicitis	M	2	—	3	2	1	—	1	3	1	3	1	1	3	1	1	3	4	2	1
	F	1	1	—	—	1	1	2	—	1	2	—	—	1	—	—	1	—	—	—
(5) Intestinal obstruc. and hernia	M	12	9	8	4	1	4	4	3	1	4	3	6	3	1	3	5	2	2	6
	F	7	9	11	6	1	5	3	1	5	11	—	3	3	6	—	6	1	1	3
(26) Cirrhosis of liver	M	2	3	7	—	—	—	2	1	2	—	—	—	2	1	3	6	—	4	2
	F	2	2	1	—	—	1	2	—	3	—	—	1	2	1	1	2	—	1	2
(27) Cholelithiasis, cholecystitis	M	3	3	4	1	—	—	—	—	1	1	—	—	1	2	2	2	—	2	1
	F	7	5	3	1	1	4	2	2	1	4	—	1	4	2	1	6	7	2	4
(1) Maternal sepsis (not abortion)	F	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—
(2) Toxæmia of pregnancy and puerperium	F	—	2	—	—	—	1	—	—	1	2	—	—	—	—	1	1	—	—	—
(3) Abortion	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1
(28) Birth injury	M	4	8	4	2	1	3	5	—	2	3	2	—	5	2	2	10	2	4	6
	F	1	7	1	1	1	1	1	—	4	3	1	1	2	3	3	4	1	3	2
(29) Post-natal asphyxia and atelectasis	M	3	13	22	2	—	2	5	2	4	4	14	2	6	5	1	14	4	6	2
	F	1	10	8	1	—	5	4	—	4	3	3	—	4	1	8	4	6	2	—
(31) Pneumonia of newborn	M	1	9	4	—	1	—	2	—	—	1	3	1	—	1	—	5	—	2	4
	F	1	3	2	1	—	—	—	—	1	1	1	1	1	—	—	3	2	3	1
(211) Ophth., pemphigus, sepsis of newborn	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
(212) Hæmolytic disease of newborn	M	—	1	—	—	—	1	1	1	—	—	—	—	1	1	—	1	—	—	3
	F	1	1	2	—	—	2	—	—	—	—	—	—	4	3	1	1	—	1	—
(213) Immaturity (without other dis. peculiar to early infancy)	M	10	10	13	4	1	3	3	9	3	11	9	4	4	3	3	11	1	5	10
	F	4	13	2	5	3	6	3	4	3	3	9	5	1	1	1	2	2	5	3
(214) Senility without psychosis	M	12	4	—	1	7	7	2	—	20	4	2	6	13	9	5	7	2	7	22
	F	18	16	4	1	4	18	6	5	21	7	1	17	27	13	3	27	7	20	23
(215) Ill-defined and unknown cause	M	—	1	—	1	—	1	—	—	—	1	1	1	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 21—continued—Administrative Counties

Abridged List of Causes of Death (See first page of Table)		Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham	Ely, Isle of	Essex	Gloucestershire	Herefordshire	Hertfordshire	Huntingdonshire	Kent	Lancashire
1	Tuberculosis, respiratory	M	15	14	16	4	59	15	35	27	14	90	4	96	31	9	34	1	92	15
2	Tuberculosis, other	F	4	8	5	1	13	6	16	11	10	29	—	38	5	3	22	—	27	56
		M	3	1	2	—	5	1	2	3	4	8	—	7	2	—	3	—	3	10
3	Syphilitic disease	M	4	8	4	4	15	5	12	9	7	14	2	13	6	7	3	14	25	43
4	Diphtheria	F	5	2	2	4	5	3	4	6	4	10	—	13	6	3	—	—	17	23
		M	1	—	—	—	—	—	—	(J)1	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	1	—	—	1	2	—	—	—	1	—	—	1	—	—	—	3	3
6	Meningococcal infections	F	1	—	—	—	2	—	—	1	1	—	—	2	1	—	—	—	1	1
		M	—	2	1	—	6	—	3	—	—	4	—	3	1	—	—	—	5	5
		F	—	—	1	—	—	3	—	—	—	3	—	1	—	—	—	2	—	—
7	Acute poliomyelitis	M	1	2	—	1	—	2	1	2	1	—	—	7	—	3	6	—	15	4
8	Measles	F	—	—	1	2	3	—	1	3	—	2	1	4	—	—	4	—	4	4
		M	—	—	1	—	—	—	—	—	—	—	—	2	1	—	2	—	2	2
		F	—	—	—	—	1	1	—	—	—	2	—	1	—	—	—	3	—	1
9	Other infective, etc., diseases	M	5	3	8	1	8	8	6	3	4	9	—	22	5	1	12	—	10	32
10	Malignant neoplasm: stomach	F	6	(I)5	2	3	8	3	5	16	(I)4	9	1	13	5	2	8	—	18	39
		M	38	33	62	33	166	50	38	125	88	41	189	140	71	21	112	9	259	438
		F	36	30	45	23	129	69	37	73	90	36	152	12	180	61	17	17	195	335
11	lung, bronchus	M	123	103	147	48	310	83	195	149	85	272	27	661	140	32	252	24	605	764
12	breast	F	13	21	23	10	49	17	7	15	30	16	42	127	24	6	37	3	80	141
		M	—	1	—	—	—	2	—	1	—	—	—	4	1	—	—	1	4	4
13	uterus	F	67	50	75	41	149	78	30	121	144	76	123	351	91	28	123	18	350	393
		M	32	19	32	9	77	41	15	55	26	88	11	113	35	11	49	5	150	214
14	Other malignant and lymphatic neoplasms	M	164	172	234	109	465	193	369	352	199	471	48	877	203	82	345	36	901	1,094
15	Leukæmia, aleukæmia	F	144	168	181	107	407	208	103	294	316	159	342	43	857	192	68	330	36	831
		M	8	15	13	3	18	11	7	20	13	36	—	45	11	4	20	2	57	55
		F	4	6	11	3	10	10	8	22	15	8	16	2	41	12	19	1	52	55
16	Diabetes	M	6	5	11	4	18	13	7	21	16	6	12	5	28	4	—	2	39	57
		F	21	18	20	10	25	28	14	38	32	10	46	8	74	17	6	26	71	123
17	Vascular lesions of nervous system	M	217	221	219	133	648	239	188	508	436	827	66	983	262	106	415	50	977	1,786
		F	302	321	299	186	1017	391	214	723	675	303	935	105	1,399	415	111	578	59	1,508
18	Coronary disease, angina	M	302	320	444	183	964	406	278	658	629	378	1,097	88	1,737	434	136	650	76	1,717
19	Hypertension with heart disease	F	160	208	251	107	596	234	167	350	394	215	598	31	1,057	262	71	407	36	1,021
		M	38	26	39	14	109	37	27	75	76	27	117	7	152	53	13	66	4	207
		F	30	23	46	26	122	58	28	83	127	37	128	13	213	59	20	112	3	213
20	Other heart disease	M	212	191	228	132	653	426	211	552	600	234	575	78	1,460	365	134	436	67	1,167
21	Other circulatory disease	F	281	264	352	148	915	556	247	637	792	373	735	98	1,079	480	161	607	61	1,623
		M	75	60	89	26	214	81	42	215	173	79	159	15	352	84	32	128	14	394
		F	63	86	91	41	265	91	42	239	169	94	241	14	416	107	40	186	11	474
22	Influenza	M	33	32	24	15	67	50	27	57	38	27	87	5	104	35	12	41	9	94
23	Pneumonia	F	24	24	24	8	67	41	21	45	29	22	73	1	122	38	21	41	8	83
		M	86	96	117	39	180	66	36	155	119	71	287	35	479	89	55	183	14	473
		F	95	88	129	39	205	75	36	132	120	75	215	20	448	107	49	232	12	519
24	Bronchitis	M	106	87	128	59	338	77	41	266	157	75	375	28	677	128	45	192	22	587
25	Other diseases of respiratory system	F	39	46	41	25	121	29	24	110	74	28	121	6	233	57	13	84	5	278
		M	18	14	18	12	53	40	13	75	43	30	81	1	105	51	8	30	2	123
		F	14	12	11	4	27	6	5	18	17	20	21	3	50	15	7	16	—	41
26	Ulcer of stomach and duodenum	M	26	37	23	15	65	29	16	38	51	23	63	7	119	38	13	53	6	139
27	Gastritis, enteritis and diarrhoea	F	7	11	11	6	23	8	6	20	17	10	23	3	57	16	4	30	2	69
		M	5	7	6	1	23	7	3	13	11	12	17	4	36	3	14	2	35	52
		F	11	8	11	4	27	10	6	11	21	15	32	4	48	11	3	29	3	52
28	Nephritis and nephrosis	M	17	8	22	5	43	30	13	45	25	27	48	6	77	18	9	23	6	86
29	Hyperplasia of prostate	F	15	14	14	10	47	22	8	35	27	9	48	4	58	18	7	17	8	65
30	Pregnancy, childbirth, abortion*	M	25	33	41	18	72	60	18	30	80	43	61	9	118	45	19	43	9	130
		F	3	4	4	3	7	2	3	6	5	—	7	1	9	2	3	5	1	8
31	Congenital malformations	M	20	16	31	11	51	18	21	38	37	16	56	6	88	24	9	51	2	91
		F	17	19	15	6	31	17	17	38	26	16	57	6	95	28	11	36	5	73
	Other defined and ill-defined dis.	M	127	145	158	78	388	172	133	299	242	139	466	41	740	194	47	287	33	657
		F	173	176	194	81	521	211	155	363	373	151	484	46	846	221	73	313	43	873
33	Motor vehicle accidents	M	31	34	34	16	79	24	23	41	32	27	86	8	117	51	14	79	12	134
34	All other accidents	F	4	11	12	4	29	5	3	14	11	11	27	1	46	12	3	25	2	34
		M	46	46	51	30	98	46	52	128	58	33	186	9	182	56	18	64	16	194
		F	42	47	43	26	117	60	27	76	69	32	91	11	130	62	21	75	7	159
35	Suicide	M	36	13	31	12	58	21	14	48	28	22	53	3	92	25	11	40	5	97
36	Homicide, operations of war	F	20	12	18	7	53	9	4	54	28	11	34	2	82	9	2	38	3	79
		M	—	1	2	—	—	—	—	6	2	—	12	—	5	1	—	—	1	19
		F	1	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	3	—

*"Delayed" maternal deaths
(see page 237)

TABLE 21—continued—Administrative Counties

Supplementary Abridged List of Causes of Death (See first page of Table)		Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham	Ely, Isle of	Essex	Gloucestershire	Herefordshire	Hertfordshire	Huntingdonshire	Kent	Lancashire	Leicestershire
Tub. of meninges and nervous system	M	—	—	—	1	1	—	—	1	3	—	1	—	1	—	—	—	—	—	—	—
Typhoid fever	F	—	—	—	2	1	—	—	1	2	1	2	—	1	—	—	—	—	2	3	1
	M	—	(1)	—	—	—	—	—	—	1	(1)	1	—	—	—	—	—	—	—	—	—
Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sireptococcal sore throat	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	2	—	—
Erysipelas, septicæmia, pyæmia	M	—	—	1	—	1	—	—	1	—	—	5	—	1	1	—	1	—	2	2	—
Acute infectious encephalitis	F	—	1	—	—	1	—	—	—	—	1	1	—	1	1	—	2	—	2	3	1
	M	1	—	1	—	—	—	3	1	1	—	2	—	1	1	—	1	—	1	6	—
	F	1	—	—	—	—	—	—	—	4	1	2	—	2	—	—	—	—	4	—	—
Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Infectious hepatitis	M	—	2	1	—	4	1	—	1	1	1	—	—	7	1	—	4	—	4	7	2
	F	1	1	1	—	4	—	2	—	3	1	2	—	7	1	—	2	—	4	16	1
Malig. neoplasm, mouth and pharynx	M	9	9	10	6	28	6	7	14	21	10	35	3	41	17	4	14	—	48	62	6
Malig. neoplasm, œsophagus	F	1	7	5	1	14	7	2	8	13	5	13	—	32	3	3	7	—	18	37	5
	M	6	13	11	12	31	12	2	19	20	8	23	4	36	6	8	15	1	60	66	15
	F	6	10	12	7	24	17	4	7	21	7	15	3	36	6	3	14	3	33	43	8
Malig. neoplasm, intestine and rectum	M	50	47	66	23	136	50	38	108	98	71	151	11	234	54	27	84	11	229	323	64
	F	53	57	60	38	133	69	40	104	109	48	115	13	289	75	25	109	13	324	382	57
Malig. neoplasm, larynx	M	4	3	8	6	8	5	2	2	7	6	12	1	26	5	2	9	1	23	33	4
	F	—	2	1	1	7	2	1	1	4	—	1	—	4	1	1	2	—	5	17	2
Malig. neoplasm, cervix uteri	F	16	7	14	6	41	31	12	37	36	15	66	6	70	20	4	33	4	94	134	13
Hodgkin's disease	M	4	3	8	2	6	3	3	9	10	6	14	2	29	5	1	9	1	19	33	4
	F	6	1	2	—	10	2	1	1	2	3	7	1	18	5	—	2	—	12	16	2
Lymphosarcoma, reticulosarcoma	M	4	2	4	1	7	3	1	5	7	2	12	2	19	6	—	9	1	11	16	5
Thyrototoxicosis	F	5	—	2	1	4	6	1	4	5	2	8	—	20	4	1	8	1	19	10	2
	M	—	—	—	—	2	—	—	2	—	—	2	—	2	1	—	—	—	2	3	—
	F	—	1	2	1	6	3	3	8	6	1	4	1	5	5	—	2	—	13	23	2
Otitis media and mastoiditis	M	—	1	1	1	—	1	—	3	1	1	4	1	7	1	—	3	—	2	7	1
Rheumatic fever	F	2	—	1	—	—	—	—	5	—	—	—	1	1	5	1	—	—	1	2	—
	M	1	—	2	1	3	—	—	—	1	—	3	—	2	—	—	2	—	3	2	—
	F	—	—	1	1	2	—	—	2	—	—	7	—	2	3	—	2	—	2	6	—
Chronic rheumatic heart disease	M	24	14	29	10	49	15	16	53	41	19	67	3	123	28	13	40	6	81	149	19
Hyperten. without mention of heart	F	29	30	49	12	90	25	28	78	53	29	96	4	196	26	15	66	8	146	304	35
	M	29	16	25	10	48	21	9	71	44	22	55	4	140	22	8	35	4	132	181	42
	F	19	22	28	11	47	22	12	75	34	30	71	4	162	28	13	58	3	145	155	29
Appendicitis	M	4	3	4	3	19	4	3	7	7	7	14	1	18	5	3	8	—	21	23	4
	F	1	2	2	2	2	2	6	6	7	6	4	1	10	2	2	—	—	10	17	1
Intestinal obstruc. and hernia	M	12	8	12	10	27	16	7	19	20	12	23	1	56	19	4	15	5	54	53	8
	F	10	13	13	4	30	12	9	16	21	7	28	1	60	5	6	18	2	56	69	7
Cirrhosis of liver	M	5	3	6	2	11	4	4	10	9	7	17	2	14	5	1	10	—	15	25	4
	F	2	5	3	1	11	4	3	10	9	4	14	1	24	3	1	7	1	15	34	4
Cholelithiasis, cholecystitis	M	3	4	4	1	8	7	3	6	4	1	8	—	17	5	1	5	—	12	22	—
	F	6	8	5	3	20	10	3	17	24	7	19	1	35	8	2	11	—	37	50	12
Maternal sepsis (not abortion)	F	—	1	1	—	1	—	—	—	2	—	—	—	1	1	1	1	—	3	2	—
Toxæmias of pregnancy and puerperium	F	—	1	—	—	4	1	2	2	1	—	2	—	4	—	1	—	1	1	7	1
Abortion	F	—	—	—	—	—	—	—	—	1	—	1	—	1	—	1	1	—	—	1	—
Birth injury	M	2	9	11	5	20	7	8	15	7	4	34	—	32	11	1	19	—	21	58	11
	F	9	3	6	1	8	9	3	13	7	5	15	—	17	3	3	18	—	25	31	7
Post-natal asphyxia and atelectasis	M	13	12	25	3	23	4	7	31	14	5	39	2	57	24	3	21	2	51	70	20
	F	13	2	9	2	13	6	12	21	13	7	18	—	35	18	1	15	1	41	44	12
Pneumonia of newborn	M	2	3	7	1	5	7	4	13	2	6	16	—	15	2	2	2	—	13	17	2
	F	3	2	2	1	3	4	7	7	4	1	7	—	10	1	2	3	—	6	16	1
1) Ophth., pemphigus, sepsis of newborn	M	1	—	—	—	1	—	—	1	—	—	—	—	2	—	—	—	—	—	3	—
	F	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2) Hæmolytic disease of newborn	M	2	—	—	1	3	2	1	2	2	2	1	—	6	1	—	—	2	8	12	3
	F	1	—	2	2	3	2	2	5	1	1	—	—	5	2	—	6	—	7	7	1
3) Immaturity (without other dis. peculiar to early infancy)	M	15	9	17	7	26	16	5	20	9	13	54	7	72	22	7	15	1	51	95	17
	F	15	14	7	4	23	14	7	24	11	7	38	1	46	9	3	17	2	43	73	6
4) Senility without psychosis	M	12	25	17	7	88	29	57	51	52	10	55	8	95	14	7	35	12	89	157	27
	F	32	52	29	18	189	61	50	66	96	24	90	9	167	30	24	54	15	157	269	40
5) Ill-defined and unknown cause	M	—	2	1	1	1	3	—	2	—	—	—	—	1	6	1	—	—	7	2	1
	F	1	1	—	—	—	—	2	—	1	—	3	—	2	1	3	—	—	3	4	2

TABLE 21—continued—Administrative Counties

Abridged List of Causes of Death (See first page of Table)				Lincolnshire :		Lincolnshire :		Lincolnshire :		Middlesex		Norfolk		Northamptonshire		Northumberland		Nottinghamshire		Oxfordshire		Peterborough, Soke of		Rutland		Shropshire		Somerset		Southampton		Staffordshire		Suffolk, East		Suffolk, West		Surrey		Sussex, East		Sussex, West	
1	Tuberculosis, respiratory	M	3	8	16	130	9	8	19	16	6	2	1	11	21	23	67	8	3	74	22	2																					
	F	2	2	3	5	52	7	7	7	8	3	—	—	2	9	11	16	6	1	23	7	—																					
2	Tuberculosis, other	M	2	1	3	10	5	2	—	1	1	—	—	1	2	3	4	1	—	11	2	—																					
	F	—	—	—	9	5	—	7	4	1	—	—	—	—	1	2	7	2	6	5	—																						
3	Syphilitic disease	M	2	1	4	34	9	6	14	16	3	2	1	2	5	20	13	8	1	37	9	1																					
	F	1	2	1	19	1	—	—	3	4	1	1	—	2	5	5	1	2	20	3	—																						
4	Diphtheria	M	—	—	—	(1)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																					
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																					
5	Whooping cough	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—																					
	F	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—																						
6	Meningococcal infections	M	—	1	2	2	—	1	1	1	1	—	—	—	2	1	6	—	—	2	—	—																					
	F	—	—	—	—	2	—	—	—	—	—	—	—	—	—	2	—	—	3	—	—																						
7	Acute poliomyelitis	M	—	—	—	9	1	—	3	1	1	—	3	1	2	2	4	1	—	9	1	—																					
	F	—	2	—	8	2	—	—	—	—	—	—	—	2	1	1	1	—	3	—	—																						
8	Measles	M	—	1	3	1	—	—	1	2	—	—	—	—	—	—	2	—	1	1	—	—																					
	F	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—																						
9	Other infective, etc., diseases	M	—	2	4	(1) 15	7	5	9	6	3	2	—	2	5	9	9	2	(1) 2	20	5	—																					
	F	2	4	2	27	4	1	3	6	—	1	—	—	—	6	10	2	—	9	2	—																						
10	Malignant neoplasm: stomach	M	10	18	50	339	65	56	107	79	21	12	1	45	89	77	181	32	15	195	57	4																					
	F	11	14	37	262	40	32	65	48	13	12	1	36	77	75	114	18	11	171	46	4																						
11	lung, bronchus	M	23	24	83	998	94	97	138	139	54	25	7	83	132	221	264	53	36	534	143	14																					
	F	7	5	18	168	18	14	20	33	11	6	1	—	31	41	31	23	11	2	106	34	3																					
12	breast	M	—	—	2	4	1	—	2	—	—	—	—	—	1	1	1	—	—	1	—	—																					
	F	10	28	45	440	88	59	82	95	34	11	4	50	117	150	149	33	13	301	106	10																						
13	uterus	M	8	16	31	154	35	18	33	39	11	5	2	24	40	73	65	15	9	107	29	3																					
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																						
14	Other malignant and lymphatic neoplasms	M	69	69	204	1,222	230	162	238	268	78	29	13	118	270	335	409	141	72	782	239	23																					
	F	52	58	143	1,331	199	139	183	205	54	34	8	145	269	316	359	429	167	69	764	308	27																					
15	Leukæmia, aleukæmia	M	—	5	6	79	11	5	17	15	4	1	—	6	13	19	26	7	3	54	12	1																					
	F	2	1	3	81	13	4	1	11	6	1	—	—	5	14	15	15	9	1	38	10	—																					
16	Diabetes	M	1	4	16	47	17	6	10	10	—	2	1	4	16	18	18	6	3	21	18	1																					
	F	4	7	14	96	30	4	25	21	5	2	—	—	14	23	28	54	16	2	60	14	1																					
17	Vascular lesions of nervo s system	M	66	79	214	1,042	248	170	376	425	121	61	12	216	393	483	562	151	89	811	340	28																					
	F	90	117	266	1,706	369	261	486	449	167	50	28	249	609	621	687	217	142	1,417	477	46																						
18	Coronary disease, angina	M	103	137	319	2,340	351	275	554	468	144	59	15	282	554	712	703	280	142	1,475	446	43																					
	F	47	55	146	1,321	227	201	304	240	107	48	11	144	370	422	426	157	69	982	308	27																						
19	Hyperfension with heart disease	M	9	16	30	258	43	33	41	57	11	6	2	37	70	83	110	19	18	150	45	2																					
	F	8	15	41	353	56	38	57	76	18	4	—	40	94	109	122	26	14	217	66	5																						
20	Other heart disease	M	105	152	236	1,039	388	238	424	408	92	36	15	263	419	540	661	248	88	907	399	31																					
	F	89	204	270	1,852	439	298	527	455	148	55	16	338	655	701	869	277	113	1,530	609	50																						
21	Other circulatory disease	M	27	38	93	547	117	76	107	117	52	15	11	64	138	143	171	69	35	358	105	10																					
	F	30	35	79	647	146	80	85	120	38	8	9	66	172	165	150	77	27	454	139	10																						
22	Influenza	M	9	19	30	104	23	28	27	42	15	6	1	27	48	49	119	16	11	85	40	2																					
	F	3	11	21	94	19	20	21	44	11	4	1	25	37	45	76	10	8	105	38	2																						
23	Pneumonia	M	18	42	71	543	139	60	92	122	69	24	6	64	92	158	181	55	38	358	121	16																					
	F	13	40	54	575	99	51	74	94	65	13	8	52	97	160	140	38	31	429	124	16																						
24	Bronchitis	M	24	31	107	846	85	76	174	244	52	17	4	109	118	163	376	47	17	414	78	11																					
	F	9	19	40	389	46	21	66	87	15	8	1	53	54	71	159	16	15	189	42	3																						
25	Other diseases of respiratory system	M	3	8	19	127	24	13	23	35	14	2	—	10	55	52	79	7	9	74	26	1																					
	F	5	2	14	62	15	5	10	21	8	4	1	8	16	13	30	4	1	42	17	1																						
26	Ulcer of stomach and duodenum	M	9	15	15	160	18	21	27	41	11	4	—	17	38	43	57	8	9	105	37	2																					
	F	2	4	7	84	13	11	9	11	4	4	—	9	17	22	20	4	6	35	17	1																						
27	Gastritis, enteritis and diarrhoea	M	4	1	11	36	7	7	11	9	4	2	—	8	7	8	17	5	3	33	11	—																					
	F	4	2	9	54	4	6	15	9	5	1	—	7	21	21	22	5	3	56	20	1																						
28	Nephritis and nephrosis	M	3	10	20	95	18	16	26	35	7	6	—	17	28	43	57	8	9	70	27	1																					
	F	4	3	15	77	15	9	23	16	7	1	1	11	32	22	40	6	5	37	29	1																						
29	Hyperplasia of prostate	M	16	16	45	140	57	23	30	38	22	5	4	14	34	59	85	27	9	103	45	3																					
30	Pregnancy, childbirth, abortion*	M	—	—	2	13	2	1	6	6	—	1	—	1	4	8	8	3	—	15	1	—																					
31	Congenital malformations	M	4	10	16	87	22	13	36	36	8	1	2	19	28	42	60	14	7	77	13	1																					
	F	3	4	13	78	12	18	23	25	10	6	5	15	22	36	51	9	5	63	18	1																						
32	Other defined and ill-defined dis.	M	58	68	176	721	200	113	200	222	72	29	7	157	242	301	472	91	58	617	149	16																					
	F	77	71	190	897	230	133	228	254	70	38	13	149	305	384	546	99	60	764	241	20																						
33	Motor vehicle accidents	M	8	16	44	169	31	21	39	52	21	4	6	31	51	90	72	18	18	98	23	2																					
	F	2	7	8	60	10	4	15	13	7	3	—	3	11	21	23	2	1	46	12	4																						
34	All other accidents	M	10	24	43	199	48	29	92	75	25	9	—	45	59	122	131	30	17	128	42	4																					
	F	6	14	32	224	49	38	62	60	19	7	—	4	18	58	86	91	28	14	141	71	4																					
35	Suicide	M	4	8	12	128	29	17	29	34	12	4	2	26	45	44	67	19	6	69	18	2																					
	F	7	3	8	124	9	7	15	16	16	2	3	1	8	34	20	22	13	3	72	18	1																					
36	Homicide, operations of war	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																					
	F	—	1	—	—	2	—	1	1	1	1	—	—	1	1	1	2	—	—	3	2	1																					

*" Delayed " maternal deaths
(see page 237)

TABLE 21—continued—Administrative Counties

Supplementary Abridged List of Causes of Death (See first page of Table)		Lincolnshire: (Parts of Holland)	Lincolnshire: (Parts of Kesteven)	Lincolnshire: (Parts of Lindsey)	Middlesex	Norfolk	Northamptonshire	Northumberland	Nottinghamshire	Oxfordshire	Peterborough, Soke of	Rutland	Shropshire	Somerset	Southampton	Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West
2(1) Tub. of meninges and nervous system	M	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—
9(1) Typhoid fever	F	—	—	—	—	1	—	—	1	1	—	—	—	—	—	1	—	—	2	—	1
	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(2) Scarlet fever	M	—	—	—	(1)	1	—	—	—	—	—	—	1	—	(1)	—	(1)	—	—	—	—
9(3) Streptococcal sore throat	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	M	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(4) Erysipelas, septicaemia, pyaemia	M	—	—	—	3	1	—	2	1	—	—	—	—	1	1	1	—	—	2	—	—
9(5) Acute infectious encephalitis	F	—	—	1	1	1	—	1	—	—	—	—	1	1	—	3	1	—	2	—	1
	M	—	—	1	2	1	—	—	—	—	1	—	—	—	—	2	—	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
9(6) Smallpox	M	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9(7) Infectious hepatitis	F	—	1	2	3	1	1	3	3	—	—	—	1	1	2	—	—	—	1	4	—
	M	—	1	1	17	1	1	2	4	—	—	—	1	2	1	1	—	—	4	—	4
	F	1	1	1	17	1	1	2	4	—	—	—	1	2	1	1	—	—	4	—	4
4(1) Malig. neoplasm, mouth and pharynx	M	6	2	10	57	9	3	18	11	3	2	—	11	16	16	24	7	3	17	15	8
4(2) Malig. neoplasm, oesophagus	F	3	2	4	27	6	6	4	8	1	—	—	5	11	7	10	5	4	14	9	5
	M	1	4	12	55	14	14	16	11	4	2	—	5	20	17	19	7	2	33	8	11
	F	1	6	8	47	10	3	10	7	2	1	1	9	18	17	16	6	5	37	10	6
4(3) Malig. neoplasm, intestine and rectum	M	23	28	78	305	65	37	66	85	18	11	4	39	70	85	141	41	23	236	61	83
4(4) Malig. neoplasm, larynx	F	18	22	52	422	75	44	63	70	18	14	2	51	96	117	126	57	24	295	77	88
	M	4	4	3	34	4	2	5	6	—	—	—	1	13	11	10	1	2	23	8	5
	F	1	1	—	6	1	—	1	3	—	2	—	1	1	2	4	—	—	5	—	—
3(1) Malig. neoplasm, cervix uteri	F	6	9	16	89	22	5	25	25	11	5	—	18	13	45	37	6	5	54	16	23
4(5) Hodgkin's disease	M	—	1	4	31	5	2	4	7	2	—	1	1	5	6	13	2	2	26	3	5
	F	1	1	1	14	2	1	3	5	—	—	—	—	6	7	1	—	5	3	1	1
4(6) Lymphosarcoma, reticulosarcoma	M	1	1	3	37	5	2	7	6	4	—	—	2	4	5	7	2	1	23	1	7
2(1) Thyrotoxicosis	F	—	—	2	27	1	4	1	2	2	2	—	3	6	4	5	1	1	16	7	3
	M	—	—	2	2	—	—	—	—	—	—	—	—	1	3	1	—	1	1	1	2
	F	—	—	3	12	2	2	2	2	1	—	—	2	4	7	10	4	2	9	4	3
2(2) Otitis media and mastoiditis	M	1	1	1	4	1	2	2	2	—	—	—	—	—	1	3	1	1	3	—	1
2(3) Rheumatic fever	F	—	—	1	4	—	1	—	1	—	—	—	—	—	—	—	—	2	—	—	—
	M	1	—	1	2	—	—	—	—	—	—	—	1	2	5	—	—	—	2	—	1
	F	—	—	2	1	—	—	—	2	—	—	—	—	2	5	—	1	—	—	—	—
0(1) Chronic rheumatic heart disease	M	5	11	10	151	32	20	30	31	8	4	3	17	17	34	69	7	3	77	16	14
1(1) Hyperten. without mention of heart	F	6	7	21	279	32	28	53	58	10	6	1	27	55	38	124	13	5	145	34	37
	M	4	10	32	207	28	33	36	32	23	2	3	21	43	43	59	27	15	122	40	24
	F	5	6	23	221	40	34	19	25	14	1	1	28	50	63	60	18	12	164	45	30
2(4) Appendicitis	M	—	—	4	13	5	2	4	8	2	—	—	1	13	3	9	2	2	16	6	—
2(5) Intestinal obstruc. and hernia	F	—	—	2	14	4	—	2	1	—	—	—	1	3	2	7	1	—	11	3	3
	M	2	10	13	67	15	8	12	20	5	4	2	9	18	33	30	11	4	44	13	8
	F	2	4	7	73	12	7	8	9	4	6	1	9	11	28	31	6	4	46	15	20
2(6) Cirrhosis of liver	M	1	3	4	28	3	3	7	12	2	—	—	1	9	6	15	—	1	12	5	11
2(7) Cholelithiasis, cholecystitis	F	2	4	4	21	5	4	5	7	2	—	—	4	6	9	6	1	—	16	5	3
	M	2	1	3	25	8	3	5	3	—	—	1	2	6	7	4	5	2	13	5	8
	F	2	4	10	38	3	5	8	9	4	—	—	3	9	15	23	3	3	22	7	9
0(1) Maternal sepsis (not abortion)	F	—	—	—	—	1	—	1	4	—	—	—	—	1	2	1	—	—	4	—	—
0(2) Toxaemias of pregnancy and puerperium	F	—	—	1	2	1	—	1	1	—	—	—	1	—	4	5	2	—	2	—	—
0(3) Abortion	F	—	—	—	5	—	1	2	—	—	—	—	—	1	—	—	—	—	5	—	—
2(8) Birth injury	M	4	5	13	38	7	6	10	20	5	3	—	15	17	14	28	3	7	18	5	13
2(9) Post-natal asphyxia and atelectasis	F	1	1	6	25	12	5	8	12	3	—	—	9	8	15	19	2	3	7	3	2
	M	3	5	9	69	16	14	7	16	13	6	—	12	14	24	46	3	4	46	5	8
	F	2	3	5	38	10	5	10	19	7	2	—	9	19	10	26	5	1	26	7	6
3(1) Pneumonia of newborn	M	1	1	1	13	3	8	6	5	2	—	—	3	4	7	6	3	1	6	—	3
2(11) Ophth., pemphigus, sepsis of newborn	F	—	—	—	11	4	5	3	4	—	—	—	3	3	4	7	1	3	9	1	—
	M	—	—	—	1	—	—	—	—	—	1	—	2	—	1	2	1	—	2	—	—
	F	—	—	—	2	1	—	—	—	1	—	—	—	—	2	1	—	1	—	—	—
2(12) Haemolytic disease of newborn	M	2	1	2	9	3	3	1	2	1	1	1	—	—	4	5	—	—	6	2	3
2(13) Immaturity (without other dis. peculiar to early infancy)	F	—	1	6	4	2	3	1	4	1	—	—	—	—	5	6	4	1	2	—	—
	M	4	3	17	61	14	7	21	22	3	1	—	13	8	23	34	9	8	63	9	10
	F	4	5	13	33	6	5	15	18	6	2	1	6	7	18	23	6	2	40	7	9
2(14) Senility without psychosis	M	26	9	37	32	36	5	29	27	7	6	—	42	52	27	102	13	4	70	8	16
	F	32	15	66	75	55	6	40	44	11	14	4	47	101	100	196	17	3	152	48	52
2(15) Ill-defined and unknown cause	M	—	—	—	1	4	1	3	3	—	—	—	—	1	3	1	2	1	5	—	—
	F	—	—	—	6	1	5	—	1	—	—	—	—	2	—	—	—	1	—	—	4

TABLE 21—continued—Administrative Counties

Abridged List of Causes of Death (See first page of Table)			Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire	Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Brecknockshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	† Flintshire	Glamorganshire	Merionethshire	Monmouthshire	Montgomeryshire	Pembrokeshire	Radnorshire
1	Tuberculosis, respiratory	M	34	7	3	26	28	12	20	96	4	4	30	4	10	23	15	73	5	24	1	3	8
2	Tuberculosis, other	F	11	—	1	10	9	3	6	32	—	—	2	2	8	9	1	29	1	—	—	—	—
		M	3	—	1	3	2	1	2	13	1	1	2	1	5	1	2	6	—	—	—	—	—
3	Syphilitic disease	M	6	2	1	3	5	2	8	20	—	1	5	2	3	1	1	12	1	4	—	4	—
4	Diphtheria	F	3	—	—	2	4	3	7	8	—	1	—	—	—	—	—	5	—	2	1	—	—
		M	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	—	(J)2	3	—	1	—	—	—	—	—	1	—	—	—	—	—
6	Meningococcal infections	F	—	—	—	—	—	1	2	4	—	—	—	—	—	—	—	3	—	—	—	—	—
		M	—	—	—	—	—	1	1	4	—	—	—	—	—	—	—	4	—	1	—	—	—
		F	1	—	—	1	4	—	2	9	—	—	—	—	—	—	1	3	—	3	—	—	—
7	Acute poliomyelitis	M	6	—	—	—	6	—	3	4	—	—	—	—	—	—	—	2	—	2	1	—	—
8	Measles	F	2	—	—	—	—	1	3	3	—	—	1	—	—	—	—	1	—	1	—	—	—
		M	—	—	—	3	—	—	1	4	—	—	—	—	—	—	—	1	—	—	—	—	—
		F	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—
9	Other infective, etc., diseases	M	4	—	2	6	5	5	6	(J)18	2	—	1	2	5	2	1	14	—	—	—	3	—
		F	5	—	2	3	2	—	3	31	—	—	1	1	2	3	—	7	1	1	1	1	—
10	Malignant neoplasm: stomach	M	71	8	20	56	62	29	74	301	16	18	57	19	51	60	41	161	16	93	17	18	—
		F	53	17	12	37	54	35	62	216	15	14	36	14	37	28	97	7	51	17	6	—	—
11	lung, bronchus	M	155	19	32	101	134	77	101	473	12	13	36	16	52	52	50	199	9	80	8	18	—
		F	30	7	5	11	19	10	22	66	1	1	6	3	3	10	2	21	—	9	3	4	—
12	breast	M	103	18	19	75	93	41	58	296	5	6	29	14	21	43	34	114	12	41	6	10	—
		F	34	6	8	23	25	21	32	144	6	3	17	7	18	13	15	74	3	35	4	6	—
14	Other malignant and lymphatic neoplasms	M	317	45	66	226	199	140	190	832	38	32	90	34	82	97	86	390	16	160	28	38	—
		F	224	31	69	166	193	113	152	638	38	24	78	27	82	107	68	333	20	123	20	41	—
15	Leukæmia, aleukæmia	M	18	3	3	6	10	7	5	39	1	1	7	—	—	—	—	6	18	1	3	—	—
		F	3	2	5	7	9	5	7	38	2	1	2	—	5	6	3	12	—	8	—	2	—
16	Diabetes	M	18	3	3	8	8	7	8	40	2	—	9	2	8	5	6	18	1	—	—	—	—
		F	31	4	3	12	24	6	22	87	3	4	8	1	8	11	2	41	1	17	—	—	—
17	Vascular lesions of nervous system	M	368	69	83	256	312	178	283	1373	48	38	129	49	144	166	109	546	40	240	39	95	—
		F	441	78	105	335	362	249	381	1799	93	63	218	73	230	239	172	738	77	288	63	94	—
18	Coronary disease, angina	M	486	100	97	384	361	241	454	1888	57	60	136	82	259	195	172	881	43	377	38	109	—
		F	270	69	77	230	223	195	296	1136	27	42	77	43	118	125	87	460	15	204	20	59	—
19	Hypertension with heart disease	M	80	8	21	57	65	17	41	188	6	2	33	8	30	26	22	113	5	55	6	11	—
		F	96	10	29	34	65	30	55	245	8	4	30	14	32	29	23	106	5	43	10	—	—
20	Other heart disease	M	345	46	93	376	332	183	342	1192	68	76	99	71	139	152	109	556	27	297	51	67	—
		F	382	61	134	401	422	226	465	1556	87	79	145	81	203	246	93	690	56	322	51	83	—
21	Other circulatory disease	M	123	22	16	83	67	56	92	342	11	13	70	16	64	33	31	198	13	87	20	27	—
		F	130	13	24	91	78	74	87	431	17	20	67	12	54	54	33	224	14	83	6	24	—
22	Influenza	M	36	4	6	31	37	14	31	134	6	5	3	4	23	14	8	76	4	40	4	3	—
		F	29	5	8	21	25	15	26	106	4	4	9	—	13	17	7	59	5	20	1	5	—
23	Pneumonia	M	152	11	16	93	84	49	70	374	9	8	19	12	23	41	28	173	7	72	6	20	—
		F	157	10	18	79	111	48	60	351	8	8	20	7	26	34	29	128	2	46	3	17	—
24	Bronchitis	M	144	17	22	99	161	67	114	783	26	33	44	16	75	61	66	463	10	229	9	20	—
		F	61	8	17	36	70	23	40	292	10	5	24	10	19	30	14	123	8	61	6	13	—
25	Other diseases of respiratory system	M	46	9	6	12	21	12	12	134	3	12	15	6	75	28	11	239	8	66	2	9	—
		F	16	3	5	15	16	5	9	45	2	2	4	1	6	1	6	30	—	10	1	6	—
26	Ulcer of stomach and duodenum	M	43	8	10	26	34	21	28	109	2	8	12	3	17	15	14	55	—	21	5	—	—
		F	10	3	4	15	10	5	9	27	1	1	1	—	4	6	4	16	2	8	1	—	—
27	Gastritis, enteritis and diarrhoea	M	8	—	5	6	7	6	8	40	—	1	3	1	10	6	3	17	1	10	2	1	—
		F	9	3	5	5	5	3	8	38	—	1	4	1	5	5	5	23	2	9	1	4	—
28	Nephritis and nephrosis	M	27	1	9	10	24	14	23	88	3	6	17	8	9	22	9	37	3	30	3	6	—
		F	24	3	5	12	11	18	24	94	6	2	7	4	9	11	10	29	9	21	5	—	—
29	Hyperplasia of prostate	M	42	6	19	32	25	25	32	102	9	3	20	11	34	24	18	83	9	32	3	4	—
30	Pregnancy, childbirth, abortion*	F	4	—	—	4	3	3	3	14	—	—	4	1	—	2	—	9	—	4	—	2	—
31	Congenital malformations	M	30	4	5	20	22	6	18	95	2	5	9	2	13	7	4	54	2	21	5	9	—
		F	36	4	6	17	18	8	19	77	4	1	4	2	5	7	8	57	3	23	2	5	—
32	Other defined and ill-defined dis.	M	207	33	53	186	172	113	153	735	26	20	76	29	102	90	82	417	25	184	16	43	—
		F	239	40	61	212	176	122	179	843	44	21	72	30	110	133	76	475	32	176	25	79	—
33	Motor vehicle accidents	M	58	7	3	52	31	8	45	132	4	5	7	3	19	10	9	57	1	16	6	6	—
		F	19	2	3	5	15	10	13	43	—	—	4	1	3	4	6	18	1	8	1	—	—
34	All other accidents	M	67	5	3	39	43	37	57	270	10	4	19	5	28	31	23	159	8	51	5	8	—
		F	82	9	13	22	68	30	44	203	5	5	4	5	18	29	26	64	10	30	4	16	—
35	Suicide	M	36	5	7	32	37	12	25	124	2	2	8	4	—	18	4	41	3	22	6	6	—
		F	19	3	4	17	16	12	14	90	3	4	5	5	10	3	4	21	1	13	1	—	—
36	Homicide, operations of war	M	1	—	—	—	—	1	1	9	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—

* "Delayed" maternal deaths
(See page 237)

† The figures for this area include 20 deaths (18M., 2F.) (including 7M. deaths from Tuberculosis of the Respiratory System) in a Polish General Hospital which could not be transferred to the area of residence.

TABLE 21—continued—Administrative Counties

Supplementary Abridged List of Causes of Death (See first page of Table)		Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire	Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Brecknockshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	Flinshire	Glamorganshire	Merionethshire	Monmouthshire	Montgomeryshire	Pembrokeshire	Radnorshire
Tub. of meninges and nervous system	M	—	—	—	1	—	—	—	3	—	—	—	—	—	—	—	1	—	—	—	—	—
Typhoid fever	F	1	—	1	—	—	—	1	1	—	—	—	—	1	—	—	1	—	—	—	1	—
Scarlet fever	M	—	—	1	—	—	—	(1)	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Streptococcal sore throat	F	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—
Erysipelas, septicaemia, pyaemia	M	1	—	—	1	1	1	—	2	—	—	—	—	—	—	—	1	—	2	—	—	—
Acute infectious encephalitis	F	2	—	—	—	—	—	1	3	—	—	1	—	1	—	—	—	—	1	—	—	—
Smallpox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infectious hepatitis	F	1	—	—	1	—	—	2	4	1	—	—	—	—	—	—	2	—	1	—	—	—
Malignant neoplasm, mouth and pharynx	M	21	3	4	14	9	9	35	31	1	4	4	2	6	7	9	25	3	9	1	1	1
Malignant neoplasm, oesophagus	F	3	—	1	5	2	2	4	—	—	1	4	—	—	—	—	1	7	1	1	1	1
Malignant neoplasm, intestine and rectum	M	19	6	3	15	8	4	13	40	2	5	7	2	5	8	4	19	1	7	1	3	3
Malignant neoplasm, larynx	F	3	5	6	9	2	6	27	3	3	5	3	1	11	4	16	3	8	—	—	—	—
Malignant neoplasm, cervix uteri	M	105	15	22	58	64	46	64	255	17	9	31	10	25	30	26	126	1	51	12	7	3
Hodgkin's disease	F	80	10	28	61	73	43	61	238	15	5	29	7	27	39	23	124	10	38	4	13	4
Lymphosarcoma, reticulosarcoma	M	1	—	—	1	—	—	2	22	—	—	1	—	2	1	1	8	—	2	—	—	—
Thyrototoxicosis	F	20	4	6	13	14	11	23	95	4	2	13	3	10	9	8	38	2	20	3	5	1
Otitis media and mastoiditis	M	10	2	—	3	3	1	17	1	1	3	2	1	2	1	—	12	—	7	—	2	—
Rheumatic fever	F	3	—	—	7	2	—	11	—	—	—	—	—	—	—	—	4	—	1	—	—	—
Chronic rheumatic heart disease	M	9	1	—	6	5	3	4	19	—	—	—	2	2	3	1	9	—	4	—	2	—
Hypertension without mention of heart	F	5	1	2	5	5	3	3	10	—	2	1	—	1	2	1	4	—	—	—	—	—
Appendicitis	M	10	—	3	3	2	—	6	8	—	—	—	1	3	5	—	4	—	3	1	—	—
Intestinal obstruction and hernia	F	1	—	—	1	—	—	1	3	—	—	—	—	1	—	—	—	—	—	—	—	—
Cirrhosis of liver	M	8	—	3	4	7	1	17	3	—	1	1	1	2	3	2	5	—	5	—	1	—
Cholelithiasis, cholecystitis	F	2	1	—	12	15	6	9	40	2	1	3	8	8	8	16	2	—	2	—	1	—
Maternal sepsis (not abortion)	M	17	5	5	16	5	7	55	5	—	—	—	1	2	9	4	12	1	9	—	4	—
Toxaemia of pregnancy and puerperium	F	9	1	8	3	16	5	7	55	5	—	—	1	2	9	4	12	1	9	—	4	—
Abortion	M	10	1	2	7	6	5	6	23	1	1	2	—	2	4	2	15	—	6	—	1	—
Birth injury	F	18	—	—	11	3	—	18	34	—	—	—	—	1	3	10	8	—	1	—	1	—
Post-natal asphyxia and atelectasis	M	15	1	1	17	10	4	11	53	—	1	1	1	7	3	3	17	—	8	—	2	—
Pneumonia of newborn	F	11	1	1	6	9	2	8	31	1	—	—	—	3	3	1	17	—	3	1	2	—
Ophthalmia, pemphigus, sepsis of newborn	M	14	2	—	12	15	8	14	75	2	3	7	3	6	6	9	46	—	21	—	2	—
Hæmolytic disease of newborn	F	8	1	—	17	10	3	10	46	4	2	3	1	2	3	8	35	—	8	—	4	—
Immaturity (without other predisposing cause)	M	7	1	—	2	4	2	6	17	1	—	—	—	1	1	3	6	—	3	—	—	—
Senility without psychosis	F	3	1	—	1	8	—	2	11	—	—	3	—	2	1	4	—	—	3	—	1	—
Ill-defined and unknown cause	M	1	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—	—	—	—	—

TABLE 22.—Crude Death Rates from the principal Epidemic Diseases and from certain other Causes; Infant Mortality and Maternal Mortality, 1956 and 1957 {England and Wales, London A.C., City of London, Metropolitan and County Boroughs, Administrative Counties.

See Explanatory notes on page vi.

Administrative Area	Mortality per Million Population at All Ages																Mortality per 1,000 Total (live and still) births																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
	Tuberculosis of the respiratory system								Typhoid fever		Scarlet fever		Diphtheria		Whooping cough		Meningococcal infections		Acute poliomyelitis		Measles		Infant Mortality per 1,000 Live Births		Maternal Mortality not due to abortion		Others (642-649, 660-680, 683, 685-689)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	Tuberculosis (all forms)		Tuberculosis of the respiratory system		Typhoid fever		Scarlet fever		Diphtheria		Whooping cough		Meningococcal infections		Acute poliomyelitis		Measles		Infant Mortality per 1,000 Live Births		Maternal Mortality not due to abortion																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
	(001-019)	(001-008)	(040)	(050)	(055)	(056)	(057)	(058)	(059)	(060)	(061)	(062)	(063)	(064)	(065)	(066)	(067)	(068)	(069)	(070)	(071)	(072)	(073)	(074)	(075)	(076)		(077)	(078)	(079)	(080)	(081)	(082)	(083)	(084)	(085)	(086)	(087)	(088)	(089)	(090)	(091)	(092)	(093)	(094)	(095)	(096)	(097)	(098)	(099)	(100)	(101)	(102)	(103)	(104)	(105)	(106)	(107)	(108)	(109)	(110)	(111)	(112)	(113)	(114)	(115)	(116)	(117)	(118)	(119)	(120)	(121)	(122)	(123)	(124)	(125)	(126)	(127)	(128)	(129)	(130)	(131)	(132)	(133)	(134)	(135)	(136)	(137)	(138)	(139)	(140)	(141)	(142)	(143)	(144)	(145)	(146)	(147)	(148)	(149)	(150)	(151)	(152)	(153)	(154)	(155)	(156)	(157)	(158)	(159)	(160)	(161)	(162)	(163)	(164)	(165)	(166)	(167)	(168)	(169)	(170)	(171)	(172)	(173)	(174)	(175)	(176)	(177)	(178)	(179)	(180)	(181)	(182)	(183)	(184)	(185)	(186)	(187)	(188)	(189)	(190)	(191)	(192)	(193)	(194)	(195)	(196)	(197)	(198)	(199)	(200)	(201)	(202)	(203)	(204)	(205)	(206)	(207)	(208)	(209)	(210)	(211)	(212)	(213)	(214)	(215)	(216)	(217)	(218)	(219)	(220)	(221)	(222)	(223)	(224)	(225)	(226)	(227)	(228)	(229)	(230)	(231)	(232)	(233)	(234)	(235)	(236)	(237)	(238)	(239)	(240)	(241)	(242)	(243)	(244)	(245)	(246)	(247)	(248)	(249)	(250)	(251)	(252)	(253)	(254)	(255)	(256)	(257)	(258)	(259)	(260)	(261)	(262)	(263)	(264)	(265)	(266)	(267)	(268)	(269)	(270)	(271)	(272)	(273)	(274)	(275)	(276)	(277)	(278)	(279)	(280)	(281)	(282)	(283)	(284)	(285)	(286)	(287)	(288)	(289)	(290)	(291)	(292)	(293)	(294)	(295)	(296)	(297)	(298)	(299)	(300)	(301)	(302)	(303)	(304)	(305)	(306)	(307)	(308)	(309)	(310)	(311)	(312)	(313)	(314)	(315)	(316)	(317)	(318)	(319)	(320)	(321)	(322)	(323)	(324)	(325)	(326)	(327)	(328)	(329)	(330)	(331)	(332)	(333)	(334)	(335)	(336)	(337)	(338)	(339)	(340)	(341)	(342)	(343)	(344)	(345)	(346)	(347)	(348)	(349)	(350)	(351)	(352)	(353)	(354)	(355)	(356)	(357)	(358)	(359)	(360)	(361)	(362)	(363)	(364)	(365)	(366)	(367)	(368)	(369)	(370)	(371)	(372)	(373)	(374)	(375)	(376)	(377)	(378)	(379)	(380)	(381)	(382)	(383)	(384)	(385)	(386)	(387)	(388)	(389)	(390)	(391)	(392)	(393)	(394)	(395)	(396)	(397)	(398)	(399)	(400)	(401)	(402)	(403)	(404)	(405)	(406)	(407)	(408)	(409)	(410)	(411)	(412)	(413)	(414)	(415)	(416)	(417)	(418)	(419)	(420)	(421)	(422)	(423)	(424)	(425)	(426)	(427)	(428)	(429)	(430)	(431)	(432)	(433)	(434)	(435)	(436)	(437)	(438)	(439)	(440)	(441)	(442)	(443)	(444)	(445)	(446)	(447)	(448)	(449)	(450)	(451)	(452)	(453)	(454)	(455)	(456)	(457)	(458)	(459)	(460)	(461)	(462)	(463)	(464)	(465)	(466)	(467)	(468)	(469)	(470)	(471)	(472)	(473)	(474)	(475)	(476)	(477)	(478)	(479)	(480)	(481)	(482)	(483)	(484)	(485)	(486)	(487)	(488)	(489)	(490)	(491)	(492)	(493)	(494)	(495)	(496)	(497)	(498)	(499)	(500)	(501)	(502)	(503)	(504)	(505)	(506)	(507)	(508)	(509)	(510)	(511)	(512)	(513)	(514)	(515)	(516)	(517)	(518)	(519)	(520)	(521)	(522)	(523)	(524)	(525)	(526)	(527)	(528)	(529)	(530)	(531)	(532)	(533)	(534)	(535)	(536)	(537)	(538)	(539)	(540)	(541)	(542)	(543)	(544)	(545)	(546)	(547)	(548)	(549)	(550)	(551)	(552)	(553)	(554)	(555)	(556)	(557)	(558)	(559)	(560)	(561)	(562)	(563)	(564)	(565)	(566)	(567)	(568)	(569)	(570)	(571)	(572)	(573)	(574)	(575)	(576)	(577)	(578)	(579)	(580)	(581)	(582)	(583)	(584)	(585)	(586)	(587)	(588)	(589)	(590)	(591)	(592)	(593)	(594)	(595)	(596)	(597)	(598)	(599)	(600)	(601)	(602)	(603)	(604)	(605)	(606)	(607)	(608)	(609)	(610)	(611)	(612)	(613)	(614)	(615)	(616)	(617)	(618)	(619)	(620)	(621)	(622)	(623)	(624)	(625)	(626)	(627)	(628)	(629)	(630)	(631)	(632)	(633)	(634)	(635)	(636)	(637)	(638)	(639)	(640)	(641)	(642)	(643)	(644)	(645)	(646)	(647)	(648)	(649)	(650)	(651)	(652)	(653)	(654)	(655)	(656)	(657)	(658)	(659)	(660)	(661)	(662)	(663)	(664)	(665)	(666)	(667)	(668)	(669)	(670)	(671)	(672)	(673)	(674)	(675)	(676)	(677)	(678)	(679)	(680)	(681)	(682)	(683)	(684)	(685)	(686)	(687)	(688)	(689)	(690)	(691)	(692)	(693)	(694)	(695)	(696)	(697)	(698)	(699)	(700)	(701)	(702)	(703)	(704)	(705)	(706)	(707)	(708)	(709)	(710)	(711)	(712)	(713)	(714)	(715)	(716)	(717)	(718)	(719)	(720)	(721)	(722)	(723)	(724)	(725)	(726)	(727)	(728)	(729)	(730)	(731)	(732)	(733)	(734)	(735)	(736)	(737)	(738)	(739)	(740)	(741)	(742)	(743)	(744)	(745)	(746)	(747)	(748)	(749)	(750)	(751)	(752)	(753)	(754)	(755)	(756)	(757)	(758)	(759)	(760)	(761)	(762)	(763)	(764)	(765)	(766)	(767)	(768)	(769)	(770)	(771)	(772)	(773)	(774)	(775)	(776)	(777)	(778)	(779)	(780)	(781)	(782)	(783)	(784)	(785)	(786)	(787)	(788)	(789)	(790)	(791)	(792)	(793)	(794)	(795)	(796)	(797)	(798)	(799)	(800)	(801)	(802)	(803)	(804)	(805)	(806)	(807)	(808)	(809)	(810)	(811)	(812)	(813)	(814)	(815)	(816)	(817)	(818)	(819)	(820)	(821)	(822)	(823)	(824)	(825)	(826)	(827)	(828)	(829)	(830)	(831)	(832)	(833)	(834)	(835)	(836)	(837)	(838)	(839)	(840)	(841)	(842)	(843)	(844)	(845)	(846)	(847)	(848)	(849)	(850)	(851)	(852)	(853)	(854)	(855)	(856)	(857)	(858)	(859)	(860)	(861)	(862)	(863)	(864)	(865)	(866)	(867)	(868)	(869)	(870)	(871)	(872)	(873)	(874)	(875)	(876)	(877)	(878)	(879)	(880)	(881)	(882)	(883)	(884)	(885)	(886)	(887)	(888)	(889)	(890)	(891)	(892)	(893)	(894)	(895)	(896)	(897)	(898)	(899)	(900)	(901)	(902)	(903)	(904)	(905)	(906)	(907)	(908)	(909)	(910)	(911)	(912)	(913)	(914)	(915)	(916)	(917)	(918)	(919)	(920)	(921)	(922)	(923)	(924)	(925)	(926)	(927)	(928)	(929)	(930)	(931)	(932)	(933)	(934)	(935)	(936)	(937)	(938)	(939)	(940)	(941)	(942)	(943)	(944)	(945)	(946)	(947)	(948)	(949)	(950)	(951)	(952)	(953)	(954)	(955)	(956)	(957)	(958)	(959)	(960)	(961)	(962)	(963)	(964)	(965)	(966)	(967)	(968)	(969)	(970)	(971)	(972)	(973)	(974)	(975)	(976)	(977)	(978)	(979)	(980)	(981)	(982)	(983)	(984)	(985)	(986)	(987)	(988)	(989)	(990)	(991)	(992)	(993)	(994)	(995)	(996)	(997)	(998)	(999)	(1000)	(1001)	(1002)	(1003)	(1004)	(1005)	(1006)	(1007)	(1008)	(1009)	(1010)	(1011)	(1012)	(1013)	(1014)	(1015)	(1016)	(1017)	(1018)	(1019)	(1020)	(1021)	(1022)	(1023)	(1024)	(1025)	(1026)	(1027)	(1028)	(1029)	(1030)	(1031)	(1032)	(1033)	(1034)	(1035)	(1036)	(1037)	(1038)	(1039)	(1040)	(1041)	(1042)	(1043)	(1044)	(1045)	(1046)	(1047)	(1048)	(1049)	(1050)	(1051)	(1052)	(1053)	(1054)	(1055)	(1056)	(1057)	(1058)	(1059)	(1060)	(1061)	(1062)	(1063)	(1064)	(1065)	(1066)	(1067)	(1068)	(1069)	(1070)	(1071)	(1072)	(1073)	(1074)	(1075)	(1076)	(1077)	(1078)	(1079)	(1080)	(1081)	(1082)	(1083)	(1084)	(1085)	(1086)	(1087)	(1088)	(1089)	(1090)	(1091)	(1092)	(1093)	(1094)	(1095)	(1096)	(1097)	(1098)	(1099)	(1100)	(1101)	(1102)	(1103)	(1104)	(1105)	(1106)	(1107)	(1108)	(1109)	(1110)	(1111)	(1112)	(1113)	(1114)	(1115)	(1116)	(1117)	(1118)	(1119)	(1120)	(1121)	(1122)	(1123)	(1124)	(1125)	(1126)	(1127)	(1128)	(1129)	(1130)	(1131)	(1132)	(1133)	(1134)	(1135)	(1136)	(1137)	(1138)	(1139)	(1140)	(1141)	(1142)	(1143)	(1144)	(1145)	(1146)	(1147)	(1148)	(1149)	(1150)	(1151)	(1152)	(1153)	(1154)	(1155)	(1156)	(1157)	(1158)	(1159)	(1160)	(1161)	(1162)	(1163)	(1164)	(1165)	(1166)	(1167)	(1168)	(1169)	(1170)	(1171)	(1172)	(1173)	(1174)	(1175)	(1176)	(1177)	(1178)	(1179)	(1180)	(1181)	(1182)	(1183)	(1184)	(1185)	(1186)	(1187)	(1188)	(1189)	(1190)	(1191)	(1192)	(1193)	(1194)	(1195)	(1196)	(1197)	(1198)	(1199)	(1200)	(1201)	(1202)	(1203)	(1204)	(1205)	(1206)	(1207)	(1208)	(1209)	(1210)	(1211)	(1212)	(1213)	(1214)	(1215)	(1216)	(1217)	(1218)	(1219)	(1220)	(1221)	(1222)	(1223)	(1224)	(1225)	(1226)	(1227)	(1228)	(1229)	(1230)	(1231)	(1232)	(1233)	(1234)	(1235)	(1236)	(1237)	(1238)	(1239)	(1240)	(1241)	(1242)	(1243)	(1244)	(1245)	(1246)	(1247)	(1248)	(1249)	(1250)	(1251)	(1252)	(1253)	(1254)	(1255)	(1256)	(1257)	(1258)	(1259)	(1260)	(1261)	(1262)	(1263)	(1264)	(1265)	(1266)	(1267)	(1268)	(1269)	(1270)	(1271)	(1272)	(1273)	(1274)	(1275)	(1276)	(1277)	(1278)	(1279)	(1280)	(1281)	(1282)	(1283)	(1284)	(1285)	(1286)	(1287)	(1288)	(1289)	(1290)	(1291)	(1292)	(1293)	(1294)	(1295)	(1296)	(1297)	(1298)	(1299)	(1300)	(1301)	(1302)	(1303)	(1304)	(1305)	(1306)	(1307)	(1308)	(1309)	(1310)	(1311)	(1312)	(1313)	(1314)	(1315)	(1316)	(1317)	(1318)	(1319)	(1320)	(1321)	(1322)	(1323)	(1324)	(1325)	(1326)	(1327)	(1328)	(1329)	(1330)	(1331)	(1332)	(1333)	(1334)	(1335)	(1336)	(1337)	(1338)	(1339)	(1340)	(1341)	(1342)	(1343)	(1344)	(1345)	(1346)	(1347)	(1348)	(1349)	(1350)	(1351)	(1352)	(1353)	(1354)	(1355)	(1356)	(1357)	(1358)	(1359)	(1360)	(1361)	(1362)	(1363)	(1364)	(1365)	(1366)	(1367)	(1368)	(1369)	(1370)	(1371)	(1372)	(1373)	(1374)	(1375)	(1376)	(1377)	(1378)	(1379)	(1380)	(1381)	(1382)	(1383)	(1384)	(1385)	(1386)	(1387)	(1388)	(1389)	(1390)	(1391)	(1392)	(1393)	(1394)	(1395)	(1396)	(1397)	(1398)	(1399)	(1400)	(1401)	(1402)	(1403)	(1404)	(1405)	(1406)	(1407)	(1408)	(1409)	(1410)	(1411)	(1412)	(1413)	(1414)	(1415)	(1416)	(1417)	(1418)	(1419)	(1420)	(1421)	(1422)	(1423)	(1424)	(1425)	(1426)	(1427)	(1428)	(1429)	(1430)	(1431)	(1432)	(1433)	(1434)	(1435)	(1436)	(1437)	(1438)	(1439)	(1440)	(1441)	(1442)	(1443)	(1444)	(1445)	(1446)	(1447)	(1448)	(1449)	(1450)	(1451)	(1452)	(1453)	(1454)	(1455)	(1456)	(1457)	(1458)	(1459)	(1460)	(1461)	(1462)	(1463)	(1464)	(1465)	(1466)	(1467)	(1468)	(1469)	(1470)	(1471)	(1472)	(1473)	(1474)	(1475)	(1476)	(1477)	(1478)	(1479)	(1480)	(1481)	(1482)	(1483)	(1484)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Poplar	131	134	131	134	—	—	—	—	14	—	—	29	15	—	—	—	—	25	21	—	—	0.83	1.73
St. Marylebone	123	165	110	165	—	14	—	—	—	—	—	14	—	—	—	—	—	15	32	—	—	—	—
St. Pancras	210	136	180	129	—	—	—	—	—	—	—	8	—	—	—	—	—	23	21	—	—	0.83	—
Shoreditch	112	114	90	114	—	—	—	—	11	—	—	11	22	—	—	—	17	22	—	—	—	—
Southwark	238	197	228	154	—	—	—	—	—	—	—	—	—	—	—	—	—	16	23	—	—	—	—
Stepney	173	204	173	204	—	—	—	—	—	—	—	20	10	—	—	—	10	23	24	—	—	—	0.53
Stoke Newington	60	119	60	119	—	—	—	—	—	—	—	—	—	—	—	—	—	21	28	—	—	—	—
Wandsworth	139	107	130	89	—	—	3	—	—	—	—	3	—	3	12	6	3	17	16	—	—	0.60	—
Westminster	198	229	166	188	—	—	—	—	—	—	—	—	—	—	—	—	—	23	22	—	—	0.86	—
Woolwich	149	150	115	137	—	—	—	—	—	—	—	20	—	—	—	—	—	19	26	—	—	—	—
County Boroughs	145	133	131	120	0	0	0	0	0	0	2	2	6	5	2	3	0	2	26	25	0.07	0.06	0.38	0.27
Barnsley	147	133	147	93	—	—	—	13	—	13	—	27	—	13	13	—	—	28	25	—	—	1.00	—
Barrow-in-Furness	216	247	200	216	—	—	—	—	—	—	—	15	—	15	—	—	—	29	26	—	—	1.81	0.88
Bath	63	175	50	175	—	—	—	—	—	13	—	13	—	—	12	—	—	19	19	—	—	0.78	0.38
Birkenhead	184	148	177	134	—	—	—	—	—	7	—	14	7	7	—	—	7	33	32	—	—	0.32	0.31
Birmingham	144	131	131	114	—	1	—	—	1	7	3	4	5	—	1	2	—	24	25	0.16	0.10	—	—
Blackburn	83	187	74	168	—	—	—	—	—	9	—	9	9	—	—	—	—	21	25	—	—	—	0.65
Blackpool	212	158	191	151	—	—	—	—	—	—	—	—	—	—	7	—	—	25	23	—	—	0.57	—
Bolton	92	110	85	104	—	—	—	—	—	—	—	12	—	—	—	6	—	24	26	—	—	—	0.41
Bootle	113	236	101	211	—	—	—	—	—	13	—	13	—	—	—	—	—	28	27	—	—	—	—
Bournemouth...	...	126	98	98	70	—	—	—	—	—	—	—	—	21	—	—	—	—	22	27	—	0.59	—	—
Bradford	101	91	91	80	—	—	—	—	—	—	—	7	7	—	14	—	—	28	29	—	—	0.41	0.20
Brighton	107	107	101	100	—	—	—	—	—	—	—	—	—	6	25	—	—	22	23	—	—	0.48	0.46
Bristol	98	82	84	71	—	—	—	—	—	—	2	2	2	—	5	—	—	18	18	0.15	—	0.15	0.14
Burnley	134	73	121	61	—	—	—	—	—	—	—	12	12	—	—	—	—	29	28	—	—	—	1.52
Burton upon Trent	123	163	102	122	—	—	—	—	—	—	—	—	—	—	—	—	—	21	24	—	—	—	—
Bury	52	103	52	86	—	—	—	—	—	—	—	—	—	—	—	—	17	17	28	—	—	—	—
Canterbury	100	99	100	66	—	—	—	—	—	—	—	—	—	—	66	—	33	24	21	—	—	—	—
Carlisle	146	145	102	116	—	—	—	—	—	15	—	—	—	—	—	—	—	28	17	—	—	0.80	0.79
Chester	238	118	170	102	—	—	—	—	—	—	—	—	—	—	17	—	—	36	24	—	—	—	—
Coventry	158	115	139	108	—	4	—	—	—	—	4	7	4	—	11	—	—	27	29	—	0.20	0.21	—
Croydon	104	132	100	116	—	—	—	—	—	—	—	4	12	4	4	—	8	19	18	—	—	—	0.56
Darlington	180	180	168	144	—	—	—	—	—	12	—	—	12	12	—	—	—	34	32	—	—	—	—
Derby	116	103	102	74	—	—	—	—	—	—	—	—	7	—	—	—	—	28	29	—	—	0.45	0.47
Dewsbury	113	56	75	38	—	19	—	—	—	—	—	—	—	19	—	—	—	23	20	—	—	—	—

TABLE 22—continued

Administrative Area	Mortality per Million Population at All Ages														Infant Mortality per 1,000 Live Births		Mortality per 1,000 Total (live and still) births											
	Tuberculosis (all forms)		Tuberculosis of the respiratory system		Typhoid fever		Scarlet fever		Diphtheria		Whooping cough		Menin- gococcal infections		Acute poliomyelitis		Measles		Infant Mortality per 1,000 Live Births		Maternal Mortality not due to abortion		Sepsis of pregnancy and the puerperium		Others (642-649, 660-680, 683, 685-689)			
	(001-019)		(001-008)		(040)		(050)		(055)		(056)		(057)		(080)		(085)											
	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957
Doncaster	108	84	108	72	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dudley	124	155	93	139	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastbourne	138	173	104	138	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
East Ham	114	177	105	177	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Exeter	208	247	156	234	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gateshead	179	180	161	171	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gloucester	149	118	134	88	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Great Yarmouth	117	175	78	136	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Grimsby	199	135	189	115	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Halifax	135	147	135	147	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hastings	248	124	232	93	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Huddersfield	172	125	157	102	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ipswich	82	54	82	36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kingston upon Hull	160	166	147	156	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Leeds	130	108	108	94	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Leicester	106	103	95	96	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lincoln	113	153	113	153	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Liverpool	199	183	190	176	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Manchester	166	160	147	142	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Middlesbrough	167	219	147	212	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Newcastle upon Tyne	159	131	148	127	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Northampton	216	109	196	79	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Norwich	116	50	100	42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nottingham	122	125	112	118	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Oldham	159	109	126	109	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 22—continued

Administrative Area	Mortality per Million Population at All Ages														Mortality per 1,000 Total (live and still) births										
															Infant Mortality per 1,000 Live Births		Maternal Mortality not due to abortion		Others (642-649, 660-680, 683, 685-689)						
	Tuberculosis (all forms) (001-019)		Tuberculosis of the respiratory system (001-008)		Typhoid fever (040)		Scarlet fever (050)		Diphtheria (055)		Whooping cough (056)		Menin- gococcal infections (057)		Acute poliomyelitis (080)		Measles (085)								
1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957						
Administrative Counties	110	95	99	84	0	0	0	0	0	0	0	2	2	4	4	3	6	1	2	23	22	0.07	0.08	0.39	0.34
Bedfordshire	73	66	67	57	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22	23	—	—	0.54	0.50
Berkshire	89	69	83	63	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	18	17	—	—	0.32	0.47
Buckinghamshire	79	56	74	49	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	0.29	0.14	0.16	0.41	
Cambridgeshire	83	27	83	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17	22	—	—	0.14	0.41
Cheshire	125	96	115	84	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20	18	—	—	—	1.05
...	4	3	—	7	8	3	1	1	23	19	—	0.07	0.46	0.43
Cornwall	109	117	100	109	—	—	—	—	—	—	—	3	3	6	9	—	6	3	3	23	25	0.41	—	1.22	0.40
Cumberland	97	110	83	97	—	—	—	—	—	—	—	—	9	9	—	5	9	—	—	31	27	0.26	—	0.26	0.75
Derbyshire	80	78	72	71	—	—	—	—	—	—	—	1	—	3	4	1	3	—	—	24	24	0.09	—	0.44	0.51
Devon	115	95	96	74	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20	20	—	0.28	0.44	0.28
Dorset	89	95	79	79	—	—	—	—	—	—	—	3	3	3	—	3	3	—	—	25	20	—	—	0.23	—
Durham	116	145	103	128	—	—	—	—	—	—	—	3	2	3	8	1	2	1	2	27	27	0.12	—	0.71	0.34
Elv, Isle of	45	56	45	45	—	—	—	—	—	—	—	—	—	—	—	—	11	—	—	19	20	—	—	—	0.68
Essex	82	84	73	76	—	—	—	—	—	—	—	2	1	4	2	3	7	—	2	20	19	0.11	0.04	0.19	0.26
Gloucestershire	103	89	90	78	—	—	—	—	—	—	—	2	4	—	2	—	—	—	2	20	22	—	0.13	1.30	0.13
Herefordshire...	110	94	86	94	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27	23	—	0.47	—	0.47
Hertfordshire	105	80	91	76	—	—	—	—	—	—	—	4	1	3	3	1	14	—	3	18	19	—	0.08	0.41	0.23
Huntingdonshire	93	13	66	13	—	—	—	—	—	—	—	—	—	—	—	13	—	—	—	22	13	—	—	—	0.69
Kent	101	82	87	74	1	—	—	—	—	—	—	1	2	2	4	5	12	1	3	22	20	—	0.12	0.21	0.20
Lancashire	124	112	112	98	—	—	—	—	—	—	—	2	1	7	5	4	2	—	1	27	25	0.09	0.06	0.40	0.49
Leicestershire	104	70	91	56	—	—	—	—	—	—	—	—	3	3	—	3	8	—	—	23	24	0.17	—	0.52	0.48
Lincolnshire, Holland	58	68	58	49	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29	25	0.60	—	0.60	—
" Kesteven	106	90	83	82	—	—	—	—	—	—	—	—	—	—	7	—	15	—	7	28	21	—	—	0.46	—
" Lindsey	98	78	82	66	—	—	—	—	—	—	—	6	6	6	6	—	—	—	3	23	23	—	—	0.18	0.36
London A.C....	139	132	129	116	—	—	—	—	—	—	—	2	0	5	3	2	4	1	3	21	22	—	—	0.30	0.28
Middlesex	104	89	95	81	—	—	—	—	—	—	—	0	0	3	2	1	8	—	—	19	18	0.03	—	0.45	0.25

Norfolk	63	70	55	42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—</
---------	----	----	----	----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----

TABLE 23 —Causes of Death by Month of Occurrence, } England and Wales
January — December, 1957

Note.—Totals for any period made up from this table will differ from the corresponding figures shown in other tables (except Table 16) which are tabulated according to date of registration.

Deaths occurring in the year but which were registered after 31st March of the following year are excluded.

See Explanatory notes on page vi.

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	ALL CAUSES { M 24560 21350 23274 21072 20795 19237 18024 18095 20222 25946 23480 30691												
 { F 23220 20366 22256 19714 19400 18250 16844 16908 18761 23480 21511 27946												
001-138	I.—Infective and Parasitic Diseases { M 467 412 495 408 428 332 360 385 380 486 433 535												
 { F 216 239 240 194 192 194 209 208 198 223 227 250												
001-008	Tuberculosis of respiratory system { M 298 272 294 239 252 206 206 201 250 285 273 387												
 { F 87 116 105 83 79 69 74 65 79 102 106 138												
010	Tuberculosis of meninges & central nervous system .. { M 3 4 2 6 7 4 9 1 2 6 1 2												
 { F 6 4 6 5 8 7 3 9 7 3 1 2												
011	Tuberculosis of intestines, peritoneum mesenteric glands .. { M 2 2 3 3 7 3 1 1 3 1 1 1												
 { F 3 2 3 1 3 3 2 1 2 4 2 2												
012, 013	Tuberculosis of bones and joints { M 4 9 3 5 2 2 2 1 5 3 5 3												
 { F 3 8 2 2 3 8 2 4 7 7 4 5												
014-019	Tuberculosis, all other forms { M 13 15 16 11 17 9 14 12 5 12 6 14												
 { F 7 12 5 12 8 19 20 9 11 9 8 8												
020-029	Syphilis and its sequelæ .. { M 77 60 92 86 83 40 56 66 44 98 86 80												
 { F 38 35 33 33 31 24 27 42 39 37 32 42												
030-039	Gonococcal infection and other venereal diseases .. { M — 1 — 1 — 1 — — — 1 — —												
 { F — — — — — 1 — — — — —												
040	Typhoid fever* { M — — — — — — — — — 1 — —												
 { F — — — — — — — — — — — 2 —												
041	Paratyphoid fever* .. { M — — — — — — — — — — — —												
 { F — — — — — — — — — — — —												
042	Other salmonella infections* { M 1 — — 1 1 4 5 7 5 2 2												
 { F 2 — — 1 — 2 8 1 3 — —												
044	Brucellosis (undulant fever) { M — — — — — — — — — — —												
 { F — — — — — — — — — — —												
045	Bacillary dysentery .. { M 2 — 1 — 2 — — — — 1 —												
 { F — 2 1 — 2 1 — — — 1 —												
048	Unspecified forms of dysentery { M — — — — — — — — — — —												
 { F — — — — — — — — — — —												
049	Food poisoning (infection and intoxication) .. { M — — — — — — — — — — —												
 { F — — — — — — — — — — —												
050	Scarlet fever* { M — — — 1 — 1 — 1 1 — — 2												
 { F — — — 1 — — — — — — — 2												
051	Streptococcal sore throat .. { M — 1 1 — 2 — 1 — 2 — — 2												
 { F — — — — — 2 — — — — — —												
052	Erysipelas { M 1 — 1 — — — — — — — 2 1												
 { F — — — — — — — — — — — —												
053, 054	Septicæmia, pyæmia, and bacterial toxæmia .. { M 3 5 4 5 4 5 7 5 4 3 2 2												
 { F 6 2 4 6 3 3 6 7 3 4 3 3												
055	Diphtheria* { M — — — — — — — — — — — 1 1												
 { F — — — — — — — — — — — —												
056	Whooping cough* { M 3 4 9 3 3 5 2 3 1 — — —												
 { F 6 12 8 8 6 6 2 5 1 — — —												
057	Meningococcal infections { M 9 4 9 10 5 4 4 5 5 13 13 13												
 { F 9 6 11 7 5 4 10 6 3 6 12 12												
061	Tetanus { M 1 1 2 — — — 3 3 5 2 4 2												
 { F 1 — 1 1 — — — — — 1 — —												
070	Vincent's infection .. { M — — — — — — — — — — — 1 —												
 { F — — — — — — — — — — — —												
072	Leptospirosis icterohæmorrhagica (Weil's disease) .. { M 3 1 3 — 1 — 1 2 2 1 1 3												
 { F — — — — — — — — — — — —												
080	Acute poliomyelitis .. { M 9 6 2 4 6 7 13 36 18 16 13 13												
 { F 4 1 7 3 6 1 8 17 11 11 6 9												
081	Late effects of acute poliomyelitis .. { M 3 1 4 — 2 1 1 3 — — 2 — 4												
 { F 2 1 1 1 1 — — — — — 2 —												

* See page 274 for deaths from "late effects" included in these headings.

TABLE 23—continued

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
082	Acute infectious encephalitis {M F	7 7	2 4	2 4	7 3	7 3	3 4	3 4	4 6	7 3	7 4	3 6	6 3
083	Late effects of acute infectious encephalitis .. {M F	6 3	6 2	11 4	2 6	4 6	4 7	8 1	3 1	2 2	1 4	— 9	8 5
084	Smallpox* {M F	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —
085	Measles* {M F	5 1	6 8	15 6	8 6	4 4	10 6	4 3	2 6	— —	— —	— —	1 —
086	Rubella (German measles)* {M F	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
087	Chickenpox* {M F	— 2	1 2	1 —	— —	— 1	2 1	— —	1 1	— 2	— —	— —	— —
088	Herpes zoster {M F	1 2	2 1	2 3	2 3	— 2	3 5	3 9	2 4	— 6	3 5	1 8	5 1
089	Mumps {M F	— 2	— —	1 —	— —	— —	1 —	— 1	— 1	— 1	— —	1 —	— 1
092	Infectious hepatitis .. {M F	12 17	7 13	10 22	10 4	11 14	8 16	10 18	14 17	9 10	15 16	9 17	5 8
093	Glandular fever (infectious mononucleosis) .. {M F	— —	— —	— —	— —	— —	— —	— —	1 —	2 —	— 1	— —	— 1
096	Other diseases attributable to viruses .. {M F	— —	— 1	1 —	1 —	— 2	— —	— —	1 —	2 1	— —	— —	1 —
100-108	Typhus and other rickettsial diseases* .. {M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
110-117	Malaria {M F	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	1 —	— 1
Remainder of 001-138	All other diseases classified as infective and parasitic* {M F	4 5	2 5	5 9	3 7	8 3	9 3	4 7	7 4	6 6	11 6	9 4	6 6
140-239	II.—Neoplasms {M F	4240 3798	3874 3530	4205 3727	4065 3548	4263 3726	4028 3636	4178 3648	4349 3808	4227 3700	4491 4013	4254 3817	4639 3866
140-148	Malignant neoplasm of buccal cavity and pharynx {M F	105 58	104 54	101 58	107 53	102 50	102 61	101 53	97 55	92 50	120 55	110 65	117 58
150	Malignant neoplasm of esophagus {M F	126 74	122 86	101 80	105 85	106 95	116 79	81 63	129 76	110 91	94 72	110 78	110 77
151	Malignant neoplasm of stomach {M F	658 483	628 456	673 482	651 494	624 510	659 509	672 494	680 535	644 478	738 535	652 501	709 530
152-154	Malignant neoplasm of intestine, incl. rectum .. {M F	630 667	506 631	606 642	557 621	605 644	533 620	616 641	622 682	558 650	606 691	587 637	597 656
155, 156	Malignant neoplasm of biliary passages & of liver {M F	110 97	96 103	80 108	75 97	91 99	80 116	94 91	92 101	81 102	67 116	77 117	84 108
157-159	Malignant neoplasm of pancreas, peritoneum, & unspecified digestive organs {M F	165 171	153 148	177 165	162 180	162 158	181 135	171 165	170 174	166 164	189 193	188 152	195 173
160	Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses {M F	6 10	8 8	9 2	11 7	15 6	11 8	7 7	10 8	9 8	10 10	9 6	10 6
161	Malignant neoplasm of larynx {M F	62 12	59 18	57 13	42 15	49 17	59 13	49 12	56 16	46 11	69 18	54 14	59 16
162-165	Malignant neoplasm of lung and bronchus, trachea, mediastinum, and of thoracic organs (sec'd'y) {M F	1332 218	1198 204	1331 226	1326 228	1429 218	1317 186	1365 241	1373 230	1450 236	1478 245	1390 252	1537 250
170	Malignant neoplasm of breast {M F	12 756	5 680	3 706	7 663	11 720	5 682	3 688	3 697	5 710	4 802	4 733	9 770
171-174	Malignant neoplasm of uterus F	315	300	325	306	319	325	338	326	352	353	351	338
175, 176	Malignant neoplasm of other and unspecified female genital organs .. F	274	279	290	255	287	310	280	299	280	282	278	274
177	Malignant neoplasm of prostate M	289	255	293	305	292	263	250	289	309	298	307	329
178, 179	Malignant neoplasm of other and unspecified male genital organs .. M	36	15	35	17	27	24	29	16	27	29	27	32

* See page 274 for deaths from "late effects" included in these headings.

TABLE 23—continued

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	D.
180	Malignant neoplasm of kidney { M F	63 50	56 33	51 34	45 33	56 38	49 26	66 32	74 41	75 28	64 46	52 34	
181	Malignant neoplasm of bladder and other urinary organs { M F	174 83	165 70	175 83	158 66	166 65	161 68	160 65	181 68	156 66	188 81	166 82	
190, 191	Malignant neoplasm of skin { M F	36 51	39 37	44 43	39 37	32 50	29 34	41 36	42 43	42 41	41 45	37 40	
193	Malignant neoplasm of brain and other parts of nervous system { M F	79 68	67 50	63 53	74 55	69 48	85 61	75 58	86 49	74 61	79 54	58 64	
196	Malignant neoplasm of bone (including jaw bone) { M F	28 27	26 18	29 22	32 29	33 21	39 29	21 21	27 22	31 23	24 32	27 20	
201	Hodgkin's disease { M F	54 28	73 20	49 22	55 19	42 23	59 32	46 24	43 22	40 25	47 23	41 21	
204	Leukæmia and aleukæmia { M F	85 86	97 92	108 100	104 78	118 102	85 87	102 107	110 94	108 76	130 89	114 93	
Remainder of 140-205	Malignant neoplasm of all other & unspecified sites, incl. other neoplasms of lymphatic and hæmatopoietic tissues { M F	127 202	155 170	161 201	153 163	162 181	120 173	167 160	179 197	142 173	155 196	171 199	
210	Benign neoplasm of buccal cavity and pharynx { M F	1 —	— —	— —	— —	— —	— —	— —	1 —	— 1	— —	— —	
211	Benign neoplasm of other parts of digestive system { M F	2 3	2 2	3 1	1 3	2 5	2 3	1 3	— 1	— 1	1 2	2 1	
212	Benign neoplasm of respiratory system { M F	— 1	— 1	— 1	2 2	1 —	— 1	1 —	1 1	— —	2 1	1 —	
213	Benign neoplasm of breast { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
214-217	Benign neoplasm of female genital organs F	17	19	21	12	16	22	20	20	11	15	17	
218	Benign neoplasm of male genital organs M	—	—	—	—	—	—	—	—	—	—	—	
219	Benign neoplasm of kidney and other urinary organs { M F	4 5	8 5	8 7	10 1	10 2	8 4	1 1	8 1	4 6	11 4	10 3	
220-222	Benign neoplasm of skin { M F	— —	— —	— —	— —	— —	— —	2 —	— 1	— 1	— 1	— 1	
223	Benign neoplasm of brain & other parts of nervous system { M F	8 10	12 12	13 13	8 15	17 16	6 18	10 13	11 16	10 21	15 18	8 13	
224-229	Benign neoplasm of all other and unspecified organs and tissues { M F	11 5	6 6	6 6	2 7	6 5	6 7	10 13	5 7	5 7	1 4	8 10	
230-239	Neoplasm of unspecified nature { M F	37 27	19 28	29 23	17 24	36 31	29 27	37 22	44 27	43 27	31 30	43 36	
240-289	III.—Allergic, Endocrine System, Metabolic, and Nutritional Diseases { M F	246 367	209 356	191 348	188 324	180 318	156 313	143 305	158 309	192 366	233 397	224 362	
241	Asthma { M F	103 86	91 85	76 88	75 112	71 74	62 78	60 72	61 75	77 88	102 109	83 91	
Remainder of 240-245	Other Allergic disorders { M F	— —	— 1	— 1	1 —	— 1	— —	— 2	1 —	— —	1 —	— 1	
250	Simple goitre { M F	1 2	— 2	— 1	— 2	— 1	— 3	— 2	1 1	— 3	1 2	1 1	
251	Nontoxic nodular goitre { M F	— 5	— —	1 3	— 1	— 3	— 2	— —	1 2	— 1	— 2	— 1	
252	Thyrotoxicosis with or without goitre { M F	4 25	3 31	6 29	5 24	5 26	7 30	1 22	— 21	7 25	3 28	6 21	
253, 254	Other diseases of thyroid gland { M F	1 27	5 18	1 22	1 11	3 13	— 11	— 17	1 15	— 21	1 18	4 25	
260	Diabetes mellitus { M F	106 185	79 187	83 175	79 141	83 175	65 158	58 165	71 157	81 191	88 195	96 185	
270-277	Diseases of other endocrine glands { M F	6 18	9 14	5 8	11 12	6 8	12 11	10 9	7 14	8 18	15 13	13 14	

TABLE 23—continued

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
30-286	Avitaminoses, and other deficiency states.. {M F	8 2	3 4	4 5	5 4	3 5	3 4	2 6	4 5	3 6	1 10	6 8	3 7
287	Obesity, not specified as of endocrine origin {M F	4 12	6 12	5 14	1 8	2 7	2 8	4 6	3 8	2 8	14 20	5 8	7 15
288	Gout {M F	1 1	2 —	3 —	2 —	— —	1 —	— —	1 1	— —	2 —	2 —	3 1
289	Other metabolic diseases.. {M F	12 4	11 2	7 2	8 9	7 5	4 3	4 10	8 5	8 5	5 —	7 8	6 4
30-299	IV.—Diseases of the Blood and Blood-forming Organs {M F	61 120	66 82	60 126	64 124	58 95	53 114	54 100	57 105	50 105	72 128	64 109	72 122
290	Pernicious and other hyperchromic anæmias {M F	23 63	21 36	23 58	16 52	29 43	21 52	19 46	19 54	14 54	32 71	24 52	17 46
291	Iron deficiency anæmias (hyperchromic anæmias) {M F	1 11	6 12	7 26	6 20	7 16	4 16	5 16	4 18	6 12	7 16	7 14	11 15
2, 293	Other anæmias {M F	19 32	21 20	17 30	23 36	10 22	17 34	16 26	25 34	21 22	20 34	19 25	23 37
30-299	Other diseases of blood and blood-forming organs.. {M F	18 14	18 14	13 12	19 16	12 14	11 12	14 12	9 6	9 17	13 7	14 18	21 24
30-326	V.—Mental, Psychoneurotic, and Personality Disorders {M F	35 78	25 73	32 79	29 68	24 60	32 44	22 60	24 45	32 44	30 44	25 43	37 61
30-309	Psychoses {M F	26 68	22 67	23 71	23 52	17 50	27 36	16 55	19 37	19 33	19 33	19 38	26 52
30-326	Psychoneuroses, and disorders of personality, including mental deficiency {M F	9 10	3 6	9 8	6 16	7 10	5 8	6 5	5 8	13 11	11 11	6 5	11 9
30-398	VI.—Diseases of the Nervous System and Sense Organs {M F	3144 4427	2771 3796	3007 4146	2821 3829	2660 3725	2588 3579	2269 3233	2269 3190	2492 3360	2806 3783	2951 3958	3476 4906
30-334	Vascular lesions affecting central nervous system {M F	2915 4151	2578 3580	2744 3895	2592 3632	2443 3503	2353 3364	2084 3023	2060 2959	2291 3146	2557 3543	2734 3720	3191 4591
340	Meningitis, except meningococcal and tuberculous ..												
340.0	H. influenzae .. {M F	2 2	4 1	1 2	2 1	2 2	4 2	2 —	2 —	— 1	1 —	2 —	7 3
340.1	Pneumococcus .. {M F	13 8	8 8	12 9	18 7	14 4	14 5	8 3	7 7	5 2	14 8	11 8	16 10
340.2	Due to other specified organism.. {M F	3 5	1 —	8 3	5 4	3 —	1 4	4 3	3 7	1 2	3 5	3 —	4 2
340.3	Unspecified cause .. {M F	6 3	5 5	5 4	4 3	4 2	4 2	3 2	5 4	3 2	5 2	5 1	4 4
41-344	Other inflammatory diseases of central nervous system {M F	12 8	13 8	20 8	10 9	17 16	16 6	17 14	14 10	14 12	23 21	14 12	20 18
345	Multiple sclerosis .. {M F	30 51	29 35	21 46	24 33	29 38	30 48	20 38	27 30	17 42	29 43	21 44	33 52
350	Paralysis agitans .. {M F	58 85	49 59	58 79	57 45	53 65	62 75	54 54	44 69	62 68	52 73	63 77	71 89
51, 352	Cerebral spastic infantile paralysis, and other cerebral paralysis .. {M F	21 35	15 25	25 30	17 22	19 25	23 20	11 30	26 29	27 34	28 32	16 24	26 47
353	Epilepsy {M F	23 26	24 28	36 23	33 30	23 28	30 23	27 27	35 27	28 21	39 29	33 27	44 30
54-357	Other diseases of central nervous system .. {M F	49 40	28 33	51 34	41 30	36 29	38 22	28 22	32 37	33 22	39 25	41 36	42 49
365	Erythredema polyneuritica {M F	— —	— —	1 —	— —	1 —	— 1	— —	— —	— —	— —	— —	— —
60-364, 366-369	Other diseases of nerves and peripheral ganglia .. {M F	1 2	2 3	6 2	4 3	2 2	2 2	2 2	3 5	1 1	5 2	— 1	4 3
370-379	Inflammatory diseases of eye {M F	— —	1 1	1 —	1 —	1 1	1 —	— —	— —	— —	— —	— —	— —
380-389	Other diseases and conditions of eye {M F	1 2	2 5	1 4	4 2	3 5	3 2	3 4	1 1	1 1	1 1	— 3	3 3
390-398	Diseases of ear and mastoid process {M F	10 9	13 5	17 6	10 7	11 5	8 2	6 11	10 5	9 6	10 3	8 5	11 5

TABLE 23—continued

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
400-468	VII.—Diseases of the Circulatory System	{M 9084 F 8915}	7836 7848	8560 8595	7811 7492	7620 7396	7132 6795	6360 6060	6333 6021	7017 6693	8403 8113	8555 8149	11051 10881
400-402	Rheumatic fever	{M 6 F 12}	6 8	6 5	8 9	8 11	5 10	4 10	5 9	6 2	8 6	5 3	10 10
410-416	Chronic rheumatic heart disease	{M 280 F 507}	233 434	243 475	271 431	236 387	225 387	197 321	180 316	251 411	310 526	234 453	315 594
420	Arteriosclerotic heart disease, including coronary disease	{M 4367 F 2620}	3815 2366	4159 2439	3838 2281	3816 2321	3694 2097	3279 1973	3377 1962	3659 2136	4077 2469	4360 2638	5330 3236
421	Chronic endocarditis not specified as rheumatic ..	{M 145 F 153}	137 133	160 134	138 120	158 134	130 113	124 116	97 110	122 116	167 122	140 135	196 184
422	Other myocardial degeneration	{M 2281 F 3261}	1927 2877	2136 3274	1870 2696	1784 2621	1590 2361	1414 2024	1339 2070	1529 2297	1986 2879	1969 2794	2756 3959
430	Acute and sub-acute endocarditis	{M 18 F 10}	15 9	18 9	7 8	17 11	12 10	23 12	13 13	13 17	14 7	19 12	18 11
431	Acute myocarditis not specified as rheumatic ..	{M 9 F 10}	6 7	4 6	11 8	7 3	2 7	4 3	4 4	4 6	2 5	4 9	11 6
432	Acute pericarditis specified as non-rheumatic ..	{M 2 F 2}	1 —	4 —	1 —	— —	— —	2 1	— 2	— —	2 —	— —	3 3
433	Functional disease of heart ..	{M 83 F 148}	108 135	114 157	66 131	83 126	68 122	72 94	58 107	59 113	81 136	96 142	127 171
434	Other and unspecified diseases of heart ..	{M 312 F 315}	261 287	311 324	265 265	260 232	225 243	215 211	232 214	256 230	245 296	303 302	502 469
440-447	Hypertensive disease ..	{M 870 F 1056}	739 886	790 1005	729 889	696 845	681 797	599 727	554 661	606 752	785 908	763 935	985 1260
450	General arteriosclerosis ..	{M 505 F 575}	415 497	427 541	403 454	368 502	333 475	288 403	306 373	317 434	411 512	437 497	541 679
451-456	Other diseases of arteries ..	{M 103 F 88}	94 83	87 67	102 70	91 78	93 57	78 53	84 59	112 86	108 74	126 78	127 122
460-466	Diseases of veins	{M 100 F 154}	77 123	99 155	91 127	94 121	70 114	61 109	82 119	82 92	105 170	98 146	128 173
467	Other diseases of circulatory system	{M 2 F 4}	2 2	2 3	— 3	2 3	3 2	— —	2 1	1 —	2 3	1 3	2 2
468	Certain diseases of lymph nodes & lymph channels ..	{M 1 F 1}	— 1	1 —	1 —	— 1	1 —	— 3	— 1	— 1	— —	2 —	— —
470-527	VIII.—Diseases of the Respiratory System	{M 3646 F 2246}	3006 1888	3256 2102	2355 1432	2179 1282	1751 1122	1418 816	1419 778	2764 1834	6012 3970	3550 2153	6409 4221
470-475	Acute upper respiratory infections	{M 10 F 8}	5 14	10 7	5 2	4 8	8 5	3 6	4 1	5 3	1 4	7 6	8 13
480-483	Influenza	{M 76 F 56}	45 58	60 67	35 28	17 24	13 9	12 1	9 18	564 531	1938 1589	445 382	359 429
490	Lobar pneumonia	{M 180 F 144}	155 124	175 129	137 91	128 101	111 82	85 74	80 58	178 106	247 144	137 94	279 207
491	Bronchopneumonia	{M 830 F 876}	685 713	814 852	572 651	533 557	468 534	362 385	399 359	641 652	1238 1146	872 820	1489 1646
492	Primary atypical pneumonia	{M 21 F 12}	15 11	21 12	9 4	12 8	5 11	6 9	4 4	10 11	22 13	8 10	11 11
493	Pneumonia, other and unspecified	{M 62 F 54}	63 54	64 62	56 25	48 38	43 41	31 30	19 31	61 46	108 69	53 52	86 86
500	Acute bronchitis	{M 172 F 194}	128 152	141 149	90 87	74 66	48 49	43 29	39 33	65 59	169 172	127 110	311 328
501	Bronchitis unqualified ..	{M 113 F 105}	92 78	72 93	59 56	48 39	28 31	28 24	36 26	52 30	107 88	80 69	170 187
502	Chronic bronchitis	{M 1853 F 665}	1520 552	1585 593	1135 377	1062 357	801 282	661 188	640 194	935 304	1816 611	1521 490	3202 1136
510	Hypertrophy of tonsils and adenoids	{M 1 F 1}	4 2	2 —	2 —	2 —	2 —	2 —	1 —	— 1	— —	— —	— —
511-517	Other diseases of upper respiratory tract ..	{M 5 F 6}	4 3	5 5	5 1	7 2	7 1	6 6	4 1	8 4	6 4	4 6	1 2
518-522	Empyema, pleurisy, and pneumothorax	{M 27 F 42}	33 39	27 46	21 39	35 28	19 27	30 27	15 24	24 38	39 34	30 33	32 57

TABLE 23—continued

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
523, 524	Silicosis and occupational pulmonary fibrosis .. {M F	60 —	60 1	86 —	68 —	47 1	54 —	37 2	48 —	62 1	92 3	65 1	113 2
525	Other chronic interstitial pneumonia .. {M F	10 5	17 7	15 8	13 6	20 10	8 4	13 3	6 4	17 6	17 15	16 9	23 14
526	Bronchiectasis .. {M F	113 52	85 59	83 51	79 44	60 33	64 30	48 20	52 25	72 30	106 61	86 53	166 69
527	Other diseases of lung and pleural cavity .. {M F	113 26	95 21	96 28	69 22	84 14	72 16	51 12	51 12	69 13	106 17	99 18	159 34
530-587	IX.—Diseases of the Digestive System .. {M F	800 696	709 553	731 625	693 607	649 543	616 547	590 540	581 560	632 532	712 596	741 551	877 640
530-539	Diseases of buccal cavity and esophagus .. {M F	10 14	9 15	10 12	13 12	11 11	13 14	11 10	6 8	9 12	8 9	7 4	12 4
540	Ulcer of stomach .. {M F	172 134	142 79	147 89	127 63	114 62	135 65	112 67	102 64	125 60	162 83	150 99	181 97
541	Ulcer of duodenum .. {M F	209 57	169 51	174 47	160 47	150 29	115 44	104 28	111 34	146 31	175 50	171 32	221 52
542	Gastrojejunal ulcer .. {M F	4 —	4 1	2 —	5 1	2 2	3 —	— 2	1 —	4 —	3 1	1 —	3 —
543	Gastritis and duodenitis .. {M F	2 5	3 7	2 1	5 2	— 3	2 1	2 1	1 4	2 2	6 3	4 4	6 5
544	Disorders of function of stomach .. {M F	1 2	— 1	1 —	1 —	1 —	2 —	— 1	— —	— —	1 —	1 1	1 1
545	Other diseases of stomach and duodenum .. {M F	7 2	3 2	3 4	2 2	2 3	4 2	5 3	5 4	2 1	4 2	6 5	6 6
550-553	Appendicitis .. {M F	37 28	34 26	38 21	43 32	41 28	42 24	45 15	58 22	41 28	35 26	43 21	44 26
560, 561	Hernia of abdominal cavity {M F	71 68	67 71	78 78	59 77	60 63	55 59	63 62	51 51	58 59	67 73	70 64	70 82
570	Intestinal obstruction, without mention of hernia {M F	56 65	69 53	57 80	63 52	61 56	50 46	44 45	50 44	44 53	47 59	56 48	63 50
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over .. {M F	24 46	33 26	35 33	37 37	28 28	30 33	28 36	26 34	18 24	20 26	31 36	44 32
572-578	Other diseases of intestines and peritoneum .. {M F	68 101	68 75	71 83	59 89	66 100	55 104	73 102	56 109	52 100	61 99	63 82	85 107
580-583	Diseases of liver .. {M F	74 66	45 49	63 47	61 61	56 56	57 49	50 51	53 52	61 47	66 69	85 49	68 50
584-586	Diseases of gall bladder and biliary ducts .. {M F	39 76	40 70	33 95	44 103	30 90	37 78	37 88	48 94	39 90	32 78	36 77	43 83
587	Diseases of pancreas .. {M F	26 32	23 27	17 35	14 29	22 14	16 26	17 28	13 24	31 25	15 28	17 29	30 45
590-637	X.—Diseases of the Genito-Urinary System .. {M F	676 346	620 334	608 343	581 318	674 307	555 270	603 285	551 279	564 277	599 309	632 289	757 374
590	Acute nephritis .. {M F	5 4	12 5	8 7	9 6	9 8	8 4	7 4	7 7	8 5	1 6	9 7	8 5
591-594	Chronic, other and unspecified nephritis .. {M F	207 203	193 172	192 183	162 176	207 156	162 148	188 144	161 132	144 136	200 161	205 150	232 186
600-609	Other diseases of urinary system .. {M F	118 126	96 134	119 139	106 119	118 126	110 108	100 120	105 124	111 118	105 129	102 109	140 165
610	Hyperplasia of prostate .. M	335	306	283	295	326	268	300	276	296	280	304	371
611-617	Other diseases of male genital organs .. M	11	13	6	9	14	7	8	2	5	13	12	6
620, 621	Diseases of breast .. F	—	—	—	—	1	—	—	—	—	1	1	—
622-626	Diseases of ovary, Fallopian tube, and parametrium.. F	4	3	2	2	3	1	3	1	4	6	4	4
630-637	Diseases of uterus and other female genital organs .. F	9	20	12	15	13	9	14	15	14	6	18	14

TABLE 23—continued

International List No.	Causes of Death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
640-689	XI.—Deliveries and Complications of Pregnancy, Childbirth and the Puerperium	F	30	24	32	34	25	25	37	30	27	29	21	3
640	Pyelitis and pyelonephritis of pregnancy	F	—	—	—	—	1	—	—	—	—	—	—	—
641	Other infections of genito-urinary tract during pregnancy	F	—	—	—	—	—	—	1	—	1	—	—	—
642	Toxæmias of pregnancy ..	F	6	8	6	10	8	5	7	7	7	6	4	—
643-649	Other complications of pregnancy	F	4	4	4	5	1	7	3	5	1	2	3	—
650-652	Abortion	F	4	3	4	5	6	2	12	5	7	4	2	—
660-678	Delivery	F	9	7	9	10	3	6	11	11	5	13	7	—
680	Puerperal urinary infection without other sepsis ..	F	—	—	—	—	—	—	—	—	—	—	—	—
681, 683	Sepsis of childbirth and the puerperium, and pyrexia of unknown origin during the puerperium	F	2	2	2	—	2	3	1	1	1	—	2	—
682	Puerperal phlebitis and thrombosis	F	3	—	3	3	2	1	—	1	2	3	1	—
684	Puerperal pulmonary embolism	F	—	—	1	1	1	1	1	—	1	1	—	—
685, 686	Puerperal toxæmia	F	—	—	3	—	—	—	1	—	1	—	—	—
687	Cerebral hæmorrhage in the puerperium	F	2	—	—	—	1	—	—	—	1	—	—	—
688, 689	Other complications of puerperium	F	—	—	—	—	—	—	—	—	—	—	2	—
690-716	XII.—Diseases of the Skin and Cellular Tissue ..	{M F}	23 20	11 13	17 19	13 20	13 18	14 18	14 17	18 20	18 18	15 28	15 26	—
690-698	Infections of skin and subcutaneous tissue ..	{M F}	11 8	2 3	8 4	6 5	6 4	3 4	6 7	6 7	4 8	11 8	7 7	—
700-716	Other diseases of skin and subcutaneous tissue ..	{M F}	12 12	9 10	9 15	7 15	7 14	11 14	8 10	12 13	14 20	4 10	8 19	—
720-749	XIII.—Diseases of the Bones and Organs of Movement	{M F}	47 125	55 98	59 111	31 104	48 109	44 93	44 73	45 86	43 94	49 106	48 116	—
720, 721	Acute arthritis	{M F}	1 —	3 2	1 —	— —	— 2	— 1	2 —	— 1	— 4	— 1	1 —	—
722	Rheumatoid arthritis and allied conditions ..	{M F}	16 71	17 54	14 64	12 55	18 68	15 51	14 50	14 56	11 56	14 61	16 67	—
723	Osteo-arthritis (arthrosis) & allied conditions ..	{M F}	11 23	10 14	7 16	4 19	11 21	11 21	7 8	6 13	7 13	12 22	6 19	—
724, 725	Other and unspecified forms of arthritis	{M F}	— 3	— —	— —	— —	— —	1 —	— —	— 1	— —	— —	1 —	—
726, 727	Muscular rheumatism, and rheumatism unspecified	{M F}	1 —	1 2	— 2	1 3	— 1	1 —	1 —	— 1	3 1	— 1	— —	—
730	Osteomyelitis & periostitis	{M F}	— 6	5 4	5 —	1 2	3 3	3 4	5 1	5 1	3 1	6 5	3 2	—
731-749	Other diseases of musculo-skeletal system	{M F}	18 22	19 22	32 29	13 25	16 21	13 16	15 14	20 13	19 19	17 16	21 27	—
750-759	XIV.—Congenital Malformations	{M F}	219 207	208 188	254 188	224 176	226 215	211 192	185 192	211 171	202 195	221 212	211 202	—
750	Monstrosity	{M F}	3 8	4 6	5 9	5 5	5 10	7 —	3 12	7 7	4 11	7 10	2 5	—

TABLE 23—continued

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
751	Spina bifida and meningocele {M F	27 56	32 52	31 52	41 49	35 38	38 53	31 38	42 50	36 48	37 49	31 48	32 50
752	Congenital hydrocephalus {M F	14 10	6 10	10 5	15 7	3 10	7 12	15 6	11 7	5 11	6 8	8 9	13 8
753	Other congenital malforma- tion of nervous system and sense organs .. {M F	5 8	11 3	8 4	3 2	8 11	5 5	4 5	4 11	7 7	14 5	10 5	2 8
754	Congenital malformations of circulatory system .. {M F	108 69	89 70	120 74	94 64	109 95	95 80	68 78	81 54	77 67	88 93	102 86	92 80
755	Cleft palate and harelip .. {M F	— 1	1 1	3 1	1 2	2 —	— 2	1 —	1 —	1 —	1 —	1 —	— 1
756	Congenital malformations of digestive system .. {M F	26 18	25 11	29 13	23 15	22 18	27 7	26 15	23 11	27 15	20 18	23 14	21 17
757	Congenital malformations of genito-urinary system {M F	23 17	22 21	25 21	24 16	20 16	21 15	24 26	20 16	25 20	26 15	20 18	24 20
758	Congenital malformations of bone and joint .. {M F	5 7	1 3	2 —	3 2	7 4	1 3	— 4	4 3	3 3	1 6	3 3	2 1
759	Other and unspecified congen- ital malformations, not elsewhere classified {M F	8 13	17 11	21 9	15 14	15 13	10 8	13 8	18 12	17 13	21 8	11 12	18 9
760-776	XV.—Certain Diseases of Early Infancy {M F	474 330	449 305	460 344	496 331	481 309	469 300	451 288	461 323	435 334	469 323	432 321	513 326
760	Intracranial and spinal injury at birth {M F	84 49	87 49	71 50	82 42	69 40	66 48	81 43	84 45	64 55	61 38	60 56	89 44
761	Other birth injury {M F	21 16	27 16	26 17	26 12	21 13	21 9	23 9	16 10	19 13	15 19	27 17	16 14
762	Postnatal asphyxia and atelectasis {M F	137 98	138 91	125 98	157 105	158 93	148 92	141 89	125 89	122 89	143 93	141 95	153 90
763	Pneumonia of newborn .. {M F	37 27	34 21	43 32	29 22	36 24	27 11	28 18	34 23	39 26	40 25	28 23	51 32
764	Diarrhœa of newborn .. {M F	5 3	3 2	2 3	1 2	2 —	3 —	1 1	3 —	2 —	— —	— —	— 2
765-769	Other infections of newborn {M F	5 6	4 8	8 5	8 8	12 7	8 3	10 10	10 6	8 7	2 8	6 6	10 9
770	Hæmolytic disease of newborn {M F	20 7	16 13	33 22	15 13	14 13	22 18	16 14	13 21	14 16	18 13	9 12	12 13
771	Hæmorrhagic disease of newborn {M F	11 5	9 2	13 3	9 6	11 6	9 4	5 5	10 2	6 4	15 8	12 11	9 6
772, 773	Nutritional maladjustment and ill-defined diseases peculiar to early infancy {M F	11 4	6 5	5 8	11 7	6 5	7 5	5 2	8 8	7 5	8 7	7 7	11 5
774-776	Immaturity unqualified .. {M F	143 115	125 98	134 106	158 114	152 108	158 110	141 97	158 119	154 119	167 112	142 104	162 111
780-795	XVI.—Symptoms, Senility and Ill-Defined Conditions {M F	293 494	209 400	248 444	212 392	211 368	215 334	167 320	189 321	182 355	214 438	237 380	310 552
780-789	Symptoms referable to systems or organs .. {M F	3 6	4 4	4 5	5 6	5 2	6 8	2 3	3 9	7 7	4 2	12 2	6 7
792	Uræmia unqualified .. {M F	— 1	— 3	— 1	— 1	3 1	2 —	4 —	1 —	— 2	1 2	1 2	— 2
794	Senility without mention of psychosis {M F	285 484	199 390	240 433	204 381	199 363	199 326	153 313	180 309	172 344	207 429	220 375	303 540
790, 791, 793, 795.	Ill-defined and unknown causes of mortality .. {M F	5 3	6 3	4 5	3 4	4 2	8 —	8 4	5 3	3 2	2 5	4 1	1 3

TABLE 23—continued

International List No.	Causes of Death	Jan.	Feb.	Mar.	Apr.	May.	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
E800-E999	XVII.—Accidents, Poisonings & Violence (External Cause)	{M 1105 F 805	{M 890 F 639	{M 1091 F 787	{M 1081 F 721	{M 1081 F 712	{M 1041 F 674	{M 1166 F 661	{M 1045 F 654	{M 992 F 629	{M 1134 F 768	{M 1108 F 787	{M 1376 F 921
E800-E802	Railway accidents	{M 20 F 2	{M 30 F 2	{M 27 F 1	{M 28 F 4	{M 28 F 4	{M 18 F —	{M 23 F 3	{M 23 F 3	{M 19 F —	{M 22 F 2	{M 23 F 2	{M 90 F 22
E810-E825	Motor vehicle traffic accidents	{M 295 F 100	{M 206 F 53	{M 244 F 68	{M 266 F 88	{M 285 F 88	{M 264 F 91	{M 401 F 135	{M 334 F 110	{M 320 F 106	{M 367 F 147	{M 360 F 135	{M 415 F 144
E830-E835	Motor vehicle non-traffic accidents	{M 8 F —	{M 3 F —	{M 2 F —	{M 4 F 1	{M 7 F —	{M 3 F —	{M 8 F —	{M 4 F —	{M 3 F —	{M 7 F 3	{M 8 F —	{M 10 F 1
E840-E845	Other road vehicle accidents	{M 22 F 4	{M 11 F 5	{M 10 F 4	{M 10 F 1	{M 18 F 8	{M 14 F 2	{M 15 F 4	{M 12 F 6	{M 20 F 2	{M 12 F 5	{M 10 F 4	{M 12 F 4
E850-E858	Water transport accidents	{M 9 F —	{M 8 F —	{M 11 F —	{M 24 F —	{M 9 F —	{M 20 F 1	{M 16 F —	{M 11 F 2	{M 21 F 2	{M 13 F —	{M 4 F —	{M 8 F —
E860-E866	Aircraft accidents	{M 14 F 1	{M 4 F —	{M 40 F 6	{M 5 F 1	{M 34 F 3	{M 3 F —	{M 6 F —	{M 12 F —	{M 10 F —	{M 3 F —	{M 21 F 4	{M 9 F —
E870-E895	Accidental poisoning	{M 64 F 65	{M 45 F 66	{M 53 F 49	{M 54 F 48	{M 32 F 46	{M 43 F 38	{M 30 F 29	{M 26 F 27	{M 27 F 35	{M 37 F 56	{M 48 F 86	{M 75 F 90
E900-E904	Accidental falls	{M 196 F 338	{M 168 F 270	{M 172 F 312	{M 165 F 250	{M 154 F 254	{M 135 F 248	{M 146 F 233	{M 141 F 251	{M 146 F 255	{M 180 F 266	{M 176 F 276	{M 212 F 359
E910-E936	Other accidents	{M 176 F 96	{M 157 F 81	{M 212 F 103	{M 215 F 88	{M 202 F 105	{M 249 F 105	{M 250 F 76	{M 212 F 77	{M 165 F 66	{M 199 F 96	{M 180 F 96	{M 209 F 127
E940-E959	Complications due to medical & surgical procedures	{M 3 F —	{M 1 F 3	{M 2 F 6	{M 3 F 2	{M 4 F 3	{M 5 F 4	{M 3 F 2	{M 3 F 5	{M — F 3	{M 1 F 3	{M 3 F —	{M 2 F 4
E960-E965	Late effects of injury and poisoning	{M 15 F 7	{M 11 F 2	{M 17 F 5	{M 16 F 3	{M 10 F 3	{M 7 F 2	{M 15 F —	{M 6 F 2	{M 14 F 5	{M 13 F 5	{M 14 F 2	{M 23 F 1
E970-E973	Suicide by poisoning	{M 158 F 128	{M 125 F 114	{M 157 F 178	{M 154 F 168	{M 179 F 163	{M 161 F 138	{M 136 F 125	{M 147 F 122	{M 132 F 118	{M 163 F 137	{M 162 F 137	{M 178 F 132
E974	Suicide and self-inflicted injury by hanging and strangulation	{M 59 F 9	{M 36 F 8	{M 54 F 10	{M 56 F 16	{M 56 F 9	{M 42 F 11	{M 45 F 12	{M 37 F 7	{M 44 F 9	{M 43 F 13	{M 34 F 14	{M 50 F 14
E975	Suicide and self-inflicted injury by submersion (drowning)	{M 21 F 33	{M 24 F 22	{M 24 F 19	{M 30 F 19	{M 21 F 21	{M 20 F 9	{M 21 F 12	{M 19 F 12	{M 25 F 15	{M 22 F 17	{M 18 F 14	{M 26 F 17
E976-E979	Suicide by other and unspecified means	{M 38 F 18	{M 52 F 7	{M 57 F 9	{M 40 F 17	{M 32 F 18	{M 39 F 9	{M 41 F 16	{M 46 F 15	{M 34 F 9	{M 42 F 7	{M 41 F 10	{M 47 F 4
E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	{M 7 F 4	{M 9 F 6	{M 9 F 17	{M 9 F 15	{M 10 F 12	{M 18 F 16	{M 10 F 9	{M 12 F 13	{M 12 F 4	{M 10 F 11	{M 6 F 7	{M 10 F 2
E990-E999	Injury resulting from operations of war	{M — F —	{M — F —	{M — F —	{M 2 F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —

NOTE:—Of the deaths assigned to the following categories in this table (see pages 266 and 267):—

040-043, 050, 055, 056, 058, 084-087, 100-108

those where the interval between onset of the disease and death was stated to exceed one year are as follows:—

040	Typhoid fever	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M 1 F —	{M — F —	{M — F —	{M — F —	{M — F —	{M 1 F —	{M — F —
050	Scarlet fever	{M — F —	{M — F 1	{M — F —	{M 1 F —	{M — F —	{M 1 F —	{M — F —	{M — F —	{M 1 F —	{M — F —	{M 1 F —	{M — F 1
055	Diphtheria	{M — F 2	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —
056	Whooping cough	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M 1 F —	{M — F —	{M — F —	{M — F —	{M — F —
085	Measles	{M — F —	{M — F —	{M 1 F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —	{M — F —

TABLE 24.—Stillbirths by Sex and Legitimacy (with Ratio per 1,000 Total Births), 1957.

England and Wales, Standard Regions, Wales, Conurbations, London A.C., City of London, Metropolitan and County Boroughs; Urban and Rural Aggregates in each Administrative County.

Area	Legitimate		Illegitimate		Total	Stillbirths per 1,000 Total Births
	M.	F.	M.	F.		
SUMMARY						
ENGLAND AND WALES	8,101	7,491	512	511	16,615	22
Regions and Conurbations:						
Northern	737	712	41	37	1,527	26
Tyneside Conurbation	193	190	6	12	401	25
Remainder of Northern	544	522	35	25	1,126	26
East and West Ridings	775	746	50	56	1,627	23
West Yorkshire Conurbation	291	280	25	36	632	23
Remainder of East and West Ridings	484	466	25	20	995	24
North Western	1,362	1,318	96	96	2,872	26
South East Lancashire Conurbation	488	482	34	42	1,046	26
Merseyside Conurbation	340	349	28	22	739	26
Remainder of North Western	534	487	34	32	1,087	26
North Midland	642	592	36	36	1,306	22
Midland	869	841	40	48	1,798	23
West Midlands Conurbation	439	416	19	32	906	23
Remainder of Midland	430	425	21	16	892	23
Eastern	577	526	43	45	1,191	20
London and South Eastern	1,618	1,358	138	114	3,228	20
Greater London	1,199	1,008	112	91	2,410	20
Remainder of South Eastern	419	350	26	23	818	20
Southern	447	427	25	24	923	19
South Western	501	485	23	32	1,041	21
Wales (including Monmouthshire)	573	486	20	23	1,102	26
Wales I (South East)	445	355	16	17	833	26
Wales II (Remainder)	128	131	4	6	269	24
Urban/Rural Aggregates:						
Conurbations	2,950	2,725	224	235	6,134	22
Areas outside Conurbations:						
Urban areas with populations of 100,000 and over	1,107	970	83	79	2,239	23
Urban areas with populations of 50,000 and under 100,000	586	599	36	40	1,261	23
Urban areas with populations under 50,000	1,923	1,755	98	81	3,857	23
Rural Districts	1,535	1,442	71	76	3,124	21

TABLE 24.—continued

LONDON A.C., CITY OF LONDON, METROPOLITAN BOROUGHES AND COUNTY BOROUGHES						LONDON A.C., CITY OF LONDON, METROPOLITAN BOROUGHES AND COUNTY BOROUGHES						LONDON A.C., CITY OF LONDON, METROPOLITAN BOROUGHES AND COUNTY BOROUGHES								
Area	Legitimate		Illegitimate		Total	Still-births per 1,000 Total Births	Area	Legitimate		Illegitimate		Total	Still-births per 1,000 Total Births	Area	Legitimate		Illegitimate		Total	Still-births per 1,000 Total Births
	M.	F.	M.	F.				M.	F.	M.	F.				M.	F.	M.	F.		
London A.C. ...	521	448	57	57	1,083	20	City of London ...	—	—	—	—	—	—	County Boroughs	—	—	—	—	—	—
														—contd.						
														Dudley ...	14	9	1	1	25	
														Eastbourne ...	8	4	—	—	12	
														East Ham ...	22	17	2	1	42	
														Exeter... ..	8	15	—	—	24	
														Gateshead ...	28	29	1	1	59	
Metropolitan Boroughs:														Gloucester ...	10	9	—	1	20	
Battersea ...	24	22	4	2	52	28								Great Yarmouth ...	9	6	—	2	17	
Bermondsey ...	8	8	—	2	18	19								Grimsby ...	23	27	1	1	52	
Bethnal Green ...	7	11	—	—	18	22								Halifax ...	13	19	2	—	34	
Camberwell ...	25	28	3	2	58	19								Hastings ...	7	4	—	—	11	
Chelsea... ..	6	3	—	—	9	12								Huddersfield ...	23	24	2	2	51	
Deptford ...	9	10	1	1	21	20								Ipswich ...	15	16	—	1	32	
Finsbury ...	10	5	—	1	16	22								Kingston upon Hull ...	64	64	4	2	134	
Fulham... ..	18	14	2	3	37	20								Leeds ...	84	77	9	13	183	
Greenwich ...	15	13	2	—	30	23								Leicester ...	47	28	5	5	85	
Hackney ...	25	28	1	—	54	20								Lincoln ...	14	15	—	1	30	
Hammersmith...	19	14	2	1	36	19								Liverpool ...	177	199	17	14	407	
Hampstead ...	15	10	2	1	28	19								Manchester ...	155	140	16	19	330	
Holborn ...	—	—	—	—	—	—								Middlesbrough ...	52	36	5	6	99	
Islington ...	34	46	8	4	92	20								Newcastle upon Tyne ...	59	51	2	5	117	
Kensington ...	22	20	5	3	50	18								Northampton...	19	11	—	1	31	
Lambeth ...	53	33	12	13	111	26								Norwich ...	20	21	1	3	45	
Lewisham ...	32	21	2	3	58	17								Nottingham ...	60	34	10	4	108	
Paddington ...	23	12	3	5	43	19								Oldham ...	28	26	1	2	57	
Poplar ...	14	12	—	1	27	23								Oxford ...	13	6	2	1	22	
St. Marylebone ...	9	4	—	2	15	19								Plymouth ...	33	33	1	2	69	
St. Pancras ...	22	22	1	2	47	21								Portsmouth ...	25	26	3	6	60	
Shoreditch ...	5	4	—	—	9	12								Preston ...	28	21	3	3	55	
Southwark ...	21	17	1	1	40	24								Reading ...	20	25	1	3	49	
Stepney... ..	10	20	2	4	36	19								Rochdale ...	18	18	2	1	39	
Stoke Newington ...	4	6	1	—	11	12								Rotherham ...	18	17	1	—	36	
Wandsworth ...	58	37	3	5	103	20								St. Helens ...	34	28	4	1	67	
Westminster ...	15	9	2	1	27	25								Salford ...	39	43	3	3	88	
Woolwich ...	18	19	—	—	37	18								Sheffield ...	78	73	3	4	158	
County Boroughs	2,667	2,522	197	210	5,596	24								Smethwick ...	9	11	2	3	25	
Barnsley ...	23	12	1	—	36	27								Southampton...	43	31	—	—	74	
Barrow-in-Furness ...	11	7	—	1	19	19								Southend-on-Sea ...	18	16	4	1	39	
Bath ...	9	12	2	—	23	20								Southport ...	10	10	—	1	21	
Birkenhead ...	37	36	4	2	79	30								South Shields...	25	29	1	2	57	
Birmingham ...	194	201	7	21	423	22								Stockport ...	28	31	4	5	68	
Blackburn ...	27	24	3	2	56	36								Stoke-on-Trent ...	52	68	3	2	125	
Blackpool ...	25	18	1	3	47	27								Sunderland ...	58	51	4	3	116	
Bolton ...	26	26	2	1	55	23								Tynemouth ...	17	19	1	1	38	
Boole ...	21	18	1	2	42	21								Wakefield ...	14	9	1	1	25	
Bournemouth ...	20	16	3	—	39	23								Wallasey ...	36	34	2	1	73	
Bradford ...	59	58	2	12	131	26								Walsall ...	22	40	2	—	64	
Brighton ...	17	18	4	2	41	19								Warrington ...	12	15	4	1	32	
Bristol ...	72	76	5	2	155	22								West Bromwich ...	25	19	—	—	44	
Burnley... ..	20	22	1	2	45	34								West Ham ...	24	18	4	1	47	
Burton upon Trent ...	16	11	2	—	29	32								West Hartlepool ...	25	17	—	1	43	
Bury ...	5	14	—	1	20	22								Wigan... ..	19	25	—	—	44	
Canterbury ...	5	4	—	—	9	19								Wolverhampton ...	33	20	1	3	57	
Carlisle... ..	11	16	—	—	27	21								Worcester ...	10	9	—	—	19	
Chester... ..	16	11	2	—	29	29								York ...	18	17	—	2	37	
Coventry ...	51	47	2	2	102	20								Cardiff... ..	50	43	3	4	100	
Croydon ...	26	37	4	3	70	20								Merthyr Tydfil ...	16	11	—	—	27	
Darlington ...	20	16	3	2	41	30								Newport, Mon. ...	34	27	2	1	64	
Derby ...	26	15	1	3	45	21								Swansea ...	43	30	4	3	80	
Dewsbury ...	11	21	1	1	34	35														
Doncaster ...	13	15	2	2	32	23														

TABLE 24.—continued

Area	Legitimate		Illegitimate		Total	Still- births per 1,000 Total Births	Area	Legitimate		Illegitimate		Total	Still- births per 1,000 Total Births		
	M.	F.	M.	F.				M.	F.	M.	F.				
ADMINISTRATIVE COUNTIES															
Note.—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs, but excluding County Boroughs) and of Rural Districts in each Administrative County.															
Derbyshire ...	U.D.	30	46	4	5	85	21	Shropshire ...	U.D.	34	23	—	1	58	25
Derbyshire ...	R.D.	21	22	—	1	44	23	Derbyshire ...	R.D.	20	21	—	1	42	18
Derbyshire ...	U.D.	20	14	2	—	36	18	Somerset ...	U.D.	29	32	1	4	66	19
Derbyshire ...	R.D.	33	36	5	2	76	17	Derbyshire ...	R.D.	43	37	—	2	82	21
Derbyshire ...	U.D.	34	37	1	5	77	22	Southampton ...	U.D.	72	79	3	2	156	21
Derbyshire ...	R.D.	19	37	—	—	56	15	Derbyshire ...	R.D.	52	41	2	3	98	19
Derbyshire ...	U.D.	9	6	1	2	18	14	Staffordshire ...	U.D.	170	154	7	3	334	28
Derbyshire ...	R.D.	12	14	2	1	29	18	Derbyshire ...	R.D.	40	40	2	2	84	21
Derbyshire ...	U.D.	127	115	5	3	250	24	Suffolk, East ...	U.D.	15	16	1	1	34	22
Derbyshire ...	R.D.	30	31	1	1	63	20	Derbyshire ...	R.D.	17	15	1	1	34	18
Derbyshire ...	U.D.	43	31	1	2	77	29	Suffolk, West ...	U.D.	3	7	—	—	10	13
Derbyshire ...	R.D.	38	28	1	5	72	32	Derbyshire ...	R.D.	12	14	1	1	28	21
Derbyshire ...	U.D.	20	22	1	3	46	27	Surrey ...	U.D.	172	136	12	7	327	19
Derbyshire ...	R.D.	24	27	2	1	54	24	Derbyshire ...	R.D.	25	21	1	1	48	18
Derbyshire ...	U.D.	54	66	3	3	126	22	Sussex, East ...	U.D.	20	25	1	1	47	20
Derbyshire ...	R.D.	70	92	3	1	166	27	Derbyshire ...	R.D.	11	14	—	—	25	13
Derbyshire ...	U.D.	44	30	3	2	79	24	Sussex, West ...	U.D.	40	32	3	3	78	23
Derbyshire ...	R.D.	33	35	3	2	73	20	Derbyshire ...	R.D.	30	20	2	1	53	26
Derbyshire ...	U.D.	27	24	2	—	53	21	Warwickshire ...	U.D.	55	45	4	3	107	17
Derbyshire ...	R.D.	21	20	1	—	42	23	Derbyshire ...	R.D.	29	31	3	1	64	18
Derbyshire ...	U.D.	146	145	10	2	303	25	Westmorland ...	U.D.	3	1	1	—	5	12
Derbyshire ...	R.D.	63	68	2	4	137	25	Derbyshire ...	R.D.	7	10	2	—	19	36
Derbyshire ...	U.D.	10	12	1	—	23	25	Wight, Isle of ...	U.D.	12	9	—	—	21	21
Derbyshire ...	R.D.	5	2	2	—	9	16	Derbyshire ...	R.D.	2	2	—	—	4	19
Derbyshire ...	U.D.	258	209	22	19	508	22	Wiltshire ...	U.D.	37	23	2	1	63	18
Derbyshire ...	R.D.	33	26	1	1	61	16	Derbyshire ...	R.D.	31	39	2	3	75	21
Derbyshire ...	U.D.	22	40	—	2	64	24	Worcestershire ...	U.D.	52	42	3	3	100	21
Derbyshire ...	R.D.	49	45	2	3	99	19	Derbyshire ...	R.D.	15	21	1	1	38	19
Derbyshire ...	U.D.	11	15	—	1	27	30	Yorkshire, E.R. ...	U.D.	16	11	2	1	30	18
Derbyshire ...	R.D.	17	14	—	—	31	25	Derbyshire ...	R.D.	28	19	1	—	48	28
Derbyshire ...	U.D.	96	66	6	5	173	19	Yorkshire, N.R. ...	U.D.	43	48	3	2	96	25
Derbyshire ...	R.D.	38	33	2	1	74	19	Derbyshire ...	R.D.	40	29	1	—	70	25
Derbyshire ...	U.D.	7	6	—	1	14	21	Yorkshire, W.R. ...	U.D.	225	203	15	11	454	24
Derbyshire ...	R.D.	3	8	1	—	12	15	Derbyshire ...	R.D.	88	107	4	5	204	25
Derbyshire ...	U.D.	195	163	9	7	374	19	Anglesey ...	U.D.	7	3	1	—	11	32
Derbyshire ...	R.D.	69	44	5	5	123	23	Derbyshire ...	R.D.	5	7	—	—	12	43
Derbyshire ...	U.D.	349	353	17	21	740	26	Brecknockshire ...	U.D.	7	3	—	—	10	24
Derbyshire ...	R.D.	71	38	2	5	116	20	Derbyshire ...	R.D.	5	4	—	—	9	15
Derbyshire ...	U.D.	35	25	2	—	62	22	Caernarvonshire	U.D.	8	11	—	1	20	20
Derbyshire ...	R.D.	36	26	1	3	66	19	Derbyshire ...	R.D.	8	10	—	1	19	29
Derbyshire ...	U.D.	6	3	—	2	11	17	Cardiganshire ...	U.D.	3	—	—	—	3	13
Derbyshire ...	R.D.	6	7	1	—	14	14	Derbyshire ...	R.D.	6	5	1	1	13	28
Derbyshire ...	U.D.	6	4	—	—	10	15	Carmarthenshire	U.D.	12	10	1	—	23	26
Derbyshire ...	R.D.	16	21	3	—	40	27	Derbyshire ...	R.D.	22	23	1	1	47	31
Derbyshire ...	U.D.	37	41	3	2	83	30	Denbighshire ...	U.D.	14	15	—	1	30	25
Derbyshire ...	R.D.	34	28	1	1	64	23	Derbyshire ...	R.D.	18	17	1	—	36	25
Derbyshire ...	U.D.	303	261	21	17	602	19	Flintshire ...	U.D.	13	11	—	1	25	22
Derbyshire ...	R.D.	10	8	3	2	23	18	Derbyshire ...	R.D.	8	13	—	—	21	18
Derbyshire ...	U.D.	59	49	3	4	115	24	Glamorganshire ...	U.D.	121	99	4	4	228	25
Derbyshire ...	R.D.	29	21	—	1	51	19	Derbyshire ...	R.D.	46	28	1	3	78	23
Derbyshire ...	U.D.	16	21	—	—	37	17	Merionethshire ...	U.D.	5	3	—	—	8	33
Derbyshire ...	R.D.	73	85	2	3	163	26	Derbyshire ...	R.D.	4	4	—	1	9	30
Derbyshire ...	U.D.	23	13	—	1	37	22	Monmouthshire ...	U.D.	80	72	—	1	153	32
Derbyshire ...	R.D.	74	81	1	5	161	25	Derbyshire ...	R.D.	9	5	—	—	14	16
Derbyshire ...	U.D.	37	32	1	3	73	23	Montgomeryshire	U.D.	6	5	—	—	11	40
Derbyshire ...	R.D.	10	8	—	1	19	21	Derbyshire ...	R.D.	7	7	—	—	14	33
Derbyshire ...	U.D.	24	16	—	1	41	15	Pembrokeshire ...	U.D.	9	12	1	—	22	27
Derbyshire ...	R.D.	6	5	1	1	13	13	Derbyshire ...	R.D.	7	8	—	—	15	20
Derbyshire ...	U.D.	—	—	—	—	—	—	Radnorshire ...	U.D.	—	—	—	—	—	—
Derbyshire ...	R.D.	2	3	—	—	5	15	Derbyshire ...	R.D.	—	—	—	—	—	—

TABLE 25—Deaths at Various Periods in the First Year of Life by Legitimacy.

Death rates per 1,000 Live Births, 1957

See Explanatory notes on page vi.

{England and Wales, Standard Regions, Wales, Conurbations, London, A.C.,
City of London, Metropolitan and County Boroughs, Urban and
Rural Aggregates in each Administrative County

Area	All Infants										Legitimate Infants										Illegitimate Infants																			
	Deaths										Deaths per 1,000 Live Births										Deaths										Deaths per 1,000 Live Births									
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Deaths per 1,000 Live Births	Under 4 weeks	Under 1 year	Under 4 weeks	Under 1 year	Under 4 weeks	Under 1 year	Under 4 weeks	Under 1 year	Under 4 weeks	Under 1 year	Under 4 weeks	Under 1 year	Under 4 weeks	Under 1 year	Under 4 weeks	Under 1 year	Under 4 weeks	Under 1 year	Under 4 weeks	Under 1 year	Deaths per 1,000 Live Births										
ENGLAND AND WALES ..	5505	4672	1727	1898	1546	813	559	16720	16	23	5092	4400	1627	1796	1457	775	537	15684	16	23	413	272	100	102	89	38	22	1036	23	30										
Regions and Conurbations:																																								
Northern ..	476	431	171	203	155	83	34	1553	19	27	448	413	165	191	149	80	33	1479	18	26	28	18	6	12	6	3	1	74	24	35										
Tyneside Conurbation ..	115	110	45	58	32	22	7	389	17	25	109	107	44	56	28	21	6	371	17	25	25	13	5	10	2	1	1	18	17	27										
Remainder of Northern ..	361	321	126	145	123	61	27	1164	19	27	339	306	121	135	121	59	27	1108	19	27	22	15	5	10	2	2	56	27	36											
East and West Ridings ..	559	434	173	196	183	85	63	1693	17	25	521	420	161	184	174	85	61	1606	17	25	38	14	12	9	7	2	87	21	28											
West Yorkshire Conurbation ..	211	169	71	75	79	36	22	663	17	25	198	165	64	69	72	36	21	625	17	25	13	4	7	6	7	1	38	16	26											
Remainder of East and West Ridings ..	348	265	102	121	104	49	41	1030	18	25	323	255	97	115	102	49	40	981	17	25	25	10	5	6	2	1	49	25	30											
North Western ..	902	709	297	360	272	154	114	2808	18	26	839	672	288	340	256	147	109	2651	17	26	63	37	9	20	16	7	5	157	21	31										
South East Lancs. Conurbation ..	333	261	110	134	106	43	47	1034	18	26	301	249	109	127	89	39	45	967	17	26	32	14	7	7	4	2	67	21	30											
Merseyside Conurbation ..	248	158	76	102	66	40	24	714	17	26	237	149	71	95	60	38	24	674	17	26	11	9	5	7	6	2	40	19	31											
Remainder of North Western ..	321	290	111	124	100	71	43	1060	17	26	301	276	108	118	97	70	1010	17	25	20	14	3	6	3	1	3	50	23	31											
North Midland ..	421	381	147	140	138	54	48	1329	16	23	398	359	138	136	131	51	47	1260	16	23	23	22	9	4	7	3	1	69	20	25										
Midland ..	599	555	189	198	159	113	63	1876	18	25	555	525	181	191	152	105	62	1771	17	24	44	30	8	7	7	8	1	105	23	30										
West Midlands Conurbation ..	317	250	87	99	83	63	31	930	17	24	291	232	83	97	80	60	31	874	17	24	26	18	4	2	3	3	56	24	28											
Remainder of Midland ..	282	305	102	99	76	50	32	946	18	25	264	293	98	94	72	45	31	897	18	24	18	12	4	5	4	5	49	22	32											
Eastern ..	378	328	102	126	104	49	45	1132	14	20	351	317	93	121	98	45	40	1065	14	19	27	11	9	5	6	4	67	19	27											
London and South Eastern ..	1170	909	299	331	277	130	87	3203	15	20	1048	829	273	308	256	123	82	2919	14	19	122	80	26	23	21	7	5	284	24	30										
Greater London ..	873	694	226	249	210	95	56	2403	15	20	775	622	208	228	195	89	53	2170	14	19	98	72	18	21	15	6	3	233	25	30										
Remainder of South Eastern ..	297	215	73	82	67	35	31	800	15	20	273	207	65	80	61	34	29	749	14	20	24	8	8	2	6	1	2	51	22	28										
Southern ..	326	272	96	90	75	53	34	946	15	20	300	254	89	85	71	51	33	883	14	20	26	18	7	5	4	2	1	63	21	26										
South Western ..	348	296	102	99	82	35	35	997	16	21	327	277	93	94	73	33	35	932	15	21	19	9	9	5	9	2	—	65	23	30										
Wales (including Monmouthshire) ..	326	357	151	155	101	57	36	1183	20	28	305	334	146	146	97	55	35	1118	20	28	21	23	5	9	4	2	1	65	34	45										
Wales I (South East) ..	254	272	124	120	76	43	29	918	21	30	237	254	119	113	72	41	28	864	21	29	17	18	5	7	4	2	1	54	40	54										
Wales II (Remainder) ..	72	85	27	35	25	14	7	265	17	24	68	80	27	33	25	14	7	254	17	24	4	5	—	2	—	—	1	11	21	26										
(1) ..	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)										

Urban/Kural Aggregates:		2097	1642	615	717	576	299	187	6133	16	23	1911	1522	579	672	534	283	180	5681	16	22	186	120	36	45	42	16	7	452	22	30	
Conurbations ..		736	671	249	255	209	99	82	2301	17	24	676	627	231	239	199	96	78	2146	17	24	60	44	18	16	10	3	4	155	24	31	
Areas outside Conurbations: of 100,000 and over ..		395	371	134	168	130	74	53	1325	17	24	367	348	128	159	123	72	52	1249	16	24	28	23	6	9	7	2	1	76	22	29	
Urban areas with populations of 50,000 and under 100,000 ..		1225	1091	390	424	368	196	122	3816	17	24	1157	1044	370	407	355	188	117	3638	17	23	68	47	20	17	13	8	5	178	22	29	
Urban areas with populations under 50,000 ..		1052	897	339	334	263	145	115	3145	16	22	981	859	319	319	246	136	110	2970	16	22	71	38	20	15	17	9	5	175	24	32	
Rural Districts..		438	317	104	124	108	48	21	1160	16	22	379	271	93	105	100	46	19	1013	15	21	59	46	11	19	8	2	2	147	25	31	
LONDON ADMINISTRATIVE COUNTY ..		2	10	5	2	1	1	1	3	63	94	2	10	5	2	1	1	1	3	67	100	6	—	—	—	—	—	—	7	42	49	
City of London ..		19	4	3	1	2	3	2	41	19	23	13	4	3	1	2	2	1	34	17	20	1	—	—	—	—	—	1	1	22	20	
Battersea ..		5	2	—	—	—	—	—	20	13	22	5	1	—	—	—	—	—	9	8	12	1	—	—	—	—	—	1	1	20	20	
Bermondsey ..		25	20	6	7	8	4	—	70	17	24	21	18	6	7	8	4	—	64	16	23	4	2	—	—	—	—	6	29	29	29	
Bethnal Green ..		6	5	2	2	1	1	—	16	18	22	6	3	2	1	2	—	—	15	20	24	—	—	—	—	—	—	1	33	33	33	
Camberwell ..		3	5	2	1	1	1	—	13	10	12	3	4	1	1	1	—	—	11	8	11	—	—	—	—	—	—	2	34	34	34	
Chelsea ..		21	14	3	6	2	1	1	47	21	26	17	14	3	4	2	—	—	14	14	21	4	—	—	—	—	—	6	24	36	36	
Deptford ..		11	12	3	3	6	1	—	36	21	29	11	11	3	3	6	1	—	35	21	30	—	—	—	—	—	—	1	13	13	13	
Finsbury ..		20	14	4	5	4	4	2	53	15	20	12	12	3	4	4	4	1	48	15	23	5	3	—	—	—	—	1	9	38	43	
Fulham ..		24	11	4	2	2	3	—	48	21	25	19	18	4	2	3	3	—	39	18	23	5	3	—	—	—	—	4	22	29	29	
Greenwich ..		14	5	4	2	2	1	—	27	16	18	12	4	4	2	1	—	—	23	15	17	2	1	—	—	—	—	1	5	38	43	
Hackney ..		1	3	—	—	—	—	1	9	16	36	—	3	—	—	—	—	—	8	13	35	1	—	—	—	—	—	1	4	22	30	
Hammersmith ..		28	35	6	12	8	2	3	94	15	21	25	33	4	12	7	2	3	86	15	21	3	2	2	—	—	—	8	16	18	18	
Hampstead ..		25	26	7	10	5	3	2	78	21	28	19	18	6	7	4	2	2	58	18	24	6	8	1	—	—	—	20	42	56	56	
Holborn ..		33	31	8	7	12	5	2	98	17	23	29	24	8	5	11	5	1	83	17	23	4	7	—	—	—	—	1	15	22	30	
Islington ..		16	15	7	7	3	3	2	53	12	16	16	15	6	7	3	3	2	52	12	17	6	3	1	—	—	—	11	1	6	6	
Kensington ..		20	18	6	5	3	2	—	54	19	24	14	15	5	2	2	—	—	40	18	21	—	—	—	—	—	—	14	27	38	38	
Lambeth ..		2	5	3	2	1	1	—	37	16	23	13	7	2	2	5	2	—	33	14	21	—	—	—	—	—	—	4	39	39	39	
Lewisham ..		7	2	1	2	1	1	—	24	12	21	7	2	5	3	6	1	—	24	13	22	2	—	—	—	—	—	—	4	48	63	63
Paddington ..		15	9	3	8	3	3	1	47	14	21	18	8	2	7	2	3	1	41	14	21	3	—	—	—	—	—	6	10	20	20	
Poplar ..		21	8	3	2	1	2	—	16	14	22	6	2	1	2	3	1	—	15	13	22	1	—	—	—	—	—	1	20	30	30	
St. Marylebone ..		13	9	4	4	5	2	3	37	16	23	13	7	2	2	5	2	—	33	14	21	—	—	—	—	—	—	4	39	39	39	
St. Pancras ..		18	9	2	9	5	1	1	45	16	24	14	7	2	6	5	—	—	35	14	21	4	2	—	—	—	—	10	35	58	58	
Shoreditch ..		11	9	1	1	3	4	—	25	24	28	11	8	1	1	3	—	—	24	25	30	3	—	—	—	—	—	1	13	18	18	
Southwark ..		31	18	9	9	7	4	1	79	12	16	28	5	4	3	3	4	1	72	11	16	3	3	1	—	—	—	7	18	23	23	
Stepney ..		7	8	3	4	—	4	—	23	17	22	5	4	3	3	5	—	—	16	13	17	2	4	—	—	—	—	7	54	63	63	
Stoke Newington ..		24	12	5	6	—	1	1	53	20	26	23	11	5	—	—	—	—	50	20	26	1	—	—	—	—	—	3	24	24	24	
Wandsworth
Westminster
Woolwich
COUNTY BOROUGH ENGLAND (excluding Monmouthshire)		10	4	4	4	5	4	2	33	14	25	10	4	3	4	5	4	2	32	13	25	—	—	—	—	—	—	1	24	24	24	
Barnsley ..		4	11	—	1	3	3	1	26	15	26	4	10	—	4	4	3	—	25	15	26	—	—	—	—	—	—	1	24	24	24	
Barrow-in-Furness ..		5	8	—	3	3	1	—	21	13	19	4	8	1	3	3	1	—	20	12	19	1	—	—	—	—	—	1	24	24	24	
Bath ..		34	6	13	11	8	6	3	81	21	32	32	6	13	10	7	5	3	76	21	31	2	—	—	—	—	—	5	18	21	21	
Birkenhead ..		172	132	36	45	41	28	17	471	18	25	155	120	33	45	38	27	17	435	17	25	17	12	3	—	—	—	36	24	24	24	
Birmingham

TABLE 25—continued

Area	All Infants										Legitimate Infants										Illegitimate Infants									
	Deaths								Deaths per 1,000 Live Births	Deaths								Deaths per 1,000 Live Births	Deaths											
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year		Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year		Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year				
COUNTY BOROUGHS—continued																														
Blackburn	12	11	3	3	4	5	2	37	17	25	10	11	3	4	5	2	—	35	17	25	2	—	—	—	—	—	2	32	32	
Blackpool	10	15	3	6	4	5	2	39	16	23	10	14	3	5	4	3	—	38	17	24	3	—	—	—	—	—	1	9	9	
Bolton	22	12	6	9	4	3	4	61	17	26	19	12	6	9	5	3	—	56	15	25	5	—	—	—	—	—	5	41	41	
Bottle...	18	12	4	6	4	3	—	51	18	27	18	10	4	6	4	—	—	51	18	27	3	—	—	—	—	—	9	63	63	
Bournemouth	16	17	6	6	3	2	1	45	24	27	13	14	3	3	2	—	—	36	20	24	3	3	—	—	—	—	—	—	—	
Bradford	32	35	13	22	25	13	4	144	16	29	30	34	11	20	21	13	4	133	16	29	2	1	2	4	—	11	15	32		
Brighton	16	16	7	13	9	7	3	49	16	23	14	15	2	7	3	1	4	46	16	23	2	1	2	—	—	3	19	19		
Bristol	48	37	11	13	9	7	3	128	14	18	45	35	11	13	6	7	3	120	14	18	3	3	—	—	—	8	15	24		
Burnley	15	10	1	5	3	2	1	36	20	28	14	7	1	5	3	1	—	32	18	27	1	1	—	—	—	2	59	59		
Burnton upon Trent	7	7	1	1	3	2	—	21	17	24	5	7	1	3	2	1	—	19	15	22	2	—	—	—	—	—	4	53	70	
Bury	3	8	3	7	1	1	2	25	16	28	2	6	3	7	1	1	1	21	13	25	1	2	—	—	—	1	17	17		
Canterbury	2	2	1	2	2	1	—	10	11	21	10	3	4	2	3	—	—	9	9	20	1	1	—	—	—	—	1	33	53	
Carlisle	10	4	4	2	2	3	—	21	14	17	10	5	2	2	2	—	—	23	18	25	—	—	—	—	—	—	—	—	—	
Chester	43	39	15	14	12	9	9	141	20	29	37	36	14	13	11	8	9	128	19	27	6	3	1	1	—	13	38	50		
Coventry	
Croydon	20	14	5	10	4	7	3	63	11	18	20	12	5	10	3	5	7	60	11	18	—	2	—	—	—	3	11	16	16	
Darlington	13	13	2	3	5	5	1	42	21	32	12	11	2	9	2	4	3	39	20	31	1	2	—	—	—	3	56	56		
Derby	25	8	9	4	8	2	1	60	20	29	23	8	9	4	7	2	1	57	20	29	2	2	—	—	—	3	17	23		
Dewsbury	5	7	2	2	2	—	—	19	15	20	3	7	2	4	2	—	—	17	13	19	2	—	—	—	—	2	50	50		
Doncaster	15	7	4	10	7	2	1	46	19	34	12	7	4	10	7	2	1	43	18	34	3	—	—	—	—	3	34	34		
Dudley	5	11	3	3	3	2	1	25	19	25	5	11	3	3	2	1	—	25	20	26	—	—	—	—	—	—	—	—	—	
Eastbourne	3	5	1	1	1	1	—	11	15	19	3	4	1	3	—	—	—	10	14	18	—	—	—	—	—	1	33	33		
East Ham	8	5	2	3	4	—	—	22	10	15	8	5	2	2	—	—	—	22	16	16	—	—	—	—	—	—	—	—	—	
Exeter	10	7	2	2	2	—	—	21	16	18	10	6	6	11	3	4	—	20	16	18	1	—	—	—	—	2	16	16		
Gateshead	18	14	6	11	4	4	—	57	19	28	17	14	6	11	3	—	—	55	19	28	1	—	—	—	—	2	12	25		
Gloucester	5	3	4	5	2	2	1	20	10	17	5	3	4	4	2	1	1	18	11	16	—	—	—	—	—	2	15	15		
Great Yarmouth	5	4	1	2	2	1	1	16	13	22	4	4	1	2	2	1	1	13	13	22	1	2	—	—	—	4	31	42		
Grimby	9	13	4	7	5	1	—	35	12	19	8	11	3	7	4	1	—	31	14	19	1	2	—	—	—	1	10	19		
Halifax	5	11	4	2	5	1	—	28	13	19	5	3	2	4	1	—	—	26	14	19	1	—	—	—	—	1	23	23		
Hastings	4	2	3	1	1	1	—	12	13	17	3	2	3	3	1	—	—	11	12	17	1	—	—	—	—	1	1	1	1	
Huddersfield	17	9	3	3	3	1	3	39	15	20	16	9	3	3	2	1	3	37	15	20	1	—	—	—	—	2	9	18		
Inpswich	11	13	1	2	5	1	—	33	13	17	11	11	1	2	5	—	—	31	12	17	3	2	—	—	—	2	14	14		
Kingston upon Hull	40	50	14	34	12	5	6	161	19	29	37	50	14	31	12	5	5	134	12	30	4	3	—	—	—	7	9	22		
Leeds	86	38	26	18	23	10	6	207	18	25	82	35	23	16	22	6	3	194	18	25	4	3	3	2	—	13	14	14		
Leicester	27	25	8	7	6	3	2	78	14	18	26	23	7	7	6	3	2	74	14	18	1	4	—	—	—	4	14	14		
...	

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
Lincoln	10	6	4	4	4	1	1	26	18	23	10	6	4	3	1	24	10	25	19	23	7	5	4	1	5	1	—	1	—	15	
Liverpool	137	93	49	65	42	25	10	421	17	26	130	88	45	60	37	6	1	394	19	26	37	6	4	1	5	1	—	1	—	32	
Manchester	130	91	40	50	40	10	13	374	21	30	111	88	40	46	36	6	1	337	21	29	19	2	1	4	4	1	—	1	—	24	
Middlesbrough	40	30	18	17	12	7	2	126	25	36	40	28	17	16	12	7	1	122	26	37	19	2	1	1	1	1	1	—	1	—	36
Newcastle upon Tyne	36	33	12	19	8	7	1	116	16	32	32	32	11	19	8	6	—	108	16	23	4	1	1	1	1	1	1	—	1	—	22
Northampton	6	11	1	3	4	7	1	25	12	17	5	3	9	1	3	4	—	22	11	16	1	2	—	—	—	—	—	1	—	1	—
Norwich	8	14	7	2	2	—	1	34	16	19	8	14	6	2	1	—	1	32	17	19	—	—	—	—	—	—	—	2	10	20	
Nottingham	34	30	19	15	15	6	7	126	15	23	31	27	4	11	5	5	7	115	15	23	3	3	4	1	1	—	11	22	24	32	
Oldham	15	9	4	12	6	5	—	51	15	27	13	9	1	4	5	6	7	47	14	26	2	—	—	—	—	—	14	18	35	56	
Oxford	9	5	1	8	—	2	3	28	10	19	7	5	1	8	—	2	6	26	10	18	3	3	—	—	—	—	2	18	38	35	
Plymouth	21	32	5	5	8	4	6	81	16	22	18	29	5	5	8	4	6	75	15	22	2	3	—	—	—	—	6	31	31	30	
Portsmouth	27	22	8	3	10	3	3	76	16	21	26	21	7	2	8	2	3	69	16	21	1	1	1	1	2	1	7	13	30	30	
Preston	24	20	4	6	7	1	3	37	25	34	22	18	4	5	6	2	2	60	24	33	2	2	—	—	—	—	7	32	36	32	
Reading	12	11	6	1	4	1	3	38	16	21	12	10	6	1	4	1	2	36	16	21	1	1	—	—	—	—	2	9	17	30	
Rochdale	14	12	4	8	5	1	2	46	22	34	14	11	4	7	5	1	5	43	23	34	—	1	—	—	—	—	1	3	14	42	
Rotherham	10	8	4	5	3	1	5	36	15	25	10	8	4	5	3	1	5	36	16	26	—	—	—	—	—	—	—	—	—	—	—
St. Helens	12	17	9	7	6	6	2	59	20	31	11	17	8	6	6	6	2	56	20	30	1	—	—	—	—	—	—	3	38	57	38
Salford	24	28	10	11	8	2	4	87	21	29	23	27	9	11	8	2	4	84	21	30	1	1	1	1	—	—	10	17	17	30	
Sheffield	72	34	13	15	3	3	2	154	16	20	65	32	12	15	13	3	4	14	15	20	7	2	1	—	—	—	2	36	36	36	
Smethwick	22	12	3	5	3	4	4	26	18	27	2	11	2	5	3	1	2	49	15	24	1	1	—	—	—	—	4	19	19	19	
Southampton...	30	18	9	7	7	5	2	78	16	22	27	9	9	7	7	5	2	74	16	22	3	1	—	—	—	—	—	—	—	—	—
Southend-on-Sea	16	9	2	3	6	2	2	40	13	19	13	8	2	2	6	2	2	34	12	18	3	1	—	—	—	—	1	6	32	48	
Southport	15	12	4	3	5	1	2	24	16	25	4	5	5	5	1	2	2	22	15	24	1	1	—	—	—	—	2	31	31	31	
South Shields	17	13	3	3	4	6	4	49	15	23	15	12	4	8	5	3	2	49	15	24	1	1	—	—	—	—	—	—	—	—	—
Stockport	15	13	3	3	4	6	4	50	15	22	17	13	3	3	4	6	4	50	15	23	1	—	—	—	—	—	—	—	—	—	—
Stoke-on-Trent	38	40	18	12	9	7	1	125	22	29	37	40	18	12	9	7	1	124	23	30	1	—	—	—	—	—	—	1	6	6	6
Sunderland	35	27	8	16	5	7	1	99	18	25	30	27	8	14	5	7	1	92	17	24	5	—	—	—	—	—	7	35	49	49	
Tynemouth	2	10	5	4	2	2	2	34	18	27	5	13	5	4	2	2	2	34	19	28	—	—	—	—	—	—	—	—	—	—	—
Wakefield	2	13	—	3	2	2	2	21	13	22	2	10	5	3	2	2	1	20	13	22	—	—	—	—	—	—	1	—	—	—	26
Wallasey	15	15	3	3	7	5	2	1	48	18	26	15	15	3	3	5	2	48	19	27	—	—	—	—	—	—	—	—	—	—	—
Walsall	14	13	8	9	6	1	2	53	18	27	12	11	8	9	6	1	2	49	16	26	2	2	—	—	—	—	4	43	43	43	
Warrington	10	7	6	6	7	4	3	43	16	31	9	6	6	6	7	4	3	41	16	31	1	1	—	—	—	—	2	31	31	31	
West Bromwich	15	7	5	4	4	3	3	24	15	24	15	7	3	4	4	3	4	41	17	26	—	—	—	—	—	—	—	—	—	—	—
West Ham	21	16	5	3	3	5	1	51	16	19	20	12	5	3	5	—	1	46	15	18	1	4	—	—	—	—	5	37	37	37	
West Hartlepool	22	17	7	11	1	—	2	70	28	43	22	16	7	9	11	—	2	67	29	43	—	—	—	—	—	—	3	13	38	38	
Wigan...	4	8	6	2	2	3	6	31	15	25	4	8	6	2	2	3	6	31	15	26	—	—	—	—	—	—	—	—	—	—	—
Wolverhampton	19	14	5	7	4	8	—	57	17	25	17	12	5	6	4	8	—	52	16	25	2	2	—	—	—	—	5	27	34	34	
Worcester	5	9	—	2	3	3	2	23	14	23	4	8	—	—	3	3	2	20	13	21	1	1	—	—	—	—	3	63	94	94	
York ...	8	6	—	3	3	3	—	25	11	16	7	4	5	—	—	—	—	23	10	15	1	1	—	—	—	—	2	27	27	27	
WALES (including Monmouthshire)																															
Cardiff	40	27	11	14	7	3	2	104	17	22	37	23	10	13	6	3	2	94	16	21	3	4	1	1	1	—	—	10	35	43	43
Merthyr Tydfil	8	8	9	6	2	3	1	37	25	37	8	9	6	9	1	3	1	36	26	38	—	—	—	—	—	—	—	1	—	—	31
Newport	19	17	8	7	4	1	2	58	27	35	17	17	7	7	4	1	2	55	26	35	2	—	—	—	—	—	—	3	54	54	54
Swansea	15	29	11	13	7	3	1	79	21	30	15	25	10	12	7	3	—	72	20	28	—	4	1	1	1	—	—	7	56	78	78

TABLE 25—continued

Area	All Infants										Legitimate Infants										Illegitimate Infants											
	Deaths										Deaths										Deaths											
	Deaths per 1,000 Live Births										Deaths per 1,000 Live Births										Deaths per 1,000 Live Births											
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Under 1 year	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Under 1 year	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Under 1 year		
ADMINISTRATIVE COUNTIES (Urban and Rural Aggregates):																																
ENGLAND (excluding Monmouthshire)																																
Bedfordshire ...	25	31	8	14	7	—	4	89	16	22	24	30	7	12	7	4	4	84	16	22	1	1	1	2	—	—	—	5	16	26		
Bedfordshire ...	20	10	1	5	4	—	4	46	17	25	17	10	1	5	4	1	4	42	16	24	3	1	—	1	—	—	—	4	34	45		
Berkshire ...	15	9	1	6	3	—	1	35	13	18	13	18	1	5	3	1	1	31	12	17	2	2	—	—	—	—	—	4	24	32		
Berkshire ...	25	17	6	7	5	—	4	71	11	16	24	15	6	7	7	4	68	11	16	1	1	—	—	—	—	—	—	3	15	15		
Buckinghamshire ...	29	26	8	7	10	4	5	89	18	26	28	25	8	7	10	4	5	87	18	26	1	1	—	—	—	—	—	2	13	13		
Buckinghamshire ...	23	21	8	2	3	—	3	66	14	18	23	21	8	2	3	—	9	66	15	19	3	—	—	—	—	—	—	3	46	46		
Cambridgeshire ...	15	6	2	2	3	—	1	27	15	17	13	6	2	3	—	1	1	22	13	18	2	—	—	—	—	—	—	2	38	38		
Cheshire ...	58	14	14	28	22	7	9	189	12	18	53	45	14	28	22	7	9	178	11	18	5	6	—	1	—	—	11	33	33			
Cornwall ...	17	16	13	9	5	3	1	64	15	20	16	16	13	9	4	3	1	62	15	20	2	1	—	—	—	—	2	27	27	27		
Cornwall ...	23	20	7	8	4	1	—	3	68	19	26	21	19	7	5	3	3	65	19	26	2	2	1	1	—	—	5	48	60	60		
Cumberland ...	15	14	8	3	2	1	—	43	22	26	13	14	8	3	2	1	—	41	22	26	2	—	—	—	—	—	2	38	38	38		
Derbyshire ...	59	49	9	18	11	7	3	146	21	26	57	46	9	11	7	8	3	140	21	26	2	3	—	1	—	—	6	23	28	28		
Derbyshire ...	41	32	21	13	13	4	—	132	16	22	41	32	21	13	12	4	8	131	17	23	—	—	—	—	—	—	1	5	5	5		
Devon ...	16	23	8	5	5	2	2	61	14	19	15	21	7	5	5	1	56	14	18	1	2	1	—	—	—	—	5	25	31	31		
Dorset ...	28	10	10	11	11	3	—	81	16	22	25	19	8	9	10	—	75	15	21	3	3	—	1	—	—	—	6	27	40	40		
Dorset ...	14	17	8	5	3	2	—	49	16	19	12	16	8	5	3	2	2	46	15	19	2	1	—	—	—	—	3	25	25	25		
Dorset ...	8	16	5	4	2	—	—	37	16	21	17	13	5	4	2	—	33	14	19	1	3	—	—	—	—	—	4	56	56	56		
Durham ...	86	86	38	44	48	21	7	330	18	28	83	83	38	40	44	20	7	315	18	28	3	3	—	4	4	1	15	18	44	44		
Ely, Isle of ...	39	42	13	14	13	6	—	132	18	25	37	40	13	12	6	—	5	126	17	24	2	2	—	1	—	—	16	34	51	51		
Ely, Isle of ...	6	5	3	2	1	—	—	9	16	23	6	4	3	2	2	—	—	19	17	23	3	—	—	—	—	—	1	1	37	37	37	
Ely, Isle of ...	2	4	1	1	1	—	—	3	20	16	16	2	5	2	1	—	—	8	12	15	—	—	1	—	—	—	—	(29)	(30)	(31)		

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
Essex	U.D.	160	116	42	57	41	17	15	448	14	20	150	114	37	55	39	16	14	425	14	19	10	2	5	2	2	1	1	23	22	18
Gloucestershire	R.D.	26	18	3	5	4	17	4	65	13	17	24	18	3	5	3	1	1	62	14	17	2	1	2	1	1	1	3	12	18	
Gloucestershire	R.D.	35	37	14	8	14	3	4	57	15	22	32	15	2	8	4	3	1	53	16	22	3	1	1	1	1	1	4	31	31	
Herefordshire	U.D.	2	8	4	4	1	1	20	16	23	2	8	4	4	4	1	1	1	20	17	24	1	1	1	1	1	1	3	14	43	
Hertfordshire...	U.D.	57	48	15	11	18	11	6	166	14	19	55	47	15	11	18	11	6	163	14	19	2	1	1	1	1	1	3	11	11	
Hertfordshire...	R.D.	27	16	6	6	4	6	4	69	13	19	26	14	6	6	3	6	3	64	13	18	1	2	1	1	1	1	5	22	37	
Huntingdonshire	U.D.	3	2	1	1	1	1	1	8	9	12	3	2	1	3	1	1	1	8	10	13	1	1	1	1	1	1	1	40	40	
Huntingdonshire	R.D.	149	101	37	41	33	23	13	397	15	21	139	99	33	40	31	23	11	376	15	20	10	2	4	1	2	2	21	19	25	
Kent	U.D.	44	29	6	11	4	5	103	15	19	38	28	6	3	3	5	5	94	14	18	6	1	1	1	1	1	1	9	32	41	
Kent	R.D.	44	29	6	11	4	5	103	15	19	38	28	6	3	3	5	5	94	14	18	6	1	1	1	1	1	1	9	32	41	
Lancashire	U.D.	225	194	80	75	62	41	38	715	18	25	213	189	77	72	60	41	37	689	18	25	12	5	3	2	1	1	26	19	24	
Lancashire	R.D.	50	36	10	13	12	8	6	135	17	24	48	36	10	10	12	8	4	128	17	24	2	1	3	2	2	7	13	45		
Leicestershire...	U.D.	24	25	4	8	6	2	7	71	19	25	48	36	10	10	12	8	4	71	20	26	2	1	1	1	1	1	26	19	24	
Leicestershire...	R.D.	29	19	8	10	2	2	7	77	17	23	27	16	7	10	2	2	7	71	15	22	2	3	1	1	1	1	6	63	63	
Leicestershire...	R.D.	29	19	8	10	2	2	7	77	17	23	27	16	7	10	2	2	7	71	15	22	2	3	1	1	1	1	1	6	63	63
Lincolnshire, Holland	U.D.	3	2	1	3	1	1	2	12	8	19	3	2	4	3	1	1	1	12	8	20	1	1	1	1	1	1	1	3	14	21
Lincolnshire, Kesteven	R.D.	8	10	5	3	2	1	2	30	23	30	8	9	4	3	2	1	2	28	22	29	1	1	1	1	1	1	2	56	56	
Lincolnshire, Kesteven	U.D.	4	5	4	1	1	1	1	14	13	21	4	5	4	1	1	1	1	13	14	20	1	1	1	1	1	1	1	1	3	16
Lincolnshire, Kesteven	R.D.	13	8	4	1	2	1	1	30	17	21	12	8	4	1	1	1	1	27	17	19	1	1	1	1	1	1	1	1	1	49
Lincolnshire, Lindsey	U.D.	23	17	6	11	8	5	2	70	17	26	22	16	6	11	8	4	2	67	17	26	1	1	1	1	1	1	3	14	21	
Lincolnshire, Lindsey	R.D.	18	14	6	5	7	2	2	54	14	20	15	13	6	5	7	1	2	49	13	19	3	15	6	2	2	5	37	47	32	
Middlesex	U.D.	185	174	63	59	45	17	18	561	13	18	163	159	57	57	42	15	18	511	13	17	22	15	6	2	2	50	27	32	37	47
Middlesex	R.D.	185	174	63	59	45	17	18	561	13	18	163	159	57	57	42	15	18	511	13	17	22	15	6	2	2	50	27	32	37	47
Norfolk	U.D.	9	8	6	1	3	3	1	31	18	25	7	7	5	1	2	3	1	26	16	22	2	1	1	1	1	1	5	53	66	66
Norfolk	R.D.	30	22	9	15	7	2	1	102	17	22	29	37	9	15	7	1	1	98	17	22	2	1	1	1	1	1	4	15	20	20
Northamptonshire	U.D.	14	22	8	5	10	3	1	63	17	24	13	21	8	5	10	3	1	61	17	24	1	1	1	1	1	1	2	19	19	19
Northamptonshire	R.D.	7	19	5	6	4	1	2	44	15	21	6	17	4	5	4	1	2	39	13	19	1	2	1	1	1	1	5	47	58	58
Northumberland	U.D.	43	44	18	17	14	7	4	147	17	24	42	41	18	16	14	7	4	142	17	24	1	1	1	1	1	1	5	23	29	29
Northumberland	R.D.	11	6	9	1	1	3	1	35	16	21	11	5	8	1	4	3	1	33	15	21	1	1	1	1	1	1	2	38	38	38
Nottinghamshire	U.D.	44	39	18	15	21	10	3	150	16	24	41	38	17	15	18	9	3	141	16	23	3	1	1	3	1	1	9	21	37	37
Nottinghamshire	R.D.	30	18	7	4	9	4	1	73	18	24	29	18	7	4	9	1	1	72	18	24	3	1	1	1	1	1	1	9	9	9
Oxfordshire	U.D.	8	16	1	1	1	1	2	57	17	20	5	6	1	1	1	2	2	52	14	20	2	1	1	1	1	1	3	61	61	61
Oxfordshire	R.D.	21	16	3	7	7	1	1	57	17	20	5	6	1	1	1	2	2	52	14	20	2	1	1	1	1	1	5	33	41	41
Peterborough, Soke of	U.D.	7	8	4	4	2	1	1	25	19	25	7	8	4	4	2	1	1	25	20	26	1	1	1	1	1	1	1	1	1	1
Peterborough, Soke of	R.D.	2	2	1	1	1	1	1	5	22	22	2	2	1	1	1	1	1	23	23	23	1	1	1	1	1	1	1	1	1	1
Rutland	U.D.	1	1	1	1	1	1	1	2	27	27	1	2	1	1	1	1	1	2	28	28	1	1	1	1	1	1	1	1	1	1
Rutland	R.D.	1	1	1	1	1	1	1	6	9	18	1	2	1	1	1	1	1	6	9	19	1	1	1	1	1	1	1	1	1	1
Shropshire	U.D.	21	21	5	5	8	3	1	64	21	29	20	19	5	5	7	4	3	1	60	20	28	1	1	1	1	1	4	34	46	46
Shropshire	R.D.	19	16	5	6	4	3	1	54	17	23	18	16	5	6	4	4	2	52	18	24	1	1	1	1	1	1	2	11	22	22
Somerset	U.D.	27	18	6	4	7	4	3	62	15	18	26	18	5	4	1	4	4	58	15	17	1	1	1	1	1	1	4	34	46	46
Somerset	R.D.	27	20	10	6	7	4	4	78	15	20	27	18	5	4	1	4	4	71	14	19	2	1	1	1	1	1	7	34	48	48
Southampton	U.D.	47	38	15	14	9	8	3	134	14	18	44	36	15	14	8	8	3	128	13	18	3	2	1	1	1	1	6	16	19	19
Southampton	R.D.	36	26	10	15	11	8	2	108	15	22	34	25	8	12	11	7	10	99	14	21	2	1	2	2	2	2	9	22	39	39
Staffordshire	U.D.	95	92	36	33	28	19	10	313	19	27	88	90	34	31	28	19	10	300	19	27	2	1	2	2	2	2	13	33	40	40
Staffordshire	R.D.	27	31	4	11	5	7	3	88	16	23	26	31	4	10	5	7	3	86	16	23	1	1	2	2	2	2	13	33	40	40

TABLE 25—continued

Area	All Infants										Legitimate Infants										Illegitimate Infants										
	Deaths										Deaths										Deaths										
	Deaths per 1,000 Live Births										Deaths per 1,000 Live Births										Deaths per 1,000 Live Births										
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks.	1 year	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	1 year	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	1 year	
ADMINISTRATIVE COUNTIES—continued																															
Suffolk, East	U.D. 6	13	3	4	6	1	2	36	15	24	6	12	3	4	6	1	1	33	15	23	—	1	—	—	—	—	—	3	15	45	
Suffolk, West	... R.D. 7	10	3	6	1	2	—	10	11	16	6	12	3	4	6	2	2	29	17	26	1	1	—	—	—	—	1	10	10		
Surrey...	U.D. 3	12	5	2	4	1	—	32	17	22	10	12	5	2	2	1	—	30	17	24	—	1	—	—	—	—	2	59	59		
Sussex, East	... R.D. 10	103	34	27	31	10	11	327	15	19	106	100	31	27	27	9	10	313	15	19	5	3	—	—	—	—	14	12	21		
Sussex, West	... R.D. 24	15	3	4	3	1	1	51	16	20	21	14	2	4	2	1	1	45	15	18	3	1	—	—	—	—	6	49	58		
Warwickshire	U.D. 8	11	1	3	3	1	2	29	9	13	7	11	5	2	2	—	2	26	8	12	1	—	—	—	—	—	9	17	26		
Sussex, West	... R.D. 14	9	6	2	2	—	—	33	15	17	12	8	5	2	2	—	—	29	14	16	2	1	—	—	—	—	4	56	56		
Westmorland...	U.D. 28	19	4	4	6	2	3	66	15	20	26	19	3	4	6	2	3	63	15	20	2	—	—	—	—	—	3	25	25		
Wight, Isle of...	... R.D. 11	12	3	4	4	2	2	37	13	19	10	12	3	4	2	3	4	36	13	13	1	—	—	—	—	—	1	12	12		
Wiltshire	U.D. 37	20	5	7	5	2	6	76	16	22	31	19	5	6	4	2	6	73	17	22	3	1	—	—	—	—	2	8	17		
Worcestershire	... R.D. 38	20	9	8	4	2	2	81	19	23	36	20	9	7	3	3	7	77	20	23	2	—	—	—	—	—	3	7	20		
Yorkshire, E.R.	... R.D. 34	28	12	10	9	7	7	109	16	23	33	26	12	10	9	7	7	104	16	23	1	2	—	—	—	—	4	14	28		
Yorkshire, N.R.	... R.D. 12	10	4	3	3	1	1	38	14	20	12	10	4	3	6	1	1	37	14	20	—	—	—	—	—	—	5	18	30		
Yorkshire, W.R.	U.D. 9	12	5	1	8	1	1	37	16	23	9	12	5	1	8	1	1	37	17	24	—	—	—	—	—	—	—	—	—	—	
	... R.D. 11	4	5	1	7	3	1	32	12	11	4	5	1	7	3	1	2	32	12	20	—	—	—	—	—	—	—	—	—	—	—
	... R.D. 37	33	7	18	7	4	5	105	21	28	31	31	5	17	7	3	2	94	19	27	6	2	—	—	—	—	11	53	59		
	... R.D. 26	18	7	4	5	—	—	65	19	24	24	18	6	4	5	—	—	62	18	24	2	—	—	—	—	—	3	32	32		
	U.D. 165	136	43	51	48	22	13	478	18	25	155	130	41	47	47	22	13	455	18	25	10	6	2	4	1	—	23	26	33		
	... R.D. 72	63	30	25	17	14	12	233	20	29	67	62	28	24	16	14	12	223	20	29	5	1	—	—	—	—	10	29	36		
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	

ADMINISTRATIVE COUNTIES—continued

WALES (Including Monmouthshire)

Anglesey ...	U.D.	1	2	1	4	2	—	—	10	12	30	1	1	3	2	—	—	8	10	25	—	—	—	—	—	2	48	95
Brecknockshire	R.D.	2	5	—	1	1	—	—	10	14	20	2	5	1	1	—	—	10	15	21	—	—	—	—	—	—	—	—
	U.D.	4	1	1	—	1	—	—	12	17	20	4	1	—	—	—	—	6	23	27	—	—	—	—	—	—	—	—
	R.D.	5	4	1	—	—	—	—	12	17	20	5	4	—	—	—	—	12	17	21	—	—	—	—	—	—	—	—
Caernarvonshire	...	3	9	3	1	1	2	—	19	15	20	3	9	3	1	1	—	19	16	21	—	—	—	—	—	—	—	—
Cardiganshire	R.D.	4	8	2	1	2	1	—	18	22	29	4	8	2	1	2	—	18	23	30	—	—	—	—	—	—	—	—
	U.D.	1	3	1	—	1	—	—	2	4	8	1	—	—	—	—	—	2	4	9	—	—	—	—	—	—	—	—
	R.D.	3	1	—	1	1	—	—	8	11	18	2	1	1	—	—	—	7	9	16	—	—	—	—	—	—	—	—
Carmarthenshire	...	4	6	3	2	2	—	—	17	15	20	4	5	3	2	2	—	16	14	19	—	—	—	—	—	—	—	—
Denbighshire	R.D.	13	16	6	6	7	3	2	53	24	36	11	16	6	6	6	3	50	23	35	—	—	—	—	—	—	—	—
	U.D.	6	10	4	4	3	5	1	33	17	28	6	9	4	4	3	1	32	17	29	—	—	—	—	—	—	—	—
	R.D.	6	9	3	5	2	1	—	26	13	19	6	9	3	4	2	—	25	13	19	—	—	—	—	—	—	—	—
Flintshire	...	12	7	3	2	2	2	1	29	20	26	12	7	3	2	2	—	29	20	27	—	—	—	—	—	—	—	—
Glamorganshire	R.D.	9	8	3	5	3	—	—	28	17	24	7	7	3	5	3	—	25	15	22	—	—	—	—	—	—	—	—
	U.D.	75	39	40	24	14	10	6	250	23	33	70	83	38	36	24	10	274	22	32	—	—	—	—	—	—	—	—
	R.D.	27	23	11	12	7	4	—	90	19	27	24	21	10	12	7	4	84	17	26	—	—	—	—	—	—	—	—
Merionethshire	3	4	13	—	1	—	1	—	—	3	4	13	—	—	—	—	—	—	—	—
Monmouthshire	R.D.	1	2	1	19	1	—	—	6	14	20	37	48	20	18	13	—	150	23	33	—	—	—	—	—	—	—	—
	U.D.	38	49	20	14	11	4	1	15	23	33	3	48	5	—	1	—	13	16	18	—	—	—	—	—	—	—	—
	R.D.	6	4	5	—	1	—	—	17	18	20	5	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—
Montgomeryshire	...	4	3	—	1	—	—	—	8	27	31	4	3	—	1	—	—	8	27	31	—	—	—	—	—	—	—	—
Penbrokehire	R.D.	3	2	1	4	2	—	—	7	15	17	3	2	1	—	—	—	7	15	18	—	—	—	—	—	—	—	—
	U.D.	9	6	1	4	3	—	—	24	20	30	9	9	4	5	3	—	24	20	30	—	—	—	—	—	—	—	—
	R.D.	5	10	4	5	3	—	2	29	20	40	5	9	4	5	3	—	28	25	39	—	—	—	—	—	—	—	—
Radnorshire	1	1	—	—	—	—	—	2	23	23	1	1	—	—	—	—	2	24	24	—	—	—	—	—	—	—	—
	U.D.	2	—	—	—	—	—	—	3	15	15	1	—	—	—	—	—	2	11	11	—	—	—	—	—	—	—	—
	R.D.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 26—Deaths at Various Periods in the First Year of Life, }
1957, and the Four Quarters thereof

Area				Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Total under 1 day	Days						1 day and under 1 week	
								1	2	3	4	5	6		
England and Wales	All Infants	...	M	9591	364	2817	3181	1007	789	540	214	175	113	283	
		...	F	7129	309	2015	2324	656	511	280	186	109	92	183	
		...	P	16720	673	4832	5505	1663	1300	820	400	284	205	467	
	Legitimate	...	M	9005	321	2636	2957	949	753	510	201	160	105	262	
...		F	6679	248	1887	2135	610	483	265	177	104	83	172		
		...	P	15684	569	4523	5092	1559	1236	775	378	264	188	440	
England and Wales	Illegitimate	...	M	586	43	181	224	58	36	30	13	15	8	16	
		...	F	450	61	128	189	46	28	15	9	5	9	11	
		...	P	1036	104	309	413	104	64	45	22	20	17	27	
Regions and Conurbations:															
Northern	1553	49	427	476	135	119	81	40	37	19	43	
	Tyneside Conurbation	389	12	103	115	29	37	25	7	8	4	11	
	Remainder of Northern	1164	37	324	361	106	82	56	33	29	15	32	
East and West Ridings	1693	64	495	559	164	108	79	34	24	25	43	
	West Yorkshire Conurbation	663	26	185	211	68	44	22	14	10	11	16	
	Remainder of East and West Ridings	1030	38	310	348	96	64	57	20	14	14	26	
North Western	2808	116	786	902	242	205	133	58	40	31	70	
	South East Lancashire Conurbation	1034	47	286	333	89	84	44	20	14	10	26	
	Merseyside Conurbation	714	31	217	248	56	44	27	12	11	8	15	
	Remainder of North Western	1060	38	283	321	97	77	62	26	15	13	29	
North Midland	1329	51	370	421	150	101	70	27	15	18	38	
	1876	71	528	599	202	145	85	59	34	30	55	
	West Midlands Conurbation	930	44	273	317	89	67	37	27	15	15	25	
	Remainder of Midland	946	27	255	282	113	78	48	32	19	15	30	
Eastern	1132	32	346	378	122	94	46	34	18	14	32	
	London and South Eastern	3203	173	997	1170	316	257	166	74	59	37	90	
	Greater London	2403	130	743	873	247	200	116	59	46	26	69	
	Remainder of South Eastern	800	43	254	297	69	57	50	15	13	11	21	
Southern	946	41	285	326	91	82	49	24	16	10	27	
	946	41	285	326	91	82	49	24	16	10	27	
	South Western	997	43	305	348	113	86	44	22	22	9	29	
Wales (including Monmouthshire)	1183	33	293	326	128	103	67	28	19	12	35	
	Wales I (South East)	918	31	223	254	104	73	47	23	14	11	27	
	Wales II (Remainder)	265	2	70	72	24	30	20	5	5	1	8	
Urban/Rural Aggregates:															
Conurbations	6133	290	1807	2097	578	476	271	139	104	74	164	
	Areas outside Conurbations:														
	Urban areas with populations of 100,000 and over	2301	94	642	736	259	164	133	54	37	24	67	
Urban areas with populations of 50,000 and under 100,000	1325	43	352	395	148	101	55	34	23	10	37		
Urban areas with populations of under 50,000	3816	135	1090	1225	365	305	212	97	60	52	109		
Rural Districts	3145	111	941	1052	313	254	149	76	60	45	89	
	England and Wales	March Quarter	4467	174	1124	1298	422	364	197	121	77	54	123
		June Quarter	4062	176	1224	1400	428	312	203	108	74	62	118
September Quarter		3873	167	1217	1384	411	299	215	95	61	42	112	
December Quarter		4318	156	1267	1423	402	325	205	76	72	47	112	

England and Wales, Standard Regions, Wales, Conurbations, Urban
and Rural Aggregates outside Conurbations

	Weeks				Months										
	1	2	3	Total under 4 weeks	1	2	3	4	5	6	7	8	9	10	11
019	466	256	212	6953	581	487	360	269	203	190	126	124	105	98	95
158	422	217	154	4951	461	369	278	259	177	142	116	116	104	79	78
177	888	473	366	11904	1042	856	638	528	380	332	241	240	209	177	173
635	440	238	201	6514	553	457	335	252	192	178	121	117	102	92	92
225	393	207	148	4605	434	352	263	244	171	136	112	111	101	74	76
857	833	445	349	11119	987	809	598	496	363	314	233	228	203	166	168
492															
384	26	18	11	439	28	30	25	17	11	12	5	7	3	6	3
301	29	10	6	346	27	17	15	15	6	6	3	5	3	5	2
685	55	28	17	785	55	47	40	32	17	18	8	12	6	11	5
907	99	43	29	1078	93	110	65	50	40	40	24	19	13	14	7
682	31	8	6	270	24	34	21	6	5	8	8	6	2	4	1
	68	35	23	808	69	76	44	44	35	32	16	13	11	10	6
993	85	47	41	1166	103	93	79	64	40	23	31	31	27	17	19
380	31	20	20	451	39	36	34	24	21	7	12	17	11	4	7
613	54	27	21	715	64	57	45	40	19	16	19	14	16	13	12
611	142	80	75	1908	199	161	119	79	74	65	47	42	42	41	31
594	57	32	21	704	78	56	46	31	29	18	15	10	19	16	12
406	29	24	23	482	55	47	29	19	18	16	8	16	6	9	9
611	56	24	31	722	66	58	44	29	27	31	24	16	17	16	10
802	72	46	29	949	76	64	59	48	31	17	17	20	19	16	13
154	84	63	42	1343	112	86	57	67	35	52	32	29	19	23	21
567	38	32	17	654	55	44	27	35	21	28	18	17	12	10	9
587	46	31	25	689	57	42	30	32	14	24	14	12	7	13	12
706	55	31	16	808	75	51	41	40	23	19	15	15	17	12	16
079	161	78	60	2378	178	153	108	95	74	53	37	40	33	22	32
567	126	55	45	1793	142	107	87	69	54	42	28	25	24	15	17
512	35	23	15	585	36	46	21	26	20	11	9	15	9	7	15
598	50	23	23	694	46	44	33	21	21	19	17	17	12	11	11
644	61	25	16	746	60	39	30	33	19	18	4	13	15	11	9
683	79	37	35	834	100	55	47	31	23	26	17	14	12	10	14
526	65	32	27	650	75	45	36	24	16	19	14	10	10	7	12
157	14	5	8	184	25	10	11	7	7	7	3	4	2	3	2
739	312	171	132	4354	393	324	244	184	148	119	89	91	74	58	55
407	120	68	61	1656	138	117	84	70	55	41	29	29	32	27	23
766	67	48	19	900	101	67	55	49	26	31	20	23	17	16	20
316	204	107	79	2706	229	195	150	129	89	81	59	56	48	32	42
949	185	79	75	2288	181	153	105	96	62	60	44	41	38	44	33
533	239	147	109	3028	277	274	196	160	112	105	72	67	64	57	55
587	210	102	88	2987	252	164	147	121	75	75	51	61	43	44	42
507	209	109	77	2902	235	155	119	118	91	51	52	53	33	31	33
550	230	115	92	2987	278	263	176	129	102	101	66	59	69	45	43

TABLE 27—Causes of Death of Infants under One Year at Different Age Periods, 1957
See Explanatory notes on page vi.

England and Wales

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Weeks		Total under 1 week	Months				
					1	2	3	4	5	6	1	2	3	Total under 4 weeks	4 wks and under 3 mths.	3-5	6-8	9-11
	ALL CAUSES	9591 7129	364 309	2817 2015	1007 656	789 511	540 280	214 186	175 109	113 92	466 422	256 217	212 154	6953 4951	1048 830	832 714	440 373	298 261
001-008	Tuberculosis of res- piratory system ..	3 2	— —	— 1	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	2 —	— —	— 1
010	Tuberculosis of men- inges and central nervous system ..	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 1
011	Tuberculosis of intes- tines, peritoneum & mesenteric glands ..	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
012, 013	Tuberculosis of bones and joints ..	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
014-018	Tuberculosis, all other organs ..	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
019	Disseminated tuber- culosis ..	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	1 —
020-029	Syphilis & its sequelæ ..	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
030-039	Gonococcal infection and other venereal diseases ..	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
040-049	Infectious diseases commonly arising in intestinal tract ..	4 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— 1	1 2	2 1	1 1	— —	2 —
045-048	Dysentery, all forms ..	2 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	2 —
050-064	Other bacterial diseases ..	87 95	— —	— —	— —	2 —	— —	1 —	— —	1 —	3 5	5 4	5 4	14 16	17 18	23 28	21 14	12 19
050	Scarlet fever ..	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
055	Diphtheria ..	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
056-0	Whooping cough, without mention of pneumonia ..	7 13	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	3 4	2 5	2 2	— 1

TABLE 27—continued

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			4 wks under and 3 mths.	Months			
					1	2	3	4	5	6		1	2	3		Total under 4 weeks	3-5	6-8	9-11
280-289	Avitaminoses, and other metabolic diseases {M F}	8 3	—	—	—	—	—	—	—	—	1	—	—	—	1	3 2	2 1	—	2
283	Active rickets .. {M F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
286-0	Steatorrhea and sprue .. {M F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
290-293	Anemias .. {M F}	3 7	—	—	—	—	—	—	—	—	—	—	—	—	—	1 2	1 4	1 —	1
294-299	Other diseases of blood and blood- forming organs {M F}	10 3	—	—	—	—	—	—	—	—	1 1	—	—	—	—	2 1	3 —	3 2	1 —
300-326	Mental, psychoneu- rotic, & personality disorders {M F}	14 19	—	2 3	1	—	—	—	—	—	2 6	1 2	2 —	3	1 6 11	2 2 1	2 1 —	3 2 3	2 3
325	Mental deficiency disorders {M F}	14 19	—	2 3	1	—	—	—	—	—	2 6	1 2	2 —	—	1 6 11	2 2 1	2 1 —	3 2 3	2 3
330-334	Vascular lesions affecting central nervous system {M F}	16 8	—	—	—	1	1	—	—	1	3	2	—	—	1 6 —	2 5	1 2	1 —	1
340	Meningitis, except meningococcal and tuberculous {M F}	92 53	—	—	—	—	2	1	3	2	8 7	5 9	7 —	4 1	24 26	19 9	17 11	22 2	10 5
351	Cerebral spastic infan- tile paralysis.. {M F}	2 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 1	1 —	—
353	Epilepsy .. {M F}	2 4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 2	1 1	1
390-398	Diseases of ear and mastoid process {M F}	26 17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 2	1 1	—
Rem. of 330-398	Diseases of the ner- vous system and sense organs, others {M F}	28 28	—	1	—	—	—	—	—	—	1	—	1	—	2 4	9 3	3 9	7 2	5 1
400-402	Rheumatic fever .. {M F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-434	Diseases of the heart .. {M F}	4 6	—	—	—	—	—	—	—	—	1 1	—	—	—	3 1	—	—	—	1
440-468	Other diseases of the {M F}	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 27—continued

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months			
					1	2	3	4	5	6		1	2	3	4 wks and under 3 mths.	3-5	6-8	9-11
590-594	Nephritis & nephrosis. . . { F	8 6	—	—	—	—	—	—	—	—	—	—	—	—	1 1	3 3	4 —	—
600-609	Other diseases of { urinary system . . . { F	21 10	—	—	—	—	—	—	—	—	—	—	1	2 1	5 2	3 3	2 1	2 2
610-617	Diseases of male geni- tal organs . . . M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1 1	—	—
615	Redundant prepuce & phimosis . . . M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
620-637	Diseases of female genital organs . . . F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-698	Infections of skin and subcutaneous tissue. . . { F	9 4	—	—	—	—	—	—	—	—	1	3	2	6 3	3 1	—	—	—
700-716	Other diseases of skin and subcutaneous tissue . . . { F	5 2	—	—	—	—	—	—	—	—	—	—	—	—	1 1	1 1	1	—
720-749	Diseases of the bones & organs of move- ment . . . { F	13 18	1	—	—	—	2	1	—	—	1	1	1	1 5	3 4	5 7	—	2
730	Osteomyelitis and osteitis . . . { F	6 2	—	—	—	—	—	—	—	—	—	—	—	—	2 2	4 2	—	—
750	Monstrosity . . . { F	56 96	5 21	31 47	13 11	4 5	2 3	1 2	—	—	56 90	4	—	—	56 94	2	—	—
751	Spina bifida and men- ingocoele . . . { F	394 540	5 14	26 43	11 25	11 16	13 15	9 17	12 11	11 15	98 156	63 81	43 57	31 32	235 326	73 114	28 24	19 14
752	Congenital hydro- cephalus . . . { F	66 75	5 5	13 12	2 —	5 1	1 —	1 —	2	—	27 21	2 2	2 2	1 2	30 27	11 13	7 13	6 6
753-0	Congenital cataract . . . { F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
753-1	Other congenital mal- formations of nerv. system & sense organs	38 39	2 —	8 8	2 1	—	4 1	—	—	1	17 14	3	1	2	23 17	3 5	1 7	5 5
754-0	Tetralogy of Fallot . . . { F	23 15	—	—	—	—	1 —	—	1	—	2 2	1 3	—	3	7 5	3 3	3 4	1 2
754-1	Patent ductus arteri- osus (Botalli) . . . { F	50 33	—	4 4	3 —	6 5	6 3	1 3	—	—	20 16	7 4	2 1	—	29 22	15 9	3 1	2 —

754-2	Inter-ventricular septal defect .. {M}{F}	43 52	1	—	—	—	1	5	4	6	3	1	2	—	1	—	1	1	2	13	8	2	2	2	4	25	7	6	12	3	4	1
754-3	Intra-auricular septal defect .. {M}{F}	43 30	—	—	—	—	4	2	6	6	5	2	—	—	—	2	1	1	23	9	2	6	1	3	19	5	7	1	2	4	1	
754-4	Other and unspecified malformations of heart .. {M}{F}	489 373	2	7	—	38 27	26 19	31 23	19 15	8 10	5	5	—	—	—	—	—	—	181 131	45 34	31 15	23 10	280 190	97 74	75 57	20 40	17	12	4	1	1	
754-5	Coarctation of aorta .. {M}{F}	23 22	—	—	—	—	4	1	1	3	1	—	—	—	—	—	—	—	8	5	3	3	3	2	13	5	1	1	—	—	—	
754-6	Other circulatory malformations .. {M}{F}	54 28	—	—	—	—	2	7	4	4	2	2	—	—	—	—	—	—	23	6	3	2	5	16	8	2	1	—	—	—	—	
755	Cleft palate and hare-lip .. {M}{F}	11 10	—	—	—	1 1	1	—	—	—	—	1	1	—	—	—	—	—	4	1	2	—	—	5	2	2	2	—	—	—	—	
756-0	Congenital hypertrophic pyloric stenosis .. {M}{F}	26 7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
756-1	Imperforate anus .. {M}{F}	30 10	—	—	—	3	1	2	6	3	1	2	—	—	—	—	—	—	18	4	2	1	2	1	25	2	3	—	—	—	—	
756-2	Other congenital malformations of digestive system .. {M}{F}	160 117	1	1	—	5 2	7 2	10 11	18 7	12 4	13 12	7 3	—	—	—	—	—	—	73 42	20 24	11 9	7 4	111 79	22 17	10 7	6	11	8	6	1	1	
757-0	Undescended testicle .. M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
757-1	Polycystic disease of kidney .. {M}{F}	25 11	2	1	—	13 6	2	1	—	—	—	—	—	—	—	—	—	—	17	3	2	1	23	8	1	1	—	—	—	—	—	
757-2	Congenital malformations of external genital organs .. {M}{F}	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
757-3	Other congenital malformations of genitourinary system .. {M}{F}	83 24	2	—	—	20 10	4	2	4	2	1	—	—	—	—	—	—	—	35 11	7	2	5	9	15	6	2	4	—	—	—	—	—
758-0	Congenital dislocation of hip .. {M}{F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
758-1	Chondrodystrophy .. {M}{F}	2 5	—	—	—	2 3	—	—	1	—	—	—	—	—	—	—	—	—	2	5	—	—	2	5	—	—	—	—	—	—	—	—
758-2	Congenital malformations of skull .. {M}{F}	8 4	—	—	—	5 2	2	—	—	—	1	1	—	—	—	—	—	—	7	2	—	—	7	2	1	—	—	—	—	—	—	—
758-3	Brittle bones .. {M}{F}	3 7	—	—	—	2 2	2	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1	3	4	—	—	—	—	—	—	—	—
758-4	Cervical rib .. {M}{F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
758-5	Congenital abnormalities of lumbosacral region .. {M}{F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
758-6	Other congenital malformations of bone & joint .. {M}{F}	6 7	1	—	—	1 1	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	1	3	2	2	1	—	—	—	—	—

TABLE 27—continued

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months			
					Days							Weeks			Months			
					1	2	3	4	5	6		1	2	3	4 wks under 3 mths.	3-5	6-8	9-11
759-0	Congenital malformations of respiratory system {M}{F}	37 18	6	12 5	—	—	—	—	—	—	19 5	1 1	1 1	—	21 7	5 5	3 2	1 1
759-1	Congenital malformations of skin {M}{F}	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
759-2	Congenital malformations of muscle {M}{F}	10 4	1	8 3	—	—	—	—	—	—	9 4	—	—	—	9 4	1	—	—
759-3	Congenital malformations, other and unspecified {M}{F}	75 63	14 10	36 22	2	1	5	—	2	2	62 42	3 7	2 1	2	67 52	5 2	3	—
760-0	Intracranial & spinal injury at birth, without mention of immaturity {M}{F}	528 357	54 30	187 145	80 51	76 44	50 22	17 15	13 10	13 7	490 324	21 12	5 6	2	518 344	7 5	1 3	2
760-5	Intracranial & spinal injury at birth, with immaturity {M}{F}	371 199	6 4	150 75	80 31	62 35	29 24	10 8	15 5	5 3	357 185	9 9	2 1	—	368 198	3	—	—
761-0	Other birth injury, without mention of immaturity {M}{F}	119 84	24 22	59 39	18 7	9 8	5 2	—	1	—	116 80	1 2	—	—	118 82	2	1	—
761-5	Other birth injury, with immaturity {M}{F}	136 75	10 8	79 46	18 12	10 4	6 3	4 2	3	—	130 75	5	—	—	135 75	—	—	—
762-0	Postnatal asphyxia & atelectasis, without mention of immaturity {M}{F}	626 388	75 49	264 183	92 64	97 46	56 10	12 10	6 4	5	607 366	11 8	2 1	2	622 377	2 6	1 5	—
762-5	Postnatal asphyxia & atelectasis, with immaturity {M}{F}	1069 726	19 20	551 366	224 151	130 92	65 39	22 19	14 7	6 5	1031 699	27 21	7 5	1	1066 726	3	—	—
763-0	Pneumonia of newborn, without mention of immaturity {M}{F}	309 184	1	20 13	25 24	34 15	55 11	13 4	11 4	9	168 88	47 43	50 28	44	309 184	—	—	—
763-5	Pneumonia of newborn, with immaturity {M}{F}	120 101	1	3 6	14 12	19 13	13 10	15 9	5 5	4 3	74 58	27 22	10 7	9	120 101	—	—	—
764-0	Diarrhoea of newborn, without mention of immaturity {M}{F}	18 8	—	—	—	—	—	—	—	—	—	2 3	6 2	10 2	18 8	—	—	—
764-5	Diarrhoea of newborn, with immaturity {M}{F}	4 5	—	—	—	—	—	—	—	—	—	3 1	1 2	—	4 5	—	—	—
765-0	Ophthalmia neonatorum, without mention of immaturity {M}{F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 27—continued

International Classification Number	Causes of Death	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Days						Total under 1 week	Weeks			Months			
												1	2	3	4 wks and under 3 mths.	3-5	6-8	9-11
					1	2	3	4	5	6								
769-8	Neonatal disorders attributed to toxo- plasmosis, with im- maturity {M F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
769-9	Neonatal disorders attributed to other or unspecified maternal toxemia, with immaturity {M F}	14 12	—	6 4	2 1	3 3	2 3	— 1	—	—	13 12	1	—	—	—	—	—	
770-0	Erythroblastosis, without mention of nervous affection or immaturity {M F}	139 138	13 15	69 90	14 14	11 2	11 3	6 5	2 1	5	131 130	2 5	2 2	—	3 1	1	—	
770-1	Kernicterus, without mention of im- maturity {M F}	22 9	—	1 1	— 1	4 3	4 1	6 —	2 1	—	17 7	4 1	— 1	—	21 9	1	—	
770-2	Erythroblastosis, with disorder of liver other than icterus gravis, without mention of im- maturity {M F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
770-5	Erythroblastosis, without mention of nervous affection but with im- maturity {M F}	28 19	1 1	15 12	7 3	— 2	3 1	—	1 —	1	28 19	—	—	—	28 19	—	—	
770-6	Kernicterus with im- maturity {M F}	10 6	—	— 1	—	1 —	—	1 1	— 1	—	2 4	7 2	1 —	—	10 6	—	—	
770-7	Erythroblastosis with disorder of liver other than icterus gravis, with im- maturity {M F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
771-0	Hemorrhagic disease of newborn, with- out mention of im- maturity {M F}	70 40	—	8 8	6 4	20 9	15 8	4 3	5 1	4	62 36	3 2	— 1	2 1	67 40	1 —	2	
771-5	Hemorrhagic disease of newborn, with immaturity {M F}	50 24	—	5 3	8 2	10 8	8 6	9 3	3 —	2 1	45 23	4 1	1 —	—	50 24	—	—	
772-0	Nutritional malad- justment, without mention of im- maturity {M F}	6 1	—	—	1 —	—	—	—	—	—	1	—	—	—	2 —	3 1	1	
772-5	Nutritional malad- justment, with im- maturity {M F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
773-0	Ill-defined diseases peculiar to early in- fancy, without men- tion of immaturity {M F}	21 16	2	5 6	—	1 1	1 —	1 —	1 —	2 —	13 7	4 1	1 —	— 2	18 10	1 3	1 2	

774	peculiar to early infancy, with immaturity .. {M}{F}	79	2	23	8	5	1	4	—	4	—	61	5	2	1	52	11	—	—
	Immaturity with mention of any other subsidiary condition .. {M}{F}	48	5	13	6	3	2	3	—	—	—	37	3	3	—	43	3	—	—
776	Immaturity unqualified .. {M}{F}	1729	65	1022	273	155	82	30	31	15	1673	42	5	5	1725	4	—	—	
	Symptoms, and ill-defined conditions .. {M}{F}	1252	45	719	179	112	50	29	17	21	1172	52	14	8	1246	6	—	—	
780-795	Convulsions .. {M}{F}	33	4	4	3	—	1	—	1	—	14	1	1	1	17	3	10	—	
	Jaundice .. {M}{F}	16	7	3	—	—	—	—	—	—	10	1	—	—	11	2	2	1	
780-2	Convulsions .. {M}{F}	4	—	—	—	—	1	—	—	—	1	—	—	—	1	1	2	—	
	Jaundice .. {M}{F}	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
785-2	Jaundice .. {M}{F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
E800-E999	Accidents, poisonings, and violence.. {M}{F}	284	27	7	3	—	1	—	—	—	38	4	3	7	52	82	91	38	
	Accidents, poisonings, and violence.. {M}{F}	230	35	5	1	3	2	—	—	—	46	6	4	4	60	69	58	24	
E800-E866	Transport accidents .. {M}{F}	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Transport accidents .. {M}{F}	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
E870-E895	Accidental poisoning .. {M}{F}	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Accidental poisoning .. {M}{F}	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
E900-E936	Other accidents .. {M}{F}	261	22	6	3	—	1	—	—	—	32	4	3	7	46	80	87	32	
	Other accidents .. {M}{F}	207	32	3	—	3	2	—	—	—	40	5	4	4	53	62	54	22	
E921-E925	Accidental mechanical suffocation .. {M}{F}	212	3	1	2	—	1	—	—	—	7	4	2	7	20	72	83	28	
	Lack of care of infants under 1 year of age .. {M}{F}	150	19	4	1	—	—	—	—	—	5	5	4	4	18	57	51	13	
E926	Lack of care of infants under 1 year of age .. {M}{F}	26	30	3	—	—	—	—	—	—	24	—	—	—	33	1	1	—	
E940-E959	Accidents due to medical & surgical intervention .. {M}{F}	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	
	Accidents due to medical & surgical intervention .. {M}{F}	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
E980-E985	Homicide and injury purposely inflicted by other persons (not in war) .. {M}{F}	18	5	1	1	—	—	—	—	—	6	—	—	—	6	2	1	6	
	Homicide and injury purposely inflicted by other persons (not in war) .. {M}{F}	12	3	1	1	—	—	—	—	—	5	—	—	—	5	4	2	—	
Rem. of E800-E999	Other violence .. {M}{F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other violence .. {M}{F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
N800-N829	Fractures .. {M}{F}	13	2	1	—	—	—	—	—	—	3	—	—	—	3	5	1	4	
	Fractures .. {M}{F}	10	2	—	—	—	—	—	—	—	2	—	—	—	2	3	4	—	
N850-N856	Head injury (excluding skull fracture) .. {M}{F}	9	1	—	—	—	—	—	—	—	1	—	1	—	2	—	2	2	
	Head injury (excluding skull fracture) .. {M}{F}	7	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	
N860-N869	Internal injury of chest, abdomen, & pelvis.. {M}{F}	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Internal injury of chest, abdomen, & pelvis.. {M}{F}	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	
N940-N949	Burns .. {M}{F}	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Burns .. {M}{F}	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rem. of N800-N999	Other injuries .. {M}{F}	256	24	6	3	—	1	—	—	—	34	4	2	4	47	76	88	32	
	Other injuries .. {M}{F}	210	33	5	1	3	2	—	—	—	44	6	—	—	58	63	57	17	

TABLE 28—Infant Mortality from Certain Causes 1957
Deaths of Infants under one year and various sub-divisions
of the first year, and deaths of illegitimate infants

England and Wales, Standard Regions, Wales
Conurbations, Urban and Rural Aggregate
outside Conurbations

See explanatory notes on page vi.

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year
All Causes								Tuberculosis (001-019)						
ENGLAND AND WALES	16720	11904	1898	1546	813	559	1036	13	2	1	5	1	4	
Regions and Conurbations:														
Northern	1553	1078	203	155	83	34	74	2	—	—	1	—	1	
Tyneside Conurbation ...	389	270	58	32	22	7	18	—	—	—	—	—	—	
Remainder of Northern ...	1164	808	145	123	61	27	56	2	—	—	1	—	1	
East and West Ridings ...	1693	1166	196	183	85	63	87	1	—	—	1	—	—	
West Yorkshire Conurbation ...	663	451	75	79	36	22	38	—	—	—	—	—	—	
Remainder of E. & W. Ridings ...	1030	715	121	104	49	41	49	1	—	—	1	—	—	
North Western	2808	1908	360	272	154	114	157	1	—	—	1	—	—	
S.E. Lancashire Conurbation ...	1034	704	134	106	43	47	67	1	—	—	—	—	—	
Merseyside Conurbation ...	714	482	102	66	40	24	40	—	—	—	—	—	—	
Remainder of North Western ...	1060	722	124	100	71	43	50	—	—	—	—	—	—	
North Midland	1329	949	140	138	54	48	69	1	—	—	1	—	—	
Midland	1876	1343	198	159	113	63	105	3	1	—	—	1	1	
West Midlands Conurbation ...	930	654	99	83	63	31	56	2	—	—	—	1	1	
Remainder of Midland ...	946	689	99	76	50	32	49	1	1	—	—	—	—	
Eastern	1132	808	126	104	49	45	67	3	1	—	—	—	2	
London and South Eastern ...	3203	2378	331	277	130	87	284	1	—	1	—	—	—	
Greater London	2403	1793	249	210	95	56	233	1	—	—	—	—	—	
Remainder of South Eastern ...	800	585	82	67	35	31	51	—	—	—	—	—	—	
Southern	946	694	90	75	53	34	63	—	—	—	—	—	—	
South Western	997	746	99	82	35	35	65	—	—	—	—	—	—	
Wales (including Monmouthshire)	1183	834	155	101	57	36	65	1	—	—	1	—	—	
Wales I (South East) ...	918	650	120	76	43	29	54	1	—	—	1	—	—	
Wales II (Remainder) ...	265	184	35	25	14	7	11	—	—	—	—	—	—	
Urban/Rural Aggregates:														
Conurbations	6133	4354	717	576	299	187	452	4	—	1	1	1	1	
Areas outside Conurbations:														
Urban areas with populations of 100,000 and over ...	2301	1656	255	209	99	82	155	1	—	—	1	—	—	
Urban areas with populations of 50,000 and under 100,000 ...	1325	900	168	130	74	53	76	1	—	—	1	—	—	
Urban areas with populations under 50,000	3816	2706	424	368	196	122	178	2	1	—	—	—	1	
Rural Districts	3145	2288	334	263	145	115	175	5	1	—	2	—	2	
Whooping Cough (056)								Pneumonia (490-493, 763)						
ENGLAND AND WALES	68	2	20	23	16	7	1	2178	714	587	488	227	162	1
Regions and Conurbations:														
Northern	4	—	2	—	2	—	—	228	76	76	44	23	9	
Tyneside Conurbation ...	—	—	—	—	—	—	—	35	10	15	7	3	—	
Remainder of Northern ...	4	—	2	—	2	—	—	193	66	61	37	20	9	
East and West Ridings ...	9	—	3	2	2	2	—	239	54	68	68	29	20	
West Yorkshire Conurbation ...	1	—	—	—	—	1	—	110	25	25	36	14	10	
Remainder of E. & W. Ridings ...	8	—	3	2	2	1	—	129	29	43	32	15	10	
North Western	7	—	4	2	1	—	—	428	108	128	107	52	33	
S.E. Lancashire Conurbation ...	1	—	1	—	—	—	—	171	45	55	41	18	12	
Merseyside Conurbation ...	3	—	3	—	—	—	—	114	25	41	28	11	9	
Remainder of North Western ...	3	—	—	2	1	—	—	143	38	32	38	23	12	
North Midland	4	2	—	1	—	1	—	177	64	39	46	14	14	
Midland	13	—	3	7	3	—	—	236	106	50	43	23	14	
West Midlands Conurbation ...	9	—	3	5	1	—	—	109	48	24	21	9	7	
Remainder of Midland ...	4	—	—	2	2	—	—	127	58	26	22	14	7	
Eastern	9	—	3	5	1	—	—	130	48	25	35	12	10	
London and South Eastern ...	7	—	3	1	2	1	—	341	116	87	76	32	30	
Greater London	2	—	—	1	—	1	—	258	84	69	63	24	18	
Remainder of South Eastern ...	5	—	3	—	2	—	—	83	32	18	13	8	12	
Southern	6	—	1	3	2	—	1	112	46	21	17	15	13	
South Western	5	—	1	1	2	1	—	128	48	37	25	10	8	
Wales (including Monmouthshire)	4	—	—	1	1	2	—	159	48	56	27	17	11	
Wales I (South East) ...	4	—	—	1	1	2	—	117	38	39	19	11	10	
Wales II (Remainder) ...	—	—	—	—	—	—	—	42	10	17	8	6	1	
Urban/Rural Aggregates:														
Conurbations	16	—	7	6	1	2	—	797	237	229	196	79	56	
Areas outside Conurbations:														
Urban areas with populations of 100,000 and over ...	9	1	2	6	—	—	—	338	121	90	69	30	28	
Urban areas with populations of 50,000 and under 100,000 ...	5	—	1	—	3	1	—	209	65	50	50	26	18	
Urban areas with populations under 50,000	17	1	7	6	2	1	1	480	171	125	97	55	32	
Rural Districts	21	—	3	5	10	3	—	354	120	93	76	37	28	

TABLE 28—continued

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
Bronchitis (500-502)								Gastro-enteritis (571, 764)						
ENGLAND AND WALES	291	27	80	99	54	31	12	318	35	110	83	53	37	25
Regions and Conurbations:														
Northern ...	23	—	6	9	6	2	—	46	7	18	16	5	—	3
Tyneside Conurbation ...	9	—	2	2	3	2	—	12	1	5	3	3	—	—
Remainder of Northern ...	14	—	4	7	3	—	—	34	6	13	13	2	—	3
East and West Ridings ...	36	5	11	10	5	5	—	50	4	17	14	6	9	2
West Yorkshire Conurbation ...	8	2	2	1	3	—	—	15	1	6	6	1	1	1
Remainder of E. & W. Ridings ...	28	3	9	10	4	2	—	35	3	11	8	5	8	1
North Western ...	41	4	16	8	11	2	2	51	6	18	11	6	10	3
S.E. Lancashire Conurbation ...	6	—	4	1	1	—	—	17	1	5	6	1	4	—
Merseyside Conurbation ...	21	2	7	6	5	1	2	13	3	6	4	2	1	1
Remainder of North Western ...	14	2	5	1	5	1	—	21	2	7	4	3	5	2
North Midland ...	37	6	8	10	4	9	—	25	3	9	3	5	5	2
Midland ...	28	3	4	12	6	3	1	28	3	8	9	6	2	3
West Midlands Conurbation ...	15	1	2	8	4	—	1	13	1	2	5	4	1	2
Remainder of Midland ...	13	2	2	4	2	3	—	15	2	6	4	2	1	1
Eastern ...	14	2	3	3	4	2	—	12	—	4	3	3	2	1
London and South Eastern ...	80	4	23	35	14	4	7	42	5	18	6	9	4	7
Greater London ...	60	3	19	28	8	2	6	30	5	15	3	5	2	7
Remainder of South Eastern ...	20	1	4	7	6	2	—	12	—	3	3	4	2	—
Southern ...	8	1	2	3	1	1	—	20	4	4	7	1	4	2
South Western ...	5	—	2	2	—	1	1	8	—	2	2	3	1	1
Wales (including Monmouthshire)	19	2	5	7	3	2	1	36	3	12	12	9	—	1
Wales I (South East) ...	16	2	5	4	3	2	1	28	3	11	8	6	—	—
Wales II (Remainder) ...	3	—	—	3	—	—	—	8	—	1	4	3	—	1
Urban/Rural Aggregates:														
Conurbations ...	119	8	36	45	22	8	9	100	12	39	24	16	9	11
Areas outside Conurbations:														
Urban areas with populations of 100,000 and over ...	34	3	10	10	7	4	1	51	9	17	12	9	4	3
Urban areas with populations of 50,000 and under 100,000 ...	28	1	10	9	5	3	—	33	1	10	12	4	6	2
Urban areas with populations under 50,000 ...	73	9	16	21	17	10	1	77	7	26	18	18	8	5
Rural Districts ...	37	6	8	14	3	6	1	57	6	18	17	6	10	4
Congenital Malformations (750-759)								Injury at birth (760, 761)						
ENGLAND AND WALES	3348	2049	596	381	198	124	127	1869	1838	17	7	5	2	106
Regions and Conurbations:														
Northern ...	310	201	41	31	25	12	5	150	147	2	1	—	—	4
Tyneside Conurbation ...	81	63	7	4	4	3	2	24	24	—	—	—	—	1
Remainder of Northern ...	229	138	34	27	21	9	3	126	123	2	1	—	—	3
East and West Ridings ...	301	185	55	39	10	12	10	172	165	2	2	3	—	7
West Yorkshire Conurbation ...	114	70	23	14	6	1	4	71	69	—	1	1	—	2
Remainder of E. & W. Ridings ...	187	115	32	25	4	11	6	101	96	2	1	2	—	5
North Western ...	588	350	109	62	44	23	27	303	297	4	1	—	1	13
S.E. Lancashire Conurbation ...	215	131	39	18	13	14	10	129	126	1	1	—	1	8
Merseyside Conurbation ...	139	90	21	14	12	2	6	77	76	1	—	—	—	1
Remainder of North Western ...	234	129	49	30	19	7	11	97	95	2	—	—	—	4
North Midland ...	273	172	48	28	14	11	5	160	158	2	—	—	—	10
Midland ...	407	232	85	42	28	20	17	255	251	4	—	—	—	15
West Midlands Conurbation ...	206	119	43	20	12	8	8	119	115	4	—	—	—	9
Remainder of Midland ...	201	113	42	22	16	8	9	136	136	—	—	—	—	6
Eastern ...	228	124	44	31	14	15	17	122	120	1	—	1	—	3
London and South Eastern ...	594	363	102	82	32	15	29	361	359	—	—	1	—	31
Greater London ...	434	260	77	58	27	12	24	296	294	—	1	—	—	26
Remainder of South Eastern ...	160	103	25	24	5	3	5	65	65	—	—	—	—	5
outhern ...	205	125	37	23	14	6	4	108	106	1	—	—	1	7
South Western ...	206	141	29	23	6	7	9	127	126	—	1	—	—	10
Wales (including Monmouthshire)	236	156	46	20	11	3	4	111	109	1	1	—	—	6
Wales I (South East) ...	183	119	35	18	9	2	3	93	91	1	1	—	—	5
Wales II (Remainder) ...	53	37	11	2	2	1	1	18	18	—	—	—	—	1
Urban/Rural Aggregates:														
Conurbations ...	1189	733	210	128	74	44	54	716	704	6	3	2	1	47
Areas outside Conurbations:														
Urban areas with populations of 100,000 and over ...	450	273	74	55	28	20	16	254	247	2	3	1	1	16
Urban areas with populations of 50,000 and under 100,000 ...	277	177	50	27	17	6	10	121	120	1	—	—	—	5
Urban areas with populations under 50,000 ...	782	463	143	106	43	27	21	404	399	2	1	2	—	21
Rural Districts ...	650	403	119	65	36	27	26	374	368	6	—	—	—	17

TABLE 28—continued

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 mths.	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
Post-natal asphyxia, atelectasis (762)								Haemolytic disease of newborn (770)						
ENGLAND AND WALES	2809	2791	11	6	1	—	162	371	365	4	2	—	—	13
Regions and Conurbations:														
Northern	209	208	1	—	—	—	5	18	18	—	—	—	—	—
Tyneside Conurbation ...	44	44	—	—	—	—	1	1	1	—	—	—	—	—
Remainder of Northern ...	165	164	1	—	—	—	4	17	17	—	—	—	—	—
East and West Ridings ...	279	277	1	1	—	—	15	43	43	—	—	—	—	2
West Yorkshire Conurbation ...	107	105	1	1	—	—	4	17	17	—	—	—	—	1
Remainder of E. & W. Ridings ...	172	172	—	—	—	—	11	26	26	—	—	—	—	1
North Western	401	397	2	2	—	—	21	71	71	—	—	—	—	4
S.E. Lancashire Conurbation ...	139	137	1	1	—	—	11	24	24	—	—	—	—	—
Merseyside Conurbation ...	130	128	1	—	—	—	5	14	14	—	—	—	—	—
Remainder of North Western ...	132	132	—	1	—	—	5	33	33	—	—	—	—	4
North Midland	231	229	2	—	—	—	10	41	39	2	—	—	—	—
Midland	324	322	2	—	—	—	14	32	32	—	—	—	—	1
West Midlands Conurbation ...	178	177	1	—	—	—	12	17	17	—	—	—	—	1
Remainder of Midland ...	146	145	1	—	—	—	2	15	15	—	—	—	—	—
Eastern	177	176	1	—	—	—	12	30	30	—	—	—	—	1
London and South Eastern ...	596	592	1	2	1	—	47	77	75	1	1	—	—	4
Greater London	463	459	—	2	1	—	42	51	50	1	—	—	—	4
Remainder of South Eastern ...	133	133	—	—	—	—	5	26	25	—	1	—	—	—
Southern	173	173	—	—	—	—	10	19	18	1	—	—	—	—
South Western	197	196	—	1	—	—	14	14	13	—	1	—	—	—
Wales (including Monmouthshire)	222	221	1	—	—	—	14	26	26	—	—	—	—	1
Wales I (South East) ...	168	167	1	—	—	—	11	19	19	—	—	—	—	—
Wales II (Remainder) ...	54	54	—	—	—	—	3	7	7	—	—	—	—	—
Urban/Rural Aggregates:														
Conurbations	1061	1050	5	5	1	—	75	124	123	1	—	—	—	6
Areas outside Conurbations:														
Urban areas with populations of 100,000 and over ...	411	411	—	—	—	—	21	55	55	—	—	—	—	3
Urban areas with populations of 50,000 and under 100,000 ...	203	199	4	—	—	—	16	33	33	—	—	—	—	4
Urban areas with populations under 50,000	625	623	2	—	—	—	29	82	80	—	2	—	—	—
Rural Districts	509	508	—	1	—	—	21	77	74	3	—	—	—	—
Immaturity associated with diseases of early infancy (760-773)*								Immaturity (774-776)						
ENGLAND AND WALES	3173	3162	9	—	2	—	197	3108	3082	24	2	—	—	246
Regions and Conurbations:														
Northern	241	241	—	—	—	—	5	318	316	2	—	—	—	26
Tyneside Conurbation ...	48	48	—	—	—	—	1	91	90	1	—	—	—	5
Remainder of Northern ...	193	193	—	—	—	—	4	227	226	1	—	—	—	21
East and West Ridings ...	267	264	1	—	2	—	13	331	330	1	—	—	—	21
West Yorkshire Conurbation ...	93	92	—	—	1	—	5	128	128	—	—	—	—	8
Remainder of E. & W. Ridings ...	174	172	1	—	1	—	8	203	202	1	—	—	—	13
North Western	492	492	—	—	—	—	27	524	519	5	—	—	—	31
S.E. Lancashire Conurbation ...	205	205	—	—	—	—	15	180	180	—	—	—	—	10
Merseyside Conurbation ...	130	130	—	—	—	—	2	114	112	2	—	—	—	10
Remainder of North Western ...	157	157	—	—	—	—	10	230	227	3	—	—	—	11
North Midland	246	246	—	—	—	—	18	220	218	2	—	—	—	1
Midland	395	391	4	—	—	—	19	292	291	1	—	—	—	21
West Midlands Conurbation ...	196	193	3	—	—	—	13	130	129	1	—	—	—	10
Remainder of Midland ...	199	198	1	—	—	—	6	162	162	—	—	—	—	11
Eastern	204	203	1	—	—	—	11	240	238	2	—	—	—	17
London and South Eastern ...	668	666	2	—	—	—	65	646	639	5	2	—	—	74
Greater London	534	532	2	—	—	—	56	473	468	4	1	—	—	62
Remainder of South Eastern ...	134	134	—	—	—	—	9	173	171	1	1	—	—	12
Southern	188	187	1	—	—	—	12	161	161	—	—	—	—	17
South Western	220	220	—	—	—	—	14	180	178	2	—	—	—	10
Wales (including Monmouthshire)	252	252	—	—	—	—	13	196	192	4	—	—	—	14
Wales I (South East) ...	195	195	—	—	—	—	10	157	154	3	—	—	—	11
Wales II (Remainder) ...	57	57	—	—	—	—	3	39	38	1	—	—	—	3
Urban/Rural Aggregates:														
Conurbations	1206	1200	5	—	1	—	92	1116	1107	8	1	—	—	105
Areas outside Conurbations:														
Urban areas with populations of 100,000 and over ...	477	477	—	—	—	—	35	410	406	4	—	—	—	38
Urban areas with populations of 50,000 and under 100,000 ...	207	206	1	—	—	—	12	244	241	3	—	—	—	17
Urban areas with populations under 50,000	697	693	3	—	1	—	32	731	725	5	1	—	—	44
Rural Districts	586	586	—	—	—	—	26	607	603	4	—	—	—	42

*Including some deaths shown elsewhere in this table.

TABLE 29.—Notifications of certain Infectious Diseases. Case Rates per 100,000 Population, 1947 to 1957. (For the years 1947 to 1949, the Rates in this Table relate to Civilians only)
 England and Wales and Certain Aggregates
 Rates based on final numbers after correction (except in Port Health Districts)

See Explanatory notes on page vi.

Disease	Year	England and Wales (including Port Health Districts)	England	Wales (including Monmouthshire)	London A.C.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Municipal Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London A.C.)	Wales (including Monmouthshire)	England	Wales (including Monmouthshire)	England (excluding London A.C.)	Wales (including Monmouthshire)	England	Wales (including Monmouthshire)
†Tuberculosis, Respiratory ..	1954	87	86	105	133	71	105	102	105	77	115	58	90
	1955	77	76	92	116	62	93	94	88	66	100	52	83
	1956	71	70	85	111	56	83	87	93	60	87	46	77
	1957	66	64	80	106	52	73	77	107	57	75	43	68
	1954	2	2	3	1	1	3	2	2	1	3	1	2
†Tuberculosis of Meninges and C.N.S. ..	1955	1	1	1	1	1	2	1	1	1	2	1	1
	1956	1	1	1	1	1	1	1	1	1	1	1	1
	1957	1	1	1	0	1	1	1	1	1	1	1	1
	1954	11	11	15	11	11	16	11	12	10	15	12	16
	1955	9	9	12	10	9	13	9	11	8	11	10	15
†Tuberculosis, Other ..	1956	8	8	10	9	8	10	9	10	8	11	8	13
	1957	8	8	11	8	7	11	8	10	7	9	8	14
	1947	1	1	1	1	1	0	1	1	1	0	1	1
	1948	1	1	1	0	1	1	0	1	1	1	1	1
	1949	1	1	0	1	1	0	1	1	1	0	1	0
Typhoid fever ...	1950	1	0	0	1	0	0	0	—	1	0	0	1
	1951	0	0	0	1	1	0	0	—	0	0	0	0
	1952	0	0	0	1	0	0	0	0	0	1	0	0
	1953	0	0	0	0	0	0	0	0	0	0	0	0
	1954	0	0	0	0	0	0	0	0	0	0	0	0
Paratyphoid fevers ...	1955	0	0	0	1	0	0	0	0	0	0	0	0
	1956	0	0	0	1	0	0	0	0	0	0	0	0
	1957	0	0	0	1	0	0	0	0	0	0	0	0
	1947	1	1	0	1	1	1	1	—	1	0	2	1
	1948	1	1	0	1	1	1	1	—	1	0	1	1
Meningococcal infections ...	1949	1	1	0	1	1	0	2	0	1	0	1	0
	1950	1	1	0	1	1	0	0	0	1	1	1	0
	1951	2	2	0	1	2	4	3	1	2	3	2	5
	1952	2	1	23	1	1	24	3	17	2	29	1	17
	1953	1	1	1	1	1	2	1	1	1	3	1	2
	1954	1	1	7	1	1	2	1	20	1	5	1	2
	1955	2	1	2	3	1	2	1	1	1	2	2	1
	1956	1	1	2	3	1	2	1	1	1	1	1	3
	1957	1	1	1	1	1	1	1	1	1	1	1	1
	1947	5	5	6	5	4	5	7	8	5	7	4	4
	1948	3	3	4	3	2	3	4	5	2	4	2	4
	1949	2	2	2	2	2	3	3	3	2	2	2	2
	1950	3	3	3	3	3	4	4	3	2	3	1	2
	1951	3	3	4	3	3	4	4	5	3	4	2	3
	1952	3	3	3	2	3	3	4	3	3	3	2	3
	1953	3	3	3	3	3	3	4	4	3	4	2	2
	1954	3	3	3	3	3	3	4	5	2	4	2	2
	1955	3	3	4	3	3	4	4	4	4	4	2	2
	1956	3	3	3	3	2	3	3	3	2	3	2	2
	1957	2	2	3	2	2	3	3	3	2	3	2	4
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)

*See note at end of Table 33.

TABLE 29—continued

Disease	Year	England and Wales (including Port Health Districts)	England	Wales (including Monmouthshire)	London A.C.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Municipal Boroughs and Urban Districts of		Aggregate of Rural Districts of—	
						England (excluding London A.C.)	Wales (including Monmouthshire)	England	Wales (including Monmouthshire)	England (excluding London A.C.)	Wales (including Monmouthshire)	England	Wales (including Monmouthshire)
Scarlet fever	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
	1947	137	111	141	133	123	126	164	198	131	140	103	13
	1948	173	170	219	137	154	133	209	310	165	210	103	102
	1949	163	163	160	146	156	140	180	229	167	160	128	164
	1950	150	150	155	123	147	143	163	195	152	170	131	164
	1951	111	111	108	110	107	103	120	126	113	126	136	101
	1952	153	156	107	156	148	100	171	133	164	116	93	67
	1953	139	141	96	102	137	80	160	155	145	86	111	74
	1954	97	99	65	74	100	60	104	83	106	69	119	70
	1955	73	74	70	63	68	60	86	106	71	72	86	46
Diphtheria	1956	74	72	115	67	68	102	80	106	70	108	62	42
	1957	66	66	64	67	59	60	79	78	63	76	52	34
	1947	13	13	18	14	10	19	18	13	11	20	9	17
	1948	8	8	7	10	7	8	11	6	3	8	5	8
	1949	4	4	4	6	3	4	6	3	3	4	3	5
	1950	2	2	2	2	1	2	3	2	2	3	1	2
	1951	2	1	2	1	1	1	3	2	2	2	1	1
	1952	1	1	2	1	1	1	1	2	1	2	1	1
	1953	1	1	1	0	1	0	1	1	1	1	0	1
	1954	0	0	0	0	0	0	0	1	0	0	0	0
Whooping cough	1955	0	0	0	1	0	0	0	—	0	0	1	—
	1956	0	0	0	0	0	0	0	—	0	0	0	—
	1957	0	0	0	0	0	0	0	—	0	—	0	0
	1947	222	228	127	286	215	118	237	160	220	136	203	88
	1948	342	349	237	313	347	227	363	274	342	241	358	203
	1949	239	242	183	170	231	161	280	260	232	167	231	150
	1950	360	372	173	321	347	138	431	296	351	148	338	123
	1951	387	387	376	311	370	362	370	425	401	375	419	342
	1952	261	267	166	166	249	153	328	210	250	160	246	142
	1953	358	365	253	330	361	207	380	417	218	189	359	189
Erysipelas	1954	239	241	204	141	256	207	238	192	236	210	200	202
	1955	178	182	107	143	179	115	198	78	170	109	200	125
	1956	207	210	149	166	198	117	247	264	201	123	191	108
	1957	189	191	168	122	206	163	177	185	183	185	257	128
	1947	19	19	14	23	17	13	21	16	18	15	15	10
	1948	21	22	17	22	20	15	25	20	21	19	18	10
	1949	19	18	18	17	18	17	22	25	18	18	17	12
	1950	17	18	15	17	17	13	20	22	15	15	15	8
	1951	14	14	10	15	13	9	15	15	13	10	12	8
	1952	14	14	11	14	13	10	16	15	14	12	12	7
	1953	14	12	9	12	13	10	14	14	12	9	11	6
	1954	12	11	8	11	12	8	14	12	11	12	10	7
	1955	10	11	9	11	10	8	11	12	11	9	11	4
	1956	10	10	7	9	10	6	11	14	10	10	9	5
	1957	8	8	7	8	8	6	9	10	8	8	7	5

TABLE 30 — Seasonal Incidence of Certain Infections } England and Wales
Diseases, 1957

Note.—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week : where the seasonal excess is more than 30 per cent over the weekly average the proportionate figure is shown in heavy type.

See explanatory notes on page vi.

Week ended	Typhoid fever	Para-typhoid fevers	Meningo-coccal Infection	Scarlet fever	Whooping cough	Diphtheria	Measles	Acute Poliomyelitis		Food poison in
								Paralytic	Non-paralytic	
Jan. 5 1957	67	50	124	100	128	50	90	70	45	69
" 12	33	67	140	92	151	225	76	75	60	79
" 19	167	33	120	121	162	100	67	48	26	72
" 26	33	33	92	145	197	25	78	33	14	80
Feb. 2	100	167	128	151	201	125	107	44	21	88
" 9	200	83	112	152	191	225	138	33	31	80
" 16	33	100	120	146	192	50	162	49	14	91
" 23	33	133	104	156	194	50	175	48	21	67
Mar. 2	—	167	88	146	182	175	189	33	21	84
" 9	33	117	96	147	182	150	204	43	17	73
" 16	133	67	116	164	193	75	204	37	36	80
" 23	33	50	120	154	178	75	223	41	26	145
" 30	33	50	184	142	173	150	207	29	24	102
Apr. 6	33	50	116	154	168	225	208	27	48	100
" 13	67	50	96	130	159	75	224	35	36	94
" 20	133	67	76	99	115	175	179	41	36	101
" 27	167	33	140	95	136	175	222	70	45	65
May 4	67	17	100	84	146	25	190	54	60	80
" 11	33	17	92	87	144	75	150	62	71	73
" 18	67	17	100	116	138	100	137	76	43	110
" 25	133	33	92	108	123	75	160	48	52	79
June 1	200	150	104	121	110	25	178	65	60	85
" 8	133	33	104	103	93	100	192	76	62	96
" 15	233	50	60	96	83	200	179	67	95	61
" 22	100	133	64	63	97	100	183	97	105	110
" 29	100	33	72	76	95	100	143	116	110	111
July 6	67	50	92	70	99	75	127	108	155	159
" 13	67	67	64	73	101	75	110	106	155	203
" 20	167	83	64	95	96	50	105	167	200	181
" 27	33	67	72	99	88	75	95	217	293	243
Aug. 3	200	100	64	84	78	100	81	224	283	216
" 10	—	233	80	52	64	175	65	290	345	167
" 17	33	250	80	49	73	25	54	281	455	188
" 24	133	200	100	45	67	150	35	298	417	163
" 31	67	183	76	43	61	150	25	240	371	130
Sept. 7	200	200	128	48	62	25	17	252	290	108
" 14	133	250	72	57	47	50	10	184	200	126
" 21	200	317	120	56	44	75	9	186	202	117
" 28	300	83	80	53	34	25	8	138	88	69
Oct. 5	200	67	56	54	23	75	11	140	69	56
" 12	167	83	152	59	19	25	10	108	62	51
" 19	67	117	124	67	19	25	11	102	38	44
" 26	133	17	140	70	21	75	12	89	24	54
Nov. 2	100	133	124	78	24	125	14	84	17	84
" 9	267	83	112	78	26	100	14	81	24	61
" 16	133	250	96	96	29	125	14	87	31	66
" 23	67	67	76	107	38	100	16	70	55	118
" 30	67	83	88	135	39	125	15	62	40	73
Dec. 7	100	100	116	127	35	25	18	97	48	71
" 14	—	183	136	139	31	75	20	84	43	62
" 21	67	150	108	120	27	50	20	52	43	78
" 28	133	67	76	101	16	125	17	35	31	46
Average weekly number of cases notified (original notifications)	3	6	25	571	1644	4	12183	63	42	206

TABLE 31—Cases of certain Infectious Diseases Notified, 1947 to 1957—England and Wales

Final numbers after correction (except in Port Health Districts)

See Explanatory notes on page vi.

(a) Total (excluding cases in Port Health Districts). { Civilians only, 1947 to 1949,
including non-civilians for 1950 onwards.

Diseases	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957
Typhoid fever	264	346	278	211	202	130	99	118	190	132	123
Paratyphoid fevers .. .	396	370	576	291	1094	1038	352	547	872	438	310
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	1	—	—	—	—	—	—	—	—	—
Meningococcal infections .. .	2196	1198	934	1149	1390	1326	1354	1245	1125	1164	1016
Scarlet fever	57246	73940	70186	65878	48735	67251	61172	43022	32597	33098	29541
Whooping cough	92657	146372	102801	157752	169347	114863	157835	105904	79101	92407	85017
Diphtheria	5492	3531	1874	959	658	372	265	166	154	51	37
Erysipelas	7812	9094	8259	7642	5935	5997	5992	5372	4612	4380	3587
Ophthalmia neonatorum .. .	3245	2729	2229	1935	1762	1788	1772	1684	1771	1515	1483
Dysentery	3711	5071	4513	17271	28564	14520	18409	31833	36699	48989	28899
Malaria (contracted in England and Wales)	5	3	4	—	1	—	\$3	—	—	—	1
Relapsing fever	1	2	—	—	—	—	—	—	—	—	—
Smallpox	77	—	17	7	27	135	30	—	—	—	4
Measles	393116	399185	385753	367598	616093	389448	544957	146970	693740	160499	633587
Ac. Poliomyelitis (Paralytic) .. .	—	—	—	5557	1527	2740	2970	1313	3711	1715	3175
Ac. Poliomyelitis (Non-paralytic) .. .	7646	1829	5918	2195	1082	1162	1568	641	2617	1482	1666
Ac. Encephalitis (Infective) .. .	67	29	49	186	202	112	166	118	150	173	171
Ac. Encephalitis (Post-infectious) .. .	—	—	—	67	110	91	91	101	118	106	155
Typhus fever	1	—	—	1	*3	*1	*1	†1	*1	—	—
Pneumonia (acute primary and acute influenzal)	33006	31207	34386	30634	43229	31710	37200	26543	27900	25439	32696
†Puerperal fever and pyrexia .. .	6528	5501	4724	4132	7417	12351	12716	12239	12108	11682	11833
Continued fever (London A.C. only) .. .	—	1	—	—	—	1	—	1	1	—	—
Food poisoning	?	?	?	7506	5797	5872	10373	9001	12717	10985	9179

(b) Port Health Districts. { Civilians only 1947 to 1949,
including non-civilians for 1950 onwards.

Typhoid fever	12	15	31	25	4	5	2	4	3	4	2
Paratyphoid fevers .. .	4	—	3	2	1	1	1	1	4	2	—
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infections .. .	4	—	1	1	—	1	—	1	1	4	—
Scarlet fever	18	7	21	11	9	10	8	4	22	5	6
Whooping cough	20	26	7	29	94	6	7	8	32	3	1
Diphtheria	17	15	9	3	6	4	1	7	1	2	—
Erysipelas	—	5	3	8	1	2	7	3	2	2	2
Ophthalmia neonatorum .. .	—	—	—	—	—	—	—	—	—	—	—
Dysentery	28	16	14	15	26	15	17	25	19	20	11
Relapsing fever	—	—	—	—	—	—	—	—	—	—	—
Smallpox	—	—	2	1	—	—	—	—	—	—	—
Measles	48	266	64	127	99	54	93	25	63	57	91
Ac. Poliomyelitis (Paralytic) .. .	9	7	14	8	2	7	6	6	1	2	2
Ac. Poliomyelitis (Non-paralytic) .. .	—	—	—	—	3	1	3	—	2	1	1
Ac. Encephalitis (Infective) .. .	—	—	—	—	—	1	—	—	—	—	1
Ac. Encephalitis (Post-infectious) .. .	—	—	—	—	—	—	1	—	—	—	—
Typhus fever	—	—	7	—	—	—	—	—	—	—	—
Pneumonia (acute primary and acute influenzal)	40	29	22	29	30	26	14	19	30	21	36
†Puerperal fever and pyrexia .. .	1	—	—	—	1	—	2	—	1	—	1
Continued fever (London A.C. only) .. .	—	—	—	—	—	—	—	—	—	—	—
Food poisoning	?	?	?	2	2	—	3	—	2	13	1

(c) Non-Civilians (including cases in Port Health Districts).

Typhoid fever	14	8	2	—	—	—	—	—	—	—	—
Paratyphoid fevers .. .	16	3	3	—	—	—	—	—	—	—	—
Plague	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infections .. .	86	18	8	—	—	—	—	—	—	—	—
Scarlet fever	782	884	460	—	—	—	—	—	—	—	—
Whooping cough	5	12	8	—	—	—	—	—	—	—	—
Diphtheria	100	29	7	—	—	—	—	—	—	—	—
Erysipelas	33	21	8	—	—	—	—	—	—	—	—
Dysentery	63	17	11	—	—	—	—	—	—	—	—
Malaria (contracted in England and Wales)	—	—	—	—	—	—	—	—	—	—	—
Relapsing fever	—	—	—	—	—	—	—	—	—	—	—
Smallpox	1	—	—	—	—	—	—	—	—	—	—
Measles	623	155	118	—	—	—	—	—	—	—	—
Ac. Poliomyelitis (Paralytic) .. .	121	19	50	—	—	—	—	—	—	—	—
Ac. Poliomyelitis (Non-paralytic) .. .	—	—	—	—	—	—	—	—	—	—	—
Ac. Encephalitis (Infective) .. .	—	—	—	—	—	—	—	—	—	—	—
Ac. Encephalitis (Post-infectious) .. .	1	1	—	—	—	—	—	—	—	—	—
Typhus fever	—	—	—	—	—	—	—	—	—	—	—
Pneumonia (acute primary and acute influenzal)	183	122	153	—	—	—	—	—	—	—	—
†Puerperal fever and pyrexia .. .	6	3	—	—	—	—	—	—	—	—	—
Continued fever (London A.C. only) .. .	—	—	—	—	—	—	—	—	—	—	—

*Not louse-borne.

†Type undetermined.

‡See note at end of Table 29.

\$1 case unconfirmed.

TABLE 32—Cases of certain Infectious Diseases Notified, by Sex and Age, 1957 { England and Wales, Standard Regions, Wales, Conurbations (excluding Port Health Districts)

Final numbers after correction.

Area	All Ages		0—		1—		2—		3—		4—		5—		10—		15—		25 and over		Unknown		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
Scarlet fever																							
ENGLAND AND WALES	14867	14674	50	45	293	270	834	762	1361	1303	1870	1689	8500	8564	1442	1531	335	324	152	174	30	32	
Regions and Conurbations:																							
Northern	1181	1247	3	3	32	29	82	65	124	123	138	149	641	701	129	138	22	22	10	13	—	4	
Tyneside Conurbation	389	379	—	—	—	8	30	22	36	36	39	47	219	207	47	47	4	6	5	3	—	2	
Remainder of Northern	792	868	3	2	23	21	52	43	88	87	99	102	422	494	82	91	18	16	5	10	—	2	
East and West Ridings	1779	1747	6	2	32	27	111	111	174	151	264	201	1014	1062	139	143	22	34	15	15	2	1	
West Yorkshire Conurbation	633	612	2	1	10	5	41	36	52	95	95	70	368	382	49	51	10	10	5	5	1	1	
Remainder of East and West Ridings	1146	1135	4	2	22	22	70	75	122	99	169	131	646	680	90	92	12	24	10	10	1	—	
North Western	2343	2424	10	9	49	50	143	142	241	240	326	321	1304	1387	206	214	41	44	21	15	2	2	
South East Lancashire Conurbation	840	884	5	3	16	19	57	45	103	95	134	132	444	486	65	81	7	17	8	5	1	1	
Merseyside Conurbation	519	541	3	—	8	12	37	36	46	45	71	67	295	325	47	39	9	15	3	2	—	—	
Remainder of North Western	984	999	2	6	25	19	49	61	92	100	121	122	565	576	94	94	25	12	10	8	1	1	
North Midland	1585	1465	4	2	30	22	73	75	168	134	185	154	954	880	121	143	30	38	14	14	6	3	
Midland	1380	1366	1	3	22	25	85	64	117	141	184	164	814	792	116	129	23	27	17	19	1	2	
West Midlands Conurbation	649	649	1	1	10	10	45	32	57	66	85	74	373	382	61	62	8	12	9	9	—	1	
Remainder of Midland	731	717	—	1	12	15	40	32	60	75	99	90	441	410	55	67	15	8	10	1	1	1	
Eastern	1096	957	3	5	23	17	63	41	78	79	146	97	637	555	107	111	16	30	18	19	5	3	
London and South Eastern	3459	3313	11	10	65	58	164	156	278	271	388	338	2036	1962	390	394	90	78	36	44	1	2	
Greater London	2833	2717	11	9	54	47	141	126	226	242	327	290	1652	1597	317	312	74	62	30	30	1	2	
Remainder of South Eastern	626	596	—	1	11	11	23	30	52	29	61	48	384	365	73	82	16	16	6	14	—	—	
Southern	469	496	1	2	8	9	17	16	35	25	57	58	261	306	54	57	28	9	7	11	1	3	
South Western	749	815	5	2	12	12	33	32	69	62	68	76	411	475	98	118	36	24	9	11	8	3	
Wales (including Monmouthshire)	826	844	6	7	20	21	63	60	77	77	114	111	428	444	82	84	27	18	5	13	4	9	
Wales I (South East)	660	657	4	5	16	18	55	48	59	59	94	90	342	356	63	56	24	14	3	10	—	—	
Wales II (Remainder)	166	187	2	2	4	3	8	12	18	18	20	21	86	88	19	28	3	4	2	5	—	8	
Urban/Rural Aggregates:																							
Conurbations	5863	5782	22	14	107	101	351	297	520	536	751	680	3351	3379	586	592	112	122	60	54	3	7	
Areas Outside Conurbations:																							
Urban areas with populations of 100,000 and over	2531	2507	7	9	60	53	161	141	262	249	349	329	1406	1428	224	230	46	46	12	20	4	2	
Urban areas with populations of 50,000 and under 100,000	1302	1387	4	4	16	23	54	44	119	97	149	123	428	428	82	82	26	23	12	18	1	1	
Urban areas with populations under 50,000	312	308	9	9	63	58	154	157	290	284	391	323	1839	1831	281	353	69	68	22	34	9	6	
Rural Districts	2244	2205	8	9	47	35	114	103	177	167	230	214	1259	1298	269	249	82	65	45	48	13	17	

TABLE 32—continued

All Ages		0—		1—		2—		3—		4—		5—		10—		15—		25 and over		Unknown			
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
Whooping cough																							
ENGLAND AND WALES		40537	44480	3753	3851	3858	4037	4549	4841	4982	5337	5140	5404	16338	18115	1337	1640	163	287	305	831	112	137
Regions and Conurbations:																							
Northern		3577	3898	340	403	421	438	490	460	577	598	518	586	1130	1272	68	75	6	9	20	48	7	9
Tyneside Conurbation		537	571	56	61	70	67	72	69	92	101	78	95	152	159	13	15	1	1	2	3	1	—
Remainder of Northern		3040	3327	284	342	351	371	418	391	485	497	440	491	978	1113	55	60	5	8	18	45	6	9
East and West Ridings		2562	2776	279	300	292	329	288	300	313	341	328	351	962	1029	65	81	13	16	13	25	9	4
West Yorkshire Conurbation		786	915	102	106	91	110	98	111	96	122	108	110	259	320	15	23	7	3	3	8	7	2
Remainder of East and West Ridings		1776	1861	177	194	201	219	190	189	217	219	220	241	703	709	50	58	6	13	10	17	2	2
North Western		4486	5022	489	529	515	605	600	659	640	669	628	641	1488	1709	84	108	9	23	24	63	9	16
South East Lancashire Conurbation		1619	1854	183	185	183	241	231	238	265	261	213	240	509	620	22	35	3	9	7	18	3	7
Merseyside Conurbation		1403	1487	170	194	184	180	188	216	190	189	191	182	442	461	22	38	4	6	10	19	2	2
Remainder of North Western		1464	1681	136	150	148	184	181	205	185	219	224	219	537	628	40	35	2	8	7	26	4	7
North Midland		2881	3196	235	248	247	241	313	284	308	403	395	424	1249	1365	95	132	10	25	19	59	10	15
Midland		4460	4868	466	430	490	456	507	581	549	621	548	602	1742	1945	116	146	17	27	18	53	7	7
West Midlands Conurbation		2230	2388	288	245	258	283	277	309	286	319	277	293	791	861	42	47	5	13	5	18	1	—
Remainder of Midland		2230	2480	178	185	232	173	230	272	263	302	271	309	951	1084	74	99	12	14	13	35	6	7
Eastern		4602	5150	320	360	372	354	439	482	522	501	565	601	2082	2381	212	264	24	37	38	142	28	28
London and South Eastern		9699	10534	851	820	822	914	1075	1115	1118	1149	1104	1135	4183	4585	385	460	49	78	98	252	14	26
Greater London		5664	6312	564	518	509	579	661	691	625	674	643	674	2340	2684	230	293	30	49	58	141	4	9
Remainder of South Eastern		4035	4222	287	302	313	335	414	424	493	475	461	461	1843	1901	155	167	19	29	40	111	10	17
Southern		2261	2437	214	174	195	181	218	225	231	297	261	263	990	1098	117	111	12	26	18	56	5	6
South Western		3952	4271	337	335	315	308	415	472	442	470	488	471	1721	1850	156	204	20	37	39	106	19	18
Wales (including Monmouthshire)		2057	2328	222	252	189	211	204	263	282	288	305	330	791	881	39	59	3	9	18	27	4	8
Wales I (South East)		1566	1736	176	201	130	167	152	192	205	208	244	261	611	639	32	38	2	5	13	20	1	5
Wales II (Remainder)		491	592	46	51	59	44	52	71	77	80	61	69	180	242	7	21	1	4	5	7	3	3
Urban/Rural Aggregates:																							
Conurbations		12239	13527	1363	1309	1295	1460	1527	1634	1554	1666	1510	1594	4493	5105	344	451	50	81	85	207	18	20
Areas Outside Conurbations:																							
Urban areas with populations of 100,000 and over		5303	5754	542	581	573	571	655	652	650	739	699	752	1993	2144	131	163	14	44	29	88	17	20
Urban areas with populations of 50,000 and under 100,000		2888	3161	255	278	286	259	345	338	352	373	367	417	1182	1305	76	106	4	13	12	44	9	8
Urban areas with populations under 50,000		9676	10776	833	880	875	903	1064	1166	1251	1326	1327	1381	3912	4469	273	320	40	74	74	223	27	38
Rural Districts		10431	11262	760	803	829	844	958	1031	1175	1233	1237	1260	4758	5092	513	600	55	79	105	269	41	51

TABLE 32—continued

Area	All Ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
Diphtheria																							
ENGLAND AND WALES	10	27	—	—	1	—	1	—	1	2	1	—	2	6	3	3	—	4	1	12	—	—	
Regions and Conurbations:																							
Northern	2	2	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	
Tyneside Conurbation	2	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	
Remainder of Northern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
East and West Ridings	2	4	—	—	—	—	—	—	—	1	—	—	—	2	1	1	1	1	—	—	—	—	
West Yorkshire Conurbation	2	—	—	—	—	—	—	—	—	1	—	—	—	2	1	1	1	1	—	—	—	—	
Remainder of East and West Ridings	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
North Western	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Lancashire Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
South East Lancashire Conurbation	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Merseyside Conurbation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Remainder of North Western	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
North Midland	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Midland	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
West Midlands Conurbation	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Remainder of Midland	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Eastern	1	3	—	—	—	—	—	—	1	—	—	—	—	1	—	—	1	1	—	—	—	—	
London and South Eastern	2	4	—	—	—	—	—	—	—	—	—	—	1	2	2	—	—	—	1	2	—	—	
Greater London	1	4	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	1	—	—	—	
Remainder of South Eastern	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Southern	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	
South Western	1	10	—	—	—	—	1	—	—	—	—	—	—	—	—	2	2	—	—	5	—	—	
Wales (including Monmouthshire)	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
Wales I (South East)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Wales II (Remainder)	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Urban/Rural Aggregates:																							
Conurbations	2	6	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	4	—	—	
Areas Outside Conurbations:																							
Urban areas with populations of 100,000 and over	2	14	—	—	—	—	—	—	1	1	—	—	—	2	1	2	3	3	—	6	—	—	
Urban areas with populations of 50,000 and under 100,000	1	3	—	—	—	—	—	—	1	1	—	—	—	—	1	1	1	1	—	—	—	—	
Urban areas with populations under 50,000	5	3	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	
Rural Districts	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 32—continued.

Area	All Ages		0—		1—		2—		3—		4—		5—		10—		15—		25 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
ENGLAND AND WALES																						
Regions and Conurbations:	322973	310614	9294	9360	29267	27702	38087	36459	42298	40554	45490	43339	148378	142256	6941	7083	1369	1644	1044	1449	805	768
Northern	30800	29872	1126	1082	3342	3202	4080	4080	4657	4474	4515	4320	12310	11865	571	579	114	131	78	99	27	40
Lyneside Conurbation	8896	8708	396	351	1061	1030	1312	1295	1410	1380	1399	1405	3242	3132	54	75	11	20	5	12	6	8
Remainder of Northern	21904	21164	730	731	2281	2172	2748	2785	3247	3094	3116	2915	9068	8733	517	504	103	111	73	87	21	32
East and West Ridings	35330	34063	1200	1234	3522	3323	4445	4324	4939	4707	5118	4892	15229	14747	545	509	147	152	81	112	104	63
West Yorkshire Conurbation	15415	14552	491	509	1543	1435	2042	1945	2246	2067	2224	2104	6570	6236	164	133	40	42	31	48	64	33
Remainder of East and West Ridings	19915	19511	709	725	1979	1888	2403	2379	2693	2640	2894	2788	8659	8511	381	376	107	110	50	64	40	30
North Western	48100	46176	1664	1578	4954	4736	6617	6172	7168	6836	7505	7154	19251	18445	628	614	108	191	97	149	108	101
South East Lancashire Conurbation	20657	19524	716	677	2292	2188	3123	2857	3316	3117	3380	3236	7580	7146	163	180	25	30	36	47	26	26
Merseyside Conurbation	9046	8934	376	395	911	921	1219	1200	1312	1250	1292	1191	3687	3617	149	143	28	53	70	43	24	9
Remainder of North Western	18397	17718	572	506	1751	1627	2275	2115	2540	2469	2833	2727	7984	7682	316	396	30	71	38	59	58	66
North Midland	28096	26750	707	691	2370	2288	3127	2892	3405	3249	3697	3590	13804	13078	699	665	106	99	85	103	96	95
Midland	36894	35223	1133	1165	3527	3231	4452	4102	4897	4643	5229	4972	16723	16228	619	582	151	143	94	104	69	53
West Midlands Conurbation	18911	18188	691	712	1921	1723	2350	2240	2610	2468	2806	2641	8280	8115	167	188	40	57	23	29	23	15
Remainder of Midland	17983	17035	442	453	1606	1508	2102	1862	2287	2175	2423	2331	8443	8113	452	394	111	86	71	75	46	38
Eastern	27485	26388	581	560	2082	1926	2818	2627	3206	3115	3330	3190	14053	13416	1011	1045	150	210	144	169	110	130
London and South Eastern	68949	66725	1645	1782	5759	5449	7514	7361	8306	7910	9379	8777	34204	32973	1407	1452	335	446	284	453	116	122
Greater London	52521	51176	1330	1448	4626	4325	5990	5851	6506	6229	7332	6863	24562	24910	788	863	207	312	174	308	62	67
Remainder of South Eastern	16428	15549	315	334	1133	1124	1524	1510	1800	1681	1997	1914	8748	8063	619	589	128	134	110	145	54	55
Southern	16740	16161	381	366	1268	1199	1749	1697	1968	1961	2176	2076	8333	7986	609	576	133	121	75	122	48	57
South Western	19185	18419	445	490	1403	1343	2022	1949	2288	2183	2648	2614	9520	8972	622	619	88	95	88	99	61	55
Wales (including Monmouthshire)	11394	10837	412	412	1040	1005	1283	1255	1464	1476	1893	1754	4951	4546	230	242	37	56	18	39	66	52
Wales I (South East)	9229	8692	356	355	853	845	1107	1034	1209	1241	1527	1430	3980	3564	144	136	25	33	10	26	18	8
Wales II (Remainder)	2165	2145	56	57	187	160	176	201	255	235	366	324	971	982	86	106	12	23	8	13	48	44
Urban/Rural Aggregates:	125446	121082	4000	4092	12354	11622	16036	15388	17400	16511	18483	17440	54815	53156	1485	1677	376	551	292	487	205	158
Conurbations	42213	41047	1446	1473	4395	4062	5376	5181	5924	5702	6606	6330	17769	17438	438	522	113	148	58	106	88	85
Urban areas with populations of 100,000 and over	23180	22218	773	691	2140	2010	2894	2736	3212	3143	3532	3286	10196	9794	338	383	92	59	82	53	59	53
Urban areas with populations of 50,000 and under	71120	68520	1929	1849	6161	5952	7929	7759	9307	8985	9854	9615	33825	31958	1303	1336	319	324	242	301	251	241
Urban areas with populations under 50,000	61014	57947	1246	1255	4217	4056	5852	5405	6455	6213	7015	6668	31773	29910	3377	3213	478	529	393	473	208	225
Rural Districts																						

TABLE 32—continued

Area		All Ages		0—		1—		2—		3—		4—		5—		10—		15—		25 and over		Unknown	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Acute poliomyelitis (paralytic)																							
ENGLAND AND WALES		1715	1460	62	46	119	108	124	123	136	104	123	90	427	321	156	144	150	154	415	367	3	3
Regions and Conurbations:																							
Northern		75	64	11	2	8	13	8	13	7	11	6	5	20	10	6	1	3	2	6	7	—	—
Tyneside Conurbation		9	7	—	—	7	12	1	1	—	—	—	—	3	1	2	—	1	—	1	2	—	—
Remainder of Northern		66	57	11	2	7	7	12	7	7	10	6	4	17	9	4	1	2	2	5	5	—	—
East and West Ridings		101	88	9	3	5	8	11	14	12	11	7	3	17	14	11	9	12	12	17	14	—	—
West Yorkshire Conurbation		49	34	5	2	3	3	6	5	4	2	2	1	6	3	5	4	9	7	9	7	—	—
Remainder of East and West Ridings		52	54	4	1	2	5	5	9	8	9	5	2	11	11	6	5	3	5	8	7	—	—
North Western		106	115	2	7	13	9	9	11	7	13	9	7	28	27	10	7	8	21	23	—	—	
South East Lancashire Conurbation		26	32	—	2	4	1	3	3	2	5	—	—	8	8	3	2	1	6	5	4	—	—
Merseyside Conurbation		27	27	2	2	5	5	2	2	1	4	4	1	5	5	4	2	1	1	1	3	—	—
Remainder of North Western		53	56	—	3	4	3	4	6	4	4	5	5	15	14	3	6	5	1	13	14	—	—
North Midland		152	144	10	5	13	19	13	10	16	5	10	10	36	42	13	12	14	10	26	31	1	—
Midland		228	127	7	5	16	5	21	15	17	6	15	7	63	41	13	5	21	16	55	26	—	—
West Midlands Conurbation		42	22	1	—	7	3	2	3	—	—	—	—	1	1	7	2	3	4	10	3	—	—
Remainder of Midland		186	105	6	5	9	2	18	13	14	6	12	6	52	34	12	3	18	12	45	23	—	—
Eastern		223	179	1	2	9	12	13	9	12	11	21	6	62	35	25	24	19	21	60	58	1	—
London and South Eastern		467	422	18	12	22	26	25	22	30	20	25	23	115	87	52	51	45	57	135	123	1	—
Greater London		297	246	15	7	13	15	19	19	20	15	20	18	75	50	38	24	31	77	62	—	—	
Remainder of South Eastern		170	176	3	5	9	11	10	3	10	5	5	5	40	37	14	23	21	26	58	61	—	—
Southern		114	89	1	2	10	3	7	8	7	5	11	7	29	16	7	11	13	9	29	28	—	—
South Western		145	152	1	6	11	3	13	13	16	7	8	12	37	33	11	18	5	16	42	44	1	—
Wales (including Monmouthshire)		104	80	2	2	12	10	4	8	12	15	11	10	10	20	16	8	3	11	3	24	13	
Wales (South East)		76	61	—	2	8	10	3	8	11	11	10	8	14	10	6	1	7	2	15	10	—	
Wales I (Remainder)		28	19	—	1	4	—	1	1	1	4	1	2	6	6	2	2	4	1	9	3	—	
Urban/Rural Aggregates:																							
Conurbations		450	368	23	13	33	28	30	32	30	27	29	23	108	74	53	38	39	49	105	83	—	—
Areas Outside Conurbations:																							
Urban areas with populations of 100,000 and over		223	213	10	11	21	17	22	17	24	23	20	18	60	52	10	6	19	17	37	52	—	—
Urban areas with populations of 50,000 and under 100,000		219	186	9	6	15	17	18	17	21	10	15	6	51	36	24	26	15	22	51	45	—	—
Urban areas with populations under 50,000		460	371	13	9	30	24	30	30	38	33	39	23	112	82	36	38	39	33	123	99	—	—
Rural Districts		363	322	7	7	20	22	24	27	23	11	20	20	96	77	33	36	38	33	99	88	3	—

TABLE 32—continued

Area	All Ages		0—		1—		2—		3—		4—		5—		10—		15—		25 and over		Unknown		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
Acute poliomyelitis (non-paralytic)																							
ENGLAND AND WALES	974	692	11	9	23	19	42	25	51	46	92	57	395	226	169	99	81	83	110	128	—	—	
Regions and Conurbations:																							
Northern	37	24	—	1	3	1	2	1	2	—	3	2	14	11	6	2	5	3	2	3	—	—	
Tyneside Conurbation	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Remainder of Northern	35	22	—	1	3	1	2	1	2	—	3	2	13	10	6	2	4	3	2	2	—	—	
East and West Ridings	18	20	3	2	1	—	—	2	1	—	1	1	6	8	3	1	1	5	2	1	—	—	
West Yorkshire Conurbation	12	14	3	2	2	—	—	1	1	—	—	—	4	5	2	1	1	4	2	1	—	—	
Remainder of East and West Ridings	6	6	—	—	—	—	—	1	—	—	—	—	2	3	1	—	—	1	—	—	—	—	
North Western	30	26	—	—	1	—	2	1	2	3	2	1	13	14	3	4	5	1	2	2	—	—	
South East Lancashire Conurbation	10	10	—	—	—	—	1	—	—	—	—	—	5	7	2	2	1	1	—	—	—	—	
Merseyside Conurbation	8	4	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	
Remainder of North Western	12	12	—	—	—	—	1	1	2	3	1	1	5	6	1	2	2	—	1	1	—	—	
North Midland	106	61	1	1	4	3	10	1	11	6	11	9	38	27	15	4	7	4	9	6	—	—	
Midland	165	86	2	2	5	3	5	2	6	7	14	10	80	28	27	17	10	7	16	10	—	—	
West Midlands Conurbation	25	10	1	1	2	1	—	—	2	—	1	2	11	4	7	—	1	1	—	—	—	—	
Remainder of Midland	140	76	1	1	3	2	5	2	4	7	13	8	69	24	20	17	9	6	16	9	—	—	
Eastern	133	99	1	—	2	3	4	6	9	6	16	7	51	30	21	10	9	14	20	23	—	—	
London and South Eastern	309	221	3	2	4	5	10	8	10	13	31	14	131	59	63	33	21	34	36	53	—	—	
Greater London	175	111	1	1	1	2	7	3	6	7	21	9	81	29	32	20	8	18	19	22	—	—	
Remainder of South Eastern	134	110	2	1	4	3	3	5	4	6	10	5	50	30	31	13	13	16	17	31	—	—	
Southern	51	46	—	—	1	2	1	3	3	4	5	2	21	15	12	9	2	3	6	8	—	—	
South Western	96	94	1	1	2	1	5	1	7	7	8	7	28	29	13	16	17	11	15	21	—	—	
Wales (including Monmouthshire)	29	15	—	—	—	1	3	—	—	—	1	4	13	5	6	3	4	1	2	1	—	—	
Wales I (South East)	18	11	—	—	—	—	3	—	—	—	—	—	3	8	5	2	1	1	1	—	—		
Wales II (Remainder)	11	4	—	—	—	1	—	—	—	—	1	1	5	—	1	1	3	—	—	—	—		
Urban/Rural Aggregates:																							
Conurbations	232	151	5	4	4	3	8	4	9	7	23	12	105	47	44	25	14	24	20	25	—	—	
Areas Outside Conurbations:																							
Urban areas with populations of 100,000 and over	151	83	—	—	7	4	9	2	10	10	18	11	63	21	20	11	16	8	8	16	—	—	
Urban areas with populations of 50,000 and under	126	112	2	—	2	9	7	11	10	10	10	10	47	41	23	9	5	10	17	23	—	—	
Urban areas with populations under 50,000	232	196	2	2	3	6	6	7	11	14	26	16	90	67	40	28	19	22	35	34	—	—	
Rural Districts	233	150	2	3	7	4	10	5	10	5	15	8	90	50	42	26	27	19	30	30	—	—	

TABLE 32—continued

Area	All Ages		0—		5—		15—		45—		65 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Enteric or typhoid fever														
ENGLAND AND WALES	54	69	9	5	9	11	20	29	14	12	2	12	—	—
Regions and Conurbations:														
Northern	4	6	2	1	—	1	—	1	1	2	1	1	—	—
Tyneside Conurbation	—	3	—	1	—	—	—	—	—	—	—	—	—	—
Remainder of Northern	4	3	2	—	—	1	—	6	1	1	—	2	—	—
East and West Ridings	3	8	—	—	1	—	1	6	1	—	—	—	—	—
West Yorkshire Conurbation	2	2	—	—	1	—	1	4	1	—	—	2	—	—
Remainder of East and West Ridings	1	6	—	—	—	—	—	—	—	—	—	—	—	—
North Western	5	15	1	2	2	2	1	6	1	1	—	4	—	—
South East Lancashire Conurbation	—	5	—	—	1	2	—	3	1	—	—	—	—	—
Merseyside Conurbation	2	10	1	2	1	—	1	—	—	1	—	4	—	—
Remainder of North Western	3	—	—	—	—	—	—	—	—	—	—	—	—	—
North Midland	3	4	—	1	1	1	2	2	—	—	—	—	—	—
Midland	4	1	2	1	—	—	1	—	1	—	—	—	—	—
West Midlands Conurbation	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of Midland	2	1	2	1	—	—	2	1	1	—	—	—	—	—
Eastern	4	2	—	—	1	—	—	1	1	1	—	—	—	—
London and South Eastern	26	21	4	—	4	4	10	8	7	4	1	5	—	—
Greater London	18	15	3	—	2	2	8	7	5	2	1	4	—	—
Remainder of South Eastern	8	6	1	—	2	2	2	1	2	2	—	1	—	—
Southern	1	4	—	—	—	—	1	2	—	2	—	—	—	—
South Western	4	4	—	—	—	2	2	1	2	1	—	—	—	—
Wales (including Monmouthshire)	—	4	—	—	—	1	—	2	—	1	—	—	—	—
Wales I (South East)	—	2	—	—	—	—	—	2	—	—	—	—	—	—
Wales II (Remainder)	—	2	—	—	—	1	—	—	—	1	—	—	—	—
Urban/Rural Aggregates:														
Conurbations	23	25	3	1	4	4	9	12	7	3	—	5	—	—
Areas Outside Conurbations:														
Urban areas with populations of 100,000 and over	7	9	2	2	—	1	2	6	2	1	1	—	—	—
Urban areas with populations of 50,000 and under 100,000	7	3	—	1	1	3	2	7	3	4	1	3	—	—
Urban areas with populations under 50,000	9	18	4	1	—	3	4	7	2	4	—	4	—	—
Rural Districts	8	14	—	—	4	3	4	3	—	—	—	—	—	—

TABLE 32—continued

Area	All Ages		0—		5—		15—		45—		65 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Paratyphoid fevers													
ENGLAND AND WALES	132	178	30	31	38	29	47	76	11	24	6	15	—	3
Regions and Conurbations:														
Northern	22	20	3	3	7	4	7	7	1	4	4	2	—	—
Tyneside Conurbation	4	5	1	2	2	2	1	6	—	—	—	—	—	—
Remainder of Northern	18	15	2	1	5	2	6	1	1	4	4	2	—	—
East and West Ridings	22	32	10	14	6	4	4	9	2	3	—	—	—	2
West Yorkshire Conurbation	6	3	1	14	6	4	2	2	1	2	—	—	—	2
Remainder of East and West Ridings	16	29	9	—	4	—	2	7	1	—	—	—	—	—
North Western	17	18	6	3	3	—	6	10	1	3	1	2	—	—
South East Lancashire Conurbation	12	12	4	2	1	—	6	7	1	3	—	—	—	—
Merseyside Conurbation	2	2	—	—	—	—	—	2	—	—	—	—	—	—
Remainder of North Western	3	4	2	1	1	—	—	—	—	—	1	1	—	—
North Midland	4	11	—	2	2	2	2	2	—	2	—	3	—	—
Midland	12	15	4	2	4	3	3	5	1	4	—	1	—	—
West Midlands Conurbation	2	9	—	2	1	2	—	3	1	2	—	—	—	—
Remainder of Midland	10	6	4	—	3	1	—	2	—	2	—	1	—	—
Eastern	8	8	—	1	4	1	3	6	1	—	—	—	—	—
London and South Eastern	27	49	5	5	6	10	12	27	3	3	1	4	—	—
Greater London	18	31	3	4	4	6	10	19	1	2	—	3	—	—
Remainder of South Eastern	9	15	2	1	2	4	2	8	2	1	1	1	—	—
Southern	8	7	2	—	2	—	2	2	2	4	—	1	—	—
South Western	5	2	—	—	2	—	3	1	—	—	—	—	—	1
Wales (including Monmouthshire)	7	16	—	1	2	5	5	7	—	1	—	2	—	—
Wales I (South East)	2	12	—	1	—	4	2	6	—	1	—	1	—	—
Wales II (Remainder)	5	4	—	—	2	1	3	1	—	—	—	—	—	—
Urban/Rural Aggregates:														
Conurbations	44	65	9	10	11	10	19	33	4	8	1	4	—	—
Areas Outside Conurbations:														
Urban areas with populations of 100,000 and over	16	29	10	9	2	8	3	10	1	1	—	1	—	—
Urban areas with populations of 50,000 and under 100,000	6	7	1	1	2	1	1	3	2	2	—	2	—	—
Urban areas with populations under 50,000	20	45	5	7	7	7	6	15	2	9	—	5	—	—
Rural Districts	46	32	5	4	16	3	18	15	2	6	5	3	—	1

TABLE 32—continued

Area	All Ages				0—		1—		2—		3—		4—		5—		10—		15—		25 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Meningococcal infection																								
ENGLAND AND WALES	576	440	177	125	92	72	53	36	30	21	22	18	85	62	19	24	35	26	58	55	5	1		
Regions and Conurbations:																								
Northern	48	52	16	14	9	10	7	3	1	2	3	5	4	8	—	2	1	4	6	4	1			
Tyneside Conurbation	22	16	7	6	4	4	5	1	1	2	1	2	1	1	—	—	—	—	4	1	—			
Remainder of Northern	26	36	9	8	5	6	2	2	1	—	2	3	3	8	—	2	1	4	2	3	1			
East and West Ridings	79	55	21	14	17	6	7	9	3	5	4	—	11	8	2	3	5	3	9	7				
West Yorkshire Conurbation	22	8	6	3	7	1	1	1	1	5	2	—	2	1	1	1	1	1	3	1				
Remainder of East and West Ridings	57	47	15	11	10	5	6	8	3	5	2	—	9	7	2	3	4	2	6	6				
North Western	115	90	37	45	14	15	16	5	6	6	6	5	17	5	6	3	6	1	6	5	1			
South East Lancashire Conurbation	39	37	14	20	4	4	4	3	3	2	2	3	4	6	1	1	1	2	2	2				
Merseyside Conurbation	23	26	8	14	4	7	3	2	1	3	—	—	1	1	3	1	2	1	1	2				
Remainder of North Western	53	27	15	11	6	4	9	2	2	1	3	1	11	—	4	2	1	2	2	3	1			
North Midland	50	28	10	2	8	5	3	3	4	—	1	2	7	3	2	6	6	2	7	5	2			
Midland	46	38	19	9	4	6	4	4	3	1	3	2	7	9	1	1	1	2	4	4				
West Midlands Conurbation	24	17	7	4	3	3	3	2	1	1	1	1	5	4	1	1	1	2	2	2				
Remainder of Midland	22	21	12	5	1	3	1	2	2	1	1	—	—	—	—	—	—	—	2	2				
Eastern	29	22	9	3	7	1	4	5	3	—	—	—	3	6	1	1	—	3	2	3				
London and South Eastern	98	78	26	17	17	15	9	5	7	6	1	2	18	11	3	3	7	6	10	13				
Greater London	82	60	26	16	16	13	8	2	4	4	1	—	16	8	3	2	6	6	8	9				
Remainder of South Eastern	16	18	6	1	1	2	1	3	3	2	—	—	2	3	—	1	1	1	2	4				
Southern	35	24	13	5	5	5	—	1	2	—	1	—	5	4	1	—	4	3	4	6				
South Western	27	22	9	6	4	3	1	—	—	—	2	1	5	4	1	2	2	—	2	5	1			
Wales (including Monmouthshire)	48	31	17	10	7	6	2	1	1	1	1	1	8	4	2	3	3	2	8	3				
Wales I (South East)	40	29	14	10	5	5	2	1	1	1	1	1	6	3	1	3	3	2	8	3				
Wales II (Remainder)	9	2	3	—	2	1	—	—	1	—	—	—	2	1	—	—	—	—	—	—				
Urban/Rural Aggregates:																								
Conurbations	212	164	62	63	38	32	24	9	9	11	9	7	30	14	7	5	12	8	21	15				
Areas Outside Conurbations:																								
Urban areas with populations of 100,000 and over	97	81	29	22	18	13	8	4	4	4	3	4	17	7	2	8	4	5	11	14	1			
Urban areas with populations of 50,000 and under 100,000	58	35	19	10	11	5	7	4	5	1	1	1	8	4	1	1	1	1	8	7				
Urban areas with populations under 50,000	110	105	36	20	15	15	5	14	6	4	3	3	17	24	7	3	10	8	6	13	3			
Rural Districts	99	55	31	10	10	7	9	5	6	1	6	3	13	13	3	6	8	4	12	6	1			

TABLE 32.—continued

Area	All Ages		0—		5—		15—		45—		65 and over		Unknown			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Erysipelas																
ENGLAND AND WALES	1614	1973	26	12	51	62	387	423	785	940	350	515	15	21		
Regions and Conurbations:																
Northern	131	122	4	1	1	3	28	37	60	55	37	25	1	1		
Tyne-side Conurbation	49	34	3	1	1	1	11	10	23	15	11	7	—	—		
Remainder of Northern	82	88	1	—	—	2	17	27	37	40	26	18	1	1		
East and West Ridings	225	214	3	4	14	8	52	52	116	99	38	50	2	1		
West Yorkshire Conurbation	108	102	1	3	10	6	32	27	49	41	16	25	—	—		
Remainder of East and West Ridings	117	112	2	1	4	2	20	25	67	58	22	25	2	1		
North Western	191	236	2	—	7	10	42	51	98	117	39	58	3	—		
South East Lancashire Conurbation	75	94	1	—	4	4	19	16	35	52	16	22	—	—		
Merseyside Conurbation	46	53	—	—	1	2	13	17	23	23	7	11	2	—		
Remainder of North Western	70	89	1	—	2	4	10	18	40	42	16	25	1	—		
North Midland	164	144	1	—	6	2	41	26	79	75	33	37	4	4		
Midland	138	186	2	1	1	8	39	42	67	94	29	39	—	2		
West Midlands Conurbation	93	101	—	—	—	5	28	18	48	54	17	23	—	1		
Remainder of Midland	45	85	2	1	1	3	11	24	19	40	12	16	—	1		
Eastern	103	140	2	—	4	4	19	30	55	65	23	40	—	1		
London and South Eastern	373	548	6	3	10	19	93	109	178	252	83	159	3	6		
Greater London	318	428	6	2	10	15	82	88	153	204	67	117	—	2		
Remainder of South Eastern	55	120	—	1	—	4	11	21	25	48	16	42	3	4		
Southern	87	115	1	1	2	3	19	25	46	47	19	36	—	3		
South Western	117	179	2	2	4	3	26	29	48	92	35	50	2	3		
Wales (including Monmouthshire)	85	89	3	—	2	2	28	22	38	44	14	21	—	—		
Wales I (South East)	62	68	2	—	1	2	18	17	33	34	8	13	—	—		
Wales II (Remainder)	23	21	1	—	1	—	10	5	5	10	6	6	—	—		
Urban/Rural Aggregates:																
Conurbations	689	812	11	6	26	33	185	176	331	389	134	205	2	3		
Areas Outside Conurbations:																
Urban areas with populations of 100,000 and over	231	291	6	—	4	5	46	58	125	151	48	73	2	4		
Urban areas with populations of 50,000 and under 100,000	111	135	2	—	4	6	18	28	56	64	31	37	—	—		
Urban areas with populations under 50,000	300	400	4	5	9	7	66	82	151	187	68	113	2	6		
Rural Districts	283	335	3	1	8	11	72	79	122	149	69	87	9	8		

TABLE 32—Continued

All Ages		0—		1—		2—		3—		4—		5—		10—		15—		25 and over		Unknown			
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
Area		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Dysentery																							
ENGLAND AND WALES		14205	14694	663	551	1089	924	1151	1008	1103	899	972	834	4524	4026	1489	1254	605	1031	2423	3920	186	247
Regions and Conurbations:																							
Northern		1296	1334	66	70	121	86	115	105	120	91	77	80	373	369	108	86	68	101	231	317	17	29
Tyneside Conurbation		526	586	25	18	59	39	54	58	53	41	38	42	156	157	36	36	25	50	79	144	1	1
Remainder of Northern		770	748	41	52	62	47	61	47	67	50	39	38	217	212	72	50	43	51	152	173	16	28
East and West Ridings		3211	3119	157	138	263	214	290	245	244	201	252	201	1069	861	263	210	112	233	500	748	61	68
West Yorkshire Conurbation		1370	1424	67	57	148	106	149	123	121	94	126	85	384	316	99	91	38	119	207	392	31	41
Remainder of East and West Ridings		1841	1695	90	81	115	108	141	122	123	107	126	116	685	545	164	119	74	114	293	356	30	27
North Western		3037	3221	181	128	254	230	264	242	305	231	197	193	905	891	327	281	118	197	470	804	16	24
South East Lancashire Conurbation		1596	1877	71	74	133	130	150	123	166	137	119	119	493	525	145	148	52	101	255	508	12	12
Merseyside Conurbation		348	340	60	27	50	47	42	42	42	29	19	24	73	58	27	17	58	39	26	57	1	1
Remainder of North Western		1093	1004	50	27	71	53	72	77	97	65	59	50	339	308	155	116	57	189	239	3	3	
North Midland		872	916	31	25	54	46	65	58	60	61	65	59	280	285	103	82	39	55	164	232	11	13
Midland		1180	1179	61	45	89	79	93	63	64	61	80	47	402	355	115	100	52	64	207	338	17	27
West Midlands Conurbation		424	399	29	17	30	26	36	15	25	24	21	18	146	119	26	28	17	25	88	117	6	10
Remainder of Midland		756	780	32	28	59	53	57	48	39	37	59	29	256	236	89	72	35	39	119	221	11	17
Eastern		936	985	26	22	52	43	54	56	59	58	55	66	314	264	132	110	45	82	171	258	28	26
London and South Eastern		2515	2671	102	89	199	170	197	182	167	141	157	117	822	671	300	228	111	200	449	855	11	18
Greater London		2106	2169	91	81	176	153	184	154	145	127	132	102	675	548	231	176	88	157	375	655	9	16
Remainder of South Eastern		409	502	11	8	23	17	13	28	22	14	25	15	147	123	69	52	23	43	74	200	2	2
Southern		466	520	11	11	27	26	30	24	24	20	31	28	164	152	72	80	22	32	78	138	7	9
South Western		330	350	10	6	14	14	21	16	31	12	16	13	106	90	37	46	22	38	70	107	3	8
Wales (including Monmouthshire)		362	399	18	17	16	16	22	17	29	23	42	30	89	88	32	31	16	29	83	123	15	25
Wales I (South East)		295	305	16	15	14	13	17	16	25	19	33	23	76	64	24	20	13	24	74	109	3	2
Wales II (Remainder)		67	94	2	2	2	3	5	1	4	4	9	7	13	24	8	11	3	5	9	14	12	23
Urban/Rural Aggregates:																							
Conurbations		6370	6795	343	274	596	501	615	515	552	452	455	390	1927	1723	564	496	228	491	1030	1873	60	80
Areas Outside Conurbations:																							
Urban areas with populations of 100,000 and over		2770	2691	143	117	215	174	239	206	210	160	207	179	898	767	266	220	111	172	449	656	32	40
Urban areas with populations of 50,000 and under 100,000		905	977	28	33	47	44	48	59	58	63	58	56	321	308	121	102	38	82	174	221	12	9
Urban areas with populations under 50,000		2512	2669	106	82	150	118	168	152	197	140	150	137	848	834	328	244	113	109	374	470	56	33
Rural Districts		1648	1562	43	45	81	87	81	76	86	84	102	72	530	394	210	192	15	15	107	170	20	26

Area	All Ages		0—		5—		15—		45—		65 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Acute encephalitis (infective)														
ENGLAND AND WALES	95	76	29	18	22	25	33	25	7	5	3	3	1	—
Regions and Conurbations:														
Northern ..	7	4	3	3	2	—	2	—	—	—	—	—	—	—
Tyneside Conurbation ..	2	2	2	1	2	—	2	—	—	—	—	—	—	—
Remainder of Northern ..	5	2	1	2	—	—	—	—	—	—	—	—	—	—
East and West Ridings	8	9	3	3	2	2	3	2	—	2	—	—	—	—
West Yorkshire Conurbation ..	3	2	2	1	1	—	3	—	—	—	—	—	—	—
Remainder of East and West Ridings	5	7	1	2	1	2	1	2	—	2	—	—	—	—
North Western ..	11	8	6	4	2	1	2	2	1	—	—	1	—	—
South East Lancashire Conurbation ..	5	2	3	—	—	—	1	—	—	—	—	—	—	—
Merseyside Conurbation ..	4	1	2	—	1	—	1	—	—	—	—	—	—	—
Remainder of North Western ..	2	5	1	4	1	—	—	—	—	—	—	—	—	—
North Midland ..	4	5	1	2	—	1	2	1	1	—	—	—	—	—
Midland ..	17	10	5	2	5	5	4	2	2	1	1	—	—	—
West Midlands Conurbation ..	13	7	5	—	3	4	3	2	1	—	—	—	—	—
Remainder of Midland ..	4	3	—	2	2	1	1	—	—	—	—	—	—	—
Eastern ..	17	6	5	—	2	3	7	3	1	—	2	—	—	—
London and South Eastern ..	20	21	3	1	5	10	10	8	1	1	—	1	1	—
Greater London ..	17	21	3	1	5	10	8	8	1	1	—	1	—	—
Remainder of South Eastern ..	3	—	—	—	—	—	2	—	—	—	—	—	—	—
Southern ..	7	3	1	—	2	1	3	2	1	—	—	—	—	—
South Western ..	2	7	1	3	1	—	—	3	—	1	—	—	—	—
Wales (including Monmouthshire) ..	2	3	1	—	1	2	—	—	—	—	—	1	—	—
Wales I (South East) ..	2	3	1	—	1	2	—	—	—	—	—	—	—	—
Wales II (Remainder) ..	—	1	—	—	—	—	—	—	—	—	—	1	—	—
Urban/Rural Aggregates:														
Conurbations ..	44	35	17	3	10	14	13	14	3	2	1	2	—	—
Areas Outside Conurbations:														
Urban areas with populations of 100,000 and over ..	11	8	6	4	4	1	1	3	—	—	—	—	—	—
Urban areas with populations of 50,000 and under 100,000 ..	9	6	2	3	1	1	7	—	1	2	—	—	—	—
Urban areas with populations under 50,000 ..	11	18	1	4	—	4	6	5	1	1	1	1	—	—
Rural Districts ..	20	12	3	4	7	5	6	3	2	—	1	—	1	—

TABLE 32—Continued

Area	All Ages		0—		5—		15—		45—		65 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Acute encephalitis (post infectious)														
ENGLAND AND WALES	96	59	26	17	39	29	26	12	3	1	2	—	—	—
Regions and Conurbations:														
Northern	4	4	2	2	1	1	1	1	—	—	—	—	—	—
Tyneside Conurbation	1	—	1	—	1	—	1	—	—	—	—	—	—	—
Remainder of Northern	3	4	1	—	—	—	—	—	—	—	—	—	—	—
East and West Ridings	6	7	2	2	3	3	—	2	1	—	—	—	—	—
West Yorkshire Conurbation	2	1	1	2	1	2	—	2	—	—	—	—	—	—
Remainder of East and West Ridings	4	6	1	—	—	—	—	—	—	—	—	—	—	—
North Western	13	7	3	2	4	4	6	1	—	—	—	—	—	—
South East Lancashire Conurbation	6	3	1	2	3	2	2	1	—	—	—	—	—	—
Merseyside Conurbation	3	3	—	—	—	—	—	—	—	—	—	—	—	—
Remainder of North Western	7	1	2	—	1	1	4	—	—	—	—	—	—	—
North Midland	3	2	1	1	1	1	—	—	—	—	—	—	—	—
Midland	9	10	5	2	2	6	2	1	—	—	—	—	—	—
West Midlands Conurbation	5	3	4	2	1	1	2	1	—	—	—	—	—	—
Remainder of Midland	4	7	1	—	—	—	—	—	—	—	—	—	—	—
Eastern	9	3	3	2	3	1	3	—	—	—	—	—	—	—
London and South Eastern	32	18	7	6	15	8	8	4	1	—	—	—	—	—
Greater London	25	14	6	5	12	5	7	4	—	—	—	—	—	—
Remainder of South Eastern	7	4	1	1	3	3	1	—	—	—	—	—	—	—
Southern	10	1	1	—	5	1	3	—	—	—	—	—	—	—
South Western	5	5	1	—	2	3	2	2	—	—	—	—	—	—
Wales (including Monmouthshire)	5	2	1	—	3	1	1	1	—	—	—	—	—	—
Wales I (South East)	5	2	1	—	3	1	1	—	—	—	—	—	—	—
Wales II (Remainder)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Urban/Rural Aggregates:														
Conurbations	41	24	13	9	18	9	9	5	1	1	—	—	—	—
Areas Outside Conurbations:														
Urban areas with populations of 100,000 and over	10	9	2	—	4	7	3	2	—	—	1	—	—	—
Urban areas with populations of 50,000 and under 100,000	8	3	3	2	1	1	4	1	—	—	—	—	—	—
Urban areas with populations under 50,000	16	14	3	5	6	7	6	2	1	—	—	—	—	—
Rural Districts	21	9	5	1	11	5	4	3	—	—	1	—	—	—

Area	All Ages		0-		5-		15-		45-		65 and over		Unknown		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ENGLAND AND WALES	Acute pneumonia														
	18102	14594	2360	1961	1989	1753	4264	3697	5871	3610	3453	3437	165	136	
	Regions and Conurbations:														
	Northern	1517	1239	250	231	165	138	354	331	506	295	230	235	12	9
	Tyneside Conurbation	555	439	97	87	63	44	135	116	185	107	75	84	1	1
	Remainder of Northern	962	800	153	144	102	94	219	215	321	188	155	151	12	8
	East and West Ridings	2527	2000	429	326	225	220	593	525	835	437	436	480	9	10
	West Yorkshire Conurbation	906	696	173	118	98	87	198	171	300	157	129	169	8	4
	Remainder of East and West Ridings	1621	1304	256	208	127	133	395	354	535	292	307	311	1	6
	North Western	2443	1928	366	297	284	223	568	505	791	444	410	430	24	29
	South East Lancashire Conurbation	958	729	177	133	108	78	210	199	310	157	147	152	6	10
	Merseyside Conurbation	829	494	93	71	84	70	135	124	213	114	101	112	3	3
	Remainder of North Western	856	705	96	93	92	75	223	182	268	173	162	166	15	16
	North Midland	1358	1051	146	124	172	136	326	277	414	255	272	243	28	16
	Midland	2085	1552	229	216	205	176	516	408	731	368	392	374	12	10
	West Midlands Conurbation	1036	771	117	125	101	86	239	207	371	174	203	176	5	3
	Remainder of Midland	1049	781	112	91	104	90	277	201	360	194	189	198	7	7
	Eastern	1153	922	136	94	162	154	287	234	333	217	221	210	14	13
	London and South Eastern	3938	3337	369	310	439	415	903	841	1340	951	850	789	37	31
	Greater London	3014	2502	258	234	294	288	711	640	1093	745	650	583	8	12
	Remainder of South Eastern	924	835	111	76	145	127	192	201	247	206	200	206	29	19
Southern	805	636	99	62	93	87	200	164	257	147	150	167	6	9	
South Western	1270	1099	159	148	152	112	323	224	345	301	276	310	15	4	
Wales (including Monmouthshire)	1006	830	177	153	92	92	194	188	319	193	216	199	8	5	
Wales I (South East)	817	669	152	134	79	73	155	158	258	160	167	141	6	3	
Wales II (Remainder)	189	161	25	19	13	19	39	30	61	33	49	58	2	2	
Urban/Rural Aggregates:															
Conurbations	7098	5631	915	768	748	653	1628	1457	2472	1444	1305	1276	30	33	
Areas Outside Conurbations:															
Urban areas with populations of 100,000 and over	3250	2797	482	439	297	291	748	657	1071	716	641	682	11	12	
Urban areas with populations of 50,000 and under 100,000	1166	931	166	121	160	129	259	257	332	209	235	206	14	9	
Urban areas with populations under 50,000	3432	2843	418	377	402	334	772	757	1110	674	687	649	43	40	
Rural Districts	3156	2392	379	256	382	334	857	569	886	567	585	624	67	42	

TABLE 32—continued

Area	All Ages		0—		5—		15—		45—		65 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Food poisoning														
ENGLAND AND WALES	4402	4777	975	841	833	798	1487	1701	593	704	257	471	257	262
Regions and Conurbations:														
Northern	167	240	41	36	29	72	54	74	33	32	8	24	2	2
Tyne-side Conurbation	40	31	10	9	5	1	15	12	10	7	—	2	—	—
Remainder of Northern	127	209	31	27	24	71	39	62	23	25	8	22	2	2
East and West Ridings	663	668	206	190	127	104	154	185	56	65	96	98	24	26
West Yorkshire Conurbation	467	453	160	152	88	62	97	111	32	35	70	74	20	19
Remainder of East and West Ridings	196	215	46	38	39	42	57	74	24	30	26	24	4	7
North Western	598	679	137	125	113	116	221	255	96	124	22	38	9	21
South East Lancashire Conurbation	271	270	67	66	57	44	105	95	34	47	7	15	1	3
Merseyside Conurbation	105	125	30	27	17	16	33	50	23	22	2	10	—	—
Remainder of North Western	222	284	40	32	39	56	83	110	39	55	13	13	8	18
North Midland	269	247	76	67	57	51	107	80	13	26	9	16	7	7
Midland	370	327	94	88	68	67	161	131	37	29	10	11	—	1
West Midlands Conurbation	167	174	41	43	31	32	71	80	20	14	4	4	—	1
Remainder of Midland	203	153	53	45	37	35	90	51	17	15	6	7	—	—
Eastern	368	463	75	61	77	72	127	186	70	75	16	56	3	13
London and South Eastern	1273	1523	232	207	198	215	394	554	208	238	67	186	174	123
Greater London	1018	1206	186	160	158	179	352	489	195	207	56	166	71	5
Remainder of South Eastern	255	317	46	47	40	36	42	65	13	31	11	20	103	118
Southern	249	233	45	26	73	56	93	98	28	36	9	14	1	3
South Western	261	279	44	32	77	31	63	97	37	53	12	12	28	54
Wales (including Monmouthshire)	184	118	25	9	14	14	113	41	15	26	8	16	9	12
Wales I (South East)	145	72	21	8	13	8	96	33	12	19	3	3	—	1
Wales II (Remainder)	39	46	4	1	1	6	17	8	3	7	5	13	9	11
Urban/Rural Aggregates:														
Conurbations	2068	2259	494	457	356	334	673	837	314	332	139	271	92	28
Areas Outside Conurbations:														
Urban areas with populations of 100,000 and over	599	702	191	146	145	132	140	244	82	113	37	56	4	11
Urban areas with populations of 50,000 and under 100,000	253	309	61	56	48	48	86	134	34	45	19	19	16	18
Urban areas with populations under 50,000	732	953	138	94	143	138	206	303	94	125	46	80	127	165
Rural Districts	730	552	91	88	143	107	382	183	69	89	27	45	18	40

TABLE 32—Continued

Area	All Ages		0—		5—		15—		25		45—		65 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
†Tuberculosis, Respiratory																
ENGLAND AND WALES	17807	11483	452	489	830	919	2742	3226	5754	4523	6168	1736	1806	559	55	31
Regions and Conurbations:																
Northern	1378	959	51	43	90	90	235	302	438	366	456	125	106	33	2	—
Tyneside Conurbation	536	361	18	11	33	37	102	126	177	126	173	49	32	12	1	—
Remainder of Northern	842	598	33	32	57	53	133	176	261	240	283	76	74	21	1	—
East and West Ridings	1543	917	38	36	71	84	205	260	508	341	545	162	175	33	1	1
West Yorkshire Conurbation	628	366	13	17	28	40	75	92	205	138	243	68	63	11	1	1
Remainder of East and West Ridings	915	551	25	19	43	44	130	168	303	203	302	94	112	22	—	—
North Western	2610	1724	64	90	133	154	366	509	830	668	950	241	254	59	13	3
South East Lancashire Conurbation	913	560	17	36	47	61	149	170	277	216	340	68	81	22	2	2
Merseyside Conurbation	824	646	31	33	46	61	108	204	277	240	284	88	76	22	2	2
Remainder of North Western	873	518	16	23	40	46	109	135	276	212	326	85	97	15	9	2
North Midland	1179	803	31	35	66	80	219	244	351	275	395	131	112	35	5	3
Midland	1863	1190	61	94	114	129	311	362	635	428	609	127	130	49	3	1
West Midlands Conurbation	1072	669	40	61	80	81	182	223	361	224	334	60	73	19	2	2
Remainder of Midland	791	521	21	33	34	48	129	139	274	204	275	67	57	30	1	1
Eastern	1031	710	31	37	53	58	176	171	343	296	334	96	88	47	6	5
London and South Eastern	5004	2962	112	91	150	163	732	776	1639	1255	1761	505	601	171	9	1
Greater London	4079	2402	95	72	115	124	595	641	1372	1031	1427	407	469	126	6	1
Remainder of South Eastern	925	560	17	19	35	39	137	135	267	224	334	98	132	45	3	—
Southern	990	635	18	17	34	45	154	134	322	274	343	109	111	52	8	4
South Western	1014	685	22	12	49	54	161	188	317	280	336	106	123	36	6	9
Wales (including Monmouthshire)	1195	898	24	34	70	62	183	280	371	340	439	134	106	44	2	4
Wales I (South East)	877	699	16	25	54	52	139	215	278	268	323	107	66	28	1	4
Wales II (Remainder)	318	199	8	9	16	10	44	65	93	72	116	27	40	16	1	—
Urban/Rural Aggregates:																
Conurbations	8052	5004	214	228	349	390	1211	1456	2669	1975	2801	740	794	212	14	3
Areas Outside Conurbations:																
Urban areas with populations of 100,000 and over	2673	1725	73	65	140	143	402	480	864	679	947	281	240	73	7	4
Urban areas with populations of 50,000 and under 100,000	1345	906	40	44	63	72	209	268	381	337	488	129	158	53	6	3
Urban areas with populations under 50,000	3392	2171	68	81	155	170	550	593	1077	890	1180	315	348	113	14	9
Rural Districts	2345	1677	57	71	123	144	370	429	763	642	752	271	266	108	14	12

†See note at end of Table 33

TABLE 32—continued

Area	All Ages		0—		5—		15—		25—		45—		65 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
†Tuberculosis of Meninges and C.N.S.																
ENGLAND AND WALES	150	177	41	58	44	49	33	34	15	28	13	6	4	1	—	—
Regions and Conurbations:																
Northern	16	23	8	10	3	6	4	1	1	6	—	—	—	—	—	—
Tyneside Conurbation	6	4	3	5	2	6	3	—	—	1	—	—	—	—	—	—
Remainder of Northern	10	19	5	7	—	—	—	—	—	5	—	—	—	—	—	—
East and West Ridings	22	16	6	7	11	4	2	4	—	1	3	—	—	—	—	—
West Yorkshire Conurbation	12	5	4	4	6	—	—	—	—	2	—	—	—	—	—	—
Remainder of East and West Ridings	10	11	2	3	5	4	2	3	—	1	1	—	—	—	—	—
North Western	23	28	4	7	8	9	6	8	2	2	2	1	1	—	—	1
South East Lancashire Conurbation	7	10	1	1	3	4	4	4	—	1	1	—	—	—	—	—
Merseyside Conurbation	8	9	2	4	2	3	3	3	1	1	1	1	1	—	—	1
Remainder of North Western	8	9	1	2	3	3	1	1	—	—	—	—	—	—	—	—
North Midland	10	23	3	7	2	5	4	6	1	3	—	2	—	—	—	—
Midland	18	21	6	10	3	8	7	2	—	1	2	—	—	—	—	—
West Midlands Conurbation	11	17	3	8	2	6	4	2	—	1	2	—	—	—	—	—
Remainder of Midland	7	4	3	2	1	2	3	—	—	—	—	—	—	—	—	—
Eastern	8	6	—	1	1	3	3	1	2	1	1	—	1	—	—	—
London and South Eastern	21	27	4	4	3	7	6	5	3	9	4	2	1	—	—	—
Greater London	18	17	3	3	2	4	6	4	2	6	4	1	1	—	—	—
Remainder of South Eastern	3	10	1	2	1	3	—	1	1	3	—	—	—	—	—	—
Southern	3	10	—	5	2	1	—	2	1	2	—	—	—	—	—	—
South Western	17	13	7	4	5	3	1	3	3	1	—	1	1	—	—	—
Wales (including Monmouthshire)	12	10	3	3	6	3	—	2	2	2	1	—	—	—	—	—
Wales I (South East)	10	8	3	2	5	3	—	1	1	1	—	—	—	—	—	—
Wales II (Remainder)	2	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Urban/Rural Aggregates:																
Conurbations	62	62	16	22	16	16	16	14	4	9	9	1	1	—	—	—
Areas Outside Conurbations:																
Urban areas with populations of 100,000 and over	21	31	4	9	8	10	6	6	—	5	3	—	2	—	—	1
Urban areas with populations of 50,000 and under 100,000	11	15	5	6	2	4	4	1	2	4	—	—	1	—	—	—
Urban areas with populations under 50,000	26	38	6	11	12	12	8	5	5	7	—	3	2	—	—	—
Rural Districts	30	31	10	10	12	7	3	8	4	3	1	2	—	—	—	—

†See note at end of Table 33.

TABLE 32—continued

Area	All Ages		0—		5—		15—		25—		45—		65 and over		Unknown	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
†Tuberculosis, Other Forms																
ENGLAND AND WALES	1485	1989	100	85	294	324	294	416	438	730	256	302	93	116	10	16
Regions and Conurbations:																
Northern	128	188	15	6	23	23	31	43	33	80	14	28	12	7	—	—
Tyneside Conurbation	54	72	6	4	9	8	11	21	16	24	8	11	4	4	—	—
Remainder of Northern	74	116	9	2	14	15	20	22	17	56	6	17	8	3	—	—
East and West Ridings	133	162	9	7	34	40	18	26	39	57	23	21	10	10	—	—
West Yorkshire Conurbation	68	76	5	5	15	12	9	11	24	34	13	12	2	4	—	—
Remainder of East and West Ridings	65	86	4	5	19	28	9	15	15	23	10	9	8	6	—	—
North Western	207	256	21	19	50	55	34	66	57	72	32	35	13	7	—	—
South East Lancashire Conurbation	58	71	8	2	9	16	12	17	15	22	11	11	3	3	—	—
Merseyside Conurbation	48	78	1	6	9	6	11	26	15	23	9	13	3	3	—	—
Remainder of North Western	101	107	12	11	32	33	11	23	27	27	12	11	7	1	—	—
North Midland	117	152	4	3	25	25	24	38	35	54	18	23	9	9	2	—
Midland	192	196	8	11	36	32	36	46	70	72	32	28	8	4	2	3
West Midlands Conurbation	95	96	3	7	11	15	24	22	43	40	12	9	2	2	—	—
Remainder of Midland	97	100	5	4	25	17	12	24	27	32	20	19	6	2	2	2
Eastern	99	141	6	6	16	21	22	25	24	58	23	23	8	7	—	—
London and South Eastern	301	434	15	13	45	59	69	83	99	179	54	67	17	33	2	—
Greater London	232	344	13	11	27	45	53	58	82	152	42	51	13	27	2	—
Remainder of South Eastern	69	90	2	2	18	14	16	25	17	27	12	16	4	6	—	—
Southern	89	127	9	3	16	14	24	22	24	49	12	21	2	14	2	4
South Western	103	167	7	12	24	29	17	28	25	53	23	28	6	15	1	2
Wales (including Monmouthshire)	116	166	6	5	25	26	19	39	32	56	25	28	8	10	1	2
Wales I (South East)	63	100	4	4	13	14	12	24	19	32	9	17	5	8	1	1
Wales II (Remainder)	53	66	2	1	12	12	7	15	13	24	16	11	3	2	—	—
Urban/Rural Aggregates:																
Conurbations	555	737	36	32	80	102	120	155	195	295	95	107	27	43	2	3
Areas Outside Conurbations:																
Urban areas with populations of 100,000 and over	195	255	11	15	36	33	35	63	68	89	31	36	12	16	2	3
Urban areas with populations of 50,000 and under	90	145	1	8	16	16	14	33	26	51	16	26	7	12	—	—
Urban areas with populations under 50,000	322	454	29	19	70	79	68	94	78	158	53	70	23	27	1	7
Rural Districts	323	398	13	13	92	94	57	71	71	137	61	63	24	18	5	2

†See note at end of Table 33.

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis				Acute Encephalitis		Post-infectious	Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious	Respiratory	Meninges and C.N.S.					Other		
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21			
(b) Final numbers after correction																							
ENGLAND AND WALES (excluding Port Health Districts):																							
Total	123	310	1016	2954†	85017	37	3587	1483	28899	633587	3175	1666	171	155	32696	11833	9179	29290	327	3474			
Regions and Conurbations:																							
Northern	10	42	100	2428	7475	4	253	24	2630	60672	139	61	11	8	2756	567	407	2337	39	316			
Tyneside Conurbation	3	9	38	768	1108	1	83	5	1112	17604	16	4	4	1	994	152	71	897	10	126			
Remainder of Northern	7	33	62	1660	6367	3	170	19	1518	43068	123	57	7	7	1762	415	336	1440	29	190			
East and West Ridings	11	54	134	3526	5338	6	439	74	6330	69393	189	38	17	13	4527	903	1331	2460	38	295			
West Yorkshire Conurbation	3	9	30	1245	1701	2	210	24	2794	29967	83	26	5	5	1602	218	994	144	17	142			
Remainder of East and West Ridings	8	45	104	2281	3637	6	229	50	3536	39426	106	12	12	8	2925	685	411	1466	21	151			
North Western	20	35	205	4767	9508	1	427	251	6258	94276	221	56	19	20	4371	1819	1277	4334	51	463			
South East Lancashire Conurbation	5	24	76	1724	3473	1	169	57	3473	40181	58	20	7	9	1687	598	541	1473	17	129			
Merseyside Conurbation	2	4	49	1060	2890	1	99	139	688	17980	54	12	5	3	1123	797	230	1470	17	126			
Remainder of North Western	13	7	80	1983	3145	1	159	55	2097	36115	109	24	7	8	1561	424	506	1391	17	208			
North Midland	7	15	78	3050	6077	1	308	20	1788	54846	296	167	9	5	2409	391	516	1982	33	269			
Midland	5	27	84	2746	9328	1	324	688	2359	72117	355	251	27	19	3637	975	697	3053	39	388			
West Midlands Conurbation	2	11	41	1298	4618	1	194	609	823	37099	64	35	20	8	1807	480	341	1741	28	191			
Remainder of Midland	3	16	43	1448	4710	1	130	79	1536	35018	291	216	7	11	1830	495	356	1312	11	197			
Eastern	6	16	51	2053	9752	4	243	32	1921	53873	402	232	23	12	2075	743	831	1741	14	240			
London and South Eastern	47	76	176	6772	20233	6	921	236	5186	135674	889	530	41	50	7275	4426	2796	7966	48	735			
Greater London	33	52	142	5550	11976	5	746	224	4275	103697	543	286	38	39	5516	3866	2224	6481	35	576			
Remainder of South Eastern	14	24	34	1222	8257	1	175	12	911	31977	346	244	3	11	1759	560	572	1485	13	159			
Southern	5	15	59	965	4698	2	202	89	986	32901	203	97	10	11	1441	636	482	1625	13	216			
South Western	8	7	49	1564	8223	11	296	34	680	37604	297	190	9	10	2369	1052	540	1699	30	270			
Wales (including Monmouthshire)	4	23	80	1670	4385	1	174	35	761	22231	184	44	5	7	1836	321	302	2093	22	282			
Wales I (South East)	2	14	69	1317	3302	1	130	21	600	17921	137	29	4	7	1486	305	217	1576	18	163			
Wales II (Remainder)	2	9	11	353	1083	1	44	14	161	4310	47	15	1	—	350	16	85	517	4	119			
Urban/Rural Aggregates:																							
Conurbations	48	109	376	11645	25766	8	1501	1058	13165	246528	818	383	79	65	12729	6111	4327	13056	124	1292			
Areas Outside Conurbations:																							
Urban areas with populations of 100,000 and over	16	45	178	5038	11057	16	522	160	5461	83260	436	234	19	19	6047	2148	1301	4398	52	450			
Urban areas with populations of 50,000 and under 100,000	10	13	93	2189	6049	2	246	103	1882	45398	405	248	17	11	2097	1066	562	2251	26	235			
Urban areas with populations under 50,000	27	65	215	6220	20452	8	700	71	5181	139440	831	428	24	30	6275	1553	1707	5563	64	776			
Rural Districts	22	78	154	4449	21693	3	618	91	3210	118961	685	383	32	30	5548	955	1282	4022	61	721			

Smallpox cases notified: Final-England and Wales 4; London and South Eastern 4; Greater London 4.

†See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
ENGLAND (excluding Monmouthshire)																				
BEDFORDSHIRE																				
Municipal Boroughs and Urban Districts																				
Amphill		2	6	134	543	1	17	2	715	3713	18	4	3	2	334	194	70	208	1	26
Bedford		1	4	104	284	1	12	1	636	2563	10	2	1	1	266	188	45	172	1	17
Biggleswade				75	42	1	3	1	100	11	6	2	1	1	83	125	4	1		
Dunstable M.B.					10					115					3	4	11	46		
Kempston				2	24				16	111					4		8	2		
Leighton Buzzard				2	4		2		117	9	2				4		4	8		
Luton M.B.				5	60		5		1	260	1				51		4	7		
Sandy				19	143		1		478	736	1				103	57	26	103	1	6
				1			1		9	8					12	2		1		
Rural Districts		1	2	30	259		5	1	79	1150	8	2	2	1	68	6	25	36		9
Amphill		1		7	36		2	1	7	139	1		1		13	1	1	1		2
Bedford			2	10	54		3		4	459	4	2			20	3	3	17		2
Biggleswade				10	143				10	353	1			1	22	5	16	4		1
Luton				3	26				58	199	2				13		5	14		4
BERKSHIRE		2	12	186	653		26	5	200	6519	61	41	4	3	314	35	43	300	2	41
Reading C.B.			2	89	132		5		80	1669	26	24	1		93	18	18	112	1	14
Administrative County		2	10	97	521		21	5	120	4850	35	17	3	3	221	17	25	188	1	27
Municipal Boroughs and Urban Districts																				
Abingdon M.B.		2	3	29	119		6	4	43	1058	10	7	1	1	50	6	5	76		7
Maidenhead M.B.			1	7	27		3		3	56	6	3	1		14		2	11		1
Newbury M.B.		2		3	27		2		26	283	1	1	1		17		2	23		3
New Windsor M.B.				8	14		1		4	66	1	2			12	1	2	14		2
Wallingford M.B.			1	2	2				3	243					12	1	2	13		2
Wantage					4				7	95								4		
Wokingham M.B.			1	9	45			4		153	2	1			7	4		8		1
										162								3		
Rural Districts		2	7	68	402		15	1	77	3792	25	10	2	3	171	11	20	112	1	20
Abingdon			1	14	39				3	513	3		1		26	3	11	26		3
Bradfield				5	29		2			393	4	2			46		1	14		2
Cookham			1	1	3					154	2	1			9		1	1		1
Easthampstead			1	8	131		3		13	521	3	1			22	1	2	11		1
Faringdon			1	3	13		1	1		123	1				3	1		4		1
Hungerford		2		1	46		3			309					15			6	1	1
Newbury				5	18		1		1	198	4				18			11		1
Wallingford			1	5	21		1		1	268	3				2			8		2
Wantage				7	21					355								7		1

BUCKINGHAMSHIRE

Municipal Boroughs and Urban Districts

Aylesbury M.B.

Beaconsfield ..

Bletchley ..

Buckingham M.B.

Chesham ..

Eton ..

High Wycombe M.B.

Linslade ..

Marlow ..

Newport Pagnell ..

Slough M.B.

Wolverton ..

Rural Districts

Aylesham ..

Aylesbury ..

Buckingham ..

Eton ..

Newport Pagnell ..

Wing ..

Winslow ..

Wycombe ..

CAMBRIDGESHIRE

Cambridge M.B.

Rural Districts

Chesterton ..

Newmarket ..

South Cambridgeshire

CHESHIRE

County Boroughs

Birkenhead ..

Chester ..

Stockport ..

Wallasey ..

Administrative County

Municipal Boroughs and Urban Districts

Alderley Edge ..

Alsager ..

Altrincham M.B.

Bebington M.B.

Bollington ..

Bowdon ..

Bredbury and Romiley

Cheadle and Gatley ..

¹See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infecive	Post-infectious				Respiratory	Meninges and C.N.S.	Other
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
CHESHIRE—contd.																				
Municipal Boroughs and Urban Districts—contd.																				
Congleton M.B.	21	50	..	2	..	1	157	2	16	..	1	15	..	1
Crewe M.B.	92	12	23	242	1	1	16	..	1
Dukinfield M.B.	2	66	..	4	..	85	184	7	..	1	22	..	1
Ellesmere Port M.B.	4	5	17	1218	2	1	2	..	32	3	9	11	..	3
Hale	4	..	1	173	4	2
Hazel Grove and Bramhall	13	9	34	268	1	..	47	9	1	1
Haylake	26	95	..	3	..	306	4	1	7	14	1	3
Hyde M.B.	61	68	268	475	5	2	2	27	..	2
Knutsford	1	7	100	100	1	1	5	..	1
Longdendale	7	59	2	4	..	1
Lymm	64	33	..	6	1	8	455	1	20	1	11	..	3
Macclesfield M.B.	2	3	4	..	2	..	2	377	3	1	3	1	14
Marple	3	20	246	2	4	..	3
Middlewich	21	9	1
Nantwich	1	1	..	31	2	96	6	..	3	2
Neston	4	14	..	1	..	2	259	1	13	..	7	1
Northwich	13	9	..	1	..	2	221	13	..	8	1
Runcorn	20	26	7	331	1	2	2	1	18	..	1
Sale M.B.	7	5	1	50	1	2	5	..	1
Sandbach
Slatybridge M.B.	1	4	30	230	298	..	1	..	1	1	13	8	..	20	1	1
Winstow	9	10	23	180	2	..	13	13	..	1
Winsford	129	129	8	..	8
Wirral	4	4	17	21	135	..	2	6	..	12	1
Rural Districts	3	87	284	..	6	1	41	3239	5	..	1	1	127	5	12	71	1	17
Bucklow	1	1	3	57	..	1	5	1	2	2	..	1
Chester	3	34	..	1	..	2	227	25	1	7	17	..	1
Congleton	7	17	8	203	..	1	17	1	3	6	..	1
Disley	3	3	60	60
Macclesfield	1	12	50	..	1	1	1	371	1	..	13	7
Nantwich	30	69	25	337	17	2	..	5	..	8
Northwich	1	16	16	..	2	1014	1014	..	2	26	1	1	11	..	2
Runcorn	20	45	867	..	1	13	1	1	16	..	3
Tarvin	3	49	..	2	..	90	11	7	..	2
Tinwisle	2	13	1	1	1

I		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
CORNWALL																					
Municipal Boroughs and Urban Districts																					
Bodmin M.B.	..	1	2	3	112	1234	3	19	1	7	2848	18	7	1	—	192	146	35	198	2	28
Bude-Straton	..	1	2	3	33	559	3	12	—	2	1034	12	5	1	—	110	145	27	133	1	18
Camborne-Redruth	..				14	14					2	2			—	2		1	2		
Falmouth M.B.	..			2	4	218		4			31	2			—	53	138	1	38		5
Fowey M.B.	..			—	1	29		—			11	1			—	5		—	16		—
Helston M.B.	..			—	3	5		—			16	1			—	—		—	3		—
Launceston M.B.	..			—	3	5		—			1	5	3		—	1		6	6		1
Liskeard M.B.	..			—	10	10	1	2			6	—			—	1		—	1		1
Looe	..			—	3	3	1	—		1	22	1			—	11		—	1		1
Lostwithiel M.B.	..			—	1	2		—			9				—	11		—	—		—
Newquay	..			—	2	142		—			284				—	5		4	4		1
Padstow	..			—	—	4		—			1				—	—		1	1		—
Penryn M.B.	..			—	—	32		—			3				—	—		4	4		—
Penzance M.B.	..			—	—	20		—		1	168	1	1		—	2		1	19		5
St. Austell	..		1	1	2	20		—		—					—	—		3	12		2
St. Ives M.B.	..		—	—	4	31		—			6				—	—		22	7		—
St. Just	..		1	—	6	17		6			401	1	1		—	8		—	6		1
Saltash M.B.	..		1	—	1	1	1	—			19		1		—	1		—	6		1
Torpoint	..		—	—	4	25		—			47				—	1		—	6		—
Truro M.B.	..		—	—	4	25		—							—	—		—	6		—
Rural Districts																					
Camelford	..			—	79	675		7	1	5	1814	6	2		—	82	1	8	65	1	10
Kerrier	..			—	2	20		—		1	47				—	3		3	5	2	2
Launceston	..			—	1	45		—		—	156	3	1		—	5		9	9	3	3
Liskeard	..			—	1	25		—		—	24	1			—	8		—	8	1	1
St. Austell	..			—	7	95		1	1	1	392				—	3		—	7		2
St. Germans	..			—	4	34		2		—	282				—	16		—	4		—
Scilly, Isles of	..			—	29	—		—		—	434				—	3		—	4		—
Straton	..			—	4	7		—		—	2				—	6		—	—		—
Truro	..			—	4	172		4		—	329				—	23		4	14		1
Wadebridge	..			—	26	22		—		—	119	2			—	14		12	12		—
West Penwith..	..		—	—	3	197		—		3	21				—	1		4	5	1	—
CUMBERLAND				5	48	920		23	2	21	6103	11	4	4	1	214	60	45	245	2	40
Carlisle C.B.	..		—	—	23	259		4	—	1	2550		—	2	—	31	16	17	60	—	7
Administrative County				5	25	661		19	2	20	3553	11	4	2	1	183	44	28	185	2	33
Municipal Boroughs and Urban Districts				1	12	183		10	1	4	1592	1		1	1	65	38	5	80	2	12
Cockermouth	..		—	—	1	8		—		—	8				—	—		2	3		1
Keswick	..		—	—	1	81		—		—	467				—	5		1	7		—
Maryport	..		—	—	—	—		—		—	—				—	—		—	—		—
Penrith	..		—	—	3	26		2	1	—	326	1		—	—	3	—	2	6		1
Whitehaven M.B.	..		—	—	2	41		1	—	2	63			1	—	41	1	—	28		4
Workington M.B.	..		—	1	5	27		4	—	2	726			—	1	16	37	—	33		5

†See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis	Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious			Respiratory	Meninges and C.N.S.	Other
CUMBERLAND—contd.																			
Rural Districts																			
Alston with Garrigill	478	..	9	1	16	1961	10	4	1	..	6	23	105	..	21
Borwick	46	5	3
Cockermouth	71	..	1	688	1	..	1	..	1	1	22	..	5
Ennerdale	30	1	1	175	6	..	1
Milnthorpe	105	..	1	1	14	365	2	21	40	..	5
Milton	55	..	4	8	4	1	17	..	6
Penrith	27	1	286	5	3	1	6
Wigton	144	..	3	434	2	..	11	..	4
DERBYSHIRE																			
..	1045	..	85	6	139	10099	50	14	1	..	40	27	405	9	62
Derby C.B.	185	..	16	1	18	1202	9	2	19	5	84	2	14
Administrative County																			
..	860	..	69	5	121	8897	41	12	1	..	21	22	321	7	48
Municipal Boroughs and Urban Districts																			
Alfreton	362	..	36	2	71	4626	27	10	10	16	179	2	19
Ashtoune	1	512	4	1	..	18	..	1
Bakewell	1	85	2
Belper	8	..	1	..	13	81	1	3	1	1	2
Boilsover	37	329	4	1	..	4
Buxton M.B.	1	..	1	383	3	1	6
Chesterfield M.B.	100	..	8	683	5	4	1	..	33	..	7
Clay Cross	4	..	1	..	1	33	1	..	5	..	1
Dronfield	1	..	1	1	..	9	5	4	..	1
Glossop M.B.	1	..	1	1	27	286	5	1	10	1	..
Heanor	23	..	4	..	17	383	2	2	1	10	..	1
Ilkeston M.B.	70	..	2	..	6	390	3	4	4	27	1	2
Long Eaton	2	..	4	..	4	465	3	1	18	..	3
Matlock	2	90	1	5	..	1
New Mills	27	3	290	1
Ripley	8	..	11	..	2	65	1	1	6	7
Staveley	4	..	2	..	2	282	2	11
Swadincote	26	..	1	1	2	104	10
Walsley Bridge	2	108	2	15
Wirksworth	10	44	1	..	1
Rural Districts																			
..	498	..	33	3	50	4271	14	2	1	..	11	6	142	5	29
Ashtoune	15	31	1	2	..	3	..	2
Bakewell	38	..	3	..	4	203	2	2	1	..	1	1	8
..	29	369	4

I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Chesterfield	2	119	148	19	1	32	1409	2	70	3	3	49	10
Glovene	1	8	16	1	1	9	519	1	1	1	10	2	2
Repton	14	86	7	182	1	3	..	12	1	6
Shardlow	1	112	146	5	1	5	748	1	72	3	27	2	..
DEVON
County Boroughs	12	469	1957	8	9	245	7451	77	89	1	..	4	645	189	134	436	7
Exeter	7	233	466	8	3	190	3904	21	23	3	358	160	39	230	2
Plymouth	2	153	140	14	2	15	62	11	21	3	87	98	7	51	11
Administrative County	5	80	326	8	1	175	3842	10	2	271	62	32	179	2
Municipal Boroughs and Urban Districts	5	236	1491	..	6	55	3547	56	66	1	..	1	287	29	95	206	5
Ashburton	3	139	845	27	3	20	2269	26	29	1	..	1	132	20	70	103	3
Barnstaple M.B.	1	1	1	26
Bideford M.B.	1	1	252	3	1	..	15	1	6	10	..	6	1
Brixham	2	2	..	1	368	3	4	..
Buckfastleigh	2	2	27	2	65	1	2	..
Budleigh Salterton	11	14	3	10	..	1	3	1	..
Crediton	5
Dartmouth M.B.	31	5	1	6	13	2	..	3	..
Dawlish	3	2	20	1	22	13	16	2	5	..
Exmouth	3	13	1	..	1	290	1	..	6	..
Great Torrington M.B.	6	49	1	1	13	12	18	3	1
Holsworthy	1	1	1
Honiton M.B.	1	47	3	3	21
Ilfracombe	2	13	1	9	15
Kingsbridge
Lynton
Newton Abbot	8	72	2	..	2	688	..	1	10	1	..	7	..
Norham	13	13	131	1	11	1	..
Okehampton M.B.	23	1
Ottery St. Mary	1	11	2	22	2
Paignton	6	27	3	40	2	3	..	18
Salcombe	2	63	23
Seaton	1	1	4	26	2	3	1	..	11
Sidmouth	1	8	4
South Molton M.B.
Tavistock	5	22	48
Teignmouth	38	44	44	11	..	1
Tiverton	10	16	16
Torquay M.B.	1	109	340	9	1	..	340	5	4	25	2	22	21	..
Tonnes M.B.	2	50	1	60
Rural Districts	2	97	646	23	3	35	1278	30	37	155	9	25	103	2
Axminster	1	1	63	1	2	6	11	1	3	3	3	29
Barnstaple	1	2	110	2	..	13	77	6	4	10	4	4	4	3
Bideford	2	5	22	4
Broadwoodwiger	8	2
Crediton	1	1	13	5	..	1	2	1
Holsworthy	1	44	8
Honiton	2	11
Kingsbridge	9	38	2	1	..	27	1	2	3	8	1	..
Newton Abbot	6	92	1	296	..	2	4	1
Okehampton	7	21	1	6	6	..	2	13	4

†See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis			Acute Encephalitis	Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
										Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
DEVON—Rural Districts—contd.	1																		
Plymouth St. Mary	338	1	1	27	2	..	20
St. Thomas	67	15	14	30	3	5	30	..	2
South Molton	7	8	2	..	1
Taivstock	149	3	6	..	2
Tiverton	53	..	3	27	2	..	6
Torrington	4	20	6
Tonnes	195	3	..	5	1	..	2
DORSET	2664	10	..	2	1	173	59	29	150	1	17
Municipal Boroughs and Urban Districts	1471	5	..	1	..	105	56	19	102	1	11
Blandford Forum M.B.	158	3	..	2	1
Bridport M.B.	11	17	11	5	8
Dorchester M.B.	29	1
Lyme Regis M.B.	22	1	1	..	2	51	1	5
Poole M.B.	592	50	36	..	7
Portland	6	1	1	..	1
Shaftesbury M.B.	1	2	3	4	..	2	..	1
Sherborne	293	8	..	1	3
Swanage	97	5	3
Wareham M.B.	23	2	..	1
Weymouth and Melcombe Regis M.B.	227	1	..	1	..	14	4	8	20	..	3
Wimborne Minster	12	2	3
Rural Districts	1193	5	..	1	..	68	3	10	48	..	6
Beaminster	42	1	3	1	..	1
Blandford	306	19	1	8	4
Bridport	59	2	10	3	..	2
Dorchester	168	6	2	..	13
Shaftesbury	12	1	5
Sherborne	77	1	..	3	4	..	1
Sturminster	81	2	1
Wareham and Purbeck	141	1	10	10	..	1
Wimborne and Cranborne	307	15	..	2	7	..	1

DURHAM	8	11	55	1527	4264	124	17	1318	31364	79	33	4	2	1621	347	188	1146	24	132
County Boroughs	3	5	23	582	1261	50	13	551	12822	18	11	4	1	910	222	97	545	8	46
Darlington	7	30	10	6	1	9	892	1	33	11	5	61	2	16
Gateshead	1	3	9	286	99	15	4	272	2355	1	1	4	1	299	25	22	126	1	9
South Shields	2	5	186	108	15	4	187	3218	2	173	14	12	158	3	18
Sunderland	5	190	864	16	8	83	5285	13	10	384	153	58	146	3	3
West Hartlepool	2	10	120	3	1072	1	21	19	54	2	..	
Administrative County	5	6	32	945	3003	74	4	767	18542	61	22	..	1	711	125	91	601	16	86
Municipal Boroughs and Urban Districts	5	5	28	701	1890	55	3	680	11893	45	9	..	1	493	60	72	462	12	73
Barnard Castle	2	19	12	1	..	122	6	6	3	1	6	6
Billingham	60	10	206	2	..	206	2	6	92	2	1	26	1	1
Bishop Auckland	5	2	25	232	13	3	2	10	426	10	13	1	6	17	3	3
Blaydon	13	60	60	1	..	225	575	10	5	1	..	14	..	2
Boldon	6	32	32	1	..	14	341	1
Brandon and Byshottles	20	52	..	1	623	15	..	1	11	..	1
Chester-le-Street	14	9	264	2	264	2	8	..	1	10	..	2
Consett	41	45	97	1	97	2	10	3	24	..	6
Crook and Willington	24	126	93	8	5	1	12	..	5
Durham M.B.	4	18	6	466	1	..	3	466	21	20	1	1
Felling	32	81	607	43	607	24	2	3	41	..	4
Hartlepool M.B.	2	248	548	32	548	27	1	..	45	..	6
Hebburn	2	14	5	317	241	317	7	2	27	8	2	2
Hetton	1	64	241	24	883	2	15	23	..	3
Houghton-le-Spring	2	13
Jarrow M.B.	54	4	..	14	846	93	32	4	42	..	5
Ryton	1	2	39	326	6	326	26	1	10	15	..	7
Seaham	4	113	711	5	..	60	711	2	5	13	..	5	16	3	2
Shildon	19	26	138	2	..	2	138	1	21
Spennymoor	7	52	303	303
Stanley	145	200	1457	11	..	118	1457	14	2	58	2	8	35	1	7
Stockton-on-Tees M.B.	116	144	324	13	1	25	324	11	10	..	44	2	3
Tow Law	2	30	46	46	4	10	1	1
Washington	29	22	290	290
Whickham	97	58	743	2	..	101	743	16	..	3	18	1	6
Rural Districts
Barnard Castle	1	4	244	1113	19	1	87	6649	16	13	218	65	19	139	4	13
Chester-le-Street	68	168	388	2	..	18	388	1	15	1	7	24	..	5
Darlington	2	24	24	160	2	..	16	868	..	1	66	2	1	24	1	1
Durham	4	30	246	4	..	16	246	23	9	1	9	..	2
Durham	47	67	964	4	..	12	964	10	11	77	43	9	42	2	..
Easington	1	111	529	..	9	1	16	2182
Lanchester	26	30	402	13	402	1	1	4	1	4	2	1	2
Sedgefield	8	31	452	452	2	6	15	..	13	..	1
Stockton	13	8	174	1	174	3	3	..	2
Sunderland	7	7	825	1	..	8	825	2	23	1	..	20
Weardale	5	59	178	178	5
ELY, ISLE OF	2	49	92	975	10	..	13	975	10	4	1	2	79	1	3	39	..	6
Municipal Boroughs and Urban Districts	1	27	69	450	5	..	1	450	2	2	1	..	41	..	1	20	..	3
Chatteris	7	7	12	1	12	..	1	24	6	..	1
Ely	5	5	44	2	44	1	1	1	..	12	2
March	5	5	80	3	80	12	..	1	4	..	1
Whittlesey	3	3	92	3	92	1	4	8	..	1
Wisbech M.B.	1	3	1

†See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis			Acute Encephalitis	Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
<i>I</i>	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
ELY, ISLE OF—contd.																				
Rural Districts																				
Ely	23	12	525	8	2	..	2	38	..	2	19	..	3
North Witchford	4	12	77	16	..	1	2	..	1
Thorney	140	18	..	1	8	..	2
Wisbech	21	240	7	2	2
ESSEX	4608	1	211	20	749	31983	263	175	3	9	1614	434	425	1167	14	136
County Boroughs	1188	..	59	..	269	6125	27	25	..	1	352	20	70	282	5	19
East Ham	116	..	13	..	167	797	11	75	4	16	99	2	8
Southeast-on-Sea	833	..	28	..	57	3000	19	12	130	5	39	78	1	3
West Ham	239	..	18	..	45	2328	7	9	..	1	147	11	15	105	2	8
Administrative County	3420	1	152	20	480	25858	236	150	3	8	1262	414	355	885	9	117
Municipal Boroughs and Urban Districts	3002	1	138	20	465	22326	201	122	2	8	1169	320	338	798	9	103
Barking M.B.	217	..	4	2	9	1113	1	4	146	10	14	28	..	7
Basildon	350	14	1244	2	1	21	54	1	36	1	8
Benfleet	61	..	3	..	1	208	1	4	3	3	1	11	..	5
Braintree and Bocking	3	..	1	..	75	947	1	1	13	2	1	13	..	4
Brentwood	88	..	3	1143	2	2	47	4	1	29	..	1
Brightingsea	2	11	24	19	5	2	..	1	..	1
Burnham-on-Crouch	51	..	2	74	17	2	..	1
Canvey Island	26	73	2	3	8	2	..	7	..	1
Chelmsford M.B.	121	1	298	3	1	..	1	34	1	10	33	..	4
Chigwell	40	..	3	..	40	1040	2	2	1	..	3
Chingford M.B.	52	..	5	1	..	870	3	7	26	..	7	32	..	3
Clacton	3	144	3	1	..	3	10	..	1
Colchester M.B.	12	..	5	1	..	573	54	19	..	1	58	21	7	32	2	5
Dagenham M.B.	81	..	9	1	15	1292	6	5	..	2	78	3	51	32	..	7
Epping	258	..	1	165	1	11	..	1	..	1
Frinton and Walton	4	113	1	3	..	1
Halstead	22	34	2	3
Harlow	120	..	3	..	20	1321	24	10	1	2	14	2	12	19	..	4
Harwich M.B.	39	1	265	1	4	2	7	4	..	2
Hornechurch	157	..	9	4	26	1686	8	9	57	2	19	56	1	9
Ilford M.B.	268	..	33	6	100	1978	14	3	1	1	150	61	22	124	1	9
Leyton M.B.	159	..	17	3	6	1033	11	8	223	13	29	51	8	1
Maldon M.B.	123	..	4	42	3	10	2	..	6	..	1
Mablethorpe	9	..	14	105	..	5	9	7	..	4
Romford M.B.	151	..	14	..	24	1880	1	43	7	28	61	..	4
Saffron Walden M.B.	131	..	4	132	1	5	4	..	3

	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Thurrock	3			54	148			6	103	2254	6	6			125	24	78	57		10
Waltham Holy Cross				2	7					206	1	1			4	9	2	9		1
Walthamstow M.B.			1	89	218		10		13	446	17	4			62	58	39	70	1	8
Wanstead and Woodford M.B.	1			30	164		2		3	109	2	3			8	38	3	25		2
West Mersea					9															
Witham				4	6					95	1	1			6		1	2		
Wivenhoe				1	4					11	5	1			1		3			
Rural Districts																				
Braintree	1		3	86	418		14		15	3532	35	28	1		93	94	17	87	14	
Chelmsford				15	22				1	397	2	7			3	6	2	11	2	
Chelmsford				23	23				1	591	5	7			11	5	2	13		
Dunmow			1	9	11		5		3	404	4	2	1		22		2	6		
Epping and Ongar														9		6	18		5	
Halstead					29					132	3	4			1			8		
Lexden and Winstree				7	43		4		2	434	7	4			17		1	8		
Maldon				14	58					152	2	1			6		2	2		1
Rochford				7	36		1			268		2			1	79		8		
Saffron Walden			2	9	63				7	338	1	1			18		5	8		
Tendring	1			17	72			3	1	531	8	8			5	3	1	5		5
GLOUCESTERSHIRE		1	20	613	2342		121	20	164	14949	121	40	6	3	1009	419	194	595	13	85
County Boroughs			17	364	1143		69	18	94	7998	75	29	5	3	763	256	146	356	4	39
Bristol			13	336	1014		64	15	93	7119	70	28	5	3	734	230	301	143	3	33
Gloucester			4	28	129		5	3	1	879	5	1			29	26	3	55	1	6
Administrative County		1		249	1199		52	2	70	6951	46	11	1		246	163	48	239	9	46
Municipal Boroughs and Urban Districts			2	109	314		14	1	3	1891	10	4			78	106	38	100	3	12
Charlton Kings				6	6					97					2					
Cheltenham M.B.			1	35	70		7	1	1	739	6	3			43	80	33	29	1	7
Cirencester				8			2			275					12	7	7			
Cirencester				19	34		2			145	1				7	2	3	35		
Kingswood			1	28	31		3		2	248	1				5	3	2	14	1	1
Mangoisfield																				
Nailsworth				13	30					97	1				1	5		1		1
Stroud				5	101					172					7	8		8		3
Tewkesbury M.B.					34					118	1	1			1	1		4		
Rural Districts		1	1	140	885		38	1	67	5060	36	7	1		168	57	10	139	6	34
Cheltenham				11	61				1	436	4	3			12	6		6		
Cirencester				35	58					160	2	1			8	2		6		3
Dursley				14	58		4		1	194	2		1		20			8		4
East Dean				10	87		3		20	711	3	1			3	8		11	1	3
Gloucester				20	88		3	1	5	621	5				28	9	6	21	1	3
Lydney																				
Newent				9	8		1			254	1				1	2		5		1
North Cotswold				2	1				5	59	2				1	2		1		
Northleach				25	102		10			302		1			13	4		4		
Sodbury				6	16		3		5	159					3	3		1		
Stroud				25	147		4			660	4				26	7	3	24	3	
Tetbury				7	74				2	341	1	1			13	8	1	8		7
Thornbury				2	21		1		1	210					3			5		1
Warmley				2	76		7		27	407	8				22			25		9
West Dean			1	6	79		2			493	1				8	1		6		2

†See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Polymyelitis			Acute Encephalitis	Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
HEREFORDSHIRE	1	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Municipal Boroughs and Urban Districts
Bromyard	1	52	149	4	45	486	11	11	32	5	5	36	..	5
Hereford M.B.	1	29	24	..	1	2	24	32	5	1	19	4	5	17	..	1
Kington	11	6	2
Ledbury	1	2	138	5	2	12
Leominster M.B.	10	80	1	14	130	1	9	4	4
Ross-on-Wye	41	1	160
Rural Districts	73	181	11	11	1	27	494	7	14	89	89	3	3	45	4	7	1
Bromyard	6	30	2	4	63	1	2	16	1	1	4	..	1
Dore and Brewardine	4	2	1	4	40	3	3	18	1	1	4	..	1
Hereford	16	28	4	6	8	2	2	19	1	1	9	..	2
Kington	11	5	9	1	3	2	2	..	1
Ledbury	6	1	97	4	7
Leominster and Wignmore	22	62	..	2	..	6	99	5	3	16	..	1	7	..	1
Ross and Whitechurch	4	33	..	2	..	10	69	7	3	1	7	..	1
Woolley	10	13	..	2	1	10	107	1	1	16	1	1	5
HERTFORDSHIRE	1	10	11	384	2222	..	42	10	343	13175	80	67	5	4	311	131	132	498	3	66
Municipal Boroughs and Urban Districts	..	7	10	290	1423	..	31	8	238	9368	61	48	4	2	244	123	107	336	2	49
Baldock	27	4	..	1	175	10	1	45	1	25	3	..	3
Barkham	4	5	44	..	5	..	6	478	1	1	1	..	3	30	11	11	..	3
Berkhamsted	4	25	..	1	182	3	6	6	13	6	..	1
Bishop's Stortford	8	94	..	1	8	..	416	3	2	13	13	1	11	..	1
Bussey	197
Cheshunt	1	15	127	..	4	..	1	622	4	3	44	5	7	12	..	2
Chorleywood	19	37	63	2	12	..	4	20	..	7
East Barnet	4	171	..	3	804	2	1	2	..	4	7
Harpenden	14	30	..	1	..	12	601	4	3	2	2	..	47	..	9
Hemel Hempstead M.B.	..	1	2	26	50	186	7	12	2
Hereford M.B.	4	17	1	318	4	4	4	7
Hitchin	6	59	..	2	174	4	5	1	9	..	3
Huddesdon	7	16	..	1	301	3	..	2	..	16	1	1	6	1	..
Lechworth	2	54	..	1	694	24	1	2	8	..	2
Rickmansworth	..	3	..	11	42	553	..	1	3	..	2	22	..	3
Roydon	1	5	2	1
St. Albans M.B.	45	99	..	3	..	3	865	1	1	11	3	25	40	..	5
St. Wendgerworth	1	3	..	1	..	3	93	13	12	..	1	2	3	3	16	..	3
Stenage	17	106	..	6	1012	1	8	1
Tring	49	18	1

I		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Ware	3	18	141	4	2	1
Watford M.B.	67	265	33	976	2	6	30	..	25	92
Welwyn Garden City	3	19	96	178	494	4	10	3	4	9
Rural Districts
Berkhamsted	94	799	..	11	2	105	3807	19	19	1	..	2	8	25	162	1	17
Braughing	2	30	54	1	6
Elstree	8	97	..	3	..	4	157	4	17	1	9	21	1	1
Hatfield	5	72	5	348	1	1	12	1	1	15	1	2
Hemel Hempstead	3	33	97	1	3	8
Hertford
Hitchin	2	67	..	1	283	..	3	..	1	3	1	..	1	..	1
St. Albans	15	63	..	2	1	..	246	2	9	1	2	9	..	3
Ware	19	53	..	4	..	57	433	1	2	1	2	2	41	..	3
Watford	12	23	154	1	8	2	..	6
Welwyn	36	328	1	38	1092	8	8	..	1	14	1	11	51	..	5
	2	4	1	158	1	1	3
HUNTINGDONSHIRE
Municipal Boroughs and Urban Districts	2	26	..	7	..	19	1308	4	1	96	14	10	33	..	4
Godmanchester M.B.	7	59	..	4	..	17	468	1	1	59	12	3	15	..	2
Huntingdon M.B.	4	2	34	10	1
Old Fletton	1	2	..	14	100	38	12	..	7
Ramsay	33	142	121	1	1	1	3
St. Ives M.B.	10	121	4	2	..	1
St. Neots	3	11	45	2	..	3	2	..	1
	2	11	1	26	4
Rural Districts
Huntingdon	19	67	..	3	..	2	840	3	37	2	7	18	..	2
Norman Cross	4	198	2	20	5	..	1
St. Ives	1	7	..	1	98	2	1
St. Neots	18	17	2	446	1	6	2	..	3
	39	..	2	98	9	..	7	9	..	1
KENT
Canterbury C.B.	929	6008	1	107	8	448	23883	240	158	4	5	1170	300	468	1089	3	94
	58	31	..	1	..	2	201	13	2	..	1	13	15	5	9	..	2
Administrative County	871	5997	1	106	8	446	23682	227	156	4	4	1157	285	463	1080	3	92
Municipal Boroughs and Urban Districts	633	4257	1	83	6	420	18635	159	108	4	3	811	272	399	893	1	67
Ashford	14	250	..	2	..	4	388	1	9	3	1	11
Beckenham M.B.	49	153	..	6	..	5	751	3	7	36	21	16	36	..	1
Bexley M.B.	68	178	..	7	..	1246	7	7	..	2	..	31	16	8	43	..	4
Broadstairs and St. Peter's	9	74	..	2	..	253	14	3	12	4	1
Bromley M.B.	25	135	..	6	..	16	744	4	3	29	26	11	61	..	1
Chatham M.B.	18	151	..	1	1588	9	5	36	41	7	36	..	1
Chislehurst and Sidcup	56	279	..	5	4	81	1448	1	45	7	23	52	..	2
Crayford	16	122	..	1	..	1	701	3	3	1	..	12	4	3	15	..	2
Dartford M.B.	26	75	..	4	..	34	767	3	3	21	26	3	35	..	2
Deal M.B.	34	102	..	3	..	211	82	8	3	1	..	7	..	12	19	..	2
Dover M.B.	6	269	..	2	903	2	4	48	..	7	42	..	2
Erith M.B.	11	158	..	5	..	1	612	1	1	37	7	2	51	..	1
Faversham M.B.	5	201	1	74	1	3	23	1	1	5	..	1
Folkestone M.B.	12	175	..	4	215	9	5	89	4	7	28	..	1
Gillingham M.B.	20	211	..	8	..	5	1158	7	1	102	1	1	104	..	8

†See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
KENT—contd.																				
Municipal Boroughs and Urban Districts—contd.																				
Gravesend M.B.	1	—	3	29	182	—	1	—	1	345	—	—	—	—	21	10	2	29	1	5
Herne Bay	—	—	—	3	7	—	—	—	—	304	2	—	—	—	3	—	—	2	—	1
Hythe M.B.	—	—	—	3	28	—	—	—	—	136	4	2	—	—	4	—	—	8	—	—
Lydd M.B.	—	—	—	3	56	—	—	—	—	149	1	—	—	—	21	—	189	1	—	—
Maidstone M.B.	—	—	3	21	192	—	4	—	1	427	34	32	—	—	35	11	9	55	—	5
Margate M.B.	1	1	—	19	49	—	—	—	6	648	7	8	—	1	8	—	54	16	—	6
New Romney M.B.	—	—	—	27	27	—	—	—	2	224	2	—	—	—	22	—	—	1	—	—
Northfleet	—	—	—	46	98	—	1	—	33	1874	3	4	—	—	9	—	24	24	—	—
Orrington	—	1	1	30	228	—	3	—	1	662	2	1	—	—	17	72	19	56	—	2
Penge	—	—	—	11	69	—	5	—	1	—	—	—	—	—	18	3	—	19	—	1
Queenborough M.B.	—	—	—	1	1	—	—	—	—	13	—	—	—	—	1	—	—	1	—	—
Ramsgate M.B.	—	1	—	13	106	—	—	1	1	307	9	5	—	—	23	6	17	27	2	2
Rochester M.B.	—	—	1	14	122	—	7	—	1	1015	4	—	—	1	48	—	2	25	1	1
Royal Tunbridge Wells M.B.	—	2	—	7	56	—	1	—	4	89	4	3	—	—	13	9	8	—	—	4
Sandwich M.B.	—	—	—	4	2	1	—	—	—	—	1	1	—	—	—	—	1	—	—	—
Sevenoaks	—	—	1	2	54	—	—	—	—	98	—	—	—	—	1	—	3	12	—	3
Sheerness	—	—	—	4	9	—	2	—	1	127	—	1	—	—	5	—	18	—	—	—
Sittingbourne and Milton	—	—	—	25	139	—	—	—	—	737	4	2	—	—	1	—	5	27	—	—
Southborough	—	—	—	1	35	—	—	—	—	31	1	2	—	—	1	—	6	6	—	1
Swanscombe	—	—	—	8	78	—	—	—	—	35	1	1	—	—	6	—	5	—	—	—
Tenterden M.B.	—	—	—	—	2	—	—	—	1	10	—	—	—	—	—	—	—	—	—	—
Tonbridge	—	—	—	3	70	—	—	—	6	17	4	—	—	—	10	1	—	6	—	—
Whitstable	—	—	—	17	114	—	3	—	4	433	—	—	—	—	7	3	—	4	—	—
Rural Districts	—	5	3	238	1720	—	23	2	26	5047	68	48	—	1	346	13	64	187	2	25
Bridge-Blean	—	—	—	24	49	—	1	1	4	115	2	2	—	—	12	—	15	4	1	3
Cranbrook	—	—	—	12	69	—	4	—	2	92	9	9	—	—	7	—	4	4	—	2
Dartford	—	1	1	10	154	—	2	—	2	1046	—	—	—	—	12	2	33	3	1	3
Dover	—	—	—	3	48	—	—	—	—	230	1	—	—	—	3	2	7	7	—	—
East Ashford	—	—	—	—	84	—	1	—	—	164	—	—	—	—	5	—	1	1	—	—
Eastly	—	—	—	23	71	—	—	—	1	275	5	2	—	—	8	1	18	—	1	—
Elham	—	—	—	3	63	—	—	—	—	92	—	—	—	—	1	1	9	—	—	—
Hollingbourne	—	1	—	8	48	—	1	—	—	313	7	4	—	—	2	2	5	5	—	4
Maidstone	—	1	1	43	55	—	1	—	3	165	10	4	—	1	21	1	5	—	—	—
Malling	—	—	—	47	166	—	2	—	4	421	10	13	—	—	54	1	3	23	—	4
Romney Marsh	—	1	—	3	49	—	1	—	8	47	2	—	—	—	16	—	1	—	—	—
Sevenoaks	—	—	—	12	218	—	4	—	1	381	3	1	—	—	105	—	20	—	—	3
Sheppey	—	—	—	—	67	—	—	1	8	70	—	—	—	—	10	—	41	—	—	—

I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Strood	26	108	..	1	873	..	2	13	..	1	14	..
Swale	8	139	491	..	5	58	..	4	16	..
Tenterden	27	68	8
Tonbridge	1	9	174	..	2	..	3	64	..	6	10	..	1	..	1
West Ashford	31	31	..	3	140	1	..	5	10	..
LANCASHIRE	17	3769	7625	..	300	240	5232	76349	177	52	13	11	3613	1631	1057	3690	42	380
County Boroughs	9	2124	4533	..	193	223	2224	44876	103	30	10	6	2259	1444	651	2528	28	214
Barrow-in-Furness	11	113	..	1	70	8	2	..	1	127	86	36	64	1	5
Blackburn	5	25	65	..	1	2	365	811	6	131	95	32	92	2	2
Blackpool	6	173	76	..	14	30	84	3056	4	12	3	2	304	6	150	91	1	11
Bolton	7	131	73	..	22	4	167	2793	4	304	6	150	91	1	11
Bootle	46	113	..	2	..	13	609	8	42	1	5	74	..	3
Burnley	2	62	148	..	5	1	23	1765	1	..	1	..	59	15	4	62	..	9
Bury	80	6	..	4	1250	1	74	33	..	12	..	1
Liverpool	34	695	1826	..	56	130	484	1030	25	7	2	1	672	712	133	1031	12	84
Manchester	27	479	1051	..	32	40	452	11856	14	1	3	2	411	403	75	602	9	47
Oldham	4	72	138	..	8	5	85	2625	5	..	1	..	99	7	16	49	2	1
Preston	8	59	106	..	6	8	79	1142	3	64	39	24	49	..	11
Rochdale	1	44	94	..	6	..	58	1934	1	47	15	50	4
St. Helens	5	208	284	..	8	1	36	233	12	5	42	3	38	86	3	17
Salford	12	100	368	..	14	2	266	1785	2	2	115	19	51	114	10	10
Southport	1	40	63	..	6	476	4	41	1	..	29	..	1
Warrington	39	55	..	3	..	5	1422	65	20	4	49	1	5
Wigan	5	25	38	63	721	5	1	14	4	8	61	..	2
Administrative County	11	1645	3092	..	167	17	3008	31473	74	22	3	5	1354	187	406	1162	14	166
Municipal Boroughs and Urban Districts	10	1403	2732	..	153	14	2596	27192	62	21	3	4	1223	109	369	982	12	143
Abram	1	26	..	1	..	9	44	2	2	3	3	..	1
Accington M.B.	1	6	82	..	3	..	488	673	1	1	19	3	63	21	..	5
Adington	6	21	2	9	..	1
Ashton-in-Makerfield	57	136	..	1	..	297	185	17	18	..	6	..	2
Ashton-under-Lyne M.B.	4	49	113	..	6	922	1	..	26	18	2	53	1	..
Aspull	36	1	149	..	1	4	2
Atherton	46	63	..	6	..	15	164	42	1	4	10	1	1
Audenshaw	1	6	21	12	84	2	1	..	7	1	1
Bacup M.B.	10	36	88	13	..	1	19	1	2
Barrowford	36	6	105	2	2
Billinge-and-Winstanley	2	5	24	1	1	..	3	..	2
Blackrod	14	4	55	..	1	2
Brierfield	5	13	155	8	..	2	3	..	1
Carnforth	4	4	122	2	..	3	3
Chadderton	13	35	..	2	..	14	413	2	7	9
Chorley M.B...	1	31	21	..	4	393	36	5	6	16	..	5
Church	1	21	34	106	1	1	..	3
Clayton-le-Moors	10	16	..	1	..	24	24	1	2	15	..	2	6	4	..
Clitheroe M.B.	34	8	..	3	157	22	1	..	4	1	9
Colne M.B.	429	1	14
Crompton	4	29	..	3	321	4	9	..	2
Crosby M.B.	2	39	70	..	5	1	1	614	4	1	35	1	2	50	1	4
Dalton-in-Furness	1	13	..	2	152	18	5
Darwen M.B...	85	36	..	1	395	11	..	2	11	..	2
Denton	1	8	139	..	1	..	15	342	2	..	1	..	14	..	2	17	..	3

†See note at end of Table.

TABLE 33—continued

Area	Typhoid fever		Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†			
	2	3										4	5	6	7				8	9	10	11
1																						
LANCASHIRE—contd.																						
Municipal Boroughs and Urban Districts—contd.																						
Droylsden					8	11		1		25	496					5		7	17		1	
Eccles M.B.					40	85		9	1	215	926	1				34	3	13	20	2	6	
Falsworth					10	44		4		4	344					20		3	13		3	
Farnworth M.B.					55	22		2		14	512	1				38		21	10		1	
Fleetwood M.B.				1	2	14		1		36	491	1				25	8	2	21		—	
Formby				1	6	8					70	1	1			4			9		2	
Fulwood					14	17		2	1	13	133					6		12	5		1	
Golborne					45	25		1		1	494					5	1	18	8		1	
Grange					6	42		1		15	135					12		4	3		—	
Great Harwood																					—	
Haslingden M.B.					3	27		5		5	214					16		10	11		1	
Haydock					11	18					256					7		8			—	
Heywood M.B.				3	9	37		1		19	548	1				4		2	7		—	
Hindley				2	6	16		1		2	233	2				6		10	9		1	
Horwich					3	10		6		2	232					23		5	7		—	
Huyton-with-Roby				1	34	84	1	5	1	20	754	1				39		35	62		5	
Ince-in-Makerfield					6	40		3		3	371					8		17	7		2	
Irlam					13	27		1		171	423					22		4	3		—	
Kearsley					15	23		1		25	242					7		3	3		—	
Kirkham					7	10			1	65	18							14	1		—	
Lancaster M.B.				3	33	130		7	1	78	623	1				35		5	34	1	5	
Lees					5	18					56					9		8	4		—	
Leigh M.B.		1			20	23		2		6	710	2				7		2	24		3	
Leyland					36	24		1		1	44					6			7		—	
Litherland					16	58				1	77	1	1			5			33		2	
Littleborough					1	14					98										—	
Little Lever					9	1				2	150					3		4	1		—	
Longridge					18	8					328					2		1	6		2	
Lytham St. Anne's M.B.				2	39	245		3		32	1548			1	26	3	6	33			4	
Middleton M.B.																					—	
Milnrow	1		2		1	3		4		2	150	2						4	2		1	
Morecambe and Heysham M.B.					23	63					399				1	40			32		—	
Mossley M.B.					8	13				13	150				20				5		—	
Nelson M.B.					20	44		1	1	7	606				28			14			—	
Newton-le-Willows					64	24		7	1	2	397				50			21			2	
Ormskirk			2		8	16				8	75	7	6		28				8		1	
Orrill					3						78										—	

†See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
I											12	13	14	15	16	17	18	19	20	21
LEICESTERSHIRE— <i>contd.</i>																				
Municipal Boroughs and Urban Districts— <i>contd.</i>																				
Coalville	—	—	3	15	52	—	2	—	—	527	5	3	—	—	31	—	—	5	—	2
Hinckley	—	—	1	27	159	—	4	—	109	363	6	7	—	—	11	—	7	14	—	1
Loughborough M.B.	—	—	1	4	4	—	3	—	—	247	4	2	—	—	26	—	—	16	—	5
Market Harborough	—	—	—	1	81	—	—	—	—	540	1	—	—	—	—	1	5	3	—	2
Melton Mowbray	—	—	—	4	3	—	—	—	—	159	—	—	—	—	—	4	—	9	—	4
Oadby	—	—	—	4	13	—	—	—	—	26	—	—	—	—	1	—	—	3	—	1
Shepshed	—	—	—	2	2	—	1	—	—	144	—	—	—	—	—	—	—	6	—	—
Wigston	—	—	—	12	19	—	—	—	17	373	3	—	2	—	2	—	1	5	—	—
Rural Districts																				
Asby de la Zouch	—	1	3	140	619	—	19	—	23	3057	15	16	1	—	140	11	1	63	—	19
Barrow upon Soar	—	—	—	40	156	—	3	—	—	311	—	—	—	—	11	—	—	2	—	3
Billesdon	—	—	1	26	11	—	7	—	8	862	2	3	1	—	31	3	1	19	—	—
Blaby	—	—	—	22	115	—	4	—	5	333	3	3	—	—	2	—	—	5	—	—
Castle Donington	—	—	—	4	1	—	1	—	4	377	2	1	—	—	37	3	—	15	—	2
Lutterworth	—	—	—	9	16	—	—	—	—	130	—	—	—	—	13	—	—	4	—	3
Market Bosworth	—	1	2	12	58	—	2	—	5	138	1	—	—	—	12	—	—	5	—	—
Market Harborough	—	—	—	11	49	—	—	—	1	422	7	8	—	—	19	1	—	3	—	6
Melton and Belvoir	—	—	—	16	94	—	2	—	—	259	—	—	—	—	3	—	—	2	—	1
LINCOLNSHIRE (PARTS OF HOLLAND) ..																				
Municipal Boroughs and Urban Districts																				
Boston M.B.	—	1	2	71	276	—	8	1	15	3202	7	4	—	—	91	16	63	31	—	5
Spalding	—	—	—	7	150	—	2	1	8	1000	1	1	—	—	58	16	32	14	—	1
Rural Districts																				
Boston	—	1	2	64	126	—	6	—	7	2202	6	3	—	—	33	—	31	17	—	4
East Elloe	—	1	1	18	97	—	1	—	4	905	5	2	—	—	14	—	3	4	—	2
Spalding	—	—	1	36	10	—	4	—	3	735	1	1	—	—	17	—	8	17	—	2
LINCOLNSHIRE (PARTS OF KESTEVEN) ..																				
Municipal Boroughs and Urban Districts																				
Bourne	—	1	3	66	429	—	15	—	12	2433	21	9	1	1	123	12	6	59	1	4
Grantham M.B.	—	1	—	27	168	—	8	—	1	706	4	1	1	—	58	10	2	17	1	3
Stamford	—	—	—	22	95	—	2	—	1	343	3	1	—	—	26	—	—	—	—	1
Stamford M.B.	—	1	—	22	32	—	4	—	—	307	1	—	1	—	13	10	—	8	1	1
Stamford M.B.	—	—	—	21	14	—	2	—	—	24	—	—	—	—	19	—	—	3	—	—

LINCOLNSHIRE (PARTS OF LINDSEY)																										1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
County Boroughs	Grimsby	Lincoln	Administrative County	Municipal Boroughs and Urban Districts																						1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Alford	Barton-upon-Humber	Brigg	Cleethorpes M.B.	Gainsborough	Horncastle	Louth M.B.	Mablethorpe and Sutton	Market Rasen	Scunthorpe M.B.	Stegney	Woodhall Spa	Rural Districts	Caistor	Gainsborough	Glanford Brigg	Grimsby	Horncastle	Ile of Axholme	Louth	Spilsby	Wilton	LONDON A.C.		20		27		70		2177		3983		3		269		102		2356		36952		202		123		12		15		2185		2008		1186		3458		16		271		—		—		271		10		1		1		2		16		5		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—			

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping Cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
LONDON A.C.—Metropolitan Boroughs—contd.																				
Lambeth	1	—	4	154	258	—	8	10	68	2969	14	3	—	—	217	108	58	199	1	9
Lewisham	—	2	5	143	225	—	15	2	145	2728	12	27	—	2	96	106	48	220	1	26
Paddington	—	—	2	51	93	—	7	5	33	1203	2	2	—	—	55	202	55	195	1	14
Poplar	—	—	2	59	117	—	2	7	53	1010	5	3	—	1	54	13	51	53	1	4
St. Marylebone	1	—	—	28	61	—	6	1	18	506	4	4	—	1	8	23	9	65	—	6
St. Pancras	2	4	3	103	282	—	12	4	124	1017	7	5	1	1	149	57	129	236	1	15
Shoreditch	—	—	1	33	33	1	4	1	70	770	2	1	—	—	19	1	8	29	3	3
Southwark	1	2	1	143	188	—	5	1	35	1179	1	2	1	—	61	86	20	124	7	7
Stepney	—	—	6	46	76	—	13	7	34	1398	7	3	1	—	77	44	8	104	23	23
Stoke Newington	—	—	1	53	44	—	5	2	98	783	1	1	—	—	21	7	14	35	—	4
Wandsworth	2	1	7	232	348	—	43	3	232	3802	44	27	—	2	328	102	264	264	—	15
Westminster	—	2	13	13	62	—	1	1	12	552	5	5	—	1	11	40	24	102	—	8
Woolwich	—	1	12	145	137	—	16	3	99	1384	7	2	—	—	203	86	49	128	—	14
MIDDLESEX	5	10	34	1400	2897	2	237	87	756	27183	134	58	16	4	1457	965	422	1410	10	165
Municipal Boroughs and Urban Districts																				
Acton M.B.	5	10	34	1400	2897	2	237	87	756	27183	134	58	16	4	1457	965	422	1410	10	165
Brentford and Chiswick M.B.	—	—	—	20	87	—	5	5	25	919	6	6	—	—	45	3	7	38	1	—
Ealing M.B.	1	—	2	24	65	—	13	5	6	772	2	1	1	—	26	82	4	46	2	13
Edmonton M.B.	—	1	2	94	131	—	16	38	241	1854	5	1	2	—	171	77	13	113	—	11
Enfield M.B.	—	—	—	132	97	2	16	15	100	1282	4	1	—	—	57	99	13	71	—	9
Feltham	—	—	1	13	16	—	3	—	9	614	2	1	—	—	10	71	10	27	—	3
Finchley M.B.	—	—	2	71	119	—	4	4	7	957	11	1	—	—	35	29	9	30	1	3
Friern Barnet	1	1	2	37	42	—	4	3	7	441	1	3	—	—	26	2	2	20	—	8
Harrow M.B.	1	1	6	76	256	—	14	—	17	1783	14	15	3	—	79	1	62	133	—	3
Hayes and Harlington	—	—	4	42	148	—	5	—	66	1324	1	—	—	—	68	12	14	44	2	8
Hendon M.B.	—	5	1	158	207	—	12	16	25	2164	24	8	—	—	121	116	27	101	1	8
Heston and Isleworth M.B.	—	—	2	36	74	—	8	1	7	804	2	2	2	1	39	98	27	67	1	13
Hornsey M.B.	1	—	—	78	106	—	9	1	25	1106	7	1	—	—	57	10	7	69	1	2
Potters Bar	—	—	—	6	16	—	—	—	—	301	—	—	—	—	4	—	—	9	—	2
Ruislip-Northwood	1	—	1	44	70	—	14	1	1	887	2	4	3	—	55	10	1	42	1	4
Southall M.B.	—	—	—	34	79	—	10	—	16	674	1	1	—	—	92	1	5	51	1	5
Southgate M.B.	—	—	2	69	73	—	7	—	13	973	8	—	1	—	16	3	8	38	—	4

TABLE 33—continued.

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Encephalitis				Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis†				
											Polymyositis		Non-paralytic					Infective	Post-infectious	Respiratory	M.C.N.S.	Other
											Paralytic	Non-paralytic										
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21		
NORTHAMPTONSHIRE—contd.																						
Municipal Boroughs and Urban Districts—contd.																						
Desborough ..	—	—	—	2	—	—	—	—	—	94	—	—	—	—	—	—	1	2	—	—		
Higgin, Feners M.B. ..	—	—	—	1	—	—	—	—	—	99	—	—	—	—	—	—	—	1	—	—		
Irthlingborough ..	—	—	—	30	24	—	5	—	5	93	—	—	—	—	—	10	10	24	—	3		
Kettering M.B. ..	—	—	—	—	10	—	—	—	—	577	2	—	1	5	—	—	—	1	—	—		
Oundle ..	—	—	—	—	—	—	—	—	—	135	—	—	—	—	—	—	—	—	—	—		
Raunds ..	—	1	—	3	8	—	—	—	—	42	1	—	—	4	—	7	3	—	—	1		
Rothwell ..	—	—	—	9	—	—	—	—	—	120	—	—	—	—	—	—	—	—	—	—		
Rushden ..	—	—	—	7	3	—	—	—	—	36	—	—	—	—	—	—	1	—	—	—		
Wellingborough ..	—	—	—	8	2	—	5	—	1	499	—	—	—	17	8	—	—	13	—	3		
Rural Districts ..	—	2	—	92	129	—	11	2	9	1573	11	2	—	82	7	10	59	1	—	8		
Brackley ..	—	—	—	5	17	—	1	—	5	105	6	2	—	3	—	—	—	6	—	1		
Brixworth ..	—	1	—	7	3	—	—	—	—	88	—	—	—	5	1	—	—	—	—	—		
Daventry ..	—	—	—	13	10	—	5	2	1	328	—	—	—	6	2	—	—	—	—	1		
Kettering ..	—	—	—	6	7	—	—	—	—	200	1	—	—	13	—	5	6	—	—	—		
Northampton ..	—	1	—	25	21	—	2	—	2	203	3	—	—	14	—	3	17	—	—	5		
Oundle and Thrapston ..	—	—	—	6	22	—	—	—	—	309	—	—	—	28	2	—	—	5	—	1		
Towcester ..	—	—	—	8	36	—	1	—	—	107	1	—	—	7	2	—	—	7	—	—		
Wellingborough ..	—	—	—	22	13	—	1	—	1	233	—	—	—	6	—	—	—	—	—	—		
NORTHUMBERLAND ..	2	5	30	443	1350	1	81	1	955	15478	17	4	—	495	91	67	605	11	—	115		
County Boroughs ..	2	4	26	164	405	—	27	1	248	6455	6	3	—	249	73	24	353	7	—	59		
Newcastle upon Tyne ..	1	3	24	157	261	—	24	1	244	5531	5	3	—	246	71	23	283	5	—	53		
Tynemouth ..	1	1	2	7	148	—	3	—	4	924	1	—	—	3	2	1	70	2	—	6		
Administrative County ..	—	1	4	279	941	1	54	—	707	9023	11	1	—	246	18	43	252	4	—	56		
Municipal Boroughs and Urban Districts ..	—	1	3	217	661	1	42	—	654	7078	9	1	—	169	9	34	211	1	—	44		
Alnwick ..	—	1	—	7	8	—	—	—	90	137	—	—	—	2	2	—	5	1	—	1		
Amble ..	—	—	—	—	—	—	1	—	—	93	1	—	—	3	—	—	1	—	—	—		
Ashington ..	—	—	—	9	125	—	—	—	15	535	1	—	—	5	—	—	5	—	—	—		
Bedlingtonshire ..	—	—	1	19	77	—	1	—	7	747	—	—	—	10	—	11	9	—	—	1		
Berwick-upon-Tweed M.B. ..	—	—	—	2	3	—	1	—	—	315	—	—	—	2	—	—	8	—	—	2		
Blyth M.B. ..	—	—	—	11	56	—	7	—	203	859	2	—	—	9	2	2	36	—	—	8		
Gosforth ..	—	—	—	11	24	1	1	—	21	775	—	—	—	17	2	3	18	—	—	3		
Hexham ..	—	—	—	8	1	—	1	—	—	102	—	—	—	9	—	—	6	—	—	1		
Longbenton ..	—	—	1	51	92	2	2	—	113	1007	1	—	—	9	—	—	2	—	—	6		
Morpeth M.B. ..	—	—	—	10	16	—	2	—	—	34	—	—	—	—	—	—	6	—	—	1		

I		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
Newbiggin-by-the-Sea Newburn Prudhoe Seaton Valley Walsend M.B. Whitley Bay M.B.	12	20	..	5	..	71	490	3	41	2	4	3	..	1	
	24	44	27	508	21	..	3	
	18	17	94	139	4	16	..	2	
	19	43	5	139	4	2	..	2	
	16	20	..	2	..	5	192	3	35	..	7	
	581	19	..	2	
	62	280	..	12	..	53	1945	2	77	9	9	41	3	12	
	3	5	164	8	1	..	
	15	14	..	1	..	8	90	1	1	..	
	12	20	..	2	..	15	108	7	5	1	..	
Rural Districts Alnwick Belford Bellingham Castle Ward Glendale Haltwhistle Hexham Morpeth Norham and Islandshires Rothbury	7	40	..	1	199	2	
	12	63	..	5	..	7	371	2	13	..	5	
	7	28	..	2	..	5	302	6	1	2	
	8	9	67	1	
	4	1	..	17	177	7	..	4	3	
	2	
	839	925	..	66	6	1067	14633	58	15	3	575	68	155	704	12	80
	332	247	..	25	6	485	4882	17	3	1	274	35	51	328	4	33
	507	678	..	41	..	582	9751	41	12	2	301	33	104	376	8	47
	392	453	..	29	..	466	6641	29	10	1	246	24	52	289	4	32
Municipal Boroughs and Urban Districts Arnold Beeston and Stapleford Carlton East Retford M.B. Eastwood	28	177	358	6	6	23	
	74	104	..	5	..	15	387	5	1	35	2	6	
	36	48	75	681	2	1	38	..	1	
	9	44	637	12	..	2	
	2	10	13	223	..	1	7	..	1	
	17	70	..	10	..	578	..	6	14	..	2	
	48	3	2	285	1	1	12	..	2	
	36	26	..	3	..	164	742	1	1	32	..	8	
	16	2	1	358	2	1	9	9	1	2	
	8	3	..	3	384	3	1	31	..	3	
Sutton in Ashfield Workop West Bridgford Workop M.B.	37	79	..	2	..	1	561	1	1	9	13	..	1	
	10	2	248	2	..	2	
	33	13	..	2	..	1	172	1	1	4	21	..	3	
	38	47	..	3	..	15	1027	10	1	40	1	
	115	225	..	12	..	116	3110	12	2	1	55	9	52	87	4	
	48	80	..	7	..	102	844	7	6	36	2	18	
	14	10	1	239	1	8	13	3	3	
	11	79	9	388	1	1	29	12	2	1	
	10	8	437	3	1	..	1	
	13	25	..	5	..	3	620	3	1	2	11	15	2	
Rural Districts Basford Bingham East Retford Newark Southwell Workop	19	23	1	582	4	10	..	2	
	91	623	..	1	65	259	4192	14	4	2	170	97	35	185	2	18
	29	213	..	10	65	127	1220	6	21	84	..	8	
	62	410	..	1	..	132	2972	8	4	2	99	4	14	101	2	10
	23	87	..	1	..	28	298	1	11	27	..	3	
	17	48	..	1	..	23	86	6	10	..	2	
	3	1	..	1	70	1	4	..	1	
	
	
	
OXFORDSHIRE Oxford C.B. Administrative County Municipal Boroughs and Urban Districts Banbury M.B. Bicester	
	
	
	
	
	
	
	
	
	

1See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis			Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious			Respiratory	Meninges and C.N.S.	Other
OXFORDSHIRE—contd.	1																		
Municipal Boroughs and Urban Districts—contd.																			
Chipping Norton M.B.					10					4						1	3		
Henley-on-Thames M.B.					8	1			5	43							3		
Thame ..				2	15					11	1					3			
Witney ..			1		5					11						1	4		
Woodstock M.B.				1						73							3		
Rural Districts ..	1		6	39	373	10	10		104	2674	7	4			3	3	74	2	7
Barbury ..			2	6	26				4	246							8		
Billingdon ..				14	82		3		34	833	2	1				2	25		1
Chipping Norton ..				1	40		2			105	1						5	2	2
Henley ..	1			2	17				3	367	1	2					11		
Ploughley ..			2	14	126		4		3	849	1					1	8		4
Witney ..			2	2	32		1		60	274	2						17		
PETERBOROUGH, SOKE OF																			
Peterborough M.B. ..			1	11	88		1		19	1724	2	5			5	38	27		4
Rural Districts ..				8	73		1		18	1302	1	2			5	16	25		3
Ramack ..				3	15				1	422	1	3				22	2		1
Peterborough ..				3	14					179						22	2		1
RUTLAND																			
..				4	50		3		3	148	1	2					3		1
Oakham U.D.				2															
Rural Districts ..				2	50		3		3	146	1	2					3		1
Ketton ..				1	19				2	64		2					1		
Oakham ..				1	8		2			69							2		
Uppingham ..					23		1		1	13	1								
SHROPSHIRE																			
..			4	142	868		10	2	276	4120	18	11	3		9	38	110	1	39
Municipal Boroughs and Urban Districts																			
Bishop's Castle M.B.			2	50	426		3	1	173	2020	13	8			7	7	61		16
Briggnoth M.B.				3	7		1			76					1		9		

I		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Church Stretton	5	3	2	9	2	7	2
Dawley	5	62	136	18	1
Ellesmere	5	64	11	4	3
Ludlow M.B.	1	117	..	3
Market Drayton	95
Newport	8	21	185
Oakengates	1	37	17
Oswestry M.B.	1	4	30	167	308	..	1	7
Shrewsbury M.B.	1	16	48	3	717	..	4	23
Wellington	6	63	182	..	4	6
Wem	3	1	..	21	4
Wenlock M.B.	1	84	1	64	11
Whitchurch	1	4	77	2
Rural Districts	2	92	442	..	7	1	103	2100	5	3	3	..	153	2	31	49	1	23
Ardham	1	19	59	..	1	..	24	312	..	1	2	..	22	..	13	5
Bridgnorth	4	4	16	..	2	..	1	171	..	1	12
Clun	8	4	4	98	4
Drayton	1	1	41	180	..	1	8
Ellesmere	2	2	6	50	2
Ludlow	1	116	1	1	222	1	..	8
Oswestry	1	30	25	..	2	..	76	414	14
Shifnal	14	88	2	276	54
Wellington	7	67	240	16
Wem	6	20	1	137	13
SOMERSET	1	9	196	1528	..	46	2	82	5190	65	47	1	3	396	109	64	273	1	37
Bath C.B.	14	178	..	5	1	4	398	10	1	..	1	83	40	4	51	..	3
Administrative County	1	9	182	1350	..	41	1	78	4792	55	46	1	2	313	69	60	222	1	34
Municipal Boroughs and Urban Districts	7	100	391	16	..	18	2564	25	18	1	2	95	43	3	128	1	18
Bridgwater M.B.	4	5	5	538	..	1	24
Burnham-on-Sea	2	12	8	49	..	1	13
Chard M.B.	39	2	6	11
Clevedon	11	3	136	..	2
Crewkerne	7
Frome	2	5	275
Glastonbury M.B.	2	62
Ilminster	2	2
Keynsham	11	27	1	213	..	2	3
Minehead	14	26	13	..	1
Norton-Radstock	3	5	235	6
Portishead	1	21	73	1	71	..	1	3
Shepton Mallet	1	14	16
Street	2	1	108	1
Taunton M.B.	2	15	34	5	..	3	360	..	3	10
Watchet	8	5
Wellington	1	1	15	4
Wells M.B.	1	13	173	..	1
Weston-super-Mare M.B.	20	38	53	..	3	17
Yeovil M.B.	2	70	4	..	4	224	..	5	18
Rural Districts	1	82	959	25	1	60	2228	30	28	218	26	57	94	16	16
Axbridge	19	60	8	..	1	206	24
Bathavon	2	79	1	..	46	114	..	2	26
Bridgwater	8	9	1	141	7
Chard	2	49	13	..	3	5
Clutton	1	7	181	..	1	13

†See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Puerperal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious			Respiratory	Meninges and C.N.S.	Other
SOMERSET—Rural Districts—contd.	1																		
Dulverton	14	7
Frome	75	310
Langport	29	198
Long Ashton	22	132	..	3	..	5	360	12	7	10
Shepton Mallet	4	37	1	13	2
Taunton	6	34	..	5	330
Wellington	2	4	82	1
Wells	1	23	1	93
Williton	1	17	..	1	37	3	2
Wincanton	1	156	36
Yeovil	7	94	..	4	107	2	12
SOUTHAMPTON																			
County Boroughs	22	365	2111	..	94	13	443	14943	88	41	1	4	612	271	303	759	6
Bournemouth	12	155	724	..	37	3	205	5744	25	11	1	..	317	165	89	424	3
Poole	3	44	132	..	9	1620	3	68	10	114	1	41
Portsmouth	6	64	298	..	12	1	19	1706	17	9	157	35	29	129	1
Southampton	3	47	274	..	12	2	180	2418	5	1	92	129	14	181	1
Administrative County																			
Municipal Boroughs and Urban Districts	10	210	1387	..	57	10	238	9199	63	30	..	4	295	106	214	335	3
Aldershot M.B.	8	111	855	..	39	7	123	5394	48	29	..	1	186	84	171	203	1
Alton	2	8	34	2	2	294	1	2	4	2	19	..
Andover M.B.	3	38	..	1	48	7
Basingstoke M.B.	2	2	..	2	285	2	2
Christchurch M.B.	6	43	..	2	..	5	381	16	1	14	14	..
Eastleigh M.B.	7	18	..	2	1	..	367	1	3	21	6	20	2
Fareham	1	41	132	..	2	3	39	192	4	18	17	4	24	3
Farnborough	37	2	603	..	1	48	3	5	8	..
Fleet	2	14	..	5	188	10	14	40	5	32	..	5
Gosport M.B.	1	7	177	1143	19	1	27	..	4
Havant and Waterloo	1	24	210	1	2	1413	19	2	8	4	4	..	5
Lymington M.B.	4	10	..	3	..	2	68	1	2	3	15
Petersfield	1	15	20	1	..	2
Romsey M.B.	1	1	76	2	1	32	94	17	4
Winchester M.B.	4	3	79	..	3	3	9	144	8	12	20
Rural Districts																			
Alton	2	99	532	..	18	3	115	3805	15	1	..	3	109	22	43	132	2
Andover	1	12	37	..	1	1	3	235	10	2	2	10	4
Basingstoke	1	5	63	288	11	3	1	19	..
Exton	4	29	22	142	3	1
Wootton Bassett	7	51	..	2	..	12	325

Kingslere and Whitechurch	6	35	90	34	540	24069	78	49	2	5	1393	241	256	1143	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1</
---------------------------	---	----	----	----	-----	-------	----	----	---	---	------	-----	-----	------	----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----

[†]See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosist		
	2	3	4	5	6	7	8	9	10	11	Paralytic	Non-paralytic	Infective	Post-infectious	16	17	18	Respiratory	Meninges and C.N.S.	Other
SUFFOLK, EAST																				
Ipswich C.B.	—	—	4	126	1164	—	26	—	134	4564	26	4	4	1	153	110	43	139	3	34
Administrative County	—	—	2	71	497	—	8	—	121	827	3	—	1	—	13	68	8	36	—	8
Municipal Boroughs and Urban Districts	—	—	2	55	667	—	18	—	13	3737	23	4	3	1	140	42	35	103	3	26
Aldeburgh M.B.	—	—	2	19	158	—	9	—	—	1949	15	3	1	—	40	32	17	54	1	10
Beccles M.B.	—	—	—	2	13	—	2	—	—	6	2	—	—	—	—	—	—	—	—	—
Bungay	—	—	—	4	15	—	1	—	—	1855	1	—	—	—	12	10	—	2	—	—
Eye M.B.	—	—	—	—	1	—	—	—	—	855	2	—	—	—	—	—	—	1	—	—
Felixstowe	—	—	—	—	6	—	1	—	—	65	2	—	—	—	—	—	—	—	—	—
Halesworth	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—	—	4	22	1	—
Leiston-cum-Sizewell	—	—	1	—	—	—	—	—	—	5	—	—	—	—	—	5	—	—	—	—
Lowestoft M.B.	—	—	—	6	42	—	4	—	—	218	1	2	—	—	3	—	—	1	—	—
Saxmundham	—	—	—	3	18	—	—	—	—	1218	6	1	1	—	6	16	8	17	—	2
Southwold M.B.	—	—	—	1	3	—	—	—	—	36	1	—	—	—	3	—	—	—	—	4
Stowmarket	—	—	1	—	—	—	—	—	—	12	1	—	—	—	11	3	—	1	—	1
Woodbridge	—	—	—	2	34	—	1	—	—	85	—	—	—	—	—	—	2	1	—	3
Rural Districts	—	—	—	—	—	—	—	—	—	31	—	—	—	—	5	—	—	8	—	—
Blyth	—	—	—	36	509	—	9	—	13	1788	8	1	2	1	100	10	18	49	2	16
Deben	—	—	—	7	97	—	6	—	6	153	4	1	1	—	21	3	—	6	—	2
Gipping	—	—	—	7	217	—	2	—	—	473	—	—	—	—	28	4	3	19	—	4
Hartismere	—	—	—	8	67	—	—	—	—	240	2	—	—	—	7	1	9	4	—	6
Lothlingland	—	—	—	4	44	—	—	—	—	187	—	—	—	—	4	—	—	1	—	1
Samford	—	—	—	1	19	—	1	—	—	315	1	—	1	—	17	—	1	4	—	1
Wainford	—	—	—	11	19	—	—	—	3	311	1	—	—	1	19	2	5	12	1	2
Suffolk, West	—	—	—	60	485	—	5	—	77	109	—	—	—	—	4	2	—	3	—	—
Municipal Boroughs and Urban Districts	—	—	—	19	150	—	1	—	2	1320	16	8	—	—	83	17	1	48	—	13
Bury St. Edmunds M.B.	—	—	—	19	—	—	—	—	2	428	8	8	—	—	19	11	—	17	—	6
Hadleigh	—	—	—	2	86	—	1	—	1	333	4	4	—	—	3	6	—	3	—	—
Haverhill	—	—	—	6	9	—	—	—	1	15	—	—	—	—	3	—	—	2	—	—
Newmarket	—	—	—	3	40	—	—	—	—	9	1	—	—	—	6	—	—	1	—	2
Sudbury M.B.	—	—	—	1	4	—	—	—	—	68	2	3	—	—	8	4	—	9	—	4
Rural Districts	—	—	—	7	11	—	—	—	—	3	1	1	—	—	1	1	—	2	—	—
Clare	—	—	—	41	335	—	4	—	75	892	8	—	—	—	64	6	1	31	—	7
Cosford	—	—	—	1	37	—	—	—	1	59	1	—	—	—	1	—	—	5	—	2
Melford	—	—	—	11	39	—	4	—	1	103	1	—	—	—	18	—	—	5	—	2
Mildenhall	—	—	—	26	102	—	—	—	1	85	1	—	—	—	31	—	—	9	—	2
Thedwastre	—	—	—	1	40	—	—	—	—	177	1	—	—	—	7	—	—	5	—	1

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis		
	2	3	4	5	6	7	8	9	10	11	Paralytic	Non-paralytic	Infective	Post-infectious	16	17	18	Respiratory	Meninges and C.N.S.	Other
SUSSEX, EAST—contd.																				
Municipal Boroughs and Urban Districts—contd.																				
Portsmouth	—	—	—	—	45	—	2	—	1	154	1	1	—	—	12	—	—	8	—	1
Rye M.B.	—	—	—	1	24	—	3	—	—	100	1	—	—	—	18	2	—	3	—	—
Seaford	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—
Rural Districts																				
Battle	2	—	2	51	443	—	5	1	59	1174	7	9	—	—	107	19	25	67	—	13
Chichester	—	—	—	10	80	—	4	1	—	184	3	2	—	—	27	4	2	18	—	3
Cuckfield	2	—	1	5	51	—	—	—	5	94	2	4	—	—	29	2	14	13	—	2
Hailsham	—	—	1	5	29	—	—	—	11	405	2	—	—	—	7	4	4	7	—	3
Uckfield	—	—	—	24	154	—	1	—	1	140	1	3	—	—	23	2	2	14	—	2
	—	—	—	—	115	—	—	—	1	351	—	—	—	—	21	11	3	15	—	5
SUSSEX, WEST																				
	2	3	4	82	1117	—	19	4	127	2478	42	37	1	3	120	115	50	132	2	20
Municipal Boroughs and Urban Districts																				
Arundel M.B.	—	—	—	42	791	—	14	2	70	1580	26	18	—	—	58	95	14	84	1	12
Bognor Regis	—	—	—	—	31	—	—	—	12	94	2	3	—	—	1	—	—	1	—	—
Chichester M.B.	—	—	—	1	85	—	—	—	26	164	—	—	—	—	10	—	—	12	—	—
Crawley	—	—	—	6	141	—	1	—	3	713	11	11	—	—	3	6	—	8	—	4
Horsham	—	—	—	4	—	—	—	—	21	189	2	2	—	—	8	4	—	17	—	1
Littlehampton	—	—	—	8	132	—	—	—	—	23	2	—	—	—	7	1	—	5	—	1
Shoreham-by-Sea	—	—	—	1	99	—	2	2	7	71	2	1	—	—	4	51	1	10	—	1
Southwick	—	—	—	16	230	—	3	—	—	123	5	—	—	—	6	2	—	9	—	—
Worthing M.B.	—	—	—	—	—	—	8	—	1	203	—	—	—	—	19	2	6	17	—	—
Rural Districts																				
Chichester	2	—	2	40	326	—	5	2	57	898	16	19	1	3	62	20	36	48	1	8
Chichester	—	—	—	3	116	—	1	1	4	148	6	1	—	—	10	3	—	8	—	3
Horsham	—	—	—	19	118	—	2	1	48	302	7	12	1	—	7	3	25	19	—	2
Midhurst	—	—	—	1	13	—	1	—	—	112	5	4	—	—	10	—	—	11	—	—
Petworth	—	—	—	3	—	—	—	—	3	40	2	2	—	—	10	—	5	2	—	—
Worthing	—	—	—	14	39	—	1	—	1	182	2	—	—	—	12	1	1	1	—	—
WARWICKSHIRE																				
	1	11	45	1115	3278	1	188	637	1420	35473	177	108	21	14	1477	570	358	1411	22	194
County Boroughs																				
Birmingham	1	6	38	872	2574	1	154	592	1232	24701	94	59	15	13	1029	403	266	1092	19	149
Coventry	—	6	22	782	2191	1	123	585	587	18139	25	10	15	8	843	346	237	844	17	112
Administrative County																				
	—	5	7	243	704	—	34	45	188	10772	83	49	6	1	186	57	29	248	2	37
Municipal Boroughs and Urban Districts																				
Bedworth	—	1	4	161	414	—	24	11	92	7248	62	36	3	1	448	167	92	319	3	45
Kenilworth	—	—	—	22	75	—	3	—	14	1008	14	13	—	—	40	43	39	215	1	32

[illegible]

[†]See note at end of Table.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis			Acute Encephalitis		Puerperal pyrexia	Food poisoning	Tuberculosis†			
											Paralytic	Non-paralytic	Infective	Post-infectious	Respiratory			Meninges and C.N.S.	Other		
WILTSHIRE—contd.																					
Municipal Boroughs and Urban Districts—contd.																					
Warminster ..	—	—	—	4	25	—	—	—	9	63	—	—	—	—	—	—	—	—	—	—	—
Westbury ..	—	—	—	2	5	—	—	—	—	293	—	—	—	—	—	—	—	—	—	—	—
Wilton M.B. ..	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—
Rural Districts																					
Amesbury ..	1	—	3	101	610	—	9	1	116	3296	6	12	—	97	90	104	102	6	14	—	—
Bradford and Melksham ..	—	—	—	7	39	—	—	—	—	340	—	1	—	3	—	—	12	1	—	—	—
Calne and Chippenham ..	—	—	—	22	52	—	—	2	2	126	—	3	—	3	—	—	13	1	—	—	—
Cricklade and Wootton Bassett ..	—	—	—	22	128	—	—	2	78	649	3	3	—	22	3	1	16	2	3	—	—
Devizes ..	—	—	—	9	70	—	1	2	1	273	—	3	—	9	20	7	7	2	2	—	—
Highworth ..	—	—	—	14	21	—	—	2	11	121	—	—	—	6	56	7	7	1	2	—	—
Malmesbury ..	—	—	—	22	125	—	1	—	7	495	1	5	—	7	—	5	13	—	3	—	—
Marlborough and Ramsbury ..	—	—	—	5	61	—	—	—	2	242	—	—	—	7	—	1	6	—	—	—	—
Mere and Tisbury ..	—	—	—	2	5	—	3	—	1	328	—	—	—	20	1	1	1	—	—	—	—
Pewsey ..	—	—	—	3	52	—	—	—	6	106	—	—	—	15	—	6	—	—	—	—	—
Salisbury and Wilton ..	1	—	—	4	28	—	1	—	—	345	1	3	—	3	84	10	6	—	4	—	—
Warminster and Westbury ..	—	—	—	5	17	—	1	—	—	147	—	—	—	2	2	1	3	—	1	—	—
WORCESTERSHIRE	3	5	4	227	1366	—	21	14	51	7475	58	64	—	382	143	37	308	4	36	—	—
County Boroughs	—	—	1	77	184	—	3	6	12	1454	22	21	—	67	58	3	116	2	6	—	—
Dudley ..	—	—	1	22	22	—	2	—	9	907	3	1	—	18	64	2	64	1	3	—	—
Worcester ..	—	—	—	55	162	—	1	6	9	547	22	20	—	49	58	2	52	1	3	—	—
Administrative County	3	5	3	150	1182	—	18	8	39	6021	36	43	—	315	85	34	192	2	30	—	—
Municipal Boroughs and Urban Districts	3	5	3	129	761	—	11	8	27	5071	21	23	—	245	83	25	140	1	19	—	—
Beverley M.B. ..	—	—	—	—	7	—	—	—	—	104	1	—	—	7	41	—	2	—	—	—	—
Bromsgrove ..	—	—	—	5	49	—	3	—	3	515	1	1	—	16	3	14	3	2	—	—	—
Droitwich M.B. ..	—	—	—	1	70	—	1	1	1	42	3	3	—	6	—	10	3	—	—	—	—
Evesham M.B. ..	—	—	—	25	35	—	—	—	7	679	2	2	—	74	—	13	16	—	—	—	—
Halesowen M.B. ..	—	—	—	18	23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidderminster M.B. ..	1	—	—	21	121	—	—	—	—	849	1	—	—	16	3	2	14	—	—	—	—
Malvern ..	—	—	—	3	50	—	—	1	1	193	2	2	—	10	—	1	13	—	—	—	—
Oldbury M.B. ..	—	—	—	33	120	—	4	3	11	897	4	9	—	44	5	3	34	—	—	—	—
Redditch ..	—	—	—	7	131	—	—	—	—	636	5	10	—	24	2	2	16	—	—	—	—
Stourbridge M.B. ..	—	—	—	37	130	—	3	—	3	778	—	1	—	42	20	4	11	—	—	—	—
Stourport-on-Severn ..	—	—	—	4	25	—	1	—	—	371	—	—	—	3	12	—	7	—	—	—	—
Rural Districts	—	—	—	21	421	—	7	—	12	950	15	20	—	70	2	9	52	—	—	—	—
Bromsgrove ..	—	—	—	5	110	—	2	—	6	309	1	3	—	10	6	6	12	—	—	—	—
Droitwich ..	—	—	—	3	62	—	1	—	3	92	7	1	—	6	2	2	4	—	—	—	—

[illegible]

[†]See note at end of Table.

TABLE 33--continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenzal)	Furunculopurulent pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
YORKSHIRE (NORTH RIDING)— <i>contd.</i>																				
Rural Districts— <i>cond.</i>																				
Easingwold	7	11	..	1	..	46	114	10	..	1	3	..	1
Flaxton	9	13	339	1	..	8	..	2
Helsley	7	38	8	4	1
Kirkby moorside	2	9	16	234	10	..	1
Leyburn
Malton	1	2	178	1	1	1
Market Harborough	74
Northallerton	1	24	2	177	1	3
Pickering	1	..	2	83	2	2
Reeth	91	1	1
Richmond	6	13	486	1	..	21	1	1	13
Scarborough	1	5	2	123	3
Startforth	23	54	..	1	..	1	83	3	1	37	1	1	7	1	1
Stokesley	18	4	195	4	3
Thirsk	1	1	25	3
Wath	2	7	50	1	3
Whitby	1	247	7	..	1	2
YORKSHIRE (WEST RIDING)																				
County Boroughs	8	17	121	3151	4607	..	401	44	5508	63196	182	38	15	12	3798	766	1265	2138	35	264
Barnsley	8	14	57	1874	2518	..	221	37	4131	34844	104	21	7	7	2473	690	977	1361	23	147
Bradford	2	..	4	114	32	..	11	..	84	1395	9	..	2	1	116	21	17	59	1	5
Dewsbury	3	243	515	..	57	6	838	5636	20	8	545	26	147	226	3	28
Doncaster	2	5	37	20	..	3	12	104	1299	3	11	9	9	14
Halifax	1	3	6	55	172	..	4	1	1016	1016	10	1	1	..	42	52	15	71	1	9
Huddersfield	32	70	..	10	1	10	1216	2	..	1	..	34	1	6	73
Leeds	1	5	151	33	..	6	..	288	2619	2	..	2	..	91	2	30	72	1	18
Rotherham	2	9	465	575	..	60	13	1045	9969	32	9	..	3	530	152	628	334	6	33
Sheffield	1	100	129	547	1173	32	39	9	39	4	..
Wakefield	4	6	16	603	888	..	55	2	691	8423	13	2	..	3	958	348	71	413	9	37
..	2	40	23	71	456	2	1	20	16	22	19	1	4
York	5	34	61	..	5	1	446	1642	2	1	1	..	94	4	23	41	1	7
Administrative County	3	64	1277	2089	..	180	7	1377	28352	78	17	8	5	1325	76	288	777	12	117
Municipal Boroughs and Urban Districts																				
Atwick le Street	3	48	944	1153	..	133	4	914	20465	49	11	6	3	929	57	220	575	9	91
Aireborough	5	24	..	5	..	1	178	19	1	4	8
Baldon	3	45	..	3	..	32	356	1	10	1	1	26
Barnoldswick	1	..	2	6	1	3	198	5	1	4	..	1	11
Barnsley	6	319	3	1	16	..	2	8	..	1

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Puerperal pyrexia	Food poisoning	Tuberculosis†			
											Paralytic	Non-paralytic	Infective	Post-infectious			Respiratory	Meninges and C.N.S.	Other	
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
YORKSHIRE (WEST RIDING)—contd.																				
Municipal Boroughs and Urban Districts—contd.																				
Stanley	—	—	—	5	14	—	2	—	3	187	—	1	—	—	7	1	—	5	—	—
Stockbridge	—	—	—	4	32	—	—	—	4	189	—	—	—	—	4	2	—	4	—	—
Swinton	—	—	—	17	5	—	1	—	7	368	1	—	—	—	8	—	—	4	—	—
Tickhill	—	—	—	3	40	—	2	—	5	69	—	—	—	—	3	—	—	3	—	—
Todmorden M.B. ..	—	—	—	3	—	—	—	—	—	152	1	—	—	—	7	—	61	9	—	—
Wath upon Dearne ..	—	—	—	1	15	—	—	—	1	527	—	—	—	—	4	—	—	9	—	—
Wombwell	2	—	1	64	19	—	6	—	1	402	—	—	—	—	16	2	1	12	—	—
Worsbrough	1	—	1	74	37	—	8	—	195	341	—	—	—	—	36	1	4	8	—	—
Rural Districts ..	16	—	16	333	936	—	47	3	463	7887	29	6	2	2	396	19	68	202	3	26
Bowland	—	—	—	1	—	—	—	—	—	147	1	—	—	—	5	—	—	—	—	1
Doncaster	1	—	1	46	137	—	4	—	—	912	5	1	—	—	13	—	2	34	—	1
Goole	—	—	—	2	—	—	1	—	—	175	1	—	—	—	6	1	—	—	—	3
Hensworth	1	—	1	60	54	—	4	—	34	1071	3	1	—	—	24	1	25	21	1	2
Hepton	—	—	—	1	6	—	—	—	—	2	—	—	—	—	2	—	—	1	—	3
Kiveton Park	2	—	2	10	65	—	1	—	5	462	2	—	—	—	14	1	1	12	—	2
Nidderdale	—	—	—	1	36	—	—	—	3	99	—	—	—	—	12	1	—	3	—	3
Osgoldcross	—	—	—	9	6	—	—	—	—	163	—	—	—	—	3	—	—	3	—	—
Pensilvonia	1	—	1	3	4	—	1	—	—	97	—	—	—	—	6	—	—	5	—	—
Ripon and Pateley Bridge	—	—	—	2	5	—	2	—	—	311	1	—	—	—	15	—	—	4	—	—
Rotherham	2	—	2	55	122	—	2	—	207	1414	2	1	1	1	28	4	4	25	1	2
Sedburgh	—	—	—	—	6	—	1	—	1	167	1	—	—	—	4	1	—	4	—	1
Sellye	—	—	—	—	6	—	—	—	—	28	—	—	—	—	2	—	—	3	—	1
Settle	—	—	—	4	30	—	—	—	—	262	—	—	—	—	25	—	1	4	—	1
Skipton	—	—	—	9	36	—	3	—	3	548	3	1	—	—	51	—	—	15	—	1
Tadcaster	1	—	1	11	48	—	5	—	4	270	—	—	—	—	25	2	2	11	—	2
Thorne	1	—	1	22	229	—	8	—	139	571	4	—	—	—	98	2	6	15	1	3
Wakfield	2	—	2	17	33	—	—	—	—	243	2	—	—	—	11	7	1	4	—	1
Wetherby	—	—	—	3	35	—	4	—	58	141	2	—	—	—	17	—	25	5	—	—
Wharfedale	—	—	—	9	15	—	—	—	—	52	1	—	—	—	1	—	—	—	—	—
Wortley	5	—	5	68	91	—	7	—	9	752	1	2	1	1	34	—	1	33	—	1
WALES (including Monmouthshire)																				
ANGLESEY	—	2	—	10	5	—	1	1	45	54	2	—	—	—	7	—	8	53	—	10
Municipal Boroughs and Urban Districts	—	—	—	7	—	—	—	—	5	16	1	—	—	—	4	—	1	32	—	4
Amblewell	—	—	—	6	—	—	—	—	—	7	—	—	—	—	—	—	—	3	—	—

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis		Acute Encephalitis		Acute pneumonia (primary and influenza)	Furunculopurpura	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
CARDIGANSHIRE—contd.																				
Rural Districts																				
Aberayron ..				21	5				1	152					2			22	1	3
Aberystwyth ..				6					1	2					1			4		1
Teifside ..				13	5					148								9	1	1
Tregaron ..				1						2								7		1
																		2		
CARMARTHENSHIRE																				
Municipal Boroughs and Urban Districts																				
Ammanford ..	2	2	1	67	137		12	4	216	122	3	1			157	10	12	147	2	10
Burry Port ..		1		30	58		6	1	154	61	2	1			102	7	3	68	1	3
Carmarthen M.B.				12	13		2		24	3					7			9	1	1
Cwmanman ..									3	37	1	1			11	1	1	20		2
Kidwelly M.B.				2					112	2						6		3	1	
							2											4		
(a)Llandeilo		1								4					1			2		
Llandovery M.B.										2								1		
Llanelli M.B.	1			8	45		2	1	15	9	1				87	1	2	22		
Newcastle Emllyn				6						1										
Rural Districts																				
Carmarthen ..	1	1	1	37	79		6	3	62	61	1				55	3	9	79	1	7
(a)Llandeilo				6	30		1		9	11	1				16	2	6	25	1	1
Llanelli		1	1	10	10		2			5					8	3	3	19		1
Newcastle Emllyn		1		12	39		3		53	44					31	1		29		6
				13						1								6		
DENBIGHSHIRE																				
			3	114	200		12	8	3	1811	10				72	8	15	142		27
Municipal Boroughs and Urban Districts																				
Abergele				72	136		4	5	1	837	5				44	3	2	71		13
Colwyn Bay M.B.				6	19		2			64					4			15		2
Denbigh M.B.				1	26		4			24					12	2		11		2
Llangollen				3	17		1			2					6			11		5
Llanrwst ..										2								1		
					7										1		2	6		
Ruthin M.B.																				
Wrexham M.B.				62	64		1		1	35					1	1		4		2
										710	5				20			23		
Rural Districts																				
Aled ..			3	42	64		8	3	2	974	5				28	5	13	71		14
Ceiriog ..					3			1		132					2			3		2
Hiraeithog				8	1				2	25								1		4
Ruthin ..				2	7		1			24	1				5		4	10		

Municipal Boroughs and Urban Districts

Buckley	..	1	2	44	76	1000	4	2	100	7	5	105	32	3	4	56	2	31
Connah's Quay	3	9	21	1	1	9	1	3	5	15	1	1	3	1	15
Flint M.B.	3	9	43	4	1	1
Holywell	16	3	195	3	3	10	..	1	6	1	4	..	1
Mold	2	2	106	12	12	1	..	4
Prestatyn	12	34	17	5	5	1	1	..	4
Rhyl	15	19	53	17	3	5	..	1
Rural Districts	168	4	3
Hawarden	18	52	403	73	2	3	44	1	16
Holywell	5	23	191	23	26	..	9
Maelor	10	12	152	28	1	3	13	1	3
St. Asaph	17	47	13	2	..	3
GLAMORGANSHIRE	20	1	..	3	..	1
County Boroughs	60	2596	13661	96	14	247	161	7534	2	1105	275	157	1081	14	125
Cardiff	18	336	6127	49	7	86	60	5789	..	392	153	23	509	5	51
Merthyr Tydfil	7	587	4816	31	4	23	16	352	..	348	51	13	299	2	32
Swansea	3	36	293	1	2	..	1	875	..	37	102	10	134	3	6
Administrative County	8	137	1018	17	1	63	5	414	..	108	13
Municipal Boroughs and Urban Districts	5	42	7534	47	7	161	35	568	2	713	122	134	572	9	74
Aberdare	22	530	5789	40	6	60	1	568	..	113	113	48	407	5	41
Barry M.B.	2	41	352	1	1	16	1	32	..	32	45	9	31	2	2
Bridgend	28	83	875	6	32	..	1	17	11	40	3	3
Caerphilly	17	122	225	414	..	5	8	1	8	..	1
Cowbridge M.B.	9	22	14	5	1	14	..	1	15	..	1
Gelligaer	2
Glyncorrwg	25	79	666	6	..	1	1	666	..	22	2	1	31	1	1
Lluchwr	4	19	64	1	..	1	1	64	14	..	2
Maesteg	8	15	55	4	..	1	1	55	..	38	1	..	25	..	4
Mountain Ash	60	27	172	5	..	1	1	172	..	13	4	..	28	..	2
Neath M.B.	87	40	207	5	..	207
Ogmore and Garw	2	13	409	1	1	409	..	8	..	5	37	1	3
Penarth	26	107	418	418	..	85	2	15	12	2	2
Pontypridd	13	56	194	2	..	20	1	194	..	100	9	2	10	..	1
Portcawl	53	19	66	3	..	66	..	10	..	1	27	..	5
Port Talbot	5	56	197	197	..	26	1	3	60	..	2
Pon Talbot M.B.	27	107	1156	7	..	4	..	1156	..	192	8	1	57	..	10
Rhondda M.B.	2	150	305	305
Rural Districts	20	94	1745	7	1	101	8	1745	..	145	9	86	165	4	33
Cardiff	5	126	568	2	..	1	1	568	..	34	1	1	28	..	14
Cowbridge	11	77	319	2	..	26	..	319	..	16	1	67	4	..	2
Gower	2	128	24	1	24	..	1	..	5	18	..	1
Llantrisant and Llantwit Fardro	7	23	73	1	..	73	..	62	3	13	1	..	1
Neath	2	14	150	1	..	71	..	150	..	9	58	..	4
Penybont	17	58	576	2	576	..	11	4	..	28	..	7
Pontardawe	8	49	35	35	..	12	29	..	4
MERIONETHSHIRE	9	..	8	36	..	9
Urban Districts	106	78	1	..	1	..	78	3	28	..	3
Bala	62	42	42	1	..	1
Barmouth	3	9	51	51	3	..	1
Dolgelly	4	..	1
Ffestiniog	16	..	1
Towyn..	50	17	17	4	..	1

*See note at end of Table. (a) Change in name from Llandilo to Llandello, 27th February 1957.

TABLE 33—continued

Area	Typhoid fever	Paratyphoid fevers	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute Poliomyelitis			Acute Encephalitis		Acute pneumonia (primary and influenzal)	Furereal pyrexia	Food poisoning	Tuberculosis†		
											Paralytic	Non-paralytic	Infective	Post-infectious	Respiratory				Meninges and C.N.S.	Other	
I																					
MERIONETHSHIRE—contd.																					
Rural Districts
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas
Douglas																					

MONTGOMERYSHIRE													
Municipal Boroughs and Urban Districts													
Llanfyllin M.B.
Llanidloes M.B.
Machynlleth
Montgomery M.B.
Newtown and Llanilwchaern
Welshpool M.B.
Rural Districts
Forden
Llanfyllin
Machynlleth
Newtown and Llanidloes
PEMBROKESHIRE
Municipal Boroughs and Urban Districts
Fishguard and Goodwick
Haverfordwest M.B.
Milford Haven
Narberth
Neyland
Pembroke M.B.
Tenby M.B.
Rural Districts
Cemaes
Haverfordwest
Narberth
Pembroke
RADNORSHIRE
Urban Districts
Knighiton
Llandrindod Wells
Presteigne
Rural Districts
Colwyn
Knighiton
New Radnor
Paincastle
Rhayader

†Notifications of Tuberculosis have for some years been recorded on annual returns submitted by local authorities to the Ministry of Health and figures have been published in the annual reports of the Chief Medical Officer of the Ministry of Health. In 1954 for the first time, weekly and quarterly returns of notifications of infectious disease sent by medical officers of health to the General Register Office were extended to include tuberculosis notifications. Figures derived from the quarterly returns are included in Tables 29, 32 and 33 of this volume. They are intended to relate to formal notifications of new cases of tuberculosis, corrected for any revision of diagnosis, but it is known that in some areas certain other cases have also been included, e.g. notifications of cases which have already been notified in the same or another area. Steps are being taken to rectify this.

The total of 33,091 cases recorded on these returns compares with a total of 32,669 formal primary notifications recorded on the annual returns to the Ministry of Health for 1957.

TABLE 34—Quarterly Air Temperature, Rainfall and Sunshine, 1957 } England and Wales

Note—The averages used for rainfall and raindays are for the period 1916-50, while those for temperature and sunshine are for 1921-1950.

District	Air Temperature			Rainfall			Sunshine	Air Temperature			Rainfall			Sunshine
	Highest	Lowest	Difference from Average daily mean	Percentage of Average	Number of days Difference from Average	Percentage of Average		Highest	Lowest	Difference from Average daily mean	Percentage of Average	Number of days Difference from Average	Percentage of Average	
Quarter ended 31st March							Quarter ended 30th June							
England N.E.	74	14	+2.8	107	+1	106	88	22	+0.1	59	— 8	121		
England E.	69	21	+3.8	112	+3	106	94	25	+0.1	62	—10	114		
Midland Counties	69	3	+3.5	107	+4	103	89	26	+0.3	49	—15	120		
England S.E.	68	23	+3.8	118	+5	103	96	26	+0.7	54	—10	117		
England N.W. and North Wales	73	11	+3.2	102	+4	97	88	23	+0.5	58	—12	123		
England S.W. and South Wales	71	21	+3.1	131	+11	91	88	26	+0.9	63	—17	119		
Mean	—	—	+3.4	113	+5	101	—	—	+0.4	57	—12	119		
Quarter ended 30th Sept.							Quarter ended 31st Dec.							
England N.E.	79	30	—1.1	144	+13	82	67	17	+0.5	75	—13	104		
England E.	91	32	—0.9	138	+12	82	68	16	+0.6	74	—13	109		
Midland Counties	87	29	—1.0	164	+ 9	78	69	17	+0.3	75	—14	103		
England S.E.	93	29	—0.1	144	+12	85	70	16	+0.7	75	—17	110		
England N.W. and North Wales	83	31	—0.9	168	+14	79	69	12	+0.6	89	—13	112		
England S.W. and South Wales	85	29	—0.1	142	+10	89	70	18	—0.2	69	—14	102		
Mean	—	—	—0.7	150	+12	83	—	—	+0.4	76	—14	107		
Year 1957														
England N.E.	88	14	+0.5	95	— 8	102								
England E.	94	16	+0.9	95	— 7	100								
Midland Counties	89	3	+0.8	98	—16	99								
England S.E.	96	16	+1.3	97	— 9	102								
England N.W. and North Wales	88	11	+0.9	107	— 9	104								
England S.W. and South Wales	88	18	+0.9	98	—10	102								
Mean	—	—	+0.9	98	—10	101								

TABLE 35—Rainfall, Mean Temperature and Sunshine, 1908-1957 } England and Wales

Year	Fall of rain in inches	Departure from Average of 35 years (1881-1915)	Mean Temperature of the Air at Sea-Level	Departure from Average of 30 years (1906-1935)	Mean Daily Sunshine	Departure from Average of 30 years (1906-1935)
	ins.	ins.	°F.	°F.	hrs.	hrs.
1908	32·0	-3·2	49·7	0·0		
1909	37·0	+1·8	48·4	-1·3	4·04	+0·09
1910	39·8	+4·6	49·6	-0·1	3·87	-0·08
1911	33·1	-2·1	50·8	+1·1	4·59	+0·64
1912	44·0	+8·8	49·6	-0·1	3·35	-0·60
1913	34·5	-0·7	50·5	+0·8	3·61	-0·34
1914	38·1	+2·9	50·7	+1·0	4·27	+0·32
1915	38·8	+3·6	49·0	-0·7	4·10	+0·15
1916	40·1	+4·9	49·4	-0·3	3·61	-0·34
1917	34·5	-0·7	48·3	-1·4	4·03	+0·08
1918	37·7	+2·5	50·0	+0·3	4·08	+0·13
1919	37·0	+1·8	48·2	-1·5	4·01	+0·06
1920	38·4	+3·2	50·2	+0·5	3·66	-0·29
1921	24·7	-10·5	51·8	+2·1	4·60	+0·65
1922	37·1	+1·9	47·8	-1·9	4·02	+0·07
1923	39·8	+4·6	49·2	-0·5	3·87	-0·08
1924	42·3	+7·1	49·5	-0·2	3·75	-0·20
1925	37·3	+2·1	49·4	-0·3	4·09	+0·14
1926	35·9	+0·7	50·3	+0·6	3·77	-0·18
1927	43·3	+8·1	49·4	-0·3	3·61	-0·34
1928	40·4	+5·2	50·1	+0·4	4·12	+0·17
1929	35·2	0·0	49·1	-0·6	4·52	+0·57
1930	41·4	+6·2	50·0	+0·3	3·84	-0·11
1931	38·4	+3·2	49·2	-0·5	3·60	-0·35
1932	36·3	+1·1	49·9	+0·2	3·53	-0·42
1933	28·6	-6·6	50·6	+0·9	4·42	+0·47
1934	33·5	-1·7	50·9	+1·2	4·08	+0·13
1935	39·8	+4·6	50·5	+0·8	4·13	+0·18
1936	38·4	+3·2	49·8	+0·1	3·56	-0·39
1937	38·8	+3·6	50·1	+0·4	3·46	-0·49
1938	34·9	-0·3	51·0	+1·3	3·84	-0·11
1939	39·9	+4·7	50·3	+0·6	3·97	+0·02
1940	35·6	+0·4	49·3	-0·4	4·18	+0·23
1941	33·8	-1·4	49·2	-0·5	3·67	-0·28
1942	33·1	-2·1	49·2	-0·5	3·90	-0·05
1943	32·8	-2·4	51·0	+1·3	4·25	+0·30
1944	35·3	+0·1	50·1	+0·4	3·73	-0·22
1945	32·8	-2·4	51·4	+1·7	3·81	-0·14
1946	41·6	+6·4	50·0	+0·3	3·83	-0·12
1947	32·4	-2·8	50·1	+0·4	3·97	+0·02
1948	37·5	+2·3	50·9	+1·2	4·12	+0·17
1949	30·9	-4·3	51·9	+2·2	4·63	+0·68
1950	40·2	+5·0	50·1	+0·4	3·94	-0·01
1951	43·7	+8·5	49·7	0·0	3·98	+0·03
1952	35·5	+0·3	49·5	-0·2	4·10	+0·15
1953	29·8	-5·4	50·7	+0·6	4·04	+0·08
1954	42·7	+7·5	49·6	-0·5	3·52	-0·44
1955	30·9	-4·3	49·7	-0·4	4·47	+0·51
1956	34·0	-1·2	48·9	-1·2	3·88	-0·08
1957	35·7	+0·5	51·0	+0·9	4·04	+0·08

Note: Since January 1953 the averages used for temperature and sunshine are for the period 1921-50.

TABLE 36 —Meteorological Observations, 1957. Kew Observatory, Richmond

Month	Temperature of the Air				Rain collected in a gauge whose receiving surface is 10 inches above the ground		Sunshine registered in hours		Atmospheric Pollution	
	Highest for Month	Lowest for Month	Mean daily Value	Departure from average of 80 years	Total	Departure from average of 80 years	Total	Departure from average of 70 years	Maximum for Month	Mean
	°F	°F	°F	°F	ins.	ins.	hrs.	hrs.	mg/m ³	mg/m
January	55·4	32·5	43·7	+4·0	1·44	-0·52	55·4	+13·6	0·500	0·087
February	55·6	32·0	43·3	+3·0	3·00	+1·45	73·2	+14·8	0·900	0·116
March	66·4	30·6	49·6	+6·8	1·02	-0·52	107·9	+1·2	0·950	0·106
April	65·7	33·8	49·1	+1·6	0·34	-1·37	175·5	+26·3	0·700	0·101
May	72·1	35·8	52·2	-1·4	1·05	-0·70	207·5	+10·0	0·300	0·053
June	87·1	43·7	61·9	+2·5	0·97	-1·01	290·8	+90·3	0·300	0·049
July	88·3	52·2	64·0	+1·3	3·28	+0·90	175·9	-19·6	0·200	0·049
August	80·1	46·2	61·5	-0·3	3·84	+1·60	165·4	-19·6	0·350	0·054
September	67·3	37·6	56·5	-0·9	2·49	+0·50	103·7	-37·2	0·400	0·064
October	66·7	36·1	53·2	+2·9	1·84	-0·67	95·4	+2·2	1·000	0·133
November	55·8	30·2	45·1	+0·9	2·29	-0·05	70·1	+18·9	1·100	0·170
December	55·6	23·5	41·4	+0·7	1·73	-0·43	48·5	+11·2	1·900	0·256
Means	—	—	51·8	+1·8	Sum 23·29	-0·82	Sum 1569·3	+112·1	—	0·103

Additional meteorological information may be obtained from the Monthly Weather Reports and Annual Report of the Meteorological Office, and the annual volume of the British Rainfall Organisation, published by Her Majesty's Stationery Office.

APPENDIX A—Death Rates per million in England and Wales based upon the sex and age distribution of the population of Great Britain in the year of experience, with rates for Scotland for Comparison, 1953–1957

Cr- onal ss'n o.	Causes of Death		1953		1954		1955		1956		1957	
			England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland
	ALL CAUSES	M	13,858	14,800	13,937	15,621	14,355	15,651	14,404	15,835	14,242	15,820
		F	9,430	10,470	9,248	11,037	9,531	11,206	9,494	11,118	9,260	10,912
		P	11,326	12,234	11,234	12,991	11,569	13,117	11,562	13,143	11,358	13,017
008	Tuberculosis of respiratory system	M	270	326	245	276	207	253	177	219	157	207
		F	106	163	91	149	70	116	55	90	46	81
		P	178	235	159	205	130	175	108	147	94	136
019	Tuberculosis, other forms	M	25	37	21	29	17	28	13	22	13	14
		F	21	35	16	16	12	20	11	13	11	9
		P	22	35	19	19	15	24	12	17	12	11
029	Syphilis and its sequelæ	M	52	35	50	35	50	34	48	35	46	35
		F	17	7	18	13	17	9	17	6	16	9
		P	32	20	32	21	31	20	30	19	29	20
57	Meningococcal infections	M	8	7	6	10	5	5	5	6	4	5
		F	6	6	6	4	5	3	4	4	4	3
		P	7	6	6	7	5	4	4	5	4	4
205	Malignant neoplasms, including neoplasms of lymphatic and hæmatopoietic tissues	M	2,417	2,592	2,496	2,700	2,539	2,699	2,574	2,770	2,624	2,786
		F	1,662	1,805	1,678	1,887	1,685	1,921	1,696	1,932	1,691	1,909
		P	1,977	2,139	2,017	2,224	2,037	2,247	2,057	2,281	2,074	2,274
50	Diabetes mellitus	M	57	64	57	64	59	72	60	65	55	73
		F	82	115	76	116	84	118	80	127	79	133
		P	72	95	68	94	73	100	72	102	69	108
334	Vascular lesions affecting the central nervous system	M	1,588	1,939	1,693	2,066	1,735	2,131	1,732	2,153	1,701	2,150
		F	1,488	1,875	1,556	2,067	1,595	2,063	1,592	2,063	1,569	2,040
		P	1,528	1,896	1,612	2,066	1,650	2,088	1,649	2,101	1,622	2,084
402	Rheumatic fever	M	7	9	7	8	5	12	5	10	4	12
		F	7	8	6	10	5	10	5	6	4	6
		P	7	8	7	9	5	11	5	8	4	9
434	Heart diseases	M	4,111	4,829	4,277	5,196	4,388	5,198	4,463	5,336	4,358	4,823
		F	2,729	3,211	2,705	3,387	2,775	3,546	2,763	3,536	2,662	3,400
		P	3,319	3,906	3,370	4,160	3,456	4,254	3,480	4,309	3,378	3,999
447	Hypertensive disease	M	504	391	520	419	527	466	513	460	482	422
		F	386	355	402	399	421	413	407	408	389	369
		P	436	369	451	407	466	437	452	430	429	392
483	Influenza	M	157	66	47	38	79	50	69	55	183	161
		F	135	48	36	37	57	43	50	57	123	128
		P	145	56	41	38	66	47	58	56	148	142
493, 53	Pneumonia (all forms)	M	596	433	519	468	597	461	631	504	649	543
		F	407	311	352	316	406	357	431	360	429	372
		P	488	363	423	377	486	401	515	421	520	445
594	Nephritis and nephrosis	M	145	129	141	132	131	126	137	125	120	121
		F	105	115	101	109	93	100	86	97	78	98
		P	122	119	118	120	109	108	108	110	96	107

APPENDIX B.

Changes in Boundaries, Names, etc., of Counties, Boroughs, Urban and Rural Districts during the year 1957

(i) Authorities for changes. (The date of operation in each case was 1st April, 1957.)

Reference	Ministry of Housing and Local Government Order No.	Description of Authority
(a)	H.L.G. 6485	The City of Gloucester (Extension) Order, 1957 (<i>S.I.</i> 1957 No. 463).
(b)	H.L.G. 6497	The Dartford (Extension) Order, 1957 (<i>S.I.</i> 1957 No. 413).
(c)	H.L.G. 6478	The Norfolk and Parts of Holland (Boundaries) Order, 1957 (<i>S.I.</i> 1957 No. 414).
(d)	—	London County Council (General Powers) Act, 1956.
(e)	H.L.G. 6488	The City of Oxford (Extension) Order, 1957 (<i>S.I.</i> 1957 No. 462).
(f)	—	Leeds Corporation Act, 1956.
(g)	H.L.G. 6543	The West Riding of Yorkshire and City of York (Boundaries) Order, 1957 (<i>S.I.</i> 1957 No. 444).
(h)	1557 W	The County of Glamorgan (Maesteg and Glyncofrwg Urban Districts) Confirmation Order, 1957.

Note.—In addition to the above changes there were a few minor rectifications in boundaries consequent on changes in watercourses (made by declarations under Section 145 of the Local Government Act, 1933).

(ii) Particulars of changes.

- (a) The names of areas appearing more than once in columns 2 and 3 are marked.*
 (b) Acreage (land and inland water) figures, which are given to the nearest acre, have been supplied by the Ordnance Survey Department.

Boroughs, U.Ds. or R.Ds. affected by change		Particulars of areas transferred		
Area diminished	Area enlarged	Name and description (in use prior to change)	Acreage (land and inland water)	Census Popula- tion 1951
2	3	4	5	6
GLOUCESTERSHIRE Gloucester R.D.	Gloucester C.B.	Part of Upton St. Leonards C.P.	22	10
KENT Dartford R.D.	Dartford M.B.	Part of Stone C.P.	65	352
LINCOLNSHIRE (Parts of Holland) East Elloe R.D.*	Marshland R.D.* (Norfolk)	Part of Sutton Bridge C.P.	24	Nil
LONDON A.C. Wandsworth Met.B.*	Barnes M.B.* (Surrey)	Part of Wandsworth Borough C.P.	3	26
NORFOLK Marshland R.D.*	East Elloe R.D.* (Lincs., Pts. of Holland)	Part of Terrington St. Clement C.P.	23	Nil
OXFORDSHIRE Bullington R.D.	Oxford C.B.	Part of Littlemore C.P.	369	63
SURREY Barnes M.B.*	Wandsworth Met.B.* (London A.C.)	Part of Barnes C.P.	5	Nil
YORKSHIRE, WEST RIDING Tadcaster R.D.*	Leeds C.B.	Parts of the C.Ps. of Austhorpe and Barwick in Elmet	2,322	661
Tadcaster R.D.*	York C.B.	Part of Askham Bryan C.P.	524	44
GLAMORGANSHIRE Maesteg U.D.	Glyncorrwg U.D.	Part of Llangynwyd Higher C.P.	6	Nil

ote.—On 27th February, 1957, the names of Llandilo U.D. and R.D. (Carmarthenshire) were changed to Llandeilo U.D. and R.D.

APPENDIX B.—continued

(iii) Population of areas as constituted after the boundary changes shown in (ii)

(Supplementary to Table 12: see *Explanatory Note 9.*)

Area affected by boundary change	Reconstituted Area		Area affected by boundary change	Reconstituted Area	
	Census Popu- lation 1951	Estimated Home Popu- lation mid-1957		Census Popu- lation 1951	Estimated Home Popu- lation mid-1957
1	2	3	1	2	3
Regions and Conurbations:			LONDON A.C.	3,347,956	3,254,000
East and West Ridings:			Metropolitan Boroughs	3,342,632	3,248,900
West Yorkshire Conur- bation	1,693,348	1,684,650	Wandsworth	330,467	337,700
Remainder of East and West Ridings	2,403,830	2,438,350	OXFORDSHIRE:		
Urban/Rural Aggregates:			Oxford C.B.	98,747	104,400
Conurbations	16,922,757	16,856,490	Administrative County	177,061	194,900
Areas outside Conurbations			Rural Districts	130,259	145,200
Urban areas with popu- lations of 100,000 and over	5,819,534	5,848,000	Bullington	34,890	39,650
Urban areas with popu- lations of 50,000 and under 100,000	3,379,269	3,446,000	SURREY	1,602,509	1,669,000
Urban areas with popu- lations under 50,000	9,294,378	9,897,890	Administrative County	1,352,639	1,419,500
Rural Districts	8,341,950	8,858,620	Municipal Boroughs and Urban Districts	1,203,088	1,255,800
GLOUCESTERSHIRE:			Barnes M.B.	40,593	39,390
County Boroughs	510,284	507,700	YORKSHIRE, WEST		
Gloucester	67,290	68,100	RIDING:		
Administrative County	429,149	461,300	County Boroughs	1,997,861	1,980,000
Rural Districts	287,779	307,200	Leeds	505,880	510,100
Gloucester	36,350	42,750	York	105,415	106,200
KENT:			Administrative County	1,588,413	1,624,000
Municipal Boroughs and Urban Districts	1,215,935	1,268,200	Rural Districts	426,819	451,700
Dartford M.B.	40,870	42,460	Tadcaster	26,246	26,760
Rural Districts	320,572	345,600			
Dartford	37,476	45,330			

APPENDIX B.—*continued*

(iv) 1951 Census. Sex and age distribution of population in areas transferred between County Boroughs, Urban and Rural Aggregates of Administrative Counties.

Ages	Gloucestershire R.Ds. to Gloucester C.B.		Kent R.Ds. to Kent M.Bs. and U.Ds.		London Met. Bs. to Surrey M.Bs. and U.Ds.		Oxfordshire R.Ds. to Oxford C.B.		Yorkshire W.R. R.Ds. to Leeds C.B.		Yorkshire W.R. R.Ds. to York C.B.	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Ages	5	5	173	179	15	11	33	30	327	334	22	22
Under 5	1	1	46	55	2	3	2	3	24	24	4	2
5—	—	1	13	7	3	—	1	—	20	15	1	1
10—	—	—	9	7	—	—	2	2	17	14	3	1
15—	—	—	7	7	—	—	4	5	26	24	1	1
20—	1	1	5	28	1	1	4	4	16	18	1	1
25—	—	—	35	36	2	—	3	3	20	18	2	2
30—	—	—	21	15	—	1	2	1	14	25	1	2
35—	—	—	17	8	3	2	1	2	13	13	1	1
40—	1	2	10	7	—	—	5	2	31	25	—	3
45—	1	—	6	3	—	—	1	1	45	34	5	3
50—	1	—	3	2	—	1	2	1	26	34	1	1
55—	—	—	1	2	2	2	—	2	34	23	—	—
60—	—	—	—	1	1	—	4	1	14	20	—	2
65—	—	—	—	—	—	1	—	2	13	18	2	1
70—	—	—	—	1	1	—	1	—	6	13	—	1
75—	—	—	—	—	—	—	—	—	5	9	—	—
80—	—	—	—	—	—	—	—	—	2	4	—	—
85 & over	—	—	—	—	—	—	1	1	1	3	—	—

Printed in Great Britain under the authority of Her Majesty's Stationery Office
by Hugh Evans & Sons, Ltd., Liverpool.

THE REGISTRAR GENERAL'S
STATISTICAL REVIEW
OF ENGLAND AND WALES
FOR THE TWO YEARS 1952-1953

Supplement
on Mental Health

This volume contains tables and commentary relating to admissions, discharges, and residents in mental and mental deficiency hospitals in 1952 and 1953; the figures are discussed in relation to age, sex, diagnosis, duration of stay, etc. The report also contains an analysis for a hundred occupational groups within the social classes for married and single patients.

Price 11s. 6d. net.

By post 12s. 3d.

Obtainable from
HER MAJESTY'S STATIONERY OFFICE
at the addresses shown on cover page iv
or through any bookseller

